Beta

2024 PRICE LIST

Valid until 28/02/2025
prices do not include V.A.T.

Beta Tools (uk) Limited
Unit D - Horton Enterprise Park
Hortonwood 50, Telford - Shropshire, TF1 7GZ
Sales: Tel. (01952) 677977

In Beta, there is only one way to do things: doing them well.

This is Beta's world, this is the principle that guides our daily work around the world, driven by four values:

AUDACITY *to invest and constantly relaunch an enterprise created by an Italian craftsman in 1923, which has asserted itself worldwide and continues to grow after four generations.*

COMMITMENT *in taking care of the quality of our products, because every retailer knows he can count on an efficient service, and every user knows they can rely on the precision, reliability and resistance of Beta products.*

HARMONY *of the lines, for a design of excellence, because when something is well done, it expresses a perfect balance between function and design.*

TALENT *it is our most precious resource, the one that distinguishes all our people and every professional who chooses Beta to leave nothing up to chance, in the engaging and passionate fulfilment of their ideas and dreams.*



INDEX

Index 4
Key reading 8
Fields of use for torque wrenches 58-59
Chart for containers and assortments 351, 479-480
Eliminated items – substitute/recommended items ..... 727÷729
Alphabetical index ..... 730÷734
Index of car vehicle tools ..... 735÷737
Alphanumeric index ..... 738÷753
Beta group Key figures 754
The history of Italian tools 755
Certified quality 756
Control and quality 757
Logistics 758
Work organization 759
Effective presence 760

INDEX

WORKSHOP EQUIPMENT **RSC55**

RSC55 410÷435; 475÷478

WORKSHOP EQUIPMENT **RSC50**

Beta RSC50 436÷453; 475÷478

WORKSHOP EQUIPMENT **C45PRO**

Beta C45PRO 454÷478

CONTAINERS AND **ASSORTMENTS**

351÷370

371÷400

383; 401÷409



479÷561

WRENCHES

11÷17 23÷27 112÷117

SOCKETS AND **ACCESSORIES**

69÷78 85÷112

TORQUE WRENCHES AND **MULTIPLIERS**

54÷56 57÷69

SCREWDRIVERS, MALE-END WRENCHES AND **BITS**

18÷23 78÷85 114÷117 145÷159

PLIERS AND **NIPPERS**

127÷134 139÷142 236

HAMMERS AND CHISELS

9-10 · 166÷170 · 217÷218

DRILLING AND THREADING TOOLS

36÷41 · 41÷43 · 44÷51 · 51÷53

PULLERS

171÷172 · 198÷204

MEASURING AND MARKING TOOLS

210÷217

CUTTING AND GENERAL MAINTENANCE TOOLS

122÷123 · 134÷136 · 158÷159 · 184

209 · 219÷228

238÷241 · 325÷326

LIGHTING

242÷247

REELS

247÷249; 347

PLUMBING TOOLS

27÷35

ELECTRONICS AND MICROMECHANICS

126-127 · 142÷144 · 148÷151

ELECTROTECHNICS

136÷139 · 150 · 585÷587 · 232÷236

WELDING TOOLS

250÷254

1000V INSULATED TOOLS

285÷291

STAINLESS STEEL

299÷303

SPARKPROOF TOOLS

304÷312

VEHICLE REPAIR

118÷125

160÷166

170÷198; 204÷208

229÷232

232÷238

WORKSHOP EQUIPMENT

254÷273

MOTORCYCLE TOOLS

274÷279

BICYCLE TOOLS

280÷284

POWER TOOLS

313÷324

PNEUMATIC TOOLS AND ACCESSORIES

327÷350

TETHERED TOOLS

292÷298

CHEMICAL PRODUCTS

562÷567

SAFETY FOOTWEAR (AND TECHNICAL SOCKS)

624÷649

ABRASIVE TOOLS

568÷584

WORKWEAR

650÷670

PRODUCTS UNDER THE BRAND NAME BM

588÷594

BLISTER PACK RANGE

595÷609

ROBUR WIRE ROPE ACCESSORIES

671÷714

DISPLAY UNITS FOR SALES POINTS

610÷623

BETA COLLECTION

715÷726

KEY READING

item number

951GP

T-handle wrenches with one hexagon male end

Beta's wrench 951GP is the name for quick, accurate screw fit. Designed to satisfy some key requirements in the Racing world: developing high torque values and ensuring quick tightening.

in blister pack

motorcycle tools

bicycle tools

tool profile

price

★ item available on request
• main size
⬡ hexagon drive

size

n.° of tools per box

n.° of tools per set

type of packaging

set content



mm	L mm	L1 mm	Ø mm	£		
3	185	130	5	20.90	3	009511530
4	214	150	5	22.00	3	009511540
5	240	165	6	25.50	3	009511550
6	271	180	7	29.50	3	009511560
8	300	200	10	37.50	3	009511580
10	310	200	12	46.50	3	009511610

code number

new item 2024

951GP/S6 3-4-5-6-8-10 mm — £ 182.00 — 1 — 009511687

Most used symbols		Example
	Sets	
B	= in plastic wallet	42/B9N
BV	= empty wallet	2002/BV9
C	= in case	900/C11
D	= in hanging pack	1293/D6
S	= in box	42/S17
SP	= with display	42/SP25
SPV	= empty display	42/SPV7
SC	= with compact support	96/SC9
SCV	= compact support, empty	96/SCV
	Assortments	
AS	= with tools in inches	5915VU/AS
E	= Electronics/Electrotechnics	5980ET/A
I	= Plumbing	5980ID
MT	= Earth-moving	5902MT
U	= Universal	5915VU/3
SBK	= Motorcycle Repairs	5940SBK
VG	= Automotive	5904VG/5T
VI	= Industry	5902VI
	Sockets	
A	= hexagon profile	910A
B	= bi-hex profile	910B
ES	= grooved profile	920ES
FTX	= for TORX® screws	910FTX

Most used symbols		Example
PT	= for 5-star head screws	910PT
X	= reversible ratchet in cases	920A/C12X
	Screwdrivers and bits	
LP	= for slotted head screws	920LP
PE	= for hexagon screws	920PE
PH	= for cross head PHILLIPS® screws	920PH
PZ	= for cross head POZIDRIV® - SUPADRIV® screws	1299PZ
RTX	= for TAMPER RESISTANT TORX® screws	1298RTX
SP	= for SPANNER screws	861SP
TRW	= for TRI-WING® screws	861TRW
TQS	= for TORQ-SET® screws	861TQS
TX	= for TORX® head screws	920TX
XZN	= for XZN® screws	920XZN
	Miscellaneous	
AS	= sizes in inches	42AS
BA	= spark-proof tools	42BA
BM	= bi-material handle	1150BM
C	= empty metal container	C25
HS	= tethered tools	42HS
INOX	= tools made of stainless steel	42 INOX
L	= long series	952L
MQ	= 1000V insulated tools	1150MQ
MP	= bright finish	42MP
R	= spare part	338R

The pictures are given by way of example.
Beta Utensili reserve the right to update and enhance their product range without notice.

Beta RECOMMENDS using the tools correctly and complying with personal protection standards.

PIN PUNCHES

Beta's striking tools have been designed to provide optimal performance and ensure the operator's safety.

A special type of steel, which contains chrome, molybdenum and vanadium (65CrMoV2-2) is used for production, resulting in remarkably hard and tough tools. The products are made – if so allowed by their geometry – with drawn bars; otherwise, they are hot-forged in a controlled atmosphere, to avoid slag formation.

1
The hexagon profiles prevent the tool from rolling on the supporting surface.

2
the pin punches are fitted with extremely long though perfectly straight shanks, to allow access to small spaces.

3
To make sure that the pin punches are correctly sized, every single piece is faced, so that a uniform cylindrical part and a perfectly flat end can be obtained, for increased efficacy.

4
All the faces are subjected to induction tempering, to prevent splintering; the deformation of the striking point is a natural consequence, so that the operator's safety can be ensured.

5

The centre and pin punches are sharpened after being chrome-plated, to provide improved engraving and cutting performance, and remove the galvanic deposit from the tips. Overdeposits need to be removed, to prevent "rounding" of the corners and brittleness as a result of the amount of hydrogen produced during electroplating. he worked areas are protected with a rust-proof layer.

30
drift punches

ø mm	L mm	£		
2	125	9.40	10	000300020
3	125	9.40	10	000300030
4	150	12.80	10	000300040
5	150	12.80	10	000300050
6	150	13.30	10	000300060

31
pin punches

ø mm	L mm	L1 mm	£		
2	110	22	8.75	10	000310002
3	128	35	8.80	10	000310003
4	146	45	11.80	10	000310004
5	164	55	11.90	10	000310005
6	182	65	15.90	5	000310006
8	200	80	15.90	5	000310008
10	220	95	22.80	5	000310010

31/B6N

31/SP6

	£		
31/B6N 2-3-4-5-6-8 mm	82.00	1	000310024
2002/BV6	8.80	1	020020000
31/SP6 2-3-4-5-6-8 mm	92.00	1	000310030
31/SPV	21.90	1	000310031

31BM
pin punches with handles

ø mm	L mm	L1 mm	£		
2	168	42	21.30	2	000310402
3	180	52	21.40	2	000310403
4	191	62	24.40	2	000310404
5	200	72	26.00	2	000310405
6	221	82	31.00	2	000310406
8	235	94	31.50	2	000310408

	£		
31BM/D6 2-3-4-5-6-8 mm	155.50	1	000310420

31L
pin punches, long series

ø mm	L mm	L1 mm	£		
4	175	80	14.30	5	000310104
5	175	80	14.70	5	000310105
6	175	80	17.60	5	000310106

31SE
punches for spring pins

ø mm	D mm	L mm	L1 mm	£		
4	2,4	175	80	13.40	5	000310204
5	3,0	175	80	13.80	5	000310205
6	3,6	175	80	17.50	5	000310206

	£		
31/B6N-LSE **31L:** 4-5-6 mm **31SE:** 4-5-6 mm	100.00	1	000310324
2002/BV6	8.80	1	020020000

32
centre punches

ø mm	L mm	L1 mm	£		
3	100	44	8.45	10	000320100
4	125	52	11.20	10	000320125
5	150	62	13.80	10	000320150

32AU
automatic centre punches

ø mm	L mm	L1 mm	£		
3	150	23	79.00	2	000320160

32AUR
spare tip for automatic centre punch

Ø mm	£		
3	13.30	5	000320170

33LT
letter punches

- For engraving steel with resistance R up to 80 kg/mm2
- Kit of 27 punches: letters A to Z + &

H mm	L mm	A mm	£		
3	60	6,35	70.50	1	000330023
4	63	7,93	86.00	1	000330024
5	61	7,93	86.00	1	000330025
6	68	9,52	106.00	1	000330026
8	70	12,7	158.50	1	000330028

33NR
number punches

- For engraving steel with resistance R up to 80 kg/mm2
- Kit of 9 punches: numbers 0 to 9

H mm	L mm	A mm	£		
3	61	6,35	25.50	1	000330003
4	62	7,93	30.50	1	000330004
5	62	7,93	30.50	1	000330005
6	68	9,52	37.00	1	000330006
8	71	12,7	54.00	1	000330008

34
flat chisels

L mm	A mm	L1 mm	£		
125	14,5	45	13.00	5	000340001
150	17,0	58	17.50	5	000340002
175	21,5	68	25.00	5	000340003

35
flat chisels, ribbed type

L mm	A mm	£		
100	14,5	15.90	5	000350001
125	17,0	18.30	5	000350002
150	20,5	24.40	5	000350003
200	23,0	37.50	5	000350004
250	28,5	54.50	2	000350005
300	34,0	74.50	2	000350006

35PM
flat chisels, ribbed type with hand guards

L mm	A mm	£		
200	23,0	55.00	2	000350014
250	28,5	72.00	2	000350015
300	34,0	93.00	2	000350016

35PMR
spare hand guards

L mm	£		
200	17.70	1	000350024
250	17.70	1	000350025
300	18.40	1	000350026

36
cape chisels

L mm	A mm	L1 mm	£		
125	4	44	14.00	5	000360001
150	6	53	15.90	5	000360002

37
cape chisels, ribbed type

L mm	A mm	L1 mm	£		
150	6	45	26.50	5	000370001
200	8	55	39.50	3	000370002

37PM
cape chisel, ribbed type with hand guard

L mm	A mm	£		
200	8	58.00	2	000370012

37PMR
spare hand guard

L mm	£		
200	18.40	1	000370022

38/B6N 38/SP6

	£		
38/B6N	85.00	1	000380016
30: 2-3 mm			
32: 4 mm			
34: 125-150 mm			
36: 150 mm			
2002/BV6	8.80	1	020020000
38/SP6	98.00	1	000380009
30: 2-3 mm			
32: 4 mm			
34: 125-150 mm			
36: 150 mm			
38/SPV	26.50	1	000380019

BETA'S ICONIC WRENCH

Our epoch-making wrench 42 has a new shape.

A stylish, slim shape enhanced by a slender profile, lighter to the touch.
The strength, resilience and ergonomic design of the Beta wrench reach even higher values, to provide users with the best possible tool.
The manufacturing process is carried out in our factories in Sovico and Sulmona, on the basis of state-of-the-art automation technology and the best trained workers.



RAPID

A 15 degree angle compared to the axis, to reduce the take-up angle

RESILIENT

Remarkable strength: in case of improper use, the wrench buckles, without breaking suddenly and dangerously

HOMOGENEUS

Pressing is based on a round-section semi-finished product which results in homogeneously distributed fibres, thereby preventing dangerous internal stress formation

ACCESSIBLE

Reduced thickness for improved accessibility

PROTECTED

Nickel-chrome plating provides lasting resistance to external agents and meets the stringent requirements of adhesion tests under ISO 2819

OPTIMIZED

The wrench, which is longer than most competitors', allows high torques to be obtained through reduced effort

ERGONOMIC

The offset ring has a 15 degree angle to protect the hand. The shape is obtained from a die; it is not bent later

CAUTION!
The shape of wrench 42 is perfectly compatible with all the containers and modules of established wrench 42

42

combination wrenches

Torque values more than doubled compared to the requirements to be satisfied under ISO 1711

DIN 3113 UNI-ISO 7738

mm	L mm	S1 mm	£		
5,5x5,5	95	3,4	**9.65**	5	000421005
6x6	95	3,4	**9.70**	5	000421006
7x7	105	3,6	**9.95**	5	000421007
8x8	116	3,9	**10.10**	5	000421008
9x9	127	4,2	**10.20**	5	000421009
10x10	137	4,5	**11.00**	5	000421010
11x11	148	4,8	**11.70**	5	000421011
12x12	158	5,1	**11.90**	5	000421012
13x13	169	5,6	**12.10**	5	000421013
14x14	180	5,7	**13.40**	5	000421014
15x15	190	6,0	**14.00**	5	000421015
16x16	201	6,3	**15.30**	5	000421016
17x17	212	6,8	**16.10**	5	000421017
18x18	222	7,0	**17.50**	5	000421018
19x19	233	7,5	**18.10**	5	000421019
20x20	243	7,7	**19.70**	3	000421020
21x21	254	7,9	**21.10**	3	000421021
22x22	264	8,3	**21.90**	3	000421022
23x23	275	8,5	**23.20**	3	000421023
24x24	285	8,7	**24.30**	3	000421024
25x25	296	8,7	**26.50**	2	000421025
26x26	307	8,9	**28.00**	2	000421026
27x27	317	9,1	**30.50**	2	000421027
28x28	328	9,3	**32.00**	2	000421028
29x29	338	9,5	**33.50**	2	000421029
30x30	349	9,7	**36.50**	2	000421030
32x32	370	10,1	**42.00**	2	000421032
34x34	391	10,5	**85.50**	1	000421034
35x35	412	10,7	**91.00**	1	000421035
36x36	412	10,7	**91.50**	1	000421036
38x38	433	11,3	**102.50**	1	000421038
41x41	465	12,0	**116.00**	1	000421041

	£		
42/B9N 6-7-8-10-11-13-14-17-19 mm	**123.50**	1	000421074
2002/BV9	**11.20**	1	020020030

	£		
42/S14 6-7-8-10-11-12-13-14 -15-16-17-19-22-24 mm	**199.50**	1	000421067
42/S17 6-7-8-9-10-11-12-13-14-15 16-17-18-19-20-21-22 mm	**243.50**	1	000421065
42/S15 6-7-8-10-11-12-13-14 17-19-22-24-27-30-32 mm	**279.00**	1	000421066
42/S17X 6-7-8-10-11-12-13-14- 15-16-17-19-21-22- 24-27-30 mm	**288.00**	1	000421068
42/S26 6-7-8-9-10-11-12-13-14 15-16-17-18-19-20-21 22-23-24-25-26-27-28 29-30-32 mm	**520.00**	1	000421070

42/SC9I-E

set of 9 combination wrenches with compact support

Torque values more than doubled compared to the requirements to be satisfied under ISO 1711

	£		
42/SC9I 8-10-11-12-13-14-15-17-19 mm	**130.50**	1	000421087
142/SCV9I	**15.10**	1	001420103
42/SC9E 8-10-11-12-13-16-17-18-19 mm	**136.00**	1	000421088
142/SCV9E	**15.10**	1	001420104

	£		
42/SP25 6-7-8-9-10-11-12-13-14 15-16-17-18-19-20-21 22-23-24-25-26-27-28 30-32 mm	**598.00**	1	000421085
42/SPV2	**111.50**	1	000420090

42/SP15

42/SPV...

	£		
42/SP15 6-7-8-9-10-11-12-13-14-15 16-17-19-22-24 mm	**226.00**	1	000421078
42/SPV7 **42:** 8-10-11-13-14-17-19 mm **55:** 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm	**8.45**	1	000420097
42/SPV11 **42MP:** 8-9-10-11-12-13 14-15-16-17-19 mm **142-142SN:** 8-9-10-11-12-13 14-15-16-17-19 mm	**12.20**	1	000420100
42/SPV15 **42:** 6-7-8-9-10-11-12-13-14 15-16-17-19-22-24 mm	**16.10**	1	000420102

42AS

combination wrenches, open and offset ring ends

"	L mm	£		
1/4x1/4	95	**11.90**	2	000420106
9/32x9/32	106	**12.00**	2	000420107
5/16x5/16	116	**12.10**	2	000420108
3/8x3/8	137	**12.40**	2	000420110
7/16x7/16	148	**13.40**	2	000420111
1/2x1/2	169	**13.50**	2	000420113
9/16x9/16	180	**14.60**	2	000420114
19/32x19/32	191	**15.50**	2	000420115
5/8x5/8	201	**16.40**	2	000420116
11/16x11/16	212	**18.10**	2	000420117
3/4x3/4	233	**19.70**	2	000420119
13/16x13/16	254	**23.20**	2	000420121
7/8x7/8	264	**23.90**	2	000420122
15/16x15/16	285	**26.50**	2	000420124
1x1	296	**28.50**	2	000420125
1.1/16x1.1/16	317	**33.00**	2	000420127
1.1/8x1.1/8	338	**37.50**	2	000420129
1.1/4x1.1/4	370	**47.00**	2	000420132
1.5/16x1.5/16	391	**89.00**	1	000420133
1.3/8x1.3/8	412	**94.50**	1	000420135
1.7/16x1.7/16	412	**95.50**	1	000420136
1.1/2x1.1/2	433	**100.50**	1	000420138

	£		
42AS/B9N 1/4-5/16-3/8-7/16-1/2 9/16-5/8-11/16-3/4	**143.50**	1	000420159
2002/BV9	**11.20**	1	020020030

	£		
42AS/13 1/4-5/16-3/8-7/16-1/2-9/16-5/8 11/16-3/4-13/16-7/8-15/16-1	**234.00**	1	000420163
42AS/16 1/4-5/16-3/8-7/16-1/2-9/16-5/8 11/16-3/4-13/16-7/8-15/16-1- 1.1/16-1.1/8-1.1/4	**352.00**	1	000420166
42AS/17 1/4-9/32-5/16-3/8-7/16-1/2- 9/16-19/32-5/8-11/16-3/4- 13/16-7/8-15/16-1-1.1/16-1.1/8	**332.00**	1	000420168

42MP

combination wrenches, open and offset ring ends, bright chrome-plated

DIN 3113 UNI-ISO 7738

mm	L mm	£		
6x6	95	**16.80**	5	000420606
7x7	105	**16.90**	5	000420607
8x8	116	**17.10**	5	000420608
9x9	127	**17.50**	5	000420609
10x10	137	**17.60**	5	000420610
11x11	148	**17.70**	5	000420611
12x12	158	**17.90**	5	000420612
13x13	169	**18.00**	5	000420613
14x14	180	**18.40**	5	000420614
15x15	190	**19.70**	5	000420615
16x16	201	**19.80**	5	000420616
17x17	212	**20.40**	5	000420617
18x18	222	**21.10**	5	000420618
19x19	233	**22.60**	5	000420619
20x20	243	**25.00**	3	000420620
21x21	254	**26.00**	3	000420621
22x22	264	**28.00**	3	000420622
24x24	285	**31.00**	3	000420624
27x27	317	**37.50**	3	000420627
30x30	349	**45.50**	3	000420630
32x32	370	**49.50**	3	000420632

	£		
42MP/B9N 6-7-8-10-11-13-14-17-19 mm	**176.50**	1	000420661
2002/BV9	**11.20**	1	020020030

	£		
42MP/S17 6-7-8-9-10-11-12-13-14-15 16-17-18-19-20-21-22 mm	**340.00**	1	000420652
42MP/S21 6-7-8-9-10-11-12-13-14 15-16-17-18-19-20-21-22 24-27-30-32 mm	**504.00**	1	000420653

42LMP

combination wrenches, open and offset ring ends, long series, bright chrome-plated

mm	L mm	£		
8x8	148	16.80	2	000420508
9x9	167	17.50	2	000420509
10x10	172	17.60	2	000420510
11x11	186	17.70	2	000420511
12x12	197	18.00	2	000420512
13x13	207	18.40	2	000420513
14x14	223	19.00	2	000420514
15x15	233	19.70	2	000420515
16x16	243	20.40	2	000420516
17x17	261	20.50	2	000420517
18x18	270	22.60	2	000420518
19x19	280	23.20	2	000420519
21x21	301	26.50	2	000420521
22x22	318	28.50	2	000420522
24x24	338	32.00	2	000420524
27x27	376	39.50	2	000420527
30x30	409	48.00	2	000420530
32x32	435	54.50	2	000420532

	£		
42LMP/S14 8-9-10-11-12-13-14 15-16-17-18-19-21-22 mm	286.00	1	000420551
42LMP/S18 8-9-10-11-12-13-14 15-16-17-18-19-21-22 24-27-30-32 mm	460.00	1	000420552

42SLIM

combination wrenches with thin open ends

DIN 3113 UNI-ISO 7738

mm	L mm	S1 mm	£		
8x8	116	3,4	12.20	5	000420408
10x10	137	3,8	13.00	5	000420410
11x11	148	3,8	13.90	5	000420411
12x12	158	4,2	14.20	5	000420412
13x13	169	4,4	14.30	5	000420413
14x14	180	4,6	16.10	5	000420414
15x15	190	4,7	17.10	5	000420415
16x16	201	4,7	17.80	5	000420416
17x17	212	5,1	19.10	5	000420417
18x18	222	5,1	20.20	5	000420418
19x19	233	5,6	21.10	5	000420419

	£		
42SLIM/B8NI 10-11-12-13-14-15-17-19 mm	140.00	1	000420478
42SLIM/B8NE 10-11-12-13-16-17-18-19 mm	145.00	1	000420479
2002/BV8	11.30	1	020020020

	£		
42SLIM/S11 8-10-11-12-13-14-15- 16-17-18-19 mm	179.00	1	000420471

45

combination wrenches, open and offset ring ends, heavy series

DIN 3113 UNI-ISO 7738

mm	L mm	£		
46x46	500	117.50	1	000450046
50x50	540	142.00	1	000450050
55x55	560	198.50	1	000450055
60x60	600	248.50	1	000450060
65x65	675	462.00	1	000450065
70x70	675	486.00	1	000450070
75x75	720	571.00	1	000450075
80x80	720	594.00	1	000450080

52

single open end wrenches

UNI 6733 DIN 3114

mm	L mm	£		
10	119	12.70	5	000520010
11	119	12.70	5	000520011
12	119	12.70	5	000520012
13	145	13.40	5	000520013
14	145	13.40	5	000520014
15	145	16.10	5	000520015
16	159	16.10	5	000520016
17	159	17.50	5	000520017
18	159	18.10	5	000520018
19	175	19.00	5	000520019
20	175	19.70	5	000520020
21	175	19.70	5	000520021
22	196	23.90	2	000520022
23	196	23.90	2	000520023
24	196	24.50	2	000520024
25	215	28.00	2	000520025
26	215	28.50	2	000520026
27	215	28.50	2	000520027
28	240	33.00	2	000520028
30	240	33.00	2	000520030
32	270	39.00	2	000520032
34	270	40.50	1	000520034
35	295	48.50	1	000520035
36	295	48.50	1	000520036
38	295	51.00	1	000520038
40	335	77.00	1	000520040
41	335	77.00	1	000520041
42	335	77.50	1	000520042
45	370	97.00	1	000520045
46	370	97.00	1	000520046
48	370	99.50	1	000520048
50	415	118.50	1	000520050
52	415	120.50	1	000520052
55	415	123.00	1	000520055
60	490	170.50	1	000520060
65	490	172.50	1	000520065
70	490	187.50	1	000520070

53

single open end wrenches DIN 894

mm	L mm	£		
36	317	37.50	1	000530036
38	320	42.00	1	000530038
41	342	48.50	1	000530041
46	396	61.50	1	000530046
50	412	84.50	1	000530050
55	457	98.00	1	000530055
60	492	115.00	1	000530060
65	528	136.00	1	000530065
70	572	158.50	1	000530070
75	608	195.50	1	000530075
80	645	245.00	1	000530080
85	690	301.00	1	000530085
90	690	360.00	1	000530090
95	847	493.00	1	000530095
100	847	526.00	1	000530100
105	1000	695.00	1	000530105
110	1000	729.00	1	000530110
115	1000	801.00	1	000530115
120	1000	926.00	1	000530120
125	1000	1109.00	1	000530125
130	1000	1185.00	1	000530130
135	1000	1290.00	1	000530135

55

double open end wrenches

UNI-ISO 10102 DIN 3110

mm	L mm	£		
4x5	101	6.75	5	000550003
5x5,5	101	6.75	5	000550006
5,5x7	120	6.15	5	000550009
• 6x7	120	7.00	5	000550012
7x8	140	7.75	5	000550018
• 8x9	140	6.95	5	000550021
8x10	140	8.00	5	000550024
• 10x11	155	7.75	5	000550030
10x12	155	9.45	5	000550033
10x13	170	10.20	5	000550035
• 12x13	170	9.25	5	000550042
12x14	170	10.80	5	000550045
13x14	185	13.00	5	000550047
13x17	189	14.00	5	000550051
• 14x15	185	10.70	5	000550054
14x17	189	14.60	5	000550057
• 16x17	202	12.30	5	000550060
17x19	220	15.50	2	000550063
• 18x19	220	14.00	2	000550066
19x22	236	16.80	2	000550069
• 20x22	236	15.50	2	000550075
• 21x23	245	17.60	2	000550078
22x24	245	19.00	2	000550081
• 24x26	262	19.70	2	000550087
24x27	262	22.60	2	000550090
• 25x28	272	22.60	2	000550096
• 27x29	284	24.50	2	000550099
27x30	284	28.00	2	000550102
27x32	297	32.00	2	000550105
• 30x32	297	28.00	2	000550108
32x36	325	95.50	1	000550114
34x36	325	95.50	1	000550117
35x38	375	102.50	1	000550120
36x41	375	103.50	1	000550123
41x46	425	132.00	1	000550129
46x50	475	155.00	1	000550132
50x55	500	173.50	1	000550135
55x60	500	176.50	1	000550138

	£		
55/B8N 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	**94.50**	1	000550160
2002/BV8	**11.30**	1	020020020
55/B12N 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	**190.50**	1	000550164
2002/BV12	**19.30**	1	020020040

	£		
55/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	**83.50**	1	000550174
55/S12 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	**171.50**	1	000550178
55/S12X 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x27 25x28-30x32 mm	**174.00**	1	000550179
55/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	**196.00**	1	000550182

55/SP7

55/SP13

	£		
55/SP7 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm	**71.50**	1	000550167
42/SPV7 **42:** 8-10-11-13-14-17-19 mm **55:** 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm	**8.45**	1	000420097
55/SP13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	**236.50**	1	000550186
55/SPV	**40.50**	1	000550190

55AS

double open end wrenches

"	L mm	£		
1/4x9/32	120	**7.75**	2	000550203
1/4x5/16	120	**7.75**	2	000550206
5/16x11/32	140	**8.75**	2	000550209
5/16x3/8	140	**9.25**	2	000550212
3/8x7/16	155	**9.55**	2	000550215
7/16x1/2	170	**11.60**	2	000550218
1/2x9/16	170	**11.90**	2	000550221
9/16x5/8	185	**13.40**	2	000550224
19/32x11/16	189	**15.50**	2	000550227
5/8x11/16	202	**14.60**	2	000550230
5/8x3/4	202	**14.60**	2	000550233
11/16x13/16	220	**17.60**	2	000550242
3/4x7/8	236	**20.40**	2	000550245
25/32x13/16	236	**20.40**	2	000550244
7/8x15/16	245	**21.90**	2	000550251
15/16x1	262	**25.50**	1	000550257
1x1.1/8	272	**28.00**	1	000550259
1.1/16x1.1/4	284	**37.00**	1	000550267
1.1/8x1.5/16	297	**37.00**	1	000550266
1.5/16x1.1/2	325	**93.50**	1	000550269
1.3/8x1.1/2	375	**98.00**	1	000550272
1.7/16x1.5/8	375	**98.00**	1	000550275

	£		
55AS/5 5/16x11/32-3/8x7/16 1/2x9/16-5/8x11/16 3/4x7/8	**65.00**	1	000550290
55AS/8 1/4x9/32-5/16x11/32-3/8x7/16- 1/2x9/16-9/16x5/8-5/8x11/16- 11/16x13/16-3/4x7/8	**104.00**	1	000550296
55AS/12 1/4x9/32-5/16x11/32-3/8x7/16-1 /2x9/16-9/16x5/8-5/8x11/16- 11/16x13/16-25/32x13/16-3/4x7/8- 15/16x1-1x1.1/8-1.1/16x1.1/4	**215.00**	1	000550298

55MP

double open end wrenches,
bright chrome-plated

UNI-ISO 10102 DIN 3110

mm	L mm	£		
6x7	120	**7.85**	2	000550603
8x9	140	**8.60**	2	000550606
10x11	155	**9.10**	2	000550609
12x13	170	**10.60**	2	000550612
14x15	185	**13.30**	2	000550615
16x17	202	**15.50**	2	000550618
18x19	220	**18.10**	2	000550621
20x22	236	**21.00**	2	000550624
21x23	245	**21.90**	2	000550627
24x26	262	**24.50**	1	000550630
25x28	272	**27.50**	1	000550633
27x29	284	**29.00**	1	000550636
30x32	297	**34.00**	1	000550639

	£		
55MP/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	**104.00**	1	000550650
55MP/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	**241.00**	1	000550651
55MP/S12 6x7-8x9-10x11-12x13-14x15- 16x17-18x19-20x22-21x23-24x26- 25x28-30x32 mm	**212.00**	1	000550653

58

open end slogging wrenches

DIN 133

mm	L mm	£		
24	177	**34.50**	1	000580024
27	180	**36.00**	1	000580027
30	190	**42.50**	1	000580030
32	190	**43.50**	1	000580032
34	200	**52.50**	1	000580034
36	215	**54.00**	1	000580036
41	235	**67.50**	1	000580041
46	255	**87.00**	1	000580046
50	275	**98.00**	1	000580050
55	300	**116.50**	1	000580055
60	320	**128.50**	1	000580060
65	342	**167.00**	1	000580065
70	375	**212.50**	1	000580070
75	375	**230.00**	1	000580075
80	408	**330.00**	1	000580080
85	408	**377.00**	1	000580085
90	445	**444.00**	1	000580090
95	445	**459.00**	1	000580095
100	485	**637.00**	1	000580100
105	485	**729.00**	1	000580105
110	510	**784.00**	1	000580110
115	510	**914.00**	1	000580115
120	545	**921.00**	1	000580120
125	545	**1056.00**	1	000580125
130	575	**1495.00**	1	000580130
135	575	**1600.00**	1	000580135
★140	575	**1740.00**	1	000580140
★145	640	**2245.00**	1	000580145
★150	640	**2460.00**	1	000580150
★155	640	**2860.00**	1	000580155
★160	640	**2940.00**	1	000580160
★165	715	**3180.00**	1	000580165
★170	715	**4310.00**	1	000580170
★175	715	**4540.00**	1	000580175
★180	715	**4900.00**	1	000580180
★185	715	**5070.00**	1	000580185
★190	800	**5590.00**	1	000580190
★195	800	**5870.00**	1	000580195
★200	800	**6110.00**	1	000580200
★210	800	**7790.00**	1	000580210
★220	800	**10070.00**	1	000580220
★230	800	**12300.00**	1	000580230

73
small double open end wrenches

UNI 6737

mm	L mm	£		
4x4	78	8.00	5	000730040
4,5x4,5	78	8.00	5	000730045
5x5	78	8.00	5	000730050
5,5x5,5	86	8.45	5	000730055
6x6	86	8.45	5	000730060
7x7	86	8.45	5	000730070
8x8	97	9.85	5	000730080
9x9	97	9.85	5	000730090
10x10	108	10.50	5	000730100
11x11	108	10.50	5	000730110
12x12	124	11.80	5	000730120
13x13	124	11.80	5	000730130
14x14	124	11.80	5	000730140

	£		
73/B13N 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	138.50	1	000730202
2002/BV13	13.00	1	020020050

	£		
73/S13 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	125.50	1	000730210

78
ring slogging wrenches

DIN 7444

mm	L mm	£		
24	162	33.50	1	000780024
27	180	43.50	1	000780027
30	190	50.50	1	000780030
32	190	52.50	1	000780032
34	200	59.00	1	000780034
36	205	65.50	1	000780036
41	225	84.50	1	000780041
46	235	93.50	1	000780046
50	250	109.00	1	000780050
55	265	130.50	1	000780055
60	275	157.50	1	000780060
65	295	198.00	1	000780065
70	325	199.00	1	000780070
75	325	251.00	1	000780075
80	350	386.00	1	000780080
85	350	398.00	1	000780085
90	390	486.00	1	000780090
95	390	585.00	1	000780095
100	420	656.00	1	000780100
105	420	707.00	1	000780105
110	450	778.00	1	000780110
115	450	926.00	1	000780115
120	490	1179.00	1	000780120
125	480	1625.00	1	000780125
130	520	2250.00	1	000780130
135	520	2275.00	1	000780135
★140	520	2530.00	1	000780140
★145	580	3350.00	1	000780145
★150	580	3400.00	1	000780150
★155	580	4300.00	1	000780155
★160	650	3780.00	1	000780160
★165	650	4700.00	1	000780165
★170	650	4870.00	1	000780170
★175	650	5320.00	1	000780175
★180	650	5800.00	1	000780180
★185	695	6000.00	1	000780185
★190	695	6420.00	1	000780190
★195	695	6500.00	1	000780195
★200	695	6620.00	1	000780200
★210	740	7060.00	1	000780210
★215	740	7950.00	1	000780215
★220	740	8770.00	1	000780220
★230	740	10890.00	1	000780230

78AS
ring slogging wrenches

"	L mm	£		
★1.1/16	180	49.50	1	000780327
★1.1/8	190	49.50	1	000780329
★1.3/16	190	49.50	1	000780330
★1.1/4	197	50.50	1	000780332
★1.5/16	197	50.50	1	000780333
★1.3/8	223	52.50	1	000780335
★1.7/16	223	73.50	1	000780336
★1.1/2	223	73.50	1	000780338
★1.5/8	223	80.00	1	000780341
★1.11/16	225	86.00	1	000780343
★1.13/16	240	102.50	1	000780346
★1.7/8	250	102.50	1	000780348
★2	250	113.00	1	000780350
★2.1/16	250	120.50	1	000780352
★2.3/16	275	125.50	1	000780355
★2.3/8	270	176.00	1	000780360
★2.9/16	302	196.00	1	000780365
★2.3/4	350	217.50	1	000780370
★2.15/16	350	254.00	1	000780375
★3.1/8	354	429.00	1	000780380

80
double swivel end socket wrenches

mm	L mm	£		
6x7	170	38.00	3	000800006
8x9	176	39.50	3	000800008
8x10	179	39.50	3	000800009
10x11	182	43.00	3	000800010
12x13	228	48.00	3	000800012
14x15	232	50.50	3	000800014
13x17	231	55.00	3	000800015
16x17	234	55.00	2	000800016
18x19	285	62.00	2	000800018
19x22	287	67.50	2	000800019
20x22	289	67.50	2	000800020
21x23	289	69.50	2	000800021
24x27	405	120.50	2	000800024
30x32	413	126.00	2	000800030

	£		
80/S8 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22 mm	403.00	1	000800051
80/S11 6x7-8x9-10x11-12x13 14x15-16x17-18x19-20x22 21x23-24x27-30x32 mm	719.00	1	000800056

83
half-moon ring wrenches

ISO 3318

mm	L mm	£		
8x10	126	19.40	3	000830008
10x12	137	20.20	3	000830010
11x13	138	21.00	3	000830011
14x17	183	28.00	3	000830014
15x17	184	32.50	2	000830015
16x18	196	34.50	2	000830016
19x22	231	46.00	2	000830019

	£		
83/S3 11x13-14x17-19x22 mm	95.00	1	000830081
83/S5 10x12-11x13-15x17 16x18-19x22 mm	154.00	1	000830085

83AS
half-moon ring wrenches

"	L mm	£		
7/16x1/2	138	27.50	2	000830111
9/16x5/8	183	32.50	2	000830114
3/4x7/8	230	52.50	2	000830119

	£		
83AS/3 7/16x1/2-9/16x5/8 3/4x7/8	112.50	1	000830181

88
double ended flat ring wrenches, extra-long series

mm	L mm	£		
8x10	235	22.10	2	000880008
12x14	330	26.50	2	000880012
13x15	330	26.50	2	000880013
16x18	405	36.50	2	000880016
17x19	405	36.50	2	000880017
21x23	435	43.50	2	000880021
22x24	435	43.50	2	000880022

	£		
88/S7 8x10-12x14-13x15-16x18- 17x19-21x23-22x24 mm	235.00	1	000880107

90
double ended deep offset ring wrenches

DIN 838 ISO 10104

mm	L mm	£		
6x7	165	10.70	5	000900006
8x9	180	11.90	5	000900012
8x10	180	12.10	5	000900015
10x11	195	12.20	5	000900018
10x12	195	13.60	5	000900021
11x13	215	15.50	5	000900024
12x13	215	13.90	5	000900027
12x14	215	15.50	5	000900030
14x15	230	16.10	5	000900033
14x17	250	19.00	5	000900036
16x17	250	18.10	5	000900039
17x19	265	22.60	5	000900042
18x19	265	21.10	5	000900045
19x22	285	25.00	3	000900048
20x22	285	23.20	3	000900051
21x23	305	25.00	2	000900057
22x24	305	28.50	2	000900060
24x26	325	29.00	2	000900063
24x27	325	31.00	2	000900067
25x28	340	36.50	2	000900070
27x29	355	39.50	2	000900073
27x30	355	40.50	2	000900076
27x32	375	45.00	2	000900078
30x32	375	43.50	2	000900080
32x36	395	65.50	1	000900088
34x36	415	78.50	1	000900089
35x38	415	81.00	1	000900091
36x41	435	91.50	1	000900094
41x46	460	128.50	1	000900097
46x50	500	169.00	1	000900100

	£		
90/B8N 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	138.50	1	000900156
2002/BV8	11.30	1	020020020

	£		
90/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	127.00	1	000900162
90/S12 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	261.00	1	000900166
90/S12X 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x27 25x28-30x32 mm	263.00	1	000900167
90/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	301.00	1	000900170

	£		
90/SP13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	341.00	1	000900174
55/SPV	40.50	1	000550190

90AS
double ended deep offset ring wrenches

"	L mm	£		
1/4x5/16	165	12.70	2	000900203
5/16x11/32	180	13.40	2	000900206
5/16x3/8	180	13.60	2	000900209
3/8x7/16	195	14.60	2	000900212
7/16x1/2	215	16.10	2	000900215
1/2x9/16	230	17.60	2	000900218
9/16x5/8	230	17.60	2	000900221
19/32x11/16	250	20.50	2	000900222
5/8x11/16	250	20.50	2	000900224
5/8x3/4	265	22.60	2	000900227
11/16x3/4	265	22.60	1	000900230
11/16x13/16	265	23.90	1	000900233
3/4x25/32	265	26.00	1	000900235
3/4x7/8	285	26.00	1	000900237
13/16x7/8	285	26.00	1	000900240
7/8x15/16	305	28.00	1	000900243
15/16x1	325	32.50	1	000900252
1.1/16x1.1/4	375	48.50	1	000900258
1.1/8x1.5/16	375	48.50	1	000900261

	£		
90AS/8 1/4x5/16-5/16x11/32 3/8x7/16-1/2x9/16 5/8x11/16-11/16x3/4 13/16x7/8-15/16x1	160.00	1	000900298
90AS/10 1/4x5/16-5/16x11/32 3/8x7/16-1/2x9/16 5/8x11/16-11/16x3/4 13/16x7/8-15/16x1 1.1/16x1.1/4-1.1/8x1.5/16	257.00	1	000900300

91
heavy duty offset ring wrenches

mm	Ø mm	£		
24	38	69.50	1	000910024
27	41	72.50	1	000910027
30	48	77.00	1	000910030
32	49	81.00	1	000910032
36	54	93.50	1	000910036
41	62	115.00	1	000910041
46	69	132.50	1	000910046
50	76	149.00	1	000910050
55	81	165.50	1	000910055
60	90	210.00	1	000910060
65	98	229.00	1	000910065
70	105	256.00	1	000910070
75	110	295.00	1	000910075
80	125	338.00	1	000910080
85	125	353.00	1	000910085
90	140	644.00	1	000910090
95	140	700.00	1	000910095
100	143	743.00	1	000910100
105	146	900.00	1	000910105

92
tubes for item 91

	L mm	91 mm	Ø mm	£		
92/1	460	24÷30	19	40.50	1	000920010
92/2	610	32÷41	22	66.50	1	000920020
92/3	760	46÷55	25	97.00	1	000920030
92/4	860	60÷105	30	133.00	1	000920040

93
double-ended offset ring wrench
for scaffolding bolts

mm	L mm	£		
21x22	310	58.50	3	000930021

93C
ratcheting double-ended offset ring wrenches
for scaffolding bolts

mm	L mm	£		
17x19	310	56.50	1	000930117
19x22	310	59.00	1	000930119
19x24	365	69.00	1	000930120
21x22	310	69.00	1	000930121
36x38	445	120.50	1	000930136

94
flare nut open ring wrenches

DIN 3118

mm	L mm	£		
8x10	140	13.20	2	000940008
9x11	153	13.80	2	000940009
10x11	153	14.00	2	000940010
11x13	175	14.60	2	000940011
12x14	175	16.10	2	000940012
13x15	175	16.10	2	000940013
14x15	175	19.80	2	000940014
14x17	195	20.50	2	000940015
17x19	212	21.10	2	000940017
19x22	228	21.90	2	000940019
22x24	242	28.00	2	000940022
24x27	260	29.00	2	000940024
30x32	300	36.00	2	000940030
36x41	320	86.50	1	000940036

	£		
94/S6 8x10-10x11-11x13-12x14 17x19-19x22 mm	101.00	1	000940050
94/S10 8x10-9x11-10x11-11x13 12x14-17x19-19x22 22x24-24x27-30x32 mm	207.50	1	000940052

95
double ended flat ring wrenches

DIN 837 ISO 10103

mm	L mm	£		
6x7	120	13.80	3	000950161
8x9	135	14.60	3	000950162
10x11	150	17.60	3	000950163
12x13	165	19.70	3	000950164
14x15	185	20.50	3	000950165
16x17	210	21.10	3	000950166
17x19	225	23.20	3	000950167
18x19	225	24.50	2	000950168
20x22	240	28.00	2	000950169
21x23	255	29.00	2	000950170
24x26	270	31.00	2	000950171
25x28	285	37.50	2	000950172
27x29	315	39.00	2	000950173
30x32	335	43.00	2	000950174

	£		
95/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	160.00	1	000950177
95/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	339.00	1	000950179

95FTX
double-ended straight wrenches,
for Torx® head screws

	L mm	£		
E6xE8	115	9.25	2	000950306
E10xE12	143	10.20	2	000950310
E14xE18	177	13.30	2	000950314
E20xE24	224	16.90	2	000950320

	£		
95FTX/S4 E6xE8-E10xE12 E14xE18-E20xE24	49.50	1	000950325

OFFSET HEXAGON KEY WRENCHES

Beta's hexagon key wrenches have been designed for long, accurate operation. The wide range covers all use requirements: the extra-short, short, long, extra-long, ball head and T-wrenches as well as the wrenches with high torque handles are among Beta's flagship products and are unrivalled in the market.



The ball head offset hexagon key wrenches allow operation at an angle of up to 30° to the screw axis.

The keys are packaged in a wallet for quick identification of the required size. When closed, it prevents the wrenches, including the smaller ones, from accidentally coming out.

The Color version combines the outstanding features of the standard wrenches with immediate identification of the required size to speed up daily work.

96

offset hexagon key wrenches
chrome-plated

ISO 2936

mm	L mm	L1 mm	£		
0,9	35	8	1.02	20	000960013
1,3	39	10	0.90	20	000960014
1,5	45	15	0.78	20	000960015
2	50	17	0.95	20	000960020
2,5	57	20	0.95	20	000960025
3	64	22	0.97	20	000960030
3,5	68	25	1.14	20	000960035
4	72	28	1.46	20	000960040
4,5	78	30	1.61	20	000960045
5	83	32	2.04	20	000960050
5,5	88	35	2.07	20	000960055
6	94	37	2.45	20	000960060
7	99	40	3.35	10	000960070
8	105	43	3.70	10	000960080
9	111	46	4.15	10	000960090
10	119	49	5.00	10	000960100
11	126	52	6.05	10	000960110
12	134	56	7.30	10	000960120
13	142	62	9.70	10	000960130
14	151	69	11.20	10	000960140
16	165	75	16.10	5	000960160
17	174	79	16.90	5	000960170
19	196	88	23.90	5	000960190
22	216	100	39.50	3	000960220
24	242	112	51.50	1	000960240
27	271	125	66.00	1	000960270
30	309	140	92.00	1	000960300
32	341	155	128.50	1	000960312
36	385	174	184.50	1	000960316

	£		
96/ST6 2,5-3-4-5-6-8 mm	16.60	3	000960370

	£		
96/BGS7 1,5-2-2,5-3-4-5-6 mm	42.00	1	000960367

	£		
96/BG7 2,5-3-4-5-6-8-10 mm	43.00	1	000960368

	£		
96/B8 2-2,5-3-4-5-6-8-10 mm	19.60	5	000960386
96/B10 1,5-2-2,5-3-4-5-6-8-10-12 mm	27.50	5	000960380
96N/BV	2.11	1	000960651

	£		
96/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	24.20	1	000960374
96/SCV	5.85	1	000960985

	£		
96/SC12 2-2,5-3-3,5-4-4,5-5 6-7-8-9-10 mm	34.50	1	000960395
96/SCV12	6.90	1	000960975

96N

offset hexagon key wrenches,
burnished

ISO 2936

mm	L mm	L1 mm	£		
0,9	32	10	0.56	20	000960409
1,3	44	12	0.56	20	000960413
1,5	46	15	0.56	20	000960415
2	51	17	0.61	20	000960420
2,5	57	20	0.67	20	000960425
3	64	22	0.76	20	000960430
3,5	68	25	0.90	20	000960435
4	72	28	1.01	20	000960440
4,5	78	30	1.09	20	000960445
5	83	32	1.21	20	000960450
6	94	37	1.64	20	000960460
7	99	40	2.18	10	000960470
8	105	43	2.60	10	000960480
9	111	46	3.35	10	000960490
10	119	49	3.90	10	000960500
11	126	52	5.00	10	000960510
12	134	56	5.80	10	000960520
13	142	62	7.80	10	000960530
14	151	69	8.60	10	000960540
16	165	72	13.40	5	000960560
17	174	79	13.60	5	000960570
19	194	88	19.70	5	000960590
22	216	99	32.50	1	000960592
24	242	111	43.00	1	000960594

	£		
96N/ST6 2,5-3-4-5-6-8 mm	**12.90**	3	000960640

	£		
96N/G7 2,5-3-4-5-6-8-10 mm	**28.00**	3	000960645
96N/G7A 1,5-2-2,5-3-4-5-6 mm	**19.00**	3	000960643

	£		
96N/B10 1,5-2-2,5-3-4-5-6 8-10-12 mm	**20.90**	5	000960650
96N/BV	**2.11**	1	000960651

	£		
96N/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	**18.80**	1	000960644
96N/SCV	**5.85**	1	000960986

	£		
96N/SC12 2-2,5-3-3,5-4-4,5-5 6-7-8-9-10 mm	**27.00**	1	000960661
96N/SCV12	**6.90**	1	000960976

96C/AS

offset hexagon key wrenches, chrome-plated

"	L mm	L1 mm	g	£		
1/16	46	16	1,01	**1.57**	20	000961702
3/32	53	19	2,70	**1.78**	20	000961706
1/8	60	22	5,33	**2.18**	20	000961710
5/32	67	25	9.33	**2.39**	20	000961714
3/16	74	28	14,87	**2.60**	20	000961716
7/32	81	32	22,00	**3.35**	20	000961718
1/4	89	35	31,40	**3.50**	20	000961720
5/16	103	40	56,16	**4.50**	10	000961724
3/8	117	45	91,31	**5.55**	10	000961728

	£		
96C-AS/SC9 1/16-3/32-1/8-5/32-3/16- 7/32-1/4-5/16-3/8	**33.50**	1	000961753

96AS

offset hexagon key wrenches, burnished

"	L mm	L1 mm	£		
1/30 (0,035")	44	14	**0.97**	20	000960698
1/20 (0,050")	44	15	**0.97**	20	000960701
1/16	46	16	**0.97**	20	000960702
5/64	50	18	**0.99**	20	000960704
3/32	53	19	**1.09**	20	000960706
7/64	57	21	**1.36**	20	000960708
1/8	60	22	**1.36**	20	000960710
9/64	64	24	**1.55**	20	000960712
5/32	68	25	**1.55**	20	000960714
3/16	75	29	**1.61**	20	000960716
7/32	82	32	**2.05**	20	000960718
1/4	89	35	**2.32**	20	000960720
5/16	103	40	**3.40**	10	000960724
3/8	117	44	**4.50**	10	000960728
7/16	132	49	**6.25**	10	000960730
1/2	149	54	**8.05**	10	000960732
9/16	151	69	**10.80**	2	000960734

	£		
96AS/SC9 1/16-3/32-1/8-5/32-3/16 7/32-1/4-5/16-3/8	**24.90**	1	000960743
96AS/SCV	**6.05**	1	000960744

	£		
96AS/T7 3/32-1/8-5/32 3/16-7/32-1/4-5/16	**19.80**	3	000960740

	£		
96AS/BG7 3/32-1/8-5/32-3/16 1/4-5/16-3/8	**43.50**	1	000960747

	£		
96AS/B11 1/20-1/16-5/64-3/32 1/8-5/32-3/16-7/32 1/4-5/16-3/8	**22.90**	1	000960749
96N/BV	**2.11**	1	000960651

96LC

offset hexagon key wrenches, long series, chrome-plated

ISO 2936

mm	L mm	L1 mm	£		
2	101	17	**1.68**	20	000960320
2,5	113	20	**1.83**	20	000960321
3	127	22	**2.11**	20	000960322
3,5	138	25	**2.32**	20	000960323
4	142	28	**2.66**	20	000960324
4,5	154	28	**3.20**	20	000960325
5	163	32	**3.35**	20	000960326
6	184	37	**4.15**	20	000960327
7	194	40	**4.40**	10	000960328
8	205	43	**5.50**	10	000960329
9	216	46	**7.00**	10	000960330
10	231	49	**9.10**	10	000960331
12	259	56	**12.00**	10	000960332

	£		
96LC/SC8 2-2,5-3-4-5-6-8-10 mm	**36.00**	1	000960334
96LC/SCV	**5.85**	1	000960983

	£		
96LC/SC12 2-2,5-3-3,5-4-4,5-5 6-7-8-9-10 mm	**54.00**	1	000960337
96LC/SCV12	**6.90**	1	000960977

96L

offset hexagon key wrenches,
long series, burnished

ISO 2936

mm	L mm	L1 mm	£		
2	99	15	**1.30**	20	000960820
2,5	110	17	**1.45**	20	000960825
3	124	19	**1.61**	20	000960830
3,5	135	21	**1.78**	20	000960835
4	138	24	**1.99**	20	000960840
4,5	150	25	**2.32**	20	000960845
5	158	27	**2.45**	20	000960850
6	178	31	**3.20**	20	000960860
7	187	33	**3.80**	10	000960870
8	197	35	**4.80**	10	000960880
9	207	37	**5.50**	10	000960890
10	221	39	**7.05**	10	000960900
12	247	44	**10.10**	10	000960920

	£		
96L/SC8 2-2,5-3-4-5-6-8-10 mm	**29.50**	1	000960924
96L/SCV	**5.85**	1	000960987

	£		
96L/SC12 2-2,5-3-3,5-4-4,5-5 6-7-8-9-10 mm	**44.00**	1	000960929
96L/SCV12	**6.90**	1	000960978

96BP-CL

ball head offset hexagon key wrenches,
chrome-plated,
coloured

mm	L mm	L1 mm		£		
1,5	91	16		**2.43**	5	000961600
2	102	17		**2.75**	5	000961601
2,5	113	21		**3.10**	5	000961602
3	128	23		**3.65**	5	000961603
4	143	28		**3.85**	5	000961604
5	163	33		**4.35**	5	000961605
6	185	37		**5.00**	5	000961606
8	206	43		**6.95**	2	000961608
10	231	50		**9.00**	2	000961610

	£		
96BP-CL/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	**47.00**	1	000961619
96BP-CL/SCV	**5.85**	1	000961629

96BPC

ball head offset hexagon key wrenches
chrome-plated

mm	L mm	L1 mm	£		
1,5	79	13	**2.11**	10	000960340
2	84	15	**2.18**	10	000960341
2,5	89	17	**2.32**	10	000960342
3	99	19	**2.94**	10	000960343
4	108	24	**3.45**	10	000960344
5	126	27	**3.85**	10	000960345
6	148	31	**5.30**	10	000960346
7	157	33	**6.80**	5	000960353
8	168	35	**7.35**	5	000960347
10	187	39	**11.20**	5	000960348
12	220	55	**13.40**	5	000960352

	£		
96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	**46.50**	1	000960354
96BPC/SCV	**5.85**	1	000960984

96BP

ball head offset hexagon key wrenches
burnished



mm	L mm	L1 mm	£		
1,5	79	13	**1.83**	10	000960960
2	84	15	**1.99**	10	000960961
2,5	89	17	**2.11**	10	000960962
3	99	19	**2.18**	10	000960963
4	108	24	**2.60**	10	000960965
5	126	27	**3.20**	10	000960967
6	148	31	**4.80**	10	000960968
8	168	35	**7.00**	5	000960970
10	187	39	**9.10**	5	000960972
12	220	55	**11.70**	5	000960973

	£		
96BP/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	**40.50**	1	000960974
96BP/SCV	**5.85**	1	000960988

96LBP

ball head offset hexagon key wrenches,
extra-long model

mm	L mm	L1 mm	£		
1,5	90	15	**1.69**	5	000961340
2	100	17	**1.84**	5	000961341
2,5	112	20	**2.11**	5	000961342
3	127	22	**2.39**	5	000961343
4	144	27	**2.60**	5	000961344
5	163	32	**3.05**	5	000961345
6	184	37	**3.35**	5	000961346
8	204	44	**5.30**	2	000961348
10	230	49	**8.85**	2	000961350

	£		
96LBP/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	**37.00**	1	000961354
96LBP/SCV	**5.85**	1	000961984

96BP/AS

ball head offset hexagon wrenches
burnished



"	L mm	L1 mm	£		
3/32	89	17	2.32	10	000960989
1/8	98	18	2.45	10	000960990
5/32	108	24	2.94	10	000960991
3/16	126	26	3.50	10	000960992
7/32	139	28	3.70	10	000960993
1/4	152	31	3.90	10	000960994
5/16	168	34	6.25	5	000960995
3/8	190	39	8.75	5	000960996

	£		
96BP-AS/SC9 1/16-3/32-1/8-5/32-3/16 7/32-1/4-5/16-3/8	40.50	1	000961000
96BP-AS/SCV	5.85	1	000961001

	£		
96BP-AS/8 3/32-1/8-5/32-3/16-7/32 1/4-5/16-3/8	36.00	1	000960997
96BP-AS/BV	2.11	1	000960998

96BPA

ball head offset hexagon key wrenches, 110°,
extra-short side model

mm	L mm	L1 mm	£		
1,5	71	9	1.57	5	000961960
2	86	11	1.64	5	000961961
2,5	96	13	1.78	5	000961962
3	104	15	2.11	5	000961963
4	116	17	2.45	5	000961964
5	132	19	2.79	5	000961965
6	155	21	3.50	5	000961966
8	176	24	5.10	2	000961968
10	200	27	7.75	2	000961970

	£		
96BPA/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	34.50	1	000961974
96BPA/SCV	5.85	1	000961988

96T
OFFSET HEXAGON KEY WRENCHES
with high torque handles

Rapid and easy to handle

The small-size handle is perfectly balanced to quickly rotate in the palm of the hand. The ergonomic shape allows extremely high torques to be applied.

The hexagon ends have been designed to transmit the maximum possible torque to the screw.

The round blade has a homogenous frame compared to the hexagon blade and provides increased strength.

Blade passes through handle

96T

offset hexagon key wrenches,
with high torque handles



mm	L mm	L1 mm	£		
2	139	52	13.80	5	000960934
2,5	153	55	13.80	5	000960935
3	153	55	13.80	5	000960936
3,5	179	70	15.50	5	000960937
4	179	70	15.50	5	000960938
4,5	200	84	16.10	5	000960939
5	200	84	16.10	5	000960940
6	221	103	17.50	5	000960941
7	236	106	20.40	3	000960942
8	255	117	22.60	3	000960943
10	285	132	26.50	3	000960945

	£		
96T/S5P 2,5-3-4-5-6	76.50	1	000960946
96T/S6 2-2,5-3-4-5-6 mm	90.50	1	000960952
96T/S8 2-2,5-3-4-5-6-8-10 mm	139.50	1	000960933
96T/S11 2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm	191.50	1	000960951

	£		
96T/SP11 2-2,5-3-3,5-4-4,5-5 6-7-8-10 mm	223.00	1	000960957
96T/SPV 96T/S11 97TTX/S11	49.50	1	000960958

96T/AS

offset hexagon key wrenches,
with high torque handles



"	L mm	L1 mm	£		
3/32	153	55	20.50	2	000960669
7/64	153	55	20.50	2	000960670
1/8	179	70	20.50	2	000960671
9/64	179	70	21.10	2	000960672
5/32	200	84	21.10	2	000960673
3/16	200	84	21.10	2	000960674
7/32	221	103	22.60	2	000960675
1/4	236	106	25.00	2	000960676
5/16	255	117	27.50	2	000960678
3/8	285	132	34.00	2	000960680

	£		
96T/AS8 3/32-7/64-1/8-5/32-3/16- 1/4-5/16-3/8	190.00	1	000960682
96T/AS10 3/32-7/64-1/8-9/64-5/32 3/16-7/32-1/4-5/16-3/8	234.00	1	000960683

96TBP

ball head offset hexagon key wrenches
with high torque handles



mm	L mm	L1 mm	£		
2,5	153	55	15.50	3	000960685
3	153	55	15.60	3	000960686
4	179	70	16.10	3	000960687
5	200	84	16.20	3	000960688
6	221	103	18.10	3	000960689
8	255	117	23.20	2	000960690
10	285	132	26.50	2	000960692

	£		
96TBP/S6 2,5-3-4-5-6-8 mm	104.50	1	000960694

97TX

offset key wrenches,
for Torx® head screws

	L mm	L1 mm	£		
T6	42	16	5.30	5	000970006
T7	48	16	5.30	5	000970007
T8	48	16	5.30	5	000970008
T9	48	16	5.50	5	000970009
T10	51	17	5.60	5	000970010
T15	54	18	5.60	5	000970015
T20	57	19	6.05	5	000970020
T25	60	20	6.15	5	000970025
T27	64	21	6.90	5	000970027
T30	70	24	6.90	5	000970030
T40	76	26	7.35	5	000970040
T45	83	29	9.10	5	000970045
T50	95	32	10.20	5	000970050
T55	108	35	13.40	5	000970055
T60	120	38	17.60	5	000970060

	£		
97TX/ST8 T9-T10-T15-T20-T25 T27-T30-T40	57.00	1	000970640

	£		
97TX/G8 T9-T10-T15-T20-T25 T27-T30-T40	55.50	1	000970645

	£		
97TX/BG8 T9-T10-T15-T20-T25-T27-T30-T40	59.00	1	000970368

	£		
97TX/SC8 T9-T10-T15-T20-T25 T27-T30-T40	56.00	1	000970064
97TX/SCV	5.85	1	000970985

	£		
97TX/B13 T6-T7-T8-T9-T10-T15-T20 T25-T27-T30-T40-T45-T50	87.50	1	000970650
96N/BV	2.11	1	000960651

97BTX

ball head offset key wrenches,
for Torx® head screws



	L mm	L1 mm	£		
T9	62	16	9.55	5	000970109
T10	71	17	9.55	5	000970110
T15	81	18	9.55	5	000970115
T20	92	19	9.95	5	000970120
T25	94	20	10.60	5	000970125
T27	105	21	11.30	5	000970127
T30	114	24	11.70	5	000970130
T40	129	26	13.00	5	000970140
T45	133	28	15.50	5	000970145

	£		
97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40	91.00	1	000970164
97BTX/SCV	5.85	1	000970983

	£		
97BTX/B8 T9-T10-T15-T20-T25 T27-T30-T40	87.50	1	000970159
96N/BV	2.11	1	000960651

97BTX-C

ball head offset key wrenches,
for Torx® head screws,
coloured



	L mm	L1 mm		£		
T9	80	16		8.80	5	000971609
T10	86	17		8.80	5	000971610
T15	90	18		8.80	5	000971615
T20	95	19		8.80	5	000971620
T25	100	20		9.35	5	000971625
T27	105	21		9.70	5	000971627
T30	114	24		10.70	5	000971630
T40	124	26		11.30	5	000971640

	£		
97BTX-C/SC8 T9-T10-T15-T20-T25-T27-T30-T40	82.00	1	000971658
97BTX-C/SCV	5.85	1	000971659

97BTXL

ball head offset key wrenches, long model,
for Torx® head screws



	L mm	L1 mm	£		
T9	80	15	**7.85**	3	000970309
T10	86	17	**7.85**	3	000970310
T15	100	18	**7.85**	3	000970315
T20	110	19	**8.75**	3	000970320
T25	126	20	**9.95**	3	000970325
T27	140	24	**10.80**	3	000970327
T30	160	28	**11.30**	3	000970330
T40	176	32	**13.40**	3	000970340

	£		
97BTXL/SC8 T9-T10-T15-T20- T25-T27-T30-T40	**83.50**	1	000970364
97BTXL/SCV	**5.85**	1	000970982

97RTX

offset key wrenches
for Tamper Resistant Torx® head screws

	L mm	L1 mm	£		
T6	40	15	**7.25**	5	000970206
T7	45	15	**7.25**	5	000970207
T8	50	16	**7.25**	5	000970208
T9	56	16	**7.25**	5	000970209
T10	62	17	**7.25**	5	000970210
T15	72	17	**7.25**	5	000970215
T20	83	18	**7.85**	5	000970220
T25	90	18	**7.85**	5	000970225
T27	100	20	**8.10**	5	000970227
T30	105	24	**8.10**	5	000970230
T40	112	26	**8.60**	5	000970240
T45	118	26	**9.55**	5	000970245
T50	122	28	**12.30**	3	000970250
T55	128	30	**14.20**	3	000970255

	£		
97RTX/SC8 T9-T10-T15-T20-T25 T27-T30-T40	**68.00**	1	000970263
97RTX/SCV	**5.85**	1	000970984

	£		
97RTX/B8 T9-T10-T15-T20-T25 T27-T30-T40	**64.50**	1	000970260
96N/BV	**2.11**	1	000960651

97BRTXL/SC8

set of 8 ball head offset key wrenches,
long model,
for Tamper Resistant Torx® head screws

	£		
97BRTXL/SC8 T9-T10-T15-T20- T25-T27-T30-T40	**85.00**	1	000970464
97BRTXL/SCV	**5.85**	1	000970986

97TTX

offset key wrenches with handles
for Torx® head screws



	L mm	L1 mm	£		
T6	130	52	**16.20**	3	000970706
T7	130	52	**16.20**	3	000970707
T8	139	52	**16.20**	3	000970708
T9	139	52	**16.40**	3	000970709
T10	179	70	**16.40**	3	000970710
T15	179	70	**16.90**	3	000970715
T20	179	70	**18.10**	3	000970720
T25	179	70	**18.10**	3	000970725
T27	200	84	**19.00**	3	000970727
T30	200	84	**19.70**	3	000970730
T40	221	103	**22.60**	3	000970740
T45	236	106	**26.50**	2	000970745
T50	255	117	**32.50**	2	000970750

	£		
97TTX/S6 T10-T15-T20-T25-T30-T40	**112.00**	1	000970791
97TTX/S8 T8-T10-T15-T20-T25- T27-T30-T40	**147.00**	1	000970808
97TTX/S11 T8-T9-T10-T15-T20-T25 T27-T30-T40-T45-T50	**222.50**	1	000970800
97TTX/S13 T6-T7-T8-T9-T10-T15-T20-T25 T27-T30-T40-T45-T50	**255.00**	1	000970813

	£		
97TTX/SP11 T8-T9-T10-T15-T20-T25 T27-T30-T40-T45-T50	**254.00**	1	000970840
96T/SPV 96T/S11 97TTX/S11	**49.50**	1	000960958

98XZN

offset key wrenches with XZN® profile

DIN 65253

	L mm	L1 mm	£		
M5	83	25	**6.80**	5	000980005
M6	89	30	**8.05**	5	000980006
M8	97	32	**10.60**	5	000980008
M10	106	35	**14.60**	5	000980010
M12	116	37	**16.80**	5	000980012

	£		
98XZN/B5 M5-M6-M8-M10-M12	**59.00**	1	000980650
96N/BV	**2.11**	1	000960651

99

hook wrenches with square noses,
for ring nuts UNI/ISO 2982, 2983

UNI 6752

mm	A mm	£		
12-14	1,5	**13.40**	3	000990012
16-18-20	1,8	**13.40**	3	000990016
22-25-28	1,8	**17.10**	3	000990022
30-32	2,1	**17.10**	3	000990030
34-36-38	2,4	**21.10**	3	000990034
40-42	2,4	**21.10**	3	000990040
45-50	2,5	**26.50**	3	000990045
52-55-58	2,5	**26.50**	3	000990052
62-65	3,1	**34.00**	3	000990062
68-70-75	3,1	**34.00**	3	000990068
80-85-90	3,8	**47.00**	2	000990080
92-95	4,3	**47.00**	2	000990092
98-100	4,3	**47.00**	2	000990098
105-110-115	4,4	**75.50**	1	000990105
120-125-130	4,9	**75.50**	1	000990120
135-145	6,0	**109.50**	1	000990135
155-165	6,0	**109.50**	1	000990155

99SQ
hook wrenches with square noses for ring nuts

mm	B mm	£		
15-35	2,7	37.50	2	000990215
35-50	3,5	43.00	2	000990235
50-80	4,7	56.00	2	000990250
80-120	6,2	82.00	2	000990280
120-180	7,8	102.50	2	000990290

99ST
hook wrenches with round noses for ring nuts

mm	Ø mm	B mm	£		
15-35	3,0	2,5	38.00	2	000990315
35-50	4,0	4,5	47.50	2	000990335
50-80	5,0	5,0	59.50	2	000990350
80-120	6,0	7,0	82.00	2	000990380
120-180	8,0	9,0	105.00	2	000990390

99 VN/...
spare nose for item 99ST

	mm	£		
99ST VN/15	15-35	10.20	1	000990295
99ST VN/35	35-50	11.20	1	000990296
99ST VN/50	50-80	13.00	1	000990297
99ST VN/80	80-120	16.10	1	000990298
99ST VN/120	120-180	21.00	1	000990299

100
round pin wrench for ring nuts with front holes

Ø mm	L mm	Ø min-max mm	£		
4,8-5,8 6,9-7,9	250	18÷100	182.00	1	001000001

100/KIT
spare pins for item 100



	£		
100/KIT	32.00	1	001000010

111E
ADJUSTABLE WRENCHES WITH SCALES

The new adjustable wrenches with scales, **Beta 111E**, allow differently sized nuts and bolts to be tightened and loosened through the sliding jaws, which can be adjusted through the central rolls.

Head angled at **15°**, allowing hardly accessible spaces to be reached, as is the case with our iconic combination wrenches, “42”

Wide wrench **opening**

Compact head with completely open jaw

Double laser marking in mm/inches

Based on the new ergonomic properties, weight has been reduced by 20%
Made from high-performance alloy steel for increased mechanical torsional strength
Special heat treatment for **excellent wear resistance**
Hole on handle for hanging wrench

111E
adjustable wrenches with scales, chrome-plated

- **Right-hand rotation of pin**
- **Mm/inch scale**

DIN 3117 ISO 6787

L mm	L "	A max mm	£		
100	4	15	25.00	3	001110110
150	6	24	26.00	3	001110115
200	8	29	33.50	3	001110120
250	10	34	42.50	3	001110125
300	12	40	53.50	3	001110130
380	15	45	111.00	3	001110138
450	18	54	187.00	2	001110145
600	24	62	256.00	1	001110160

111EN
adjustable wrenches with scales, phosphated

- **Left-hand rotation of pin**
- **Mm/inch scale**

DIN 3117 ISO 6787

L mm	L "	A max mm	£		
100	4	15	24.50	3	001110410
150	6	24	25.00	3	001110415
200	8	29	32.00	3	001110420
250	10	34	39.00	3	001110425
300	12	40	51.00	3	001110430
380	15	45	108.00	3	001110438
450	18	54	184.00	2	001110445

111ER
reversible jaw adjustable wrenches with scales, chrome-plated

- **Reversible jaw**
- **Right-hand rotation of pin**
- **Mm/inch scale**

L mm	L "	A max mm	Ø max "	£		
200	8	29	3/4	41.50	3	001110520
250	10	34	1	51.00	3	001110525
300	12	40	1.1/4	82.00	2	001110530

111CM
wide opening adjustable wrenches, chrome-plated, short series

- **Wide opening**
- **Right-hand rotation**
- **Mm/inch scale**

L mm	L "	A max mm	£		
170	6	32	49.00	2	001110770
220	8	38	60.00	3	001110722
270	10	46	78.00	3	001110727

120
ratchet opening single ended bi-hex wrenches



mm	L mm	£		
10	135	48.00	1	001200010
11	135	48.00	1	001200011
12	135	48.00	1	001200012
13	135	48.00	1	001200013
14	135	52.50	1	001200014
17	185	57.00	1	001200017
19	185	62.00	1	001200019
22	230	82.00	1	001200022
24	230	95.50	1	001200024
27	230	117.50	1	001200027
30	320	135.00	1	001200030
32	320	141.50	1	001200032

	£		
120/B6N 10-11-13 17-19-22 mm	358.00	1	001200060
2002/BVL6	13.50	1	020020010

123E1/4
bit holder adaptor, 1/4", for 10 mm ratcheting wrenches

mm	L mm	£		
10	20,6	6.75	1	001230010

123Q1/4
quick release adaptor, 1/4", for 10 mm ratcheting wrenches

mm	L mm	£		
10	17,5	11.30	1	001230310

123Q3/8
quick release adaptor, 3/8", for 13 mm ratcheting wrenches

mm	L mm	£		
13	22,5	11.30	1	001230313

123Q1/2
quick release adaptor, 1/2", for 19 mm ratcheting wrenches

mm	L mm	£		
19	30,5	12.00	1	001230319

123/K4
kit with 4 adapters for ratchet wrenches:
1 bit adapter
3 quick release adapters

	£		
123/K4	41.50	1	001230504

141
ratcheting combination wrenches, straight series

ISO 21982:2020

mm	L mm	£		
8x8	136	19.30	3	001410008
9x9	143	20.60	3	001410009
10x10	160	21.10	3	001410010
11x11	168	21.60	3	001410011
12x12	174	22.60	3	001410012
13x13	180	24.30	3	001410013
14x14	193	25.50	2	001410014
15x15	200	26.50	2	001410015
16x16	216	29.00	2	001410016
17x17	233	30.50	2	001410017
18x18	239	33.50	2	001410018
19x19	250	34.00	2	001410019

	£		
141/B6 8-10-13-14-17-19 mm	166.50	1	001410066
141/B9 8-10-11-12-13-14-15-17-19 mm	240.50	1	001410069

	£		
141/S12 8-9-10-11-12-13- 14-15-16-17-18-19 mm	308.00	1	001410072

142
RATCHETING WRENCHES

The rapid 72-tooth ratchet provides a take-up angle of no more than 5°, thereby resulting in quick, accurate tightening

❶ The fixed mouth makes strong tightening possible, based on the long shank.

❷ The built-in reversing lever avoids any risk of accidental reversal.

❸ The bi-hex ring end is angled at 15°, to protect the hand and allow easier access.

❹ The fixed head is angled at 15° to the axis, thereby resulting in a reduced take-up angle.

142
reversible ratcheting combination wrenches

ISO 21982:2020

mm	L mm	£		
6x6	136	21.60	3	001420006
7x7	136	21.60	3	001420007
8x8	136	22.60	3	001420008
9x9	143	23.10	3	001420009
10x10	159	23.30	3	001420010
11x11	168	24.50	3	001420011
12x12	174	25.00	3	001420012
13x13	180	28.00	3	001420013
14x14	190	28.50	2	001420014
15x15	200	31.00	2	001420015
16x16	216	32.50	2	001420016
17x17	233	34.50	2	001420017
18x18	239	36.50	2	001420018
19x19	248	38.00	2	001420019
21x21	285	45.50	1	001420021
22x22	285	48.00	1	001420022
24x24	325	56.00	1	001420024
27x27	355	79.00	1	001420027
30x30	420	91.00	1	001420030
32x32	420	92.00	1	001420032
34x34	482	124.00	1	001420034
36x36	482	125.00	1	001420036
38x38	482	131.50	1	001420038

	£		
142/B6 8-10-13-14-17-19 mm	**187.00**	1	001420066
142/BV6	**12.00**	1	001420076
142/B9 8-10-11-12-13-14-15-17-19 mm	**271.00**	1	001420069
142/BV9	**15.20**	1	001420079

	£		
142/S15 6-7-8-9-10-11-12-13 14-15-16-17-18-19-22 mm	**439.00**	1	001420074
142/S17 6-7-8-10-11-12-13-14-15- 16-17-18-19-21-22-24-27 mm	**596.00**	1	001420068
142/S19 6-7-8-9-10-11-12 13-14-15-16-17-18 19-22-24-27-30-32 mm	**757.00**	1	001420075

142/SC9I-E

set of 9 reversible ratcheting combination wrenches, with compact support

	£		
142/SC9I 8-10-11-12-13-14-15-17-19 mm	**268.00**	1	001420087
142/SCV9I	**15.10**	1	001420103
142/SC9E 8-10-11-12-13-16-17-18-19 mm	**277.00**	1	001420088
142/SCV9E	**15.10**	1	001420104

142MC

reversible ratcheting combination wrenches, coloured

ISO 21982:2020

mm	L mm		£		
8x8	136		**23.10**	3	001422008
10x10	159		**24.50**	3	001422010
11x11	168		**26.00**	3	001422011
12x12	174		**27.00**	3	001422012
13x13	180		**29.00**	3	001422013
14x14	190		**31.00**	2	001422014
15x15	200		**32.50**	2	001422015
16x16	216		**34.50**	2	001422016
17x17	233		**36.00**	2	001422017
18x18	239		**37.50**	2	001422018
19x19	248		**39.50**	2	001422019

	£		
142MC/SC9I 8-10-11-12-13-14-15-17-19 mm	**281.00**	1	001422087
142MC/SC9E 8-10-11-12-13-16-17-18-19 mm	**289.00**	1	001422088

142AS

reversible ratcheting combination wrenches

"	L mm	£		
5/16x5/16	136	**24.50**	2	001420308
3/8x3/8	159	**25.00**	2	001420310
7/16x7/16	168	**26.00**	2	001420311
1/2x1/2	180	**28.50**	2	001420313
9/16x9/16	190	**29.00**	2	001420314
5/8x5/8	216	**34.00**	2	001420316
11/16x11/16	233	**35.00**	2	001420317
3/4x3/4	248	**39.00**	2	001420319

	£		
142AS/8 5/16-3/8-7/16-1/2 9/16-5/8-11/16-3/4	**241.00**	1	001420330

142C

ratcheting combination wrenches, straight short series

ISO 21982:2020

mm	L mm	£		
8x8	88	**15.90**	2	001420108
9x9	96	**15.90**	2	001420109
10x10	96	**16.40**	2	001420110
11x11	100	**17.10**	2	001420111
12x12	104	**19.10**	2	001420112
13x13	108	**19.80**	2	001420113
14x14	114	**20.50**	2	001420114
15x15	118	**21.60**	2	001420115
16x16	122	**22.60**	2	001420116
17x17	128	**23.20**	2	001420117
18x18	132	**24.50**	2	001420118
19x19	138	**25.50**	2	001420119

	£		
142C/A12 8-9-10-11-12-13-14 15-16-17-18-19 mm	**272.00**	1	001420175

142SN

swivel end ratcheting combination wrenches

ISO 21982:2020

mm	L mm	£		
7x7	136	**26.00**	2	001420207
8x8	136	**26.50**	2	001420208
9x9	143	**28.00**	2	001420209
10x10	160	**28.50**	2	001420210
11x11	168	**30.50**	2	001420211
12x12	174	**32.50**	2	001420212
13x13	180	**34.50**	2	001420213
14x14	193	**35.00**	2	001420214
15x15	200	**36.50**	2	001420215
16x16	216	**38.00**	2	001420216
17x17	233	**39.00**	2	001420217
18x18	239	**43.00**	2	001420218
19x19	250	**44.50**	2	001420219
22x22	285	**54.00**	1	001420222
24x24	325	**61.50**	1	001420224

	£		
142SN/S13 7-8-9-10-11-12-13-14 15-16-17-18-19 mm	**442.00**	1	001420263

	£		
142SN/SC9 8-10-11-12-13-14-15-17-19 mm	**320.00**	1	001420259

186
self-locking wrench with automatic take-up device
for hexagons, 8 to 32 mm

Ideal for hexagon, Spline, square and Torx® head screws, including damaged screws.

L mm	£		
260	**65.00**	1	001860008

187
swivelling, openable wrenches

mm	L mm	£		
8x9	125	**38.00**	1	001870008
10x11	155	**42.50**	1	001870010
12x13	175	**43.50**	1	001870012
14x15	205	**47.00**	1	001870014
16x17	235	**54.00**	1	001870016

	£		
187/B5 8x9-10x11-12x13 14x15-16x17 mm	**239.00**	1	001870050

188
ratcheting flat bi-hex ring wrenches
for free alternator pulleys

mm	L mm	£		
10	240	**28.50**	2	001880010
15	322	**40.50**	2	001880015

192
reversible ratcheting double-ended flat bi-hex ring wrenches, 4 in1

mm	L mm	£		
8x10/12x13	160	**34.50**	1	001920008
16x17/18x19	230	**44.50**	1	001920016



	£		
192/S2 8x10/12x13 mm 16x17/18x19 mm	**79.00**	1	001920070

194
reversible ratcheting wrench
for bits

⬡	L mm	£		
1/4x5/16	128	**43.50**	2	001940006

195
ratcheting double-ended flat bi-hex ring wrenches

ISO 21982:2020

mm	L mm	£		
8x10	128	**23.20**	2	001950010
12x13	170	**25.00**	2	001950013
14x15	190	**28.50**	2	001950015
16x18	230	**32.50**	2	001950018
17x19	230	**33.50**	2	001950019

	£		
195/B5 8x10-12x13-14x15 16x18-17x19 mm	**156.50**	1	001950066
195/BV5	**14.00**	1	001950070

195AS
ratcheting double-ended flat bi-hex ring wrenches

"	L mm	£		
5/16x3/8	128	**23.20**	2	001950606
7/16x1/2	170	**26.00**	2	001950611
9/16x5/8	190	**28.00**	2	001950614
11/16x3/4	230	**32.50**	2	001950617

	£		
195AS/B4 5/16x3/8 - 7/16x1/2 - 9/16x5/8 - 11/16x3/4	**123.50**	1	001950654
195FTX/BV4	**14.00**	1	001950520

195P
reversible ratcheting double-ended offset bi-hex ring wrenches, bent at 15°

ISO 21982:2020

mm	L mm	£		
8x10	128	**34.50**	2	001950210
12x13	170	**38.00**	2	001950213
14x15	190	**39.50**	2	001950215
16x18	230	**44.50**	2	001950218
17x19	230	**47.50**	2	001950219

	£		
195P/B5 8x10-12x13-14x15 16x18-17x19 mm	**218.00**	1	001950266
195/BV5	**14.00**	1	001950070

310
polywelder for PE, PP, PVC and PVDF pipes and fittings

CE

Ø mm	£		
310/2 16÷63	**515.00**	1	003100002

310B
forms for polywelder item 310

Ø mm	£		
16	**91.50**	1	003100016
20	**99.50**	1	003100020
25	**104.00**	1	003100025
32	**120.00**	1	003100032
40	**139.00**	1	003100040
50	**181.00**	1	003100050
63	**203.50**	1	003100063

310/C8
polywelder with assortment of 7 forms

	£		
310/C8	**1191.00**	1	003100108
310/2+310B: Ø 16-20-25 32-40-50-63			

440x270x120 mm - 7,7 kg

311
heating plates for manual straight and slanted welding of PE pipes

	Ø mm	Watt	£		
311/1	120	300	**454.00**	1	003110001
311/2	190	900	**545.00**	1	003110002

FIELD OF USE OF BETA'S PIPE CUTTERS

Beta's pipe cutters cover a wide range of applications. They rely on accurate, smooth rollers and screw or telescopic feed to make accurate, clean cuts possible on all the materials used for pipes.

The table below shows the pipe cutter / cutter wheel combinations for each material.

	STEEL GAS PIPES		
	10 mm	60 mm	115 mm
	1/8"	2"	4"
330/2			
330/4			

	STAINLESS STEEL GAS PIPES		
	10 mm	60 mm	115 mm
	1/8"	2"	4"
330/2+330R/I2			
330/4+330R/I4			

	COPPER AND LIGHT ALLOY PIPES							
	3 mm	6 mm	8 mm	16 mm	28 mm	30 mm	38 mm	67 mm
	1/8"	1/4"	5/16"	5/8"	1"1/8		1"1/2	2"5/8
332								
334								
336								
338								

	THIN-WALLED STAINLESS STEEL PIPES							
	3 mm	6 mm	8 mm	16 mm	28 mm	30 mm	38 mm	67 mm
	1/8"	1/4"	5/16"	5/8"	1"1/8		1"1/2	2"5/8
332 + 334R/I								
334 + 334R/I								
336 + 338R/I								
338 + 338R/I								

	PLASTIC PIPES							
	6 mm	8 mm	16 mm	30 mm	38 mm	50 mm	67 mm	127 mm
	1/4"	5/16"	5/8"	1"1/8	1"1/2	2"	2"5/8	5"
336 + 338RP								
338 + 338RP								
339A								

330
pipe cutters for steel gas pipes

	Ø mm - "	L mm	£		
330/2	10÷60 1/8"÷ 2"	380	**192.00**	1	003300002
330/4	60÷115 2"÷ 4"	585	**483.00**	1	003300004

330R/A
spare cutters for item 330 wheels for steel pipes



	Ø mm	S mm	£		
330R/A2	32	7	**19.10**	1	003300012
330R/A4	42	9	**48.50**	1	003300014

330R/I
spare cutter wheel for item 330 for stainless steel pipes

	Ø mm	S mm	£		
330R/I2	32	7	**42.50**	1	003300024
330R/I4	32	9	**120.00**	1	003300034

331C
portable C-shaped pipe cutter for copper and light alloy pipes

Ø mm	L mm	£		
15÷22	78	**75.00**	1	003310050

332
mini pipe cutter for copper and light alloy pipes

Ø mm - "	L mm	£		
3÷16 1/8"÷5/8"	59	24.40	2	003320001
3÷28 1/8"÷1"1/8	63	34.50	2	003320003

334
pipe cutter for copper and light alloy pipes

Ø mm - "	L mm	£		
3÷30 1/8"÷1"1/8	150	38.50	1	003340001

334R
spare cutter wheel for items 332 and 334 for copper and light alloy pipes



	Ø mm	£		
334R	18	9.00	1	003340021

334R/I
spare cutter wheel for items 332 and 334 for stainless steel pipes



	Ø mm	£		
334R/I	18	26.50	1	003340023

336
telescopic pipe cutter for copper and light alloy pipes

Ø mm - "	L mm	£		
6÷38 1/4"÷1"1/2	160	64.00	1	003360001

338
telescopic pipe cutter, fast advance for copper, light alloys and plastic pipes

Ø mm - "	L mm	£		
6÷67 1/4"÷2"5/8	290	161.50	1	003380001

338R
spare cutter wheel for items 331L, 336 and 338 for copper and light alloy pipes

	Ø mm	£		
338R	18,5	9.25	1	003380022

338R/I
spare cutter wheel for items 336 and 338 for stainless steel pipes



	Ø mm	£		
338R/I	21,8	26.50	1	003380023

338RP
spare cutter wheel for items 336 and 338 for plastic pipes



	Ø mm	£		
338RP	21,9	9.40	1	003380025

339A
telescopic pipe cutter, fast advance for plastic pipes

Ø mm - "	L mm	£		
50÷127 2"÷ 5"	345	374.00	1	003390011

339A/R
spare cutter wheels for item 339A



	Ø mm	£		
339A/R	42	27.50	1	003390061

340
multilayer pipe cutting pliers, max. Ø 26 mm

PTFE-coated blade
4 support rollers making it easier to rotate pipe during cutting jobs
system for cutting corrugated pipes built into handle
lightweight magnesium body

Ø max mm	£		
26	155.50	1	003400001

340RL
spare blade for item 340

	£		
340RL	40.50	1	003400010

340C
corrugated pipe cutting pliers

· pliers made of alloy aluminium and magnesium
· compact, pocket-size, lightweight
· additional blade for lengthwise cutting

Ø mm	L mm	£		
14-45	134	69.50	1	003400050

340C/KRL
kit of 3 spare blades for 340C

	£		
340C/KRL	40.00	1	003400055

341
pipe cutting pliers for plastic pipes

Ø mm	L mm	£		
0÷25	190	52.00	1	003410001

341RL
spare blade for item 341

	£		
341RL	20.50	1	003410010

341B
ratchet-type shears for plastic pipes

Ø mm	L mm	£		
0÷35	195	76.50	1	003410051

341B/RM
spare spring for item 341B

	£		
341B/RM	3.70	1	003410061

341B/RL
spare blade for item 341B

	£		
341B/RL	32.50	1	003410060

342
Ratchet-type shears for plastic pipes

Ø mm - "	L mm	£		
0÷42 1"5/8	200	65.50	1	003420030

342MOL
spare spring for item 342

	£		
342MOL	4.85	1	003420033

342RL
spare blade for item 342

	£		
342RL	31.50	1	003420032

342A
ratchet-type shears for plastic pipes

Ø mm - "	L mm	£		
0÷50 2"	270	136.50	1	003420101

342A/MOL
spare spring for item 342A

	£		
342A/MOL	2.84	1	003420111

342A/RL
spare blade for item 342A

	£		
342A/RL	74.50	1	003420110

342P
ratchet-type shears for plastic pipes, made from magnesium alloy

Ø mm - "	L mm	£		
0÷50 2"	260	157.50	1	003420121

342P/RL
spare blade for item 342P

	£		
342P/RL	69.00	1	003420130

345
pipe reamer metal body

Ø mm - "	L mm	£		
3÷42 1/8"÷1"5/8	58	34.00	5	003450001

345U
pipe reamer for stainless steel, steel, copper and light alloys

Ø mm - "	L mm	£		
4÷36 5/32÷1"7/16	60	104.00	1	003450050

345U/A
adapter for pipe reamer 345U, 1/4" hexagon drive, for power drivers

14"

L mm	£		
90	25.00	3	003450055

345C
multilayer pipe gauge

Ø mm	£		
16-20-26-32	58.50	1	003450032

345SB
deburrer with revolving replacement blade

L mm	£		
150	31.50	5	003450010

345SB/R
spare blade for item 345SB

	£		
345SB/R	10.70	3	003450015

345SB2
deburrer with fixed blade

L mm	£		
140	13.40	5	003450022

345SC
4-in-1 brush for inside and outside diameters, 1/2" and 3/4"

L mm	L1 mm	L2 mm	£		
195	28	32	19.00	2	003450060

345SI
deburrer for internal use, with revolving replacement blade

L mm	Ø mm	£		
168	16,5	51.00	1	003450040

345SI/R
spare blade for item 345SI

	£		
345SI/R	35.00	1	003450045

349
tube flaring tool with clutch, for copper and light alloy pipes

38"

Ø mm - "	£		
6-8-10-12-14-15-16-18 (1/8-3/16-1/4-5/16 3/8-1/2-5/8-3/4)	387.00	1	003490001

270x200x50 mm - 2,7 kg

349/SMM
metric slide for item 349

Ø mm	£		
6-8-10-12-14-15-16-18	114.00	1	003490011

349/SMAS
inch slide for item 349

Ø "	£		
1/8-3/16-1/4-5/16 3/8-1/2-5/8-3/4	109.50	1	003490012

350
tube flaring tool for copper and light alloy pipes

Ø mm	L mm	A mm	£		
4-4,75-6-8 10-12-14	175	104	103.00	1	003500001

351C
pipe cutter and tube flaring tool

	£		
351C	181.00	1	003510010

334	Ø 3÷30 mm (1/8"÷1"1/8)
350	Ø 4÷14 mm
351P	Ø 4-4,75-6-8-10-12-14 mm

225x150x45 mm - 1,6 kg

351P
inserts for tube flaring tool item 350

	Ø mm	£		
351P 4	4	8.90	3	003510101
351P 4,75	4,75	8.90	3	003510102
351P 6	6	8.90	3	003510103
351P 8	8	8.90	3	003510104
351P 10	10	9.15	3	003510105
351P 12	12	9.15	3	003510106
351P 14	14	9.15	3	003510107

352U
adjustable tube flaring tool for copper and light alloy pipes

Ø mm - "	A mm	£		
5÷16 3/16÷5/8	130	147.00	1	003520101

352C/U
pipe cutter, deburrer and adjustable tube flaring tool

	£		
352C/U	270.00	1	003520110

334	Ø 3÷30 mm (1/8"÷1"1/8)
345SB	
352U	Ø 5÷16 mm (3/16"÷5/8")

335x145x60 mm - 2120 g

355
combination spud wrench, five steps

12"

Ø "	L mm	£		
3/8"-1/2" 3/4"-1"	90	33.00	2	003550001

357F3
three-vial spirit level



Ø "	L mm	£		
3/8" / 1/2"	90÷220	176.50	1	003570100

357R/F3
spare vial for item 357F3

	£		
357R/F3	26.50	1	003570101

358
tools for chamfering plastic pipes

	Ø mm	£		
358/1	16÷110	233.00	1	003580001
358/2	40÷250	233.00	1	003580002

358RL
spare blade for items 358/1 and 358/2

	£		
358RL	45.00	1	003580011

359
universal drain wrench

Ø "	L mm	A mm	£		
1"÷1"1/4	160	140	114.00	1	003590001

359CH
drain adaptor, cross-shape for item 359

Ø "	L mm	£		
1"1/2	74	65.50	1	003590005

360
pipe wrenches, Stillson pattern

L mm	Ø max "	Ø max mm	£		
250	1" gas	34	42.50	1	003600025
350	1"1/2 gas	49	60.00	1	003600035
450	2" gas	60	86.00	1	003600045
600	2"1/2 gas	76	124.50	1	003600060
900	3"1/2 gas	102	341.00	1	003600090

360R/...
spare parts kit for item 360
with moving jaw and ring nut.

	£		
360R 250	18.90	1	003600225
360R 350	26.00	1	003600235
360R 450	37.00	1	003600245
360R 600	54.50	1	003600260
360R 900	102.50	1	003600290

361N
adjustable lever pipe wrench

L mm	Ø max "	Ø max mm	£		
350	1" 1/2	49	104.00	1	003610014

362
heavy duty pipe wrenches

L mm	Ø max "	Ø max mm	£		
200	1" gas	34	40.00	1	003620020
250	1"1/2 gas	49	48.50	1	003620025
300	2" gas	60	61.00	1	003620030
350	2" gas	60	72.50	1	003620035
450	2"1/2 gas	76	104.00	1	003620045
600	3" gas	90	155.50	1	003620060
900	5" gas	140	189.00	1	003620090

362R/...
spare parts kit for item 362
with: fixed jaw, moving jaw; ring nut; lockpin.

	£		
362R 200	9.50	1	003620220
362R 225	13.30	1	003620225
362R 300	15.90	1	003620230
362R 350	18.30	1	003620235
362R 450	24.40	1	003620245
362R 600	33.50	1	003620260
362R 900	82.50	1	003620290

363
heavy duty pipe wrenches
made from light alloy

L mm	Ø max "	Ø max mm	£		
350	2" gas	60	84.50	1	003630035
450	2"1/2 gas	76	116.00	1	003630045
600	3" gas	90	197.00	1	003630060
900	5" gas	140	369.00	1	003630090
1200	6" gas	165	383.00	1	003630120

363R/...
spare parts kit for item 363
with: fixed jaw; moving jaw; ring nut; lockpin.

	£		
363R 350	19.10	1	003630235
363R 450	24.80	1	003630245
363R 600	34.50	1	003630260
363R 900	84.50	1	003630290
363R 1200	104.00	1	003630320

365
heavy duty pipe wrenches,
offset pattern made from light alloy



L mm	Ø max "	Ø max mm	£		
350	2" gas	60	115.00	1	003650035
450	2"1/2 gas	76	160.00	1	003650045

365R/...
spare parts kit for item 365
with: fixed jaw; moving jaw; ring nut; lockpin.

	£		
365R 350	79.00	1	003650235
365R 450	132.00	1	003650245

366
pipe wrenches, light pattern

L mm	Ø max "	Ø max mm	£		
175	1" gas	34	37.50	1	003660017
225	1"1/2 gas	49	45.00	1	003660022
275	2" gas	60	52.50	1	003660027
300	2"1/2 gas	76	59.50	1	003660030
350	3" gas	90	68.00	1	003660035

374
pipe wrenches,
Swedish pattern, 45° slim jaws

DIN 5234

L mm	Ø max "	Ø max mm	£		
240	1/2" gas	21	48.00	1	003740024
320	1" gas	34	63.50	1	003740032
410	1"1/2 gas	49	84.50	1	003740041
550	2" gas	60	130.00	1	003740055
630	3" gas	90	233.00	1	003740063

375
pipe wrench, Swedish pattern,
45° flat jaws

DIN 5234

L mm	Ø max "	Ø max mm	£		
320	1" gas	34	64.00	1	003750032
410	1"1/2 gas	49	88.50	1	003750041
550	2" gas	60	135.00	1	003750055

376
pipe wrenches,
Swedish pattern, 90° flat jaws

DIN 5234

L mm	Ø max "	Ø max mm	£		
320	1" gas	34	64.00	1	003760032
410	1"1/2 gas	49	88.50	1	003760041
550	2" gas	60	135.00	1	003760055
630	3" gas	90	247.00	1	003760063

378
pipe wrenches,
Swedish pattern, 45° slim jaws

DIN 5234

L mm	Ø max "	Ø max mm	£		
250	1/2" gas	21	54.50	1	003780025
320	1" gas	34	70.50	1	003780032
410	1"1/2 gas	49	93.50	1	003780041
550	2" gas	60	152.50	1	003780055
650	3" gas	90	266.00	1	003780065

374R/...
complete spare parts kit for items 374 - 375 - 376 - 378
with ring nut and ring nut stop

	£		
374R 240 x 374/240-378/250	2.45	1	003740724
374R 320 x 374/320-376/320-378/320	3.05	1	003740732
374R 410 x 374/410-375/410-376/410-378/410	3.30	1	003740741
374R 550 x 374/550-376/550-378/550	3.80	1	003740755
374R 630 x 374/630-378/650	7.45	1	003740763

383
reversible strip pipe wrenches

Ø max "	Ø max mm	L mm	£		
383/1 3" gas	90	300	71.50	1	003830001
383/2 8" gas	220	300	75.00	1	003830002

383R
spare strips for item 383

S mm	£		
383R/1 27	28.50	1	003830010
383R/2 27	33.00	1	003830015

384
reversible chain pipe wrench

Ø max "	Ø max mm	L mm	£		
4" gas	115	300	88.50	1	003840032

384RC
spare chain for item 384

£		
384RC 56.50	1	003840033

386A
heavy duty reversible chain pipe wrenches

Ø max	L mm	£		
386A/1 4" gas 115 mm	900	256.00	1	003860001
386A/2 6" gas 168 mm	900	494.00	1	003860002
386A/5 8" gas 220 mm	1100	615.00	1	003860005
386A/6 12" gas 324 mm	1300	1073.00	1	003860006

386A/RC
spare chains for item 386A

£		
386A1/RC 84.50	1	003860011
386A2/RC 114.00	1	003860012
386A5/RC 144.00	1	003860015
386A6/RC 245.00	1	003860016

387
pipe bender for copper and nonferrous metal pipes,
with interchangeable forms
3/16"-1/4"-5/16"-3/8"

L mm	Ø mm	£		
255	3/16"-1/4"-5/16"-3/8"	61.00	1	003870001

387R
spare forms for item 387

Ø "	£		
3/16"-1/4"	12.60	1	003870010
5/16"-3/8"	13.20	1	003870015

388
pipe benders for thin walled copper, light alloy and mild steel pipes

Ø mm	L mm	R mm	£		
6	305	18,0	74.50	1	003880006
8	315	23,5	80.50	1	003880008
10	350	31,0	91.50	1	003880010
12	360	31,0	96.50	1	003880012
14	455	46,5	123.00	1	003880014
15	465	46,5	131.00	1	003880015
16	465	46,5	140.50	1	003880016

388A
pipe bending pliers for thin walled copper and light alloy pipes



Ø	L mm	£		
388A/1 6-8-10 mm	220	81.50	1	003880051
388A/2 1/4"-5/16"-3/8"	220	81.50	1	003880055

388C/C8
pipe bender with 7 forms
for thin walled copper and light alloy pipes

	Ø mm	£		
388C/C8	10-12-14-16 18-20-22	677.00	1	003880200

400x330x110 mm - 3,6 kg

389/K4
kit of pipe bending springs for copper pipes
for external use

	Ø "	L mm	£		
1/4-3/8-1/2-5/8		290	27.00	1	003890001

392C
adjustable drain tap pliers

	Ø mm	L mm	£		
25÷65		260	60.50	1	003920100

392RG/C
spare jaw protectors for item 392C, pair

	£		
392RG/C	5.35	1	003920101

393
water tap wrench

	L mm	£		
270		92.50	1	003930001

395
hinged water tap wrench

		L mm	£		
15÷32 mm	5/8"÷1"1/4	240	55.50	1	003950001

395T
telescopic hinged water tap wrench

		L mm	£		
10÷32 mm	3/8"÷1"1/4	250÷430	69.00	1	003950100

398
workbench chain vices

	L mm	£		
Ø 1/2÷8"	250	404.00	1	003980008

399
pivoting clamp vices



Ø	L min mm	£		
10÷60 mm 1/8÷2"	220	243.00	1	003990005
10÷89 mm 1/8÷3"	290	430.00	1	003990010

399R/...
spare kit for item 399
composed of two lower jaws and one upper jaw

	£		
399RG 1/8-2"	30.50	1	003990105
399RG 1/8-3"	49.00	1	003990110

CHART FOR METAL TWIST DRILLS



R N/mm² – *Mechanical resistance of the material to drill.*

HV – *Twist drill hardness according to the Vickers scale: the higher the value, the higher the hardness of the material.*

GUIDE TO TWIST DRILLS WITH CYLINDRICAL SHANKS

Rolled twist drills – Twist drills obtained from a hot-rolling manufacturing process. Good-quality twist drills, for use for light-duty jobs, e.g. drilling of iron, mild steel, light alloys and nonferrous metals in general.

Ground twist drills – Twist drills obtained entirely from grounding from a heat-treated steel bar. High-performance twist drills, for drilling steel and light alloys: constant efficiency, excellent chip removal and drilling precision.

HSS – High-speed steel, extremely hard, and resistant to high temperatures; the best material for cutting, tapping and threading tools.

Cobalt (Co) – A base alloy element, providing steel with improved heat resistance, and decreasing twist drill wear, e.g. at high temperatures. The higher the cobalt content, the better the performance of the tool. The most commonly used alloys have a 5% or 8% cobalt content.

HSS-Co – High-speed steel with a 5% or 8% cobalt content.

TiN – Ultrathin titanium nitride coating; based on its high hardness and low friction factor, it provides increased resistance to wear and oxidation and improved drilling chip removal.

Chrome steel – Tools made from chrome steel are suitable for manual use for threading of iron, light alloys, untreated steel and steel heat-treated at low hardness. They are widely used for cleaning and repairing damaged threads in all professional jobs in general, and in the automotive sector in particular.

Hard metal – Material with high wear resistance, used for plates in masonry drill bits.

118° sharpening – Standard sharpening angle of twist drills for metal, allowing quick drilling into metals, for easier centring and excellent heat dissipation.

130° sharpening – Wide sharpening angle, providing more precision in early drilling operations and requiring less drilling force.

Double 115°/135° sharpening – Combined benefits of the two angles, plus chip breaking function; the best choice for long chip materials.

SDS-Plus – Quick, safe tang for hammer drills.

410

twist drills with cylindrical shanks, short series HSS, rolled

R ≤ 650 N/mm²
HV ~ 750÷820

DIN 338 ISO 235

Ø mm	L mm	L1 mm	£		
0,50	22	6	2.34	10	004100030
1,00	34	12	1.17	10	004100040
1,25	38	16	1.05	10	004100043
1,50	40	18	0.95	10	004100046
1,75	46	22	0.96	10	004100049
2,00	49	24	0.86	10	004100052
2,25	53	27	1.05	10	004100055
2,50	57	30	0.96	10	004100058
2,75	61	33	1.05	10	004100061
3,00	61	33	0.95	10	004100064
3,20	65	36	1.35	10	004100066
3,25	65	36	1.35	10	004100067
3,50	70	39	1.35	10	004100070
3,75	70	39	1.41	10	004100073
4,00	75	43	1.35	10	004100076
4,20	75	43	1.63	10	004100078
4,25	75	43	1.63	10	004100079
4,50	80	47	1.45	10	004100082
4,75	80	47	1.66	10	004100085
5,00	86	52	1.66	10	004100088
5,25	86	52	2.41	10	004100091
5,50	93	57	2.15	10	004100094
5,75	93	57	2.34	10	004100097
6,00	93	57	2.20	10	004100100
6,25	101	63	2.84	10	004100103
6,50	101	63	2.62	10	004100106
6,75	109	69	3.25	10	004100109
7,00	109	69	2.99	10	004100112
7,50	109	69	3.20	10	004100118
8,00	117	75	3.75	10	004100124
8,50	117	75	3.90	10	004100130
9,00	125	81	4.85	5	004100136
9,50	125	81	5.25	5	004100142
10,00	133	87	5.85	5	004100148
10,50	133	87	7.10	5	004100172
11,00	142	94	8.35	5	004100184
11,50	142	94	8.80	5	004100196
12,00	151	101	9.65	5	004100210
12,50	151	101	10.30	5	004100222
13,00	151	101	11.10	5	004100234
14,00	160	108	14.40	5	004100242
15,00	169	114	16.80	5	004100250
16,00	178	120	22.00	5	004100258
17,00	184	125	23.40	3	004100262
18,00	191	130	26.50	3	004100266
19,00	198	135	31.00	3	004100270
20,00	205	140	36.50	3	004100274

	£		
410/SP19 Ø 1÷10 x 0,5 mm	60.50	1	004100419
410/SPVP1	33.00	1	004100421
410/SP25 Ø 1÷13 x 0,5 mm	124.50	1	004100425
410/SPVP2	45.00	1	004100427

	£		
410/SEL19 Ø 1÷10 x 0,5 mm	**47.00**	1	004100418

410MIX/SEL19

set of 13 twist drills, item 410,
and 6 twist drills with hard metal insets

	£		
410MIX/SEL19	**45.00**	1	004100417

Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4
4,5 - 5 - 5,5 - 6 - 8 - 10 mm

Ø 4 - 5 - 6 - 8 - 9 - 10 mm

410A

twist drills with cylindrical shanks,
short series, HSS, rolled,
with small tang

R ≤ 650 N/mm²
HV ~ 750÷820

DIN 338 ISO 235

Ø mm	L mm	L1 mm	£		
13,50	160	108	**18.30**	5	004100281
14,00	160	108	**18.30**	5	004100283
14,50	169	114	**19.90**	5	004100285
15,00	169	114	**19.90**	5	004100287
15,50	178	120	**24.40**	5	004100289
16,00	178	120	**24.40**	5	004100291
16,50	184	125	**26.00**	3	004100292
17,00	184	125	**26.00**	3	004100293
17,50	191	130	**31.00**	3	004100294
18,00	191	130	**31.00**	3	004100295
18,50	198	135	**34.00**	3	004100296
19,00	198	135	**34.00**	3	004100297
19,50	205	140	**38.50**	3	004100298
20,00	205	140	**38.50**	3	004100299

410AS

twist drills with cylindrical shanks,
short series, HSS,
rolled,
in inches

R ≤ 650 N/mm²
HV ~ 750÷820

ANSI B94

Ø "	L mm	L1 mm	£		
1/16	48	22	**0.79**	10	004100371
5/64	51	25	**0.89**	10	004100372
3/32	57	32	**1.05**	10	004100373
7/64	67	38	**1.09**	10	004100374
1/8	70	41	**1.30**	10	004100375
9/64	73	44	**1.38**	10	004100376
5/32	79	51	**1.49**	10	004100377
11/64	83	54	**1.63**	10	004100378
3/16	89	59	**1.85**	10	004100379
13/64	92	62	**1.93**	10	004100380
7/32	95	64	**2.09**	10	004100381
15/64	98	67	**2.38**	10	004100382
1/4	102	70	**2.71**	10	004100383
17/64	105	73	**3.25**	10	004100384
9/32	108	75	**3.45**	10	004100385
19/64	111	78	**4.15**	10	004100386
5/16	114	81	**4.75**	10	004100387
21/64	117	84	**5.00**	10	004100388
11/32	121	87	**5.90**	5	004100389
23/64	124	89	**6.15**	5	004100390
3/8	127	92	**6.25**	5	004100391

	£		
410AS/SP21 Ø 1/16-5/64-3/32-7/64 1/8-9/64-5/32-11/64-3/16 13/64-7/32-15/64-1/4 17/64-9/32-19/64-5/16 21/64-11/32-23/64-3/8	**86.00**	1	004100429
410AS/SPV1	**33.00**	1	004100430

	£		
410AS/SEL21 Ø 1/16-5/64-3/32-7/64 1/8-9/64-5/32-11/64-3/16 13/64-7/32-15/64-1/4 17/64-9/32-19/64-5/16 21/64-11/32-23/64-3/8	**70.00**	1	004100433

412

twist drills with cylindrical shanks,
short series HSS entirely ground glossy
finishing

R ≤ 800 N/mm²
HV ~ 750÷820

DIN 338 ISO 235

Ø mm	L mm	L1 mm	£		
0,50	22	6	**3.70**	10	004120030
1,00	34	12	**2.43**	10	004120040
1,25	38	16	**2.50**	10	004120043
1,50	40	18	**2.27**	10	004120046
1,75	46	22	**2.20**	10	004120049
2,00	49	24	**1.84**	10	004120052
2,25	53	27	**2.27**	10	004120055
2,50	57	30	**1.99**	10	004120058
2,75	61	33	**2.27**	10	004120061
3,00	61	33	**2.09**	10	004120064
3,25	65	36	**2.77**	10	004120067
3,50	70	39	**2.48**	10	004120070
3,75	70	39	**3.05**	10	004120073
4,00	75	43	**2.89**	10	004120076
4,25	75	43	**3.50**	10	004120079
4,50	80	47	**3.25**	10	004120082
4,75	80	47	**3.75**	10	004120085
5,00	86	52	**3.50**	10	004120088
5,25	86	52	**4.85**	10	004120091
5,50	93	57	**4.70**	10	004120094
5,75	93	57	**5.40**	10	004120097
6,00	93	57	**4.85**	10	004120100
6,25	101	63	**6.90**	10	004120103
6,50	101	63	**6.00**	10	004120106
6,75	109	69	**7.70**	10	004120109
7,00	109	69	**7.10**	10	004120112
7,25	109	69	**8.90**	5	004120115
7,50	109	69	**7.30**	5	004120118
7,75	117	75	**10.10**	5	004120121
8,00	117	75	**9.00**	5	004120124
8,25	117	75	**10.90**	5	004120127
8,50	117	75	**11.10**	5	004120130
8,75	125	81	**12.30**	5	004120133
9,00	125	81	**11.30**	5	004120136
9,25	125	81	**13.50**	5	004120139
9,50	125	81	**11.90**	5	004120142
9,75	133	87	**14.70**	5	004120145
10,00	133	87	**13.00**	5	004120148
10,25	133	87	**19.00**	5	004120149
10,50	133	87	**18.30**	5	004120150
10,75	142	94	**23.40**	5	004120151
11,00	142	94	**20.50**	5	004120152
11,25	142	94	**24.40**	5	004120153
11,50	142	94	**22.00**	5	004120154
11,75	142	94	**26.50**	5	004120155
12,00	151	101	**24.40**	5	004120156
12,25	151	101	**28.00**	5	004120157
12,50	151	101	**26.00**	5	004120158
12,75	151	101	**32.50**	5	004120159
13,00	151	101	**27.50**	5	004120160

	£		
412/SP19 Ø 1÷10 x 0,5 mm	**127.00**	1	004120419
410/SPVP1	**33.00**	1	004100421
412/SP25 Ø 1÷13 x 0,5 mm	**253.00**	1	004120425
410/SPVP2	**45.00**	1	004100427
412/SP49 Ø 1÷13 x 0,25 mm	**622.00**	1	004120449
412/SPV4	**127.00**	1	004120451

412/C150

	£		
412/C150	**730.00**	1	004120450

		n.
412	Ø 3 mm	20
	Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 mm	10
	Ø 5,5 - 6 - 6,5 - 7 - 7,5 - 8 - 8,5 - 9 - 9,5 - 10 mm	5

365x230x47 mm - 3,3 kg

	£		
412/SP91	**842.00**	1	004120452
Ø 1÷10 x 0,10 mm			

412A

twist drills with cylindrical shanks, short series, HSS, entirely ground, burnished, with small tang

R ≤ 800 N/mm²
HV ~ 750÷820

DIN 338 ISO 235

Ø mm	L mm	L1 mm	£		
13,50	160	108	**40.50**	3	004120202
14,00	160	108	**42.00**	3	004120204
14,50	169	114	**47.00**	3	004120206
15,00	169	114	**48.50**	3	004120208
15,50	178	120	**56.50**	3	004120210
16,00	178	120	**59.50**	3	004120212
16,50	184	125	**59.50**	1	004120213
17,00	184	125	**62.00**	1	004120214
17,50	191	130	**65.00**	1	004120215
18,00	191	130	**70.00**	1	004120216
18,50	198	135	**76.50**	1	004120217
19,00	198	135	**79.00**	1	004120218
19,50	205	140	**89.00**	1	004120219
20,00	205	140	**90.00**	1	004120220

412L

twist drills with cylindrical shanks, long series, HSS entirely ground burnished

R ≤ 800 N/mm²
HV ~ 750÷820

DIN 340

Ø mm	L mm	L1 mm	£		
2,00	85	56	**4.60**	10	004120232
2,50	95	62	**4.85**	10	004120234
3,00	100	66	**5.00**	10	004120236
3,50	112	73	**5.90**	10	004120238
4,00	119	78	**6.20**	10	004120240
4,50	126	82	**7.70**	10	004120242
5,00	132	87	**8.20**	10	004120244
5,50	139	91	**10.10**	10	004120246
6,00	139	91	**10.80**	10	004120248
6,50	148	97	**13.00**	5	004120250
7,00	156	102	**15.30**	5	004120252
8,00	165	109	**19.90**	5	004120256
9,00	175	115	**23.20**	5	004120260
10,00	184	121	**25.50**	5	004120264

412XL

twist drills with cylindrical shanks, extra-long series, HSS, entirely ground

R ≤ 800 N/mm²
HV ~ 750÷820

DIN 1869/1

Ø mm	L mm	L1 mm	£		
3,00	150	100	**18.30**	1	004120520
3,50	165	115	**19.80**	1	004120522
4,00	175	120	**19.80**	1	004120524
4,50	185	125	**21.00**	1	004120526
5,00	195	135	**21.00**	1	004120528
5,50	205	140	**26.00**	1	004120530
6,00	205	140	**26.00**	1	004120532
6,50	215	150	**31.50**	1	004120534
7,00	225	155	**36.50**	1	004120536
7,50	225	155	**40.00**	1	004120538
8,00	240	165	**44.50**	1	004120540
8,50	240	165	**47.00**	1	004120542
9,00	250	175	**58.00**	1	004120544
9,50	250	175	**63.50**	1	004120546
10,00	265	185	**63.50**	1	004120548
10,50	265	185	**63.50**	1	004120550
11,00	280	195	**63.50**	1	004120552
12,00	295	205	**80.50**	1	004120556
13,00	295	205	**86.00**	1	004120560

414

twist drills with cylindrical shanks, short series, HSS-TiN entirely ground

R ≤ 900 N/mm²
HV 0,05 ~ 2500

DIN 338 ISO 235

Ø mm	L mm	L1 mm	£		
1,00	34	12	**3.20**	10	004140040
1,25	38	16	**4.05**	10	004140042
1,50	40	18	**3.20**	10	004140046
1,75	46	22	**4.05**	10	004140048
2,00	49	24	**3.20**	10	004140052
2,25	53	27	**4.05**	10	004140054
2,50	57	30	**3.25**	10	004140058
2,75	61	33	**4.75**	10	004140060
3,00	61	33	**3.80**	10	004140064
3,25	65	36	**4.75**	10	004140066
3,50	70	39	**4.15**	10	004140070
3,75	70	39	**5.25**	10	004140072
4,00	75	43	**4.30**	10	004140076
4,25	75	43	**5.95**	10	004140078
4,50	80	47	**4.85**	10	004140082
4,75	80	47	**6.50**	10	004140084
5,00	86	52	**5.55**	10	004140088
5,25	86	52	**8.90**	10	004140090
5,50	93	57	**6.70**	10	004140094
5,75	93	57	**8.95**	10	004140096
6,00	93	57	**7.25**	10	004140100
6,25	101	63	**10.40**	10	004140102
6,50	101	63	**8.35**	10	004140106
6,75	109	69	**12.30**	10	004140108
7,00	109	69	**9.95**	10	004140112
7,25	109	69	**13.40**	5	004140114
7,50	109	69	**10.80**	5	004140118
7,75	117	75	**14.60**	5	004140120
8,00	117	75	**12.30**	5	004140124
8,25	117	75	**15.80**	5	004140125
8,50	117	75	**12.90**	5	004140130
8,75	125	81	**19.80**	5	004140132
9,00	125	81	**15.70**	5	004140136
9,25	125	81	**21.90**	5	004140138
9,50	125	81	**17.70**	5	004140142
9,75	133	87	**22.70**	5	004140144
10,00	133	87	**19.10**	5	004140148
10,50	133	87	**22.00**	5	004140150
11,00	142	94	**26.50**	5	004140152
11,50	142	94	**27.50**	5	004140154
12,00	151	101	**31.50**	5	004140156
12,50	151	101	**34.00**	5	004140158
13,00	151	101	**36.00**	5	004140160

	£		
414/SP19	**172.00**	1	004140419
Ø 1÷10 x 0,5 mm			
410/SPVP1	**33.00**	1	004100421
414/SP25	**366.00**	1	004140425
Ø 1÷13 x 0,5 mm			
410/SPVP2	**45.00**	1	004100427
414/SP49	**785.00**	1	004140429
Ø 1÷13 x 0,25 mm			
414/SPV4	**127.00**	1	004140430

414/C116

	£		
414/C116	**702.00**	1	004140450

		n.
414	Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 mm	10
	Ø 5,5 - 6 - 6,5 - 7 - 7,5 - 8 mm	3
	Ø 8,5 - 9 - 9,5 - 10 mm	2

365x230x47 mm - 2,7 Kg

415

twist drills with cylindrical shanks, short series, HSS-CO 8% entirely ground

R ≤ 1400 N/mm²
HV ~ 850÷920



Co8%

DIN 338 ISO 235

Ø mm	L mm	L1 mm	£		
0,50	22	6	**9.00**	10	004150029
1,00	34	12	**4.40**	10	004150040
1,25	38	16	**4.85**	10	004150043
1,50	40	18	**4.35**	10	004150046
1,75	46	22	**4.75**	10	004150049
2,00	49	24	**4.30**	10	004150052
2,25	53	27	**5.00**	10	004150055
2,50	57	30	**4.60**	10	004150058
2,75	61	33	**5.00**	10	004150061
3,00	61	33	**4.60**	10	004150064
3,25	65	36	**6.25**	10	004150067
3,50	70	39	**5.90**	10	004150070
3,75	70	39	**7.00**	10	004150073
4,00	75	43	**6.50**	10	004150076
4,25	75	43	**7.90**	10	004150079
4,50	80	47	**7.25**	10	004150082
4,75	80	47	**8.70**	10	004150085
5,00	86	52	**7.70**	10	004150088
5,25	86	52	**11.40**	10	004150091
5,50	93	57	**10.80**	10	004150094
5,75	93	57	**12.00**	10	004150097
6,00	93	57	**11.00**	10	004150100
6,25	101	63	**15.30**	10	004150103
6,50	101	63	**13.80**	10	004150106
6,75	109	69	**18.30**	10	004150109
7,00	109	69	**15.90**	10	004150112
7,25	109	69	**19.10**	5	004150115
7,50	109	69	**16.90**	5	004150118
7,75	117	75	**22.80**	5	004150121
8,00	117	75	**21.30**	5	004150124
8,25	117	75	**24.40**	5	004150127
8,50	117	75	**22.00**	5	004150130
8,75	125	81	**30.50**	5	004150133
9,00	125	81	**26.50**	5	004150136
9,25	125	81	**31.50**	5	004150139
9,50	125	81	**28.00**	5	004150142
9,75	133	87	**33.50**	5	004150145
10,00	133	87	**32.00**	5	004150148
10,25	133	87	**39.50**	5	004150149
10,50	133	87	**34.50**	5	004150150
10,75	142	94	**45.50**	5	004150151
11,00	142	94	**38.50**	5	004150152
11,25	142	94	**49.50**	5	004150153
11,50	142	94	**44.50**	5	004150154
11,75	142	94	**53.50**	5	004150155
12,00	151	101	**48.50**	5	004150156
12,25	151	101	**60.00**	5	004150157
12,50	151	101	**51.50**	5	004150158
12,75	151	101	**65.50**	5	004150159
13,00	151	101	**59.50**	5	004150160
14,00	160	108	**103.00**	3	004150164
15,00	169	114	**123.00**	3	004150168
16,00	178	120	**148.50**	3	004150172
17,00	186	125	**165.00**	1	004150174
18,00	194	130	**184.50**	1	004150176
19,00	202	135	**207.00**	1	004150178
20,00	210	140	**232.50**	1	004150180

Co8%

	£		
415/SP19 Ø 1÷10 x 0,5 mm	**256.00**	1	004150419
410/SPVP1	**33.00**	1	004100421
415/SP25 Ø 1÷13 x 0,5 mm	**519.00**	1	004150425
410/SPVP2	**45.00**	1	004100427
415/SP49 Ø 1÷13 x 0,25 mm	**1310.00**	1	004150431
415/SPV4	**127.00**	1	004150432

415/C116

	£		
415/C116	**1032.00**	1	004150450

		n.
415	Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 mm	10
	Ø 5,5 - 6 - 6,5 - 7 - 7,5 - 8 mm	3
	Ø 8,5 - 9 - 9,5 - 10 mm	2

365x230x47 mm - 2,7 kg

	£		
415/SP91 Ø 1÷10 x 0,10 mm	**1520.00**	1	004150460

415CO

twist drills with cylindrical shanks, short series, HSS-CO 5%, entirely ground

R ≤ 1200 N/mm²
HV ~ 800÷860

Co5%

DIN 338 ISO 235

Ø mm	L mm	L1 mm	£		
1,00	34	12	**2.21**	10	004150310
1,50	40	18	**2.21**	10	004150312
2,00	49	24	**2.21**	10	004150314
2,50	57	30	**2.33**	10	004150316
3,00	61	33	**2.33**	10	004150320
3,50	70	39	**2.73**	10	004150322
4,00	75	43	**3.30**	10	004150324
4,50	80	47	**3.65**	10	004150326
5,00	86	52	**3.90**	10	004150328
5,50	93	57	**4.95**	10	004150330
6,00	93	57	**5.50**	10	004150332
6,50	101	63	**6.50**	10	004150334
7,00	109	69	**8.05**	10	004150336
7,50	109	69	**8.90**	5	004150338
8,00	117	75	**10.40**	5	004150340
8,50	117	75	**11.00**	5	004150342
9,00	125	81	**13.40**	5	004150344
9,50	125	81	**14.00**	5	004150346
10,00	133	87	**16.40**	5	004150348
10,50	133	87	**19.70**	5	004150350
11,00	142	94	**22.00**	5	004150352
11,50	142	94	**24.00**	5	004150354
12,00	151	101	**26.00**	5	004150356
12,50	151	101	**28.50**	5	004150358
13,00	151	101	**31.50**	5	004150360

415CO-A

twist drills with cylindrical shanks, short series, HSS-CO 5%, entirely ground

R ≤ 1200 N/mm²
HV ~ 800÷860

Co5%

DIN 338

Ø mm	L mm	L1 mm	£		
14,00	160	108	**60.50**	3	004150364
15,00	169	114	**70.50**	3	004150366
16,00	178	120	**85.50**	3	004150368
17,00	184	125	**86.50**	1	004150370
18,00	191	130	**111.50**	1	004150372
19,00	198	135	**128.50**	1	004150374
20,00	205	140	**148.00**	1	004150376

Co5%

DIN 338

	£		
415CO/SP19 Ø 1÷10 x 0,5 mm	**125.00**	1	004150421
410/SPVP1	**33.00**	1	004100421

415L

twist drills with cylindrical shanks, long series, HSS-CO 5%, entirely ground

R ≤ 1200 N/mm²
HV ~ 800÷860

DIN 340

Ø mm	L mm	L1 mm	£		
3,00	100	66	5.95	10	004150236
3,50	112	73	6.60	10	004150238
4,00	119	78	8.15	10	004150240
4,50	126	82	9.90	10	004150242
5,00	132	87	10.30	10	004150244
5,50	139	91	13.00	10	004150246
6,00	139	91	14.00	10	004150248
6,50	148	97	16.70	5	004150250
7,00	156	102	19.70	5	004150252
8,00	165	109	25.00	5	004150256
9,00	175	115	31.50	5	004150260
10,00	184	121	39.50	5	004150264

416

drill with cylindrical shank, HSS-G, specially ground, with two cutter pairs

R ≤ 900 N/mm²
HV ≈ 820÷850



DIN 338

Ø mm	L mm	L1 mm	£		
1,00	34	12	3.60	10	004160010
1,50	40	18	3.60	10	004160015
2,00	49	24	3.60	10	004160020
2,50	57	30	3.80	10	004160025
3,00	61	33	3.95	10	004160030
3,50	70	39	4.50	10	004160035
4,00	75	43	5.00	10	004160040
4,50	80	47	5.45	10	004160045
5,00	86	52	6.50	10	004160050
5,50	93	57	7.90	10	004160055
6,00	93	57	9.10	10	004160060
6,50	101	63	10.30	10	004160065
7,00	109	69	12.10	10	004160070
7,50	109	69	12.90	5	004160075
8,00	117	75	15.40	5	004160080
8,50	117	75	16.70	5	004160085
9,00	125	81	19.90	5	004160090
9,50	125	81	21.30	5	004160095
10,00	133	87	24.40	5	004160100

	£		
416/SP19 Ø 1÷10 x 0,5 mm	177.00	1	004160419
410/SPVP1	33.00	1	004100421

416P/SP19

set of 19 twist drills with cylindrical shanks, made from HSS, AISI M2, with smaller drill for high-precision centring

ø 1÷10 x 0,5 mm
HIGHER DRILLING SPEED
R ≤ 900 N/mm²
HV ~ 820÷850



HIGHER CUTTING CAPACITY

	£		
416P/SP19 ø 1÷10 x 0,5 mm	177.00	1	004160469

115x170x40 mm

417

helical cylindrical masonry drill bits, short series, made from milled steel with hard metal plates

DIN 8039

Ø mm	L mm	£		
3	70	4.45	10	004170003
4	75	4.60	10	004170004
5	85	5.00	10	004170005
5L	150	11.30	5	004170105
6	100	5.25	10	004170007
6L	150	11.30	5	004170106
7	120	5.90	10	004170009
8	120	6.25	10	004170010
8L	200	11.90	5	004170113
9	120	7.10	10	004170011
10	120	8.70	10	004170012
10L	200	14.40	5	004170120
12	150	11.30	10	004170014
12L	200	15.30	5	004170125
14	150	15.80	5	004170016
16	150	19.10	5	004170018

	£		
417/SP8 Ø 3-4-5-6-8-9-10-12 mm	69.00	1	004170100

419

hammer drill bits with milled shanks and hard metal plates

HVA~ 1650

Ø mm	L mm	£		
4	110	9.85	10	004190002
5	110	9.85	10	004190004
5	160	10.70	10	004190006
6	110	9.50	10	004190012
6	160	10.10	10	004190014
6	210	13.90	10	004190016
7	160	11.40	10	004190028
8	110	10.20	10	004190030
8	160	10.80	10	004190032
8	210	13.00	10	004190034
8	260	18.30	10	004190036
8	310	21.10	10	004190038
8	460	44.00	10	004190042
9	160	13.50	5	004190044
10	160	13.60	5	004190050
10	210	15.90	5	004190052
10	260	19.90	5	004190054
10	310	27.50	5	004190056
10	460	47.00	5	004190060
12	160	15.20	5	004190064
12	210	21.30	5	004190066
12	260	24.40	5	004190068
12	460	48.50	5	004190074
14	160	21.60	3	004190086
14	260	26.50	3	004190090
14	310	34.50	3	004190092
14	460	51.50	3	004190096
16	210	31.00	3	004190112
16	260	32.00	3	004190114
16	310	38.50	3	004190116
16	460	56.50	3	004190120
18	260	43.00	1	004190124
20	310	44.00	1	004190128

	£		
419/SP7 Ø 5 - 6 - 8 x 110 mm Ø 6 - 8 - 10 - 12 x 160 mm	85.00	1	004190507

419T

hammer drill bits
with milled shanks, 4 spirals and 4 cutters

HVA~ 1650



Ø mm	L mm	£		
5	110	6.25	5	004190604
5	160	7.10	5	004190606
6	110	6.70	5	004190612
6	160	7.70	5	004190614
6	210	10.40	5	004190616
7	160	7.80	5	004190628
8	110	7.10	5	004190630
8	160	8.20	5	004190632
8	210	10.80	5	004190634
8	260	12.30	5	004190636
8	310	15.00	5	004190638
9	160	8.60	3	004190644
10	160	8.70	3	004190650
10	210	11.70	3	004190652
10	260	12.40	3	004190654
10	310	18.00	3	004190656
10	460	24.30	3	004190660
12	160	9.65	3	004190664
12	210	12.80	3	004190666
12	260	13.50	3	004190668
12	460	25.00	3	004190674
14	160	13.30	2	004190686
14	260	15.20	2	004190690
14	310	21.70	2	004190692
14	460	24.30	2	004190696
16	210	17.70	2	004190712
16	260	23.00	2	004190714
16	310	25.00	2	004190716
16	460	26.00	2	004190720
18	260	28.00	1	004190724
20	310	34.00	1	004190728

421

countersinks with guide pins,
fine grade,
made of HSS



DIN 373

M	L mm	Ø mm	D1 mm	D mm	£		
3	71	6	3,2	5	38.50	1	004210003
4	71	8	4,3	5	38.50	1	004210004
5	80	10	5,3	8	38.50	1	004210005
6	80	11	6,4	8	39.50	1	004210006
8	100	15	8,4	12,5	62.50	1	004210008
10	100	18	10,5	12,5	75.50	1	004210010
12	100	20	13,0	12,5	83.00	1	004210012

	£		
421/SP6 M 3-4-5-6-8-10	319.00	1	004210019
421/SPV	24.20	1	004210020

422

ground centre drill bits,
60° countersink angle,
made of HSS

- **For quick, safe centre holes**

DIN 333/A

Ø mm	D mm	L mm	£		
1,60	4,0	35,5	10.80	1	004220116
2,50	6,3	45,0	12.10	1	004220125
3,15	8,0	50,0	14.10	1	004220131

423

special end mills for welding
HSS ground

Ø mm	L mm	£		
6	66	24.50	5	004230006
7	74	31.50	5	004230007
8	79	32.50	5	004230008
10	89	38.00	5	004230010

423A

special mills for spot welding,
HSS ground

DIN 1412/E

Ø mm	L mm	£		
6,5	40	34.00	1	004230015
8,0	40	38.00	1	004230020

424

conical drill bits, HSS



	L mm	Ø mm	D mm	£		
424/1	58	3÷14	6	42.50	2	004240001
424/2	63	6÷20	8	70.50	2	004240002
424/3	60	16÷30	10	122.50	2	004240003
424/4	80	3÷22	8	142.50	1	004240004
424/5	102	3÷31	10	192.00	1	004240005
424/6	86	26÷40	13	241.00	1	004240006
424/7	89	36÷50	13	372.00	1	004240007
424/8	90	40÷61	13	605.00	1	004240008

	£		
424/SP3 424/1+424/2+424/3 Ø 3÷30 mm	247.00	1	004240019
424/SPV	32.50	1	004240020

425

stepped drills, HSS



	L mm	Ø mm	S mm	D mm	£		
425/1	70	4÷12	1	6	73.00	2	004250010
425/2	55	4÷12	2	6	71.50	2	004250012
425/3	85	4÷20	2	10	116.00	2	004250015
425/4	85	12÷20	1	10	139.00	1	004250016
425/5	97	20÷30	1	10	303.00	1	004250017
425/6	75	4÷30	2	10	224.50	1	004250020
425/7	97	30÷40	1	13	433.00	1	004250025
425/8	100	40÷50	1	13	625.00	1	004250029

	£		
425/SP3 425/1+425/3+425/6 Ø 4÷30 mm	407.00	1	004250030
425/SPV	32.50	1	004250035

426

countersinking cutters
with three cutters,
HSS

DIN 335-C

GR	Ø mm	L mm	Ø1 mm	£		
1	4,3	44	4	27.50	3	004260001
2	5,3	44	4	27.50	3	004260002
3	6,3	44	5	27.50	3	004260003
4	7,3	44	6	31.50	3	004260004
5	8,3	50	6	31.50	3	004260005
6	9,4	50	6	34.00	3	004260006
7	10,4	54	6	36.50	3	004260007
8	12,4	54	8	40.00	3	004260008
9	15,0	56	10	45.50	3	004260009
10	16,5	60	10	48.50	3	004260010
11	20,5	63	10	67.00	3	004260011
12	25,0	66	10	102.50	3	004260012
13	28,0	71	12	131.00	3	004260013
14	31,0	71	12	141.00	3	004260014

DIN 335-C

	£		
426/SP6 GR 3-5-7-8-10-11 Ø 6,3÷20,5 mm	288.00	1	004260030
426/SPV	32.50	1	004260035

426A/SP6

set of 6 countersinking cutters,
with three asymmetric spiral cutters,
made from HSS

Ø 6.3 - 8.3 - 10.4 - 12.4 - 16.5 - 20.5 mm

	£		
426A/SP6 Ø 6,3-8,3-10,4-12,4-16,5-20,5 mm	262.00	1	004260060

100x145x40 mm

426T

countersinking cutters
with three cutters,
HSS + TiN

DIN 335-C

GR	Ø mm	L mm	Ø1 mm	£		
1	4,3	44	4	28.00	3	004260061
2	5,3	44	4	28.00	3	004260062
3	6,3	44	5	28.50	3	004260063
4	7,3	44	6	32.50	3	004260064
5	8,3	50	6	32.50	3	004260065
6	9,4	50	6	34.50	3	004260066
7	10,4	54	6	39.50	3	004260067
8	12,4	54	8	42.50	3	004260068
9	15,0	56	10	47.50	3	004260069
10	16,5	60	10	53.50	3	004260070
11	20,5	63	10	69.50	3	004260071
12	25,0	66	10	104.00	3	004260072
13	28,0	71	12	131.50	3	004260073
14	31,0	71	12	139.50	3	004260074

DIN 335-C

	£		
426T/SP6 GR 3-5-7-8-10-11 Ø 6,3÷20,5 mm	266.00	1	004260080
426/SPV	32.50	1	004260035

426SB

countersinking cutters, HSS

	GR	Ø mm	D mm	L mm	£		
426/SB1	1	2÷5	6	45	32.00	1	004260101
426/SB2	2	5÷10	8	48	38.00	1	004260102
426/SB3	3	10÷15	10	65	71.50	1	004260103
426/SB4	4	15÷20	12	85	134.00	1	004260104
426/SB5	5	20÷25	15	102	230.50	1	004260105
426/SB6	6	25÷30	15	115	373.00	1	004260106

	£		
426SB/SP4 426/SB1-426/SB2 426/SB3-426/SB4 Ø 2÷20 mm	317.00	1	004260130
426SB/SPV1	32.50	1	004260135

426MD-3/CP3

mini rotary cutters made from hard metal

- **Smooth cross cut with chip breaker**

L mm	Ø mm	£		
38,1	3	15.90	1	004260332

426MD-3/CT3

mini rotary cutters made from hard metal

- **Smooth cross cut with chip breaker**

L mm	Ø mm	£		
37,8	3	15.90	1	004260333

426MD-3/F3

mini rotary cutters made from hard metal

- **Smooth cross cut with chip breaker**

L mm	Ø mm	£		
38,3	3	15.90	1	004260334

426MD-3/FA3

mini rotary cutters made from hard metal

- **Smooth cross cut with chip breaker**

L mm	Ø mm	£		
38,2	3	15.90	1	004260339

426MD-3/OG3

mini rotary cutters made from hard metal

- **Smooth cross cut with chip breaker**

L mm	Ø mm	£		
38,1	3	15.90	1	004260337

426MD-3/OV3

mini rotary cutters made from hard metal

• Smooth cross cut with chip breaker

L mm	Ø mm	£		
38,2	3	15.90	1	004260331

426MD-3/S3

mini rotary cutters made from hard metal

• Smooth cross cut with chip breaker

L mm	Ø mm	£		
38,0	3	15.90	1	004260338

426MD-3/T3

mini rotary cutters made from hard metal

• Smooth cross cut with chip breaker

L mm	Ø mm	£		
38,3	3	15.90	1	004260336

426MD-3/TA3

mini rotary cutters made from hard metal

• Smooth cross cut with chip breaker

L mm	Ø mm	£		
38,3	3	15.90	1	004260335

	£		
426MD-3/A9	143.00	1	004260349
426MD-3/OV3 - 426MD-3/CP3 426MD-3/CT3 - 426MD-3/F3 426MD-3/TA3 - 426MD-3/T3 426MD-3/OG3 - 426MD-3/S3 426MD-3/FA3			

426MD/CP

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260532
63	8	59.50	1	004260512
63	9,5	59.50	1	004260542
69	12	91.50	1	004260522
69	16	125.50	1	004260552

426MD/CT

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260533
63	8	59.50	1	004260513
63	9,5	59.50	1	004260543
69	12	91.50	1	004260523
69	16	125.50	1	004260553

426MD/F

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260534
63	8	59.50	1	004260514
63	9,5	59.50	1	004260544
69	12	91.50	1	004260524
69	16	98.00	1	004260554

426MD/FA

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260539
63	8	59.50	1	004260519
63	9,5	59.50	1	004260549
69	12	91.50	1	004260529
69	16	111.50	1	004260559

426MD/OG

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260537
63	8	59.50	1	004260517
70	10	59.50	1	004260547
76	12	91.50	1	004260527
81	16	125.50	1	004260557

426MD/OV

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260531
61	9,5	59.50	1	004260541
67	12	91.50	1	004260521
69	16	111.00	1	004260551

426MD/S

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260538
51	8	59.50	1	004260518
53	9,5	59.50	1	004260548
56	12	91.50	1	004260528
59	16	98.00	1	004260558

426MD/T

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260536
63	8	59.50	1	004260516
63	9,5	59.50	1	004260546
69	12	91.50	1	004260526
70	16	98.00	1	004260556

426MD/TA

rotary files, made from hard metal

cross cut HM4

L mm	Ø mm	£		
50	6	44.50	1	004260535
67	8	59.50	1	004260515
72	9,5	59.50	1	004260545
73	12	91.50	1	004260525
78	16	125.50	1	004260555

	£		
426MD/SP10	466.00	1	004260510
426MD/CP-426MD/CT-426MD/F 426MD/T-426MD/S ø 8-12 mm			

427
morse taper extractors

DIN 317

GR	L mm	A mm	£		
0	92	13	**15.60**	3	004270000
1-2	140	19	**21.40**	3	004270002
3	190	25	**25.50**	3	004270003
4	225	30	**45.50**	3	004270004
5-6	260	35	**88.00**	3	004270006

428FP
machine taps for clearance holes, coarse pitch threads, HSS

ISO 529

M	■ mm	L mm	L1 mm	£		
3x0,5	2,7	56	11	**24.40**	10	004280003
4x0,7	3,4	63	13	**24.40**	10	004280004
5x0,8	4,9	70	16	**24.40**	10	004280005
6x1	4,9	80	19	**25.00**	10	004280006
8x1,25	6,2	90	22	**31.00**	10	004280008
10x1,5	8,0	100	24	**33.50**	10	004280010
12x1,75	7,0	110	29	**43.00**	5	004280012
14x2	9,0	110	30	**54.50**	5	004280014
16x2	9,0	110	30	**64.00**	5	004280016
18x2,5	11,0	125	34	**89.00**	3	004280018
20x2,5	12,0	140	34	**93.00**	3	004280020
22x2,5	14,5	140	34	**114.00**	3	004280022
24x3	14,5	160	38	**123.00**	3	004280024

428FC
machine taps for blind holes, coarse pitch threads, HSS

ISO 529

M	■ mm	L mm	L1 mm	£		
3x0,5	2,7	56	11	**28.00**	10	004280103
4x0,7	3,4	63	13	**28.00**	10	004280104
5x0,8	4,9	70	16	**28.00**	10	004280105
6x1	4,9	80	19	**31.00**	10	004280106
8x1,25	6,2	90	22	**32.00**	10	004280108
10x1,5	8,0	100	24	**38.00**	10	004280110
12x1,75	7,0	110	29	**48.00**	5	004280112
14x2	9,0	110	30	**60.50**	5	004280114
16x2	9,0	110	30	**72.50**	5	004280116
18x2,5	11,0	125	34	**98.00**	3	004280118
20x2,5	12,0	140	34	**103.00**	3	004280120
22x2,5	14,5	140	34	**128.50**	3	004280122
24x3	14,5	160	38	**138.00**	3	004280124

428/C14
assortment of 14 machine taps
items 428FP + 428FC

	£		
428/C14 428FP M3÷12 428FC M3÷12	**512.00**	1	004280201
428/SPV	**31.50**	1	004280202

429FP
machine taps for clearance holes, coarse pitch threads HSS-CO 5%



ISO 529

M	■ mm	L mm	L1 mm	£		
3x0,5	2,7	56	11	**31.50**	5	004290003
4x0,7	3,4	63	13	**31.50**	5	004290004
5x0,8	4,9	70	16	**31.50**	5	004290005
6x1	4,9	80	19	**32.50**	5	004290006
8x1,25	6,2	90	22	**37.50**	5	004290008
10x1,5	8,0	100	24	**44.00**	5	004290010
12x1,75	7,0	110	29	**57.00**	5	004290012
14x2	9,0	110	30	**69.50**	5	004290014

429FC
machine taps for blind holes, coarse pitch threads HSS-CO 5%

ISO 529

M	■ mm	L mm	L1 mm	£		
3x0,5	2,7	56	11	**38.50**	5	004290103
4x0,7	3,4	63	13	**38.50**	5	004290104
5x0,8	4,9	70	16	**38.50**	5	004290105
6x1	4,9	80	19	**40.00**	5	004290106
8x1,25	6,2	90	22	**45.50**	5	004290108
10x1,5	8,0	100	24	**58.00**	5	004290110
12x1,75	7,0	110	29	**69.00**	5	004290112
14x2	9,0	110	30	**84.50**	5	004290114

429/C14
assortment of 14 machine taps
items 429FP + 429FC

	£		
429/C14 429FP M3÷12 429FC M3÷12	**552.00**	1	004290201
428/SPV	**31.50**	1	004280202

430
hand taps, **coarse pitch**, metric thread made from chrome-steel



DIN 352 UNI 4535

M	■ mm	L mm	L1 mm	£		
2x0,4	2,5	36	11	**20.50**	5	004300002
3x0,5	2,5	40	12	**14.40**	5	004300003
4x0,7	3,0	45	14	**14.40**	5	004300004
5x0,8	4,0	48	16	**15.30**	5	004300005
6x1	5,0	50	18	**15.90**	5	004300006
7x1	4,5	50	18	**19.90**	5	004300007
8x1,25	5,0	56	22	**19.90**	3	004300008
9x1,25	5,5	63	22	**27.00**	3	004300009
10x1,5	6,0	70	25	**26.00**	3	004300010
11x1,5	7,0	70	25	**33.00**	3	004300011
12x1,75	7,0	75	30	**32.00**	3	004300012
14x2	8,0	80	32	**39.50**	3	004300014
16x2	10,0	80	32	**48.00**	3	004300016
18x2,5	11,0	95	40	**62.50**	1	004300018
20x2,5	12,0	95	40	**79.00**	1	004300020
22x2,5	14,5	100	40	**92.50**	1	004300022
24x3	14,5	110	50	**108.50**	1	004300024

	£		
430/SP21 M 3-4-5-6-8-10-12	**169.50**	1	004300201
430/SPV	**39.50**	1	004300202

430ASW

hand taps, **Whitworth** thread
made from chrome-steel

DIN 352

BSW	■ mm	L mm	L1 mm	£		
1/8x40	2,7	40	12	14.40	5	004300031
5/32x32	3,4	45	14	14.40	5	004300032
3/16x24	4,3	48	18	14.70	5	004300033
1/4x20	4,9	50	22	16.70	5	004300034
5/16x18	4,9	56	25	20.50	3	004300035
3/8x16	5,5	70	28	26.00	3	004300036
7/16x14	6,2	70	30	30.50	3	004300037
1/2x12	7,0	75	32	33.00	3	004300038
9/16x12	9,0	80	32	39.50	1	004300039
5/8x11	9,0	80	38	48.50	1	004300040
3/4x10	11,0	95	40	70.50	1	004300041
7/8x9	14,5	100	40	88.50	1	004300042
1"x8	16,0	110	50	112.00	1	004300043

430ASC

hand taps, **UNC** thread
made from chrome-steel



ANSI B1.1

UNC	■ mm	L mm	L1 mm	£		
1/4x20	4,9	70	30	21.30	5	004300051
5/16x18	4,9	70	30	27.50	5	004300052
3/8x16	5,5	75	35	31.00	3	004300053
7/16x14	6,2	80	40	38.50	3	004300054
1/2x13	7,0	85	45	51.00	3	004300055
9/16x12	9,0	90	45	62.00	3	004300056
5/8x11	9,0	100	47	71.50	3	004300057
3/4x10	11,0	110	50	95.00	3	004300058
7/8x9	14,5	120	60	108.00	1	004300059
1"x8	16,0	130	60	124.50	1	004300060

431

hand taps, **coarse pitch**,
metric thread HSS

DIN 352 UNI 4535

M	■ mm	L mm	L1 mm	£		
3x0,5	2,5	40	12	30.50	5	004310003
4x0,7	3,0	45	14	30.50	5	004310004
5x0,8	4,0	48	16	31.50	5	004310005
6x1	5,0	50	18	31.50	5	004310006
7x1	5,0	50	18	40.00	5	004310007
8x1,25	5,0	56	22	34.50	3	004310008
10x1,5	6,0	70	25	44.50	3	004310010
12x1,75	7,0	75	30	62.00	3	004310012
14x2	9,0	80	32	83.00	1	004310014
16x2	9,0	80	32	93.50	1	004310016
18x2,5	11,0	95	40	141.50	1	004310018
20x2,5	12,0	95	40	153.50	1	004310020
22x2,5	12,0	100	40	223.50	1	004310022
24x3	14,5	110	50	243.00	1	004310024

	£		
431/SP21 M 3-4-5-6-8-10-12	269.00	1	004310201
431/SPV	31.50	1	004310202

433

hand taps, **fine pitch**, metric thread
made from chrome-steel



DIN 2181 UNI 4535

M	■ mm	L mm	L1 mm	£		
6x0,75	4,5	48	16	12.70	5	004330201
7x0,75	4,5	56	18	15.90	5	004330202
8x0,75	5,0	50	16	15.90	5	004330203
8x1	5,0	56	16	15.90	5	004330204
9x0,75	6,0	63	22	20.50	5	004330205
9x1	6,0	63	22	20.50	5	004330206
10x0,75	6,5	63	18	20.50	5	004330207
10x1	6,5	63	18	20.50	5	004330208
10x1,25	6,5	63	18	20.50	5	004330209
11x0,75	7,0	70	25	27.50	3	004330210
11x1	7,0	70	25	27.50	3	004330211
11x1,25	7,0	70	25	27.50	3	004330212
12x0,75	7,0	70	20	27.50	3	004330213
12x1	7,0	70	20	27.50	3	004330214
12x1,25	7,0	70	20	27.50	3	004330215
12x1,5	7,0	70	20	27.50	3	004330216
14x1	8,0	80	32	33.50	1	004330217
14x1,25	8,0	80	32	33.50	1	004330218
14x1,5	8,0	80	32	33.50	1	004330219
16x1	10,0	80	32	40.00	1	004330220
16x1,5	10,0	80	32	40.00	1	004330221
18x1,5	11,0	95	40	48.50	1	004330222
18x2	11,0	80	25	60.50	1	004330223
20x1,5	14,5	80	22	71.00	1	004330224
22x1,5	14,5	80	22	83.00	1	004330225
24x1,5	14,5	80	22	98.00	1	004330226
24x2	14,5	80	22	98.00	1	004330227

433ASF

hand taps, **fine pitch**, UNF thread
made from chrome-steel

ANSI B1.1

UNF	■ mm	L mm	L1 mm	£		
1/4x28	4,9	70	30	15.90	5	004330301
5/16x24	4,9	70	30	19.10	5	004330302
3/8x24	5,5	75	35	21.30	3	004330303
7/16x20	6,2	80	40	26.50	3	004330304
1/2x20	7,0	85	45	34.50	3	004330305
9/16x18	9,0	90	45	42.50	3	004330306
5/8x18	9,0	100	47	48.00	3	004330307
3/4x16	11,0	110	50	65.50	3	004330308
7/8x14	14,5	120	60	84.50	1	004330309
1"x12	16,0	130	60	119.00	1	004330310

433ASG

hand taps, cylindrical **GAS** (BSP) thread
made from chrome-steel

DIN 5157

GAS	■ mm	L mm	L1 mm	£		
1/8x28	5,5	65	18	22.00	1	004330401
1/4x19	9,0	70	24	28.00	1	004330402
3/8x19	9,0	75	25	34.00	1	004330403
1/2x14	12,0	80	31	51.00	1	004330405
3/4x14	16,0	90	33	80.50	1	004330408
1"x11	20,0	100	39	131.00	1	004330410

434

hand taps, **fine pitch**, metric thread HSS



DIN 2181 UNI 4535

M	■ mm	L mm	L1 mm	£		
6x0,75	4,5	48	16	37.50	5	004340001
8x0,75	5,0	56	16	40.00	5	004340003
8x1	5,0	56	16	40.00	5	004340004
10x0,75	6,5	63	18	53.50	5	004340007
10x1	6,5	63	18	53.50	5	004340008
10x1,25	6,5	63	18	53.50	5	004340009
12x1	7,0	70	20	55.50	3	004340014
12x1,25	7,0	70	20	55.50	3	004340015
12x1,5	7,0	70	20	55.50	3	004340016
13x1,5	9,0	70	20	123.00	1	004340017
14x1	9,0	70	20	69.00	1	004340018
14x1,25	9,0	70	20	69.00	1	004340019
14x1,5	9,0	70	20	60.00	1	004340020
15x1,5	9,0	70	20	125.50	1	004340021
16x1	9,0	70	20	75.50	1	004340022
16x1,5	9,0	70	20	65.00	1	004340023
18x1,5	11,0	80	22	83.00	1	004340024
18x2	11,0	90	25	106.00	1	004340025
20x1,25	12,0	80	22	160.00	1	004340026
20x1,5	12,0	80	22	90.00	1	004340027
20x2	12,0	90	25	114.00	1	004340028
22x1,5	14,5	80	22	125.50	1	004340029
24x1	14,5	80	22	176.50	1	004340030
24x1,5	14,5	80	22	144.00	1	004340031
24x2	14,5	80	22	149.00	1	004340032

435
adjustable tap wrenches, steel body

DIN 1814

	□ mm	L mm	£		
435/0	2÷5 M1÷M8	170	**23.40**	3	004350007
435/1	2÷6 M1÷M10	200	**27.00**	2	004350009
435/1,5	2,5÷6 M1÷M12	200	**30.50**	2	004350011
435/2	3÷7 M4÷M12	260	**38.00**	2	004350013
435/3	4÷12 M5÷M20	345	**71.00**	1	004350020
435/4	5,5÷16 M9÷M27	430	**117.50**	1	004350027
435/5	7÷18 M13÷M32	770	**262.00**	1	004350032

435G
adjustable tap wrenches, light alloy body



DIN 1814

	□ mm	L mm	£		
435G/0	2÷5 M1÷M8	130	**17.90**	5	004350108
435G/1	2÷6 M1÷M10	190	**21.30**	5	004350110
435G/1,5	2÷7 M2÷M12	175	**22.10**	5	004350112
435G/2	3,4÷7 M4÷M12	280	**34.50**	5	004350114
435G/3	4,9÷12 M5÷M20	380	**57.00**	2	004350121
435G/4	7÷16 M11÷M27	500	**93.50**	2	004350127
435G/5	7÷18 M13÷M32	700	**144.00**	1	004350132
435G/6	11÷24 M18÷M42	800	**235.50**	1	004350142

436
reversible ratcheting tap wrenches



	□ mm	L mm	£		
436/1	2÷5 M3÷M8	85	**39.50**	5	004360002
436/2	4,6÷8 M5÷M12	110	**54.50**	5	004360004

436L
reversible ratcheting tap wrenches, long series

	□ mm	L mm	£		
436L/1	2÷5 M3÷M8	245	**62.50**	2	004360012
436L/2	4,6÷8 M5÷M12	295	**75.00**	2	004360014

436R
spare clamps for items 436 and 436L

	£		
436R/1	**6.25**	1	004360022
436R/2	**7.05**	1	004360024

437P
thread dresser, for repairing internal and external, right-hand and left-hand threads

P 0.80÷3.00 mm

L mm	£		
230	**62.50**	1	004370003

437C
set for repairing damaged spark plug threads, M14x1.25 mm

- **Helicoids height: 8.40 - 12.40 - 16.40 mm (5 pcs/size)**

	£		
437C	**154.50**	1	004370100

437C/...
stainless steel helicoids for item 437C

H mm	£		
8.4	**37.00**	1	004370108
12.4	**37.00**	1	004370112
16.4	**37.00**	1	004370116

The prices shown are for 10 pieces

437C/RM14
male thread for spark plugs M14x1.25

	£		
437C/RM14	**124.50**	1	004370124

437K/8
tool assortment for repairing axle shaft threads

- **Allows original thread to be rectified and dressed.**

Kit contents:
- **Metric sizes:**
  20x1.25 - 20x1.5 - 22x1.00 - 22x1.5 - 24x1.5 - 24x2.00
- **Inch sizes:**
  3/4x20 - 13/16x20

⬡ 32 mm

	£		
437K/8	**111.50**	1	004370020

200x110x30 mm

437K/9
tool assortment for repairing male and female threads, wheel fixing screws

allows original thread to be rectified and dressed

Kit contents:
- **Taps:**
  M12x1.25 - M12x1.5 - M12x1.75 - M14x1.5
- **Dies:**
  M12x1.25 - M12x1.5 - M14x1.5

⬡ 12 - 24 mm

	£		
437K/9	**117.50**	1	004370029

161x123x50 mm

437K/12

tool assortment for repairing axle shaft threads

allows original thread to be rectified and dressed

Kit contents:
- **Metric sizes:**
  M16x1.0 - M16x1.5 - M20x1.0 - M20x1.5 - M22x1.5 - M24x1.5 - M24x2.0 - M27x2.0
- **Inch sizes:**
  3/4x16 - 3/4x20 - 13/16x20 - 27/32x20

	£		
437K/12	**137.50**	1	004370032

220x118x52 mm

437K/16

tool assortment for repairing damaged threads on brake caliper brackets M9x1.25

	£		
437K/16	**155.00**	1	004370016

210x150x50 mm

437K/33

tool assortment for repairing damaged spark plug threads

Bushes:
M8x1.0 - M10x1.0 - M10x1.25 - M12x1.25
Taps:
M8x1.0 - M10x1.0 - M10x1.25 - M12x1.0 - M12x1.25 - M14x1.25

	£		
437K/33	**396.00**	1	004370133

210x150x50 mm

437U/09

assortment for repairing damaged threads M5-M6-M8-M10-M12

	£		
437U/09	**477.00**	1	004370550

M5X0,8
M6X1,0
M8X1,25
M10X1,5
M12X1,75

370x230x55 mm - 2 Kg

437U/E-M...

stainless steel helicoids

	H mm	£		
M5	7.5	**24.80**	1	004370555
M6	9	**24.80**	1	004370556
M8	12	**36.00**	1	004370558
M10	15	**48.00**	1	004370560
M12	18	**31.00**	1	004370562

Prices refer to 25 pieces (10 for size M12)

437U/PM

bits and taps for item 437U/09

	£		
M5	**48.00**	1	004370565
M6	**49.50**	1	004370566
M8	**67.50**	1	004370568
M10	**88.50**	1	004370570
M12	**106.50**	1	004370572

438A

set of bits for drilling, threading and countersinking; HSS

- **M3 - M4 - M5 - M6 - M8 - M10**
- **With magnetic bit holder**

1/4

S MAX mm = Ø mm



	£		
438A	**172.00**	1	004380010

438...

bits for drilling, threading and countersinking

HSS, 1/4" drive

1/4

	S max mm	£		
M3	3	**31.00**	2	004380103
M4	4	**31.00**	2	004380104
M5	5	**31.00**	2	004380105
M6	6	**31.00**	2	004380106
M8	8	**39.50**	2	004380108
M10	10	**39.50**	2	004380110

440

round dies, **coarse pitch**, metric thread made from chrome-steel

R ≤ 600 N/mm²
HRC ▯ 60÷61

UNI 4535
DIN 223

	Ø x S mm	£		
2x0,4	25,4 x 9	**24.40**	5	004400002
3x0,5	25,4 x 9	**19.10**	5	004400003
4x0,7	25,4 x 9	**19.10**	5	004400004
5x0,8	25,4 x 9	**15.90**	5	004400005
6x1	25,4 x 9	**15.90**	5	004400006
7x1	25,4 x 9	**15.90**	5	004400007
8x1,25	25,4 x 9	**15.90**	5	004400008
9x1,25	25,4 x 9	**15.90**	5	004400009
10x1,5	25,4 x 9	**15.90**	5	004400010
12x1,75	25,4 x 9	**15.90**	5	004400012

440A

round dies, **coarse pitch**, metric thread made from chrome-steel

R ≤ 600 N/mm²
HRC ▯ 60÷61

UNI 4535
DIN 223

	Ø x S mm	£		
10x1,5	38,1 x 14	**22.90**	3	004400110
11x1,5	38,1 x 14	**22.90**	3	004400111
12x1,75	38,1 x 14	**22.90**	3	004400112
14x2	38,1 x 14	**22.90**	3	004400114
16x2	38,1 x 14	**22.90**	3	004400116
18x2,5	38,1 x 14	**26.00**	3	004400118
20x2,5	38,1 x 14	**28.00**	3	004400120

440B

round dies, **coarse pitch**,
metric thread made from chrome-steel

R ≤ 600 N/mm²
HRC ≈ 60÷61

UNI 4535
DIN 223

M	Ø x S mm	£		
18x2,5	50,8 x 16	**40.00**	3	004400122
20x2,5	50,8 x 16	**42.50**	3	004400124
22x2,5	50,8 x 16	**44.00**	3	004400126
24x3	50,8 x 16	**45.00**	3	004400128

440ASW

round dies, **Whitworth** thread
made from chrome-steel

R ≤ 600 N/mm²

UNI EN 22568
DIN 223

BSW	Ø x S mm	£		
1/8x40	25,4 x 9	**20.50**	5	004400201
5/32x32	25,4 x 9	**20.50**	5	004400202
3/16x24	25,4 x 9	**19.10**	5	004400203
1/4x20	25,4 x 9	**19.10**	5	004400204
5/16x18	25,4 x 9	**19.90**	5	004400205
3/8x16	38,1 x 14	**26.00**	3	004400206
7/16x14	38,1 x 14	**26.00**	3	004400207
1/2x12	38,1 x 14	**26.50**	3	004400208
9/16x12	38,1 x 14	**26.50**	3	004400209
5/8x11	50,8 x 16	**47.50**	3	004400210
3/4x10	50,8 x 16	**47.50**	3	004400211
7/8x9	50,8 x 16	**55.50**	3	004400212
1"x8	50,8 x 16	**55.50**	3	004400213

440ASC

round dies, **coarse pitch**,
UNC thread made from chrome-steel

R ≤ 600 N/mm²

UNI EN 22568
DIN 223

UNC	Ø x S mm	£		
1/4x20	25,4 x 9	**19.10**	5	004400221
5/16x18	25,4 x 9	**19.10**	5	004400222
3/8x16	38,1 x 14	**26.00**	3	004400223
7/16x14	38,1 x 14	**26.00**	3	004400224
1/2x13	38,1 x 14	**26.00**	3	004400225
9/16x12	38,1 x 14	**26.00**	3	004400226
5/8x11	50,8 x 16	**54.50**	3	004400227
3/4x10	50,8 x 16	**54.50**	3	004400228
7/8x9	50,8 x 16	**54.50**	3	004400229
1"x8	50,8 x 16	**54.50**	3	004400230

440ASF

round dies, **fine pitch**,
UNF thread made from chrome-steel

UNI EN 2258
DIN 223

UNF	Ø x S mm	£		
1/4x28	25,4 x 9	**19.90**	5	004400241
5/16x24	25,4 x 9	**19.90**	5	004400242
3/8x24	38,1 x14	**27.50**	3	004400243
7/16x20	38,1 x14	**27.50**	3	004400244
1/2x20	38,1 x14	**27.50**	3	004400245
9/16x18	38,1 x14	**27.50**	3	004400246
5/8x18	50,8 x 16	**58.50**	3	004400247
3/4x16	50,8 x 16	**58.50**	3	004400248
7/8x14	50,8 x 16	**58.50**	3	004400249
1"x12	50,8 x 16	**58.50**	3	004400250

440ASG

round dies, cylindrical **GAS** (BSP) thread
made from chrome-steel

R ≤ 600 N/mm²

UNI EN 24231
DIN 223

GAS	Ø x S mm	£		
1/8x28	38,1 x 14	**22.10**	3	004400255
1/4x19	38,1 x 14	**22.10**	3	004400256
3/8x19	38,1 x 14	**22.10**	3	004400257
1/2x14	50,8 x 16	**44.50**	3	004400259
3/4x14	50,8 x 16	**44.50**	3	004400260
1"x11	63,5 x 19	**93.50**	3	004400261

441

round dies, **fine pitch**, metric thread
made from chrome-steel

R ≤ 600 N/mm²
HRC ≈ 60÷61

UNI 4535
DIN 223

M	Ø x S mm	£		
6x0,75	25,4 x 9	**18.90**	5	004410004
7x0,75	25,4 x 9	**18.90**	5	004410005
8x0,75	25,4 x 9	**18.90**	5	004410006
8x1	25,4 x 9	**18.90**	5	004410007
9x0,75	25,4 x 9	**18.90**	5	004410008
9x1	25,4 x 9	**18.90**	5	004410009

441A

round dies, **fine pitch**, metric thread
made from chrome-steel

R ≤ 600 N/mm²
HRC ≈ 60÷61



UNI 4535
DIN 223

M	Ø x S mm	£		
10x0,75	38,1 x 14	**27.50**	3	004410100
10x1	38,1 x 14	**27.50**	3	004410101
10x1,25	38,1 x 14	**27.50**	3	004410102
11x0,75	38,1 x 14	**27.50**	3	004410103
11x1	38,1 x 14	**27.50**	3	004410104
11x1,25	38,1 x 14	**27.50**	3	004410105
12x0,75	38,1 x 14	**27.50**	3	004410106
12x1	38,1 x 14	**27.50**	3	004410107
12x1,25	38,1 x 14	**27.50**	3	004410108
12x1,5	38,1 x 14	**27.50**	3	004410109
14x1	38,1 x 14	**27.50**	3	004410110
14x1,25	38,1 x 14	**27.50**	3	004410111
14x1,5	38,1 x 14	**27.50**	3	004410112
16x1	38,1 x 14	**27.50**	3	004410113
16x1,5	38,1 x 14	**27.50**	3	004410114
18x1,5	38,1 x 14	**27.50**	3	004410115

441B

round dies, **fine pitch**, metric thread
made from chrome-steel

R ≤ 600 N/mm²
HRC ≈ 60÷61

UNI 4535
DIN 223

M	Ø x S mm	£		
18x1,5	50,8 x 16	**53.50**	3	004410117
18x2	50,8 x 16	**54.00**	3	004410118
20x1,5	50,8 x 16	**54.50**	3	004410119
22x1,5	50,8 x 16	**54.50**	3	004410120
24x1,5	50,8 x 16	**55.50**	3	004410121
24x2	50,8 x 16	**55.50**	3	004410122

442

round dies, **coarse pitch**, metric thread HSS

HRC ▯ 62÷63
AISI M2

UNI EN 22568
DIN 223

M	ØxS mm	£		
3x0,5	20x5	**22.70**	3	004420003
4x0,7	20x5	**22.70**	3	004420004
5x0,8	20x7	**23.40**	3	004420005
6x1	20x7	**23.40**	3	004420006
7x1	25x9	**25.00**	3	004420007
8x1,25	25x9	**25.00**	3	004420008
10x1,5	30x11	**31.00**	3	004420010
12x1,75	38x14	**47.00**	3	004420012
14x2	38x14	**58.50**	1	004420014
16x2	45x18	**79.00**	1	004420016
18x2,5	45x18	**83.00**	1	004420018
20x2,5	45x18	**84.50**	1	004420020

443

round dies, **fine pitch**, metric thread HSS

HRC ▯ 62÷63
AISI M2

UNI EN 22568
DIN 223

M	ØxS mm	£		
6x0,75	20x7	**40.00**	1	004430107
8x0,75	25x9	**45.00**	1	004430110
8x1	25x9	**40.00**	1	004430111
10x0,75	30x11	**53.50**	1	004430113
10x1	30x11	**48.50**	1	004430114
10x1,25	30x11	**48.50**	1	004430115
12x1	38x10	**73.00**	1	004430116
12x1,25	38x10	**73.00**	1	004430117
12x1,5	38x10	**73.00**	1	004430118
13x1,5	38x10	**95.00**	1	004430119
14x1	38x10	**73.00**	1	004430120
14x1,25	38x10	**73.00**	1	004430121
14x1,5	38x10	**73.00**	1	004430122
15x1,5	38x10	**112.00**	1	004430123
16x1	45x14	**101.00**	1	004430124
16x1,5	45x14	**101.00**	1	004430125
18x1,5	45x14	**101.00**	1	004430127
20x1,25	45x14	**114.00**	1	004430129
20x1,5	45x14	**114.00**	1	004430130
20x2	45x14	**124.50**	1	004430131
22x1,5	55x16	**134.00**	1	004430132
24x1	55x16	**139.00**	1	004430133
24x1,5	55x16	**139.00**	1	004430135
24x2	55x16	**140.50**	1	004430136

444

die stocks, steel body

EN 22568
DIN 225

	Ø mm	L mm	£		
444	20x5	190	**32.00**	5	004440005
444/0	20x7	190	**32.00**	5	004440007
444/1	25,4x9,5	210	**33.00**	5	004440025
444/1A	25x9	215	**33.50**	5	004440027
444/1B	30x11	250	**37.50**	5	004440030
444/C	38x10	310	**43.00**	3	004440033
444/1C	38x14	310	**43.00**	3	004440035
444/2	38,1x12,7	300	**44.00**	3	004440038
444/1D	45x14	445	**60.00**	1	004440045
444/2D	45x18	445	**60.00**	1	004440046
444/3	50,8x15,9	520	**88.50**	1	004440050
444/4	55x16	495	**88.50**	1	004440055
444/5A	63,5x19	520	**155.00**	1	004440057

444G

die stocks, light alloy body

UNI EN 22568
DIN 225

	Ø mm	L mm	£		
444G/A	16x5	160	**15.30**	5	004440103
444G	20x5	185	**15.90**	5	004440105
444G/0	20x7	185	**15.90**	5	004440107
444G/1	25,4x9,5	215	**18.30**	5	004440125
444G/1A	25x9	215	**18.30**	5	004440127
444G/1B	30x11	265	**22.70**	5	004440130
444G/C	38x10	315	**32.50**	3	004440133
444G/1C	38x14	315	**32.50**	3	004440135
444G/2	38,1x12,6	310	**32.50**	3	004440138
444G/1D	45x14	450	**47.00**	1	004440145
444G/2D	45x18	450	**48.00**	1	004440146
444G/3	50,8x16	485	**48.50**	1	004440150
444G/4	55x16	560	**58.00**	1	004440155
444G/5A	63,5x19	630	**103.00**	1	004440163
444G/6	65x18	630	**108.50**	1	004440165

446/C30

assortment of chrome-steel taps and dies, metric thread, and accessories in wooden case

	£		
446/C30	**433.00**	1	004460055

325x220x35 mm - 3,2 Kg

430 M mm	440 M mm		
3x0,5	3x0,5	435/1,5	444/1
4x0,7	4x0,7		
5x0,8	5x0,8		
6x1	6x1		
8x1,25	8x1,25		
10x1,5	10x1,5		
12x1,75	12x1,75		

446/C48

assortment of chrome-steel taps and dies, metric thread, and accessories in wooden case

	£		
446/C48	**876.00**	1	004460057

580x300x50 mm - 5 Kg

430 M mm	440 M mm	440A M mm		
3x0,5	3x0,5	10x1,5	435/1	444/1
4x0,7	4x0,7	12x1,75	435/3	444/2
5x0,8	5x0,8	14x2		
6x1	6x1	16x2		
8x1,25	8x1,25	18x2,5		
10x1,5		20x2,5		
12x1,75				
14x2				
16x2				
18x2,5				
20x2,5				

446/C110

assortment of chrome-steel taps and dies, metric thread, and accessories for car repair jobs in wooden case

	£		
446/C110	**1230.00**	1	004460060

500x337x60 mm - 8,1 Kg

430 M mm	433 M mm	440/440A M mm	441/441A M mm
2x0,4	6x0,75	2x0,4	6x0,75
3x0,5	7x0,75	3x0,5	7x0,75
4x0,7	8x0,75	4x0,7	8x0,75
5x0,8	8x1	5x0,8	8x1
6x1	9x0,75	6x1	9x0,75
7x1	9x1	7x1	9x1
8x1,25	10x0,75	8x1,25	10x0,75
9x1,25	10x1	9x1,25	10x1
10x1,5	10x1,25	10x1,5	10x1,25
11x1,5	11x0,75	11x1,5	11x0,75
12x1,75	11x1	12x1,75	11x1
14x2	11x1,25	14x2	11x1,25
16x2	12x0,75	16x2	12x0,75
	12x1		12x1
	12x1,25		12x1,25
	12x1,5		12x1,5
	14x1		14x1
	14x1,25		14x1,25
	14x1,5		14x1,5
	16x1		16x1
	16x1,5		16x1,5
	18x1,5		18x1,5

435/0	444/1	436/1
435/3	444/2	

446ASF/C29

assortment of chrome-steel taps and dies, **UNF** thread, and accessories in wooden case

	£		
446ASF/C29	**1019.00**	1	004460070

660x410x50 mm - 6 Kg

433ASF	440ASF		
1/4	1/4	435/1,5	444/1
5/16	5/16	435/3	444/2
3/8	3/8		444/3
7/16	7/16		
1/2	1/2		
9/16	9/16		
5/8	5/8		
3/4	3/4		

446ASW/C36

assortment of chrome-steel taps and dies, **Whitworth** thread, and accessories in wooden case

	£		
446ASW/C36	**699.00**	1	004460075

525x310x50 mm - 3,4 Kg

430ASW	440ASW		
1/8	1/8	435/1,5	444/1
5/32	5/32	435/2	444/2
3/16	3/16		
1/4	1/4		
5/16	5/16		
3/8	3/8		
7/16	7/16		
1/2	1/2		

446ASC/C37

assortment of chrome-steel taps and dies, **UNC** thread, and accessories in wooden case

	£		
446ASC/C37	**1057.00**	1	004460080

660x410x50 mm - 6,7 Kg

430ASC	440ASC		
1/4	1/4	435/1,5	444/1
5/16	5/16	435/3	444/2
3/8	3/8		444/3
7/16	7/16		
1/2	1/2		
9/16	9/16		
5/8	5/8		
3/4	3/4		

446ASG/C23

assortment of chrome-steel taps and dies, cylindrical **GAS** thread, and accessories in wooden case

	£		
446ASG/C23	**1545.00**	1	004460085

700x430x70 mm - 9,8 Kg

433ASG	440ASG		
1/8	1/8	435/3	444/2
1/4	1/4	435/5	444/3
3/8	3/8		444/5A
1/2	1/2		
3/4	3/4		
1"	1"		

447/C37

assortment of HSS taps and dies,
metric thread,
and accessories in metal case

	£		
447/C37	**843.00**	1	004470055

380x185x35 mm - 3,9 Kg

431 M mm	442 M mm		
3x0,5	3x0,5	435/0	444
4x0,7	4x0,7	435/2	444/0
5x0,8	5x0,8		444/1A
6x1	6x1		444/1B
8x1,25	8x1,25		444/1C
10x1,5	10x1,5		
12x1,75	12x1,75		

436/1	0,5x3x75

447/C53

assortment of HSS taps and dies,
metric thread,
and accessories in metal case

	£		
447/C53	**1865.00**	1	004470060

500x235x50 mm - 9 Kg

431 M mm	442 M mm			
3x0,5	3x0,5	435/1,5	444	436/1
4x0,7	4x0,7	435/3	444/0	436/2
5x0,8	5x0,8		444/1A	
6x1	6x1		444/1B	
8x1,25	8x1,25		444/1C	
10x1,5	10x1,5		444/2D	
12x1,75	12x1,75			
14x2	14x2			
16x2	16x2			
18x2,5	18x2,5			
20x2,5	20x2,5			

447/C70

assortment of HSS taps and dies,
metric thread, and accessories
for car repair jobs industrial maintenance
in wooden case

	£		
447/C70	**2350.00**	1	004470065

510x340x70 mm - 7,5 Kg

431 M mm	434 M mm	442 M mm	443 M mm
3x0,5	8x1	3x0,5	8x1
4x0,7	10x1,25	4x0,7	10x1,25
5x0,8	12x1,25	5x0,8	12x1,25
6x1	12x1,5	6x1	12x1,5
7x1	14x1,25	7x1	14x1,25
8x1,25	14x1,5	8x1,25	14x1,5
10x1,5	16x1,5	10x1,5	16x1,5
12x1,75		12x1,75	
14x2		14x2	
16x2		16x2	

435/0	444	436/1
435/3	444/0	
	444/1A	
	444/1B	
	444/C	
	444/1C	
	444/1D	
	444/2D	

450

hole saws, bimetal,
HSS-Co 8%



HSS-Co 8%

Ø mm	Ø "	A mm	£		
16	(5/8)	57	**26.50**	1	004500016
17	(11/16)	57	**26.50**	1	004500017
19	(3/4)	51	**26.50**	1	004500019
20	-	51	**26.50**	1	004500020
21	(13/16)	51	**26.50**	1	004500021
22	(7/8)	51	**26.50**	1	004500022
24	(15/16)	51	**26.50**	1	004500024
25	(1")	51	**30.50**	1	004500025
27	(1"1/16)	51	**30.50**	1	004500027
29	(1"1/8)	51	**30.50**	1	004500029
30	(1"3/16)	51	**30.50**	1	004500030
32	(1"1/4)	51	**30.50**	1	004500032
33	(1"5/16)	51	**31.00**	1	004500033
35	(1"3/8)	51	**32.00**	1	004500035
37	(1"7/16)	51	**32.00**	1	004500037
38	(1"1/2)	44	**32.00**	1	004500038
40	(1"9/16)	44	**32.50**	1	004500040
41	(1"5/8)	44	**33.50**	1	004500041
43	(1"11/16)	44	**33.50**	1	004500043
44	(1"3/4)	44	**38.00**	1	004500044
46	(1"13/16)	44	**38.00**	1	004500046
48	(1"7/8)	44	**38.50**	1	004500048
51	(2")	44	**38.50**	1	004500051
52	(2"1/16)	44	**47.00**	1	004500052
54	(2"1/8)	44	**47.00**	1	004500054
57	(2"1/4)	44	**47.00**	1	004500057
59	(2"5/16)	44	**47.50**	1	004500059
60	(2"3/8)	44	**47.50**	1	004500060
64	(2"1/2)	44	**48.50**	1	004500064
65	(2"9/16)	44	**48.50**	1	004500065
67	(2"5/8)	44	**48.50**	1	004500067
68	-	44	**48.50**	1	004500068
70	(2"3/4)	44	**49.00**	1	004500070
73	(2"7/8)	44	**49.00**	1	004500073
76	(3")	44	**52.50**	1	004500076
79	(3"1/8)	44	**53.50**	1	004500079
83	(3"1/4)	44	**54.00**	1	004500083
86	(3"3/8)	44	**54.50**	1	004500086
89	(3"1/2)	44	**55.50**	1	004500089
92	(3"5/8)	44	**57.00**	1	004500092
95	(3"3/4)	44	**64.00**	1	004500095
98	(3"7/8)	44	**67.50**	1	004500098
102	(4")	44	**71.50**	1	004500102
105	(4"1/8)	44	**78.00**	1	004500105
108	(4"1/4)	44	**93.50**	1	004500108
111	(4"3/8)	44	**108.50**	1	004500111
114	(4"1/2)	44	**120.00**	1	004500114
121	(4"3/4)	44	**131.00**	1	004500121
127	(5")	44	**143.00**	1	004500127
140	(5"1/2)	44	**172.00**	1	004500140
152	(6")	44	**197.00**	1	004500152

450AL

arbors for holesaws

	Ø mm	L mm	£		
450AL/1	16÷30	54	**30.50**	1	004500210
450AL/2	32÷152	70	**74.50**	1	004500215

450AD

adaptors for arbors item 450AL/1

	Ø mm	£		
450AD	32÷51	**11.30**	1	004500230

450PA/1
pilot drills for arbors item 450AL/1, HSS



ØxL mm	£		
6,35x105	17.90	1	004500252

450PA/2
pilot drills for arbors item 450AL/2, HSS



ØxL mm	£		
6,35x80	17.90	1	004500253

450PR
extension for holesaws

L mm	£		
305	55.00	1	004500255

450/C9
assortment of holesaws and accessories for electricians

HSS-Co 8%

	£		
450/C9	392.00	1	004500305

450	Ø 22 - 29 - 35 - 44 - 51 - 64 mm
450AL	/1 - /2
450AD	

220x160x65 mm - 1,6 Kg

450/C13
assortment of holesaws and accessories for **installers**

HSS-Co 8%

	£		
450/C13	482.00	1	004500310

450	Ø 19 - 22 - 29 - 35 - 38 44 - 51 - 57 - 64 mm
450AL	/1 - /2
450PA/1	
450AD	

215x180x65 mm - 1,8 Kg

450/C15
assortment of holesaws and accessories for electricians

HSS-Co 8%

	£		
450/C15	604.00	1	004500313

450	Ø 16 - 20 - 25 - 32 - 40 51 - 60 - 65 - 70 mm
450AL	/1 - /2
450PA	/1 - /2
450PR	
450AD	

420x185x60 mm - 3,2 Kg

450/C21
assortment of holesaws and accessories for **industrial use**

HSS-Co 8%

	£		
450/C21	1031.00	1	004500315

450	Ø 19 - 22 - 29 - 35 - 38 44 - 51 - 57 - 64 - 76 83 - 92 - 95 - 105 - 114 mm
450AL	/1 - /2
450PA	/1 - /2
450PR	
450AD	

420x280x60 mm - 7 Kg

451
hole cutters HSS, entirely ground



Ø mm	L mm	D mm	£		
12	85	8	33.00	1	004510012
13	85	8	33.00	1	004510013
14	85	8	34.00	1	004510014
15	85	10	34.00	1	004510015
16	85	10	34.00	1	004510016
17	85	10	34.00	1	004510017
18	85	10	34.00	1	004510018
19	85	10	36.00	1	004510019
20	85	10	37.50	1	004510020
21	85	10	40.00	1	004510021
22	85	10	43.00	1	004510022
23	85	10	44.50	1	004510023
24	85	10	47.00	1	004510024
25	85	10	48.00	1	004510025
26	90	10	49.00	1	004510026
27	90	10	53.50	1	004510027
28	90	10	54.00	1	004510028
29	90	10	56.50	1	004510029
30	90	10	58.00	1	004510030
31	90	10	58.50	1	004510031
32	90	10	60.00	1	004510032
33	90	10	62.00	1	004510033
34	90	10	64.00	1	004510034
35	90	10	65.50	1	004510035
36	85	10	69.50	1	004510036
37	85	10	71.00	1	004510037
38	85	10	71.50	1	004510038
39	85	10	73.00	1	004510039
40	85	10	75.00	1	004510040
41	85	10	79.00	1	004510041
42	85	10	80.50	1	004510042
43	85	10	83.00	1	004510043
44	85	10	87.00	1	004510044
45	85	10	88.00	1	004510045
46	85	10	89.00	1	004510046
47	85	10	91.50	1	004510047
48	85	10	93.50	1	004510048
49	85	10	95.00	1	004510049
50	85	10	98.00	1	004510050

451/C

assortment of 8 hole cutters, HSS, entirely ground

	£		
451/C8 Ø 16-18-20-22-25-30-32-35 mm	**382.00**	1	004510308

270x225x70 mm

451GA

arbors for hole cutters item 451

M	Ø mm	L mm	D mm	£		
10x1,25	12÷14	57	8	**20.50**	1	004510101
12x1,25	15÷34	57	10	**20.50**	1	004510102
14x1,5	35÷50	57	10	**26.00**	1	004510105

451PA

pilot drill for hole cutters item 451 HSS

Ø mm	L mm	£		
6	53	**11.00**	1	004510103

451PR

extension for hole cutters item 451

M	Ø mm	L mm	Ø1 mm	£		
12x1,25	15÷34	400	13	**91.50**	1	004510104
14x1,5	35÷50	400	13	**92.50**	1	004510108

452

hole cutters with hard metal insets

Ø mm	Ø1 mm	£		
15	10	**146.00**	1	004520015
16	10	**146.00**	1	004520016
17	10	**146.00**	1	004520017
18	10	**146.00**	1	004520018
19	10	**146.00**	1	004520019
20	10	**146.00**	1	004520020
21	10	**146.00**	1	004520021
22	10	**146.00**	1	004520022
23	10	**146.00**	1	004520023
24	10	**146.00**	1	004520024
25	10	**146.00**	1	004520025
26	10	**163.00**	1	004520026
27	10	**163.00**	1	004520027
28	10	**163.00**	1	004520028
29	10	**163.00**	1	004520029
30	10	**163.00**	1	004520030
31	10	**195.50**	1	004520031
32	10	**195.50**	1	004520032
33	10	**195.50**	1	004520033
34	10	**195.50**	1	004520034
35	10	**195.50**	1	004520035
36	10	**225.50**	1	004520036
37	10	**225.50**	1	004520037
38	10	**225.50**	1	004520038
39	13	**225.50**	1	004520039
40	13	**225.50**	1	004520040
41	13	**259.00**	1	004520041
42	13	**259.00**	1	004520042
43	13	**259.00**	1	004520043
44	13	**259.00**	1	004520044
45	13	**259.00**	1	004520045
46	13	**286.00**	1	004520046
47	13	**286.00**	1	004520047
48	13	**286.00**	1	004520048
49	13	**286.00**	1	004520049
50	13	**286.00**	1	004520050
55	13	**323.00**	1	004520055
60	13	**430.00**	1	004520060
65	13	**430.00**	1	004520065
70	13	**502.00**	1	004520070
75	13	**541.00**	1	004520075
80	13	**591.00**	1	004520080
85	13	**680.00**	1	004520085
90	13	**717.00**	1	004520090

452GA

arbors for hole cutters item 452

	Ø mm	£		
452GA/1	15÷21	**19.90**	1	004520125
452GA/2	22÷38	**22.00**	1	004520126
452GA/3	39÷100	**24.40**	1	004520127

460

hole cutters for building materials

- **For concrete, cement, natural and artificial stones**
- **Maximum drilling depth: 60 mm**



Ø mm	L mm	Z	£		
50	75	6	**69.00**	1	004600050
60	75	6	**81.50**	1	004600060
65	75	6	**86.00**	1	004600065
80	75	6	**126.00**	1	004600080
90	75	6	**134.00**	1	004600090
100	75	8	**163.00**	1	004600100
112	75	8	**187.00**	1	004600112
125	80	10	**231.50**	1	004600125
150	80	12	**315.00**	1	004600150

460PP

pilot drill for hole cutters for building materials 460

Ø mm	L mm	£		
8	120	**7.70**	1	004600201

460G

shanks for hole cutters 460

L mm	£		
220	**42.50**	1	004600222
370	**59.50**	1	004600237
460	**93.50**	1	004600246

TORQUE MULTIPLIERS

Torque multipliers are essential tools for tightening nuts and screws, as they allow a higher torque than the operator would normally apply to be generated, in small or hardly accessible spaces. They do not require bulky extensions, thereby ensuring total safety. **Beta's range of torque multipliers** provides a variety of solutions and capacities **up to 9500 Nm**, and torque multiplication ratios up to 135:1. Many models – especially the most powerful ones – are fitted with a two-way anti-wind up system, to prevent dangerous tension returns onto the operator. Each of Beta's torque multipliers comes with a **certificate** proving that the tool was tested at the maximum value under optimal operating conditions.

Operating instructions

The torque multiplier **must be used with a torque wrench** to ensure control of the output torque; in addition, it must always be used with **impact sockets**.

The ratios of each torque multiplier determine the **multiplication factor** between the input torque and the output torque. Example: torque multiplier with 5:1 ratio. Applying an input torque of 100 Nm, as set on the torque wrench, will result in an output torque of 500 Nm as transmitted to the nut or screw.

However, make sure that all the parts involved in tightening are properly aligned.

Avoid using **extensions**, as these would twist, thereby producing a spring effect which would modify the applied torque values.

Always check that the **reaction arm** of the torque multiplier has been fixed to, or rests on, a sturdy structure, capable of withstanding the reaction force. As a rule, adequately rigid walls or screws near to the one that must be worked on are used. The reaction arm always rotates in the **opposite** direction to the tightening direction.



Clockwise

Counterclockwise

Operate smoothly and uninterruptedly.

Tightening tension must be released by rotating the torque multiplier in the other direction, before disengaging it; if the torque multiplier is fitted with an anti-wind up system, tightening tension must be released through the reversal lever.

The above instructions also apply to **unscrewing** operations.

560/C3

torque multiplier for right-hand and left-hand tightening, in plastic case,
ratio 3.8:1,
with anti-wind up system

Nm	kgfm	lbf.ft	□	■	kg
1500	150	1110	1/2"	3/4"	3,9

	£		
560/C3	**1315.00**	1	005600030

400x260x110 mm

560/C3PLUS

torque multiplier for right-hand and left-hand tightening, in plastic case,
ratio 3.8:1,
with anti-wind up system

Nm	kgfm	lbf.ft	□	■	kg
2700	270	1991	3/4"	1"	7,5

	£		
560/C3PLUS	**1530.00**	1	005600038

470x240x160 mm

560/C2

torque multiplier for right-/left-hand tightening and accessories
ratio 5:1
in plastic case
for intensive use

Nm	Kgfm	lbf.ft	□	■	kg
1300	130	960	1/2	3/4	3,8

	£		
560/C2	**2130.00**	1	005600020
560/2	**1540.00**	1	005600002
560/18	**52.50**	1	005600018
560/19	**114.00**	1	005600019
560/22	**398.00**	1	005600022

310x275x120 mm

560/C4+

torque multiplier for right/left-hand and accessories
ratio 5:1
with reaction foot
for intensive use

Nm	Kgfm	lbf.ft	□	■	kg
2700	270	2000	3/4	1"	5

	£		
560/C4PLUS	**2130.00**	1	005600042
560/4	**1655.00**	1	005600004
560/18	**52.50**	1	005600018
560/22	**398.00**	1	005600022

310x275x120 mm

560/C6

torque multipliers for right-hand and left-hand tightening in plastic case
ratio: 6.5:1

Nm	kgfm	lbf.ft	□	■	kg
1500	150	1106	1/2"	3/4"	6

	£		
560/C6	**1290.00**	1	005600160

400x260x110 mm

560/C12

torque multipliers for right-hand and left-hand tightening in plastic case
ratio: 12:1

Nm	kgfm	lbf.ft	□	■	kg
2500	250	1844	1/2"	1"	7

	£		
560/C12	**1855.00**	1	005600210

400x260x110 mm

561/1

torque multiplier for right-hand and left-hand tightening,
ratio 5:1,
with two reaction feet



Nm	kgfm	lbf.ft	□	■	kg
1000	100	740	1/2	3/4	2,7

	£		
561/1	**1765.00**	1	005610010

270x210x70 mm

562-1/VA - 562-2/VA

torque multipliers for right-hand and left-hand tightening ratio 5,2:1
in case 562VV-A

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
1700	170	1250	3/4	1"	108	95	85	220	8,8

	£		
562-1/VA	**3440.00**	1	005620601

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
3400	340	2500	3/4	1"	119	115	85	265	10,5

	£		
562-2/VA	**4090.00**	1	005620602

564-3R/V - 564-4R/V

torque multipliers for right-/left-hand tightening ratio 25:1 with anti-wind up system,
in case

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L mm	kg
4000	400	3000	1/2	1"	92	185	205	7,6

	£		
564-3R/V	**6630.00**	1	005640613

390x310x145 mm

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L mm	kg
7000	700	5000	1/2	1"1/2	120	200	210	13,2

	£		
564-4R/V	**7850.00**	1	005640614

500x435x170 mm

565-1R/VA - 565-2R/VA - 565-3R/VA

torque multipliers for right-hand and left-hand tightening
ratio 27:1
with anti-wind up system,
in case 562VV-A

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
1700	170	1250	1/2	1"	108	125	80	215	11,2

	£		
565-1R/VA	**5430.00**	1	005650611

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
3400	340	2500	1/2	1"	119	145	85	265	13,6

	£		
565-2R/VA	**7170.00**	1	005650612

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
3400	340	2500	1/2	1"1/2	119	145	85	265	14,2

	£		
565-3R/VA	**7640.00**	1	005650613

565-4R/VB

torque multiplier for right-hand and left-hand tightening
ratio 27:1 with anti-wind up system,
in case 565VV-B



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
6000	600	4500	1/2	1"1/2	144	180	125	335	22,4

	£		
565-4R/VB	**8510.00**	1	005650614

565-5R/VB

torque multiplier for right-hand and left-hand tightening
ratio 27:1
with anti-wind up system,
in case 565VV-B



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
9500	950	7000	3/4	1"1/2	184	180	155	355	30,4

	£		
565-5R/VB	**14600.00**	1	005650615

567-4R/VB

torque multiplier for right-hand and left-hand tightening
ratio 135:1
with anti-wind up system,
in case 565VV-B

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
6000	600	4500	1/2	1"1/2	144	210	125	335	24,4

	£		
567-4R/VB	**9520.00**	1	005670614

567-5R/VB

torque multiplier for right-hand and left-hand tightening
ratio 135:1
with anti-wind up system,
in case 565VV-B



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
9500	950	7000	1/2	1"1/2	184	210	155	350	32,4

	£		
567-5R/VB	**16440.00**	1	005670615

562VV-A

multiplier case,
made of hard-wearing polypropylene with sponge lining
Interior dimensions: 380x270x180 mm

	£		
562VV-A 562/1-562/2-564/3R 564/4R-565/1R-565/2R 565/3R	**339.00**	1	005620501

410x340x205 mm - 3,5 kg

565VV-B

multiplier case,
made of hard-wearing polypropylene with sponge lining
Interior dimensions: 480x370x205 mm

	£		
565VV-B 565/4R-565/5R 567/4R-567/5R	**468.00**	1	005650502

520x435x230 mm - 5,4 kg

GUIDE TO TORQUE WRENCHES

Torque wrenches must always be held in the middle of the handle, in order not to change the lever ratio. They must be operated smoothly and uninterruptedly, avoiding jerks.

The adjustment scale must be reset to zero after use, in order not to affect tightening precision. **This is not necessary with the Zero-Reset wrenches.**

Beta provides a wide range of wrenches, with **four different types of operation**.

DIRECT READING MODELS

The applied tightening torque is transmitted directly to the reading index through compression of a coil spring. The applied torque can be read in real time through a pointer. A second pointer can be positioned on the target torque value. When the target torque value is reached, the second pointer will be hooked by the main pointer and record the peak value. Direct reading torque wrenches ensure remarkable accuracy and durability over time.



CLICK-TYPE MODELS

Click-type torque wrenches are the most popular models, as they are easy to use. They enable quick torque preselection by spring loading. The torque value increases as the applied force increases. When the required torque value is reached, a sudden release will occur, and the wrench will not apply any tightening force for approximately 3-5°. If the operator does not interrupt movement, the torque will keep increasing, thereby exceeding the required values.



BREAK-BACK MODELS

Break-back torque wrenches operate like click-type models, but when the required torque value is reached, a sudden release of the lever arm will occur (approximately 20°). Therefore, it is easier for the operator to stop applying force. They are normally used for high torque values with extremely long lever arms.



SLIPPING MODELS

When the pre-set torque value is reached, the slipping mechanism will stop the torque from being applied, thereby causing the tool to idle. This will prevent tightening with high torque values compared to the required ones. Keeping applying force will cause the same cycle to be repeated. They are ideal for operations in sequence with low torque values (electronic and micromechanical industries), where avoiding breaking delicate or small-sized parts is a priority.

FIELDS OF USE FOR TORQUE WRENCHES

1 Nm = 0,10197 Kgfm = 0,7375 lbf.ft



FIELDS OF USE FOR TORQUE WRENCHES

1 Nm = 0,10197 Kgfm = 0,7375 lbf.ft



Torque calculation

The lever arm changes for accessories differing from standard in length, LA ≠LS.
To calculate the correct torque to set, use the formula:

$$C = \frac{M \cdot (L_B + L_S)}{L_B + L_A} \; [N \cdot m]$$



C = torque to set

M = required torque

L_A = accessory length (see accessory specifications table)

L_B = bar length (see torque bar specifications table)

L_S = standard accessory length (see torque bar specifications table)

581

slip-torque screwdriver, **ungraduated**
for right-hand tightening
torque accuracy: ±6%
(to be used with items 588 - 682)

UNI EN ISO 6789

Nm	gfm	○	g
1,2÷6	120÷600	1/4"	275

	£		
581	**356.00**	1	005810001

583

slip-torque screwdriver, graduated
for right-hand tightening
torque accuracy: ±6%

UNI EN ISO 6789

Nm	gfm	○	g	
0,3÷1,5	30÷150	1/4"	240	0,05

	£		
583/1,5	**371.00**	1	005830015

Nm	gfm	○	g	
0,6÷3	60÷300	1/4"	240	0,1

	£		
583/3	**371.00**	1	005830030

Nm	gfm	○	g	
1,2÷6	120÷600	1/4"	350	0,2

	£		
583/6	**371.00**	1	005830060

583/C31

1 torque screwdriver, 8 hexagon hand sockets,
20 bits and 2 accessories

1/4

	£		
583/C31	**521.00**	1	005830931

583/6	1.2 - 6 Nm
900	4-5-5,5-6-7-8-9-10 mm
860LP	0,6x4,5 - 1x5,5 - 1,2x6,5 mm
860PH	PH1 - PH2 (x2) - PH3
860PE	2-2,5-3-4-5 mm
860TX	T9-T10-T15-T20-T25-T27-T30-T40
882P/80	80 mm
892/0	⬢ 1/4 ■ 1/4

270x120x45 mm - 1,2 kg

590 - 592

direct reading torque wrenches
for right-hand and left-hand tightening
torque accuracy: ±4%



UNI EN ISO 6789

Nm	Kgfm	lbf.in	■	A mm	L mm	kg	
0,3÷4	0,03÷0,4	3÷35	1/4	60	253	0,52	0,1

	£		
590	**933.00**	1	005900001

Nm	Kgfm	lbf.in	■	A mm	L mm	kg	
0,5÷13,5	0,05÷1,35	4÷120	1/4	60	253	0,52	0,5

	£		
590/1	**933.00**	1	005900003

Nm	Kgfm	lbf.in	■	A mm	L mm	kg	
1÷27	0,1÷2,7	10÷240	3/8	70	253	0,52	1,0

	£		
592/3	**933.00**	1	005920005

Nm	Kgfm	lbf.in	■	A mm	L mm	kg	
3÷40	0,3÷4	20÷360	3/8	70	253	0,52	1,0

	£		
592/4	**933.00**	1	005920007

594

direct reading torque wrenches
for right-hand and left-hand tightening
torque accuracy: ±4%

12"

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg	
6÷80	0,6÷8	5÷60	1/2	85	455	1,35	2,0

	£		
594/8	**1435.00**	1	005940011

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg	
20÷215	2÷21,5	15÷160	1/2	85	530	1,40	5,0

	£		
594/21	**1435.00**	1	005940015

Torque calibration service at end of price list

596 - 598

direct reading torque wrenches
for right-hand and left-hand tightening
torque accuracy: ±4%

A signal light and an intermittent sound mean the pre-set torque load is achieved.

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg	
80÷400	8÷40	60÷300	3/4	111	710	3,2	10

	£		
596/40SL	**2650.00**	1	005960010

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg	
160÷800	16÷80	120÷600	3/4"	115	1025	4,85	20

	£		
596/80SL	**2980.00**	1	005960020

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg	
200÷2000	20÷200	150÷1500	1"	135	1930	16,70	50

	£		
598/200SL	**6230.00**	1	005980022

599DGT

electronic torque wrench
with reversible ratchet,
right-hand (accuracy: ±2%) and left-hand
(accuracy: ±3%) tightening

- Dual measurement mode: peak hold and track
- Light indicators and an intermittent sound inform user that preset torque has been reached
- Power supply: 2 1.5V batteries (included)

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg	
12÷60	1,2÷6	8÷44	3/8	30	33	413	0,9	0,01

	£		
599DGT/6	**597.00**	1	005990003

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg	
20÷100	2÷10	15÷80	1/2	30	37	413	0,9	0,1

	£		
599DGT/10X	**614.00**	1	005990010

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg	
40÷200	4÷20	30÷150	1/2	40	43	520	2	0,1

	£		
599DGT/20	**624.00**	1	005990020

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg	
68÷340	6,8÷34	58÷280	1/2	40	43	640	2,35	0,1

	£		
599DGT/30	**661.00**	1	005990030

599DGT-AN

electronic torque wrench, torque and angle readout,
with reversible ratchet,
right-hand (accuracy: ±2%)
and left-hand (accuracy: ±3%) tightening

- tightening types: torque, angle, torque + angle
- dual measurement mode: peak hold and track
- light indicators and an intermittent sound inform user that preset torque or angle has been reached
- tightening data storage (up to 250 values)
- up to 9 torque/angle values can be preset
- key safety lockout
- wrench can be associated with 16 users through user ID
- tightening data traceability. Software allows date and time, tool serial number, set tightening value and reached value to be stored and associated with user ID
- nonslip bi-material handle
- included: 2 AA - 1.5V batteries, USB cable and software

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg	
20÷100	2÷10	15÷80	1/2	30	33	413	0,9	0,1

	£		
599DGT-AN/10	**1012.00**	1	005990610

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg	
40÷200	4÷20	30÷150	1/2	40	43	520	1,3	0,1

	£		
599DGT-AN/20	**1063.00**	1	005990620

Torque calibration service at end of price list

600

torque angle indicators



	□	■	£		
600/1	1/2	1/2	**195.50**	1	006000001
600/2	3/4	3/4	**218.00**	1	006000002

601C

digital angle indicator

Light signals and an intermittent sound inform user that preset angle has been reached

	£		
601C	**268.00**	1	006010100

85x80x87 mm - 70 g

601CA

digital torque and angle indicator

light indicators and an intermittent sound inform user that preset torque or angle has been reached

□	■	Nm		£		
1/2"	1/2"	40÷200	0,1	**529.00**	1	006010120

120x90x120 mm - 240 g

603

calibrated slipping torque wrenches
for right-hand tightening
torque accuracy: ±6%

UNI EN ISO 6789

Nm	Kgfm	lbf.in	■	A mm	L mm	g	
1÷5	0,1÷0,5	10÷45	1/4	35	195	235	0,05

	£		
603/5	816.00	1	006030005

Nm	Kgfm	lbf.in	■	A mm	L mm	g	
2÷10	0,2÷1,0	18÷90	1/4	35	195	235	0,1

	£		
603/10	834.00	1	006030010

604B

break-back torque bars
for right-hand and left-hand tightening
torque accuracy: ± 6%

UNI EN ISO 6789

Nm	kgfm	lbf.in	Ø mm	L mm	g	
1÷5	0,1÷0,5	10÷45	8	220	290	0,025

	£		
604B/5	578.00	1	006040015

Nm	Kgfm	lbf.in	Ø mm	L mm	g	
2÷10	0,2÷1,0	18÷90	8	220	300	0,05

	£		
604B/10	578.00	1	006040020

605E

click-type torque wrenches
with reversible ratchets
for right-hand and left-hand tightening
torque accuracy: ± 6%

UNI EN ISO 6789

Nm	Kgfm	lbf.in	■	A mm	L mm	g	
1÷5	0,1÷0,5	10÷45	1/4	20	190	180	0,05

	£		
605E/5	270.00	1	006050105

Nm	Kgfm	lbf.in	■	A mm	L mm	g	
2÷10	0,2÷1,0	18÷90	1/4	20	190	180	0,1

	£		
605E/10	286.00	1	006050110

605DGT/2

electronic torque wrench
with reversible ratchet
for right-/left-hand tightening
torque accuracy ± 3% (right-hand)
± 4% (left-hand)

- **Dual measurement mode: peak hold and track**
- **Light indicators and an intermittent sound inform user that preset torque has been reached**
- **Power supply: 1 1.5V AAA battery (included)**

Nm	Kgcm	lbf.ft	■	D mm	A mm	L mm	g	
4÷20	10÷204	0,75÷14,75	1/4	20	20	210	175	0,01

	£		
605DGT/2	297.00	1	006050302

610/5

click-type torque wrenches
with reversible ratchets,
for right-hand tightening,
with 5 preset values,
torque accuracy: ± 4%

Selectable torque values:
90 - 100 - 110 - 120 - 130 Nm

UNI EN ISO 6789

Nm	■	D mm	A mm	L mm	g	
90÷130	1/2	42	39	490	1330	10

	£		
610/5	240.00	1	006100025

610L/5

click-type torque wrenches
with L-shaped levers,
for right-hand tightening,
with 5 preset values,
torque accuracy: ± 4%

Selectable torque values:
90 - 100 - 110 - 120 - 130 Nm

UNI EN ISO 6789

Nm	■	L mm	L1 mm	g	
90÷130	1/2	470	80	1350	10

	£		
610L/5	212.00	1	006100125

610L/5L

click-type torque wrench
with L-shaped lever,
for right-hand tightening,
with 5 preset values,
torque accuracy: ± 4%

Selectable torque values:
120 - 140 - 160 - 180 - 200 Nm

UNI EN ISO 6789

Nm	■	L mm	L1 mm	g	
120÷200	1/2	470	80	1400	20

	£		
610L/5L	236.50	1	006100150

611

reversible ratchets
for torque bars items 604B/5 and 604B/10
8 mm drive

■	L mm		
1/4	42,5	£ 199.50	1 006110001

Torque calibration service at end of price list

612 ÷ 614

reversible ratchets for torque bars

Items 612 and 612X should not be used with tightening torques exceeding 100 Nm

	■	L mm	LA mm	£		
612	3/8	66	32	81.50	2	006120000
612X	1/2	66	32	83.00	2	006120010
614	1/2	71	32	91.00	2	006140000
614X	3/4	71	32	94.00	2	006140004

614/50
push-through ratchet for torque bars

	■	L mm	LA mm	£		
614/50	1/2	71	32	90.00	2	006140002

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

615
reversible ratchets
for torque bars, rectangular drive

mm	■	L mm	LA mm	£		
9x12	3/8	53	28,8	64.00	1	006150010
9x12	1/2	53	28,8	64.00	1	006150020
14x18	1/2	70	39,8	64.00	1	006150120

616 - 617 - 619
fixed heads for torque bars

	■	L mm	LA mm	£		
616	1/4	61	32	67.50	1	006160000
617	3/8	61	32	67.50	1	006170000
619	1/2	63	32	67.50	1	006190000

621
bit holder accessories
for torque bars, rectangular drive

	■ rm	○	L mm	LA mm	£		
621P 1/4	9x12	1/4	43	28,8	81.00	1	006210000
* 621P 5/16	14x18	5/16	52,5	32,5	125.50	1	006210110

***Caution! Recalculate torque value to set as shown in table at end of price list**

622
reversible ratchets
for torque bars,
round drive, Ø 22 mm

3/4" 1"

	■	L mm	LA mm	£		
622 3/4	3/4	110	56	261.00	1	006220019
622 1'	1	110	56	316.00	1	006220024

641
open jaw wrenches
for torque bars 604B/5 and 604B/10
8 mm drive

mm	L mm	£		
4	37	115.00	1	006410003
5	37	115.00	1	006410004
5,5	37	115.00	1	006410005
6	37	115.00	1	006410006
7	37	115.00	1	006410007
8	42	115.00	1	006410008
9	42	115.00	1	006410009
10	42	115.00	1	006410010

642
open jaw wrenches for torque bars



mm	L mm	LA mm	A mm	£		
8	54	32	22	67.50	1	006420008
10	57	32	26	67.50	1	006420010
12	58	32	30	67.50	1	006420012
13	58	32	30	67.50	1	006420013
14	59	32	32	67.50	1	006420014
15	59	32	35	67.50	1	006420015
16	59	32	38	67.50	1	006420016
17	60	32	39	67.50	1	006420017
18	61	32	42	67.50	1	006420018
19	61	32	43	67.50	1	006420019
20	61	32	50	131.00	1	006420020
21	62	32	53	131.00	1	006420021
22	62	32	53	139.00	1	006420022
23	65	32	53	139.00	1	006420023
24	63	32	53	139.00	1	006420024
25	64	32	53	164.00	1	006420125
26	64	32	59	161.50	1	006420026
27	65	32	59	161.50	1	006420027
28	66	32	64	161.50	1	006420028
30	66	32	66	161.50	1	006420030
32	67	32	66	161.50	1	006420032
* 36	76	42	80	247.00	1	006420036
* 40	77	52	95	247.00	1	006420040
* 41	78	52	95	247.00	1	006420041
* 46	90	52	95	298.00	1	006420046

***Caution! Recalculate torque value to set as shown in table at end of price list**

643
open jaw wrenches
for torque bars, rectangular drive



mm	■ mm	L mm	LA mm	£		
7	9X12	37	28,8	32.50	1	006430007
8	9x12	37	28,8	32.50	1	006430008
10	9x12	39	28,8	32.50	1	006430010
12	9x12	39	28,8	32.50	1	006430012
13	9x12	39	28,8	32.50	1	006430013
14	9x12	43	28,8	34.00	1	006430014
15	9x12	43	28,8	34.00	1	006430015
16	9x12	43	28,8	34.00	1	006430016
17	9x12	43	28,8	34.00	1	006430017
* 18	9x12	47	36,3	34.00	1	006430018
* 19	9x12	51	36,3	34.00	1	006430019
* 21	9X12	52	36,3	51.50	1	006430021
* 22	9x12	52	36,3	51.50	1	006430022

***Caution! Recalculate torque value to set as shown in table at end of price list**

mm	■ mm	L mm	LA mm	£		
13	14x18	60	39,8	34.50	1	006430113
14	14x18	58	39,8	34.50	1	006430114
15	14x18	60	39,8	34.50	1	006430115
16	14x18	60	39,8	37.50	1	006430116
17	14x18	60	39,8	37.50	1	006430117
18	14x18	61	39,8	37.50	1	006430118
19	14x18	61	39,8	37.50	1	006430119
21	14x18	61	39,8	59.50	1	006430121
22	14x18	62	39,8	59.50	1	006430122
24	14x18	64	39,8	59.50	1	006430124
* 27	14x18	68	44,8	69.50	1	006430127
* 30	14x18	77	49,8	71.00	1	006430130
* 32	14x18	77	49,8	71.00	1	006430132
* 34	14x18	80	54,8	108.50	1	006430134
* 36	14x18	83	54,8	108.50	1	006430136
* 38	14X18	83	54,8	108.50	1	006430138
* 41	14x18	91	64,8	108.50	1	006430141

***Caution! Recalculate torque value to set as shown in table at end of price list**

644
open jaw wrenches
for torque bars,
round drive, Ø 22 mm

mm	L mm	LA mm	A mm	£		
22	91	56	52	148.00	1	006440022
24	91	56	52	148.00	1	006440024
27	94	56	64	185.00	1	006440027
30	94	56	64	185.00	1	006440030
32	97	56	75,5	185.00	1	006440032
34	97	56	75,5	185.00	1	006440034
36	97	56	75,5	248.00	1	006440036
41	103,5	56	94	248.00	1	006440041
46	115,5	56	94	298.00	1	006440046

650A

adjustable wrenches
for torque bars,
rectangular drive

A min-max mm	■ mm	L mm	LA mm	£		
* 5-27	9X12	93	74,3	127.00	1	006500027
* 5-30	9X12	106	85,3	127.00	1	006500030
* 5-30	14X18	115	89	130.50	1	006500130
* 10-41	14X18	127	100	134.00	1	006500141

***Caution! Recalculate torque value to set as shown in table at end of price list**

650H

hook wrenches
for torque bars,
rectangular drive

mm	■ mm	L mm	LA mm	£		
* 28-36	14x18	122	92	66.00	1	006500928
* 40-45	14x18	129	92	66.00	1	006500940
* 50-55	14x18	129	92	66.00	1	006500950
* 58-62	14x18	135	92	71.00	1	006500958
* 68-75	14x18	139	92	78.00	1	006500968
* 80-90	14x18	145	92	78.00	1	006500980

***Caution! Recalculate torque value to set as shown in table at end of price list**

652

ring wrenches for torque bars

mm	L mm	LA mm	£		
8	58	32	69.50	1	006520008
10	58	32	69.50	1	006520010
12	58	32	69.50	1	006520012
13	58	32	69.50	1	006520013
14	58	32	69.50	1	006520014
15	62	32	69.50	1	006520015
16	63	32	69.50	1	006520016
17	64	32	69.50	1	006520017
18	65	32	69.50	1	006520018
19	65	32	69.50	1	006520019
21	67	32	125.00	1	006520021
22	68	32	126.50	1	006520022
24	69	32	170.50	1	006520024
26	71	32	173.50	1	006520026
27	71	32	173.50	1	006520027
30	73	32	173.50	1	006520030
32	74	32	173.50	1	006520032

653

ring wrenches
for torque bars, rectangular drive



mm	■ mm	L mm	LA mm	£		
7	9X12	40	28,8	34.50	1	006530007
8	9x12	40	28,8	34.50	1	006530008
10	9x12	43	28,8	34.50	1	006530010
12	9x12	44	28,8	34.50	1	006530012
13	9x12	44	28,8	34.50	1	006530013
14	9x12	45	28,8	34.50	1	006530014
15	9x12	46	28,8	34.50	1	006530015
16	9x12	47	28,8	37.00	1	006530016
17	9x12	47	28,8	37.00	1	006530017
18	9x12	48	28,8	37.00	1	006530018
19	9x12	49	28,8	37.00	1	006530019
21	9X12	51	28,8	38.00	1	006530021
22	9x12	51	28,8	38.00	1	006530022
13	14x18	61	39,8	40.50	1	006530113
14	14x18	61	39,8	40.50	1	006530114
15	14x18	62	39,8	40.50	1	006530115
16	14x18	63	39,8	42.50	1	006530116
17	14x18	64	39,8	42.50	1	006530117
18	14x18	64	39,8	42.50	1	006530118
19	14x18	66	39,8	42.50	1	006530119
21	14x18	66	39,8	62.00	1	006530121
22	14x18	67	39,8	62.00	1	006530122
24	14x18	69	39,8	78.50	1	006530124
* 27	14x18	76	44,8	78.50	1	006530127
* 30	14x18	77	44,8	78.50	1	006530130
* 32	14x18	79	44,8	78.50	1	006530132
* 34	14x18	80	44,8	112.00	1	006530134
* 36	14x18	80	44,8	112.00	1	006530136
* 38	14X18	90	49,8	116.00	1	006530138
* 41	14x18	90	49,8	116.00	1	006530141

***Caution! Recalculate torque value to set as shown in table at end of price list**

654

ring wrenches
for torque bars,
round drive, Ø 22 mm

mm	L mm	LA mm	A mm	£		
22	98,5	56	38	143.50	1	006540022
24	98,5	56	38	185.00	1	006540024
27	102,8	56	46,5	197.50	1	006540027
30	102,8	56	46,5	197.50	1	006540030
32	106,5	56	55	197.50	1	006540032
34	106,5	56	55	197.50	1	006540034
36	106,5	56	55	257.00	1	006540036
41	115,5	56	72	257.00	1	006540041
46	115,5	56	72	278.00	1	006540046

659/15

adaptor with rectangular female (14x18 mm)
and male (9x12 mm) drives

L mm	□ mm	■ mm	LA mm	£		
* 56	14x18	9x12	39	104.00	1	006590815

***Caution! Recalculate torque value to set as shown in table at end of price list**

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

659/16

adaptor with rectangular female (9x12 mm)
and male (14x18 mm) drives

L mm	□ mm	■ mm	LA mm	£		
* 52	9x12	14x18	31	92.00	1	006590816

***Caution! Recalculate torque value to set as shown in table at end of price list**

665

mechanical torque wrench with digital setting
and reversible ratchet, for right-hand
tightening, torque accuracy ± 3%

- **Auto power off after 10" when torque is set under minimum torque threshold**
- **Display will remain on with set torque value**
- **Torque setting to decimal digit**
- **Power supply: battery 1 3V (included)**

UNI EN ISO 6789

Nm	■	D mm	A mm	L mm	g	
10÷60	3/8	30	33	335	655	0,1

	£		
665/6	**311.00**	1	006650006

Nm	■	D mm	A mm	L mm	g	
20÷100	3/8	30	33	375	725	0,1

	£		
665/10	**320.00**	1	006650010

Nm	■	D mm	A mm	L mm	g	
20÷100	1/2	30	37	375	725	0,1

	£		
665/10X	**322.00**	1	006650011

Nm	■	D mm	A mm	L mm	g	
40÷200	1/2	40	43	470	995	0,5

	£		
665/20	**351.00**	1	006650020

Nm	■	D mm	A mm	L mm	g	
60÷330	1/2	40	43	590	1260	0,5

	£		
665/30	**409.00**	1	006650030

665LB

mechanical torque wrench, digital readout, with reversible ratchet, for right-hand tightening, torque accuracy: ± 3%

- **Unit of measurement: lbf.ft**
- **Torque is easy to set and read through value shown on display**
- **Display remains on with set torque value**
- **Torque reading to 0.1 mm**
- **Automatic switch-off after 30 sec. with torque setting under minimum threshold**
- **Power supply: 1 3V battery (included)**

UNI EN ISO 6789

lbf.ft	■	D mm	A mm	L mm	g		£		
7÷45	3/8	30	33	335	655	0,1			
665LB/6							**311.00**	1	006650106
15÷75	3/8	30	33	375	725	0,1			
665LB/10							**320.00**	1	006650110
lbf-ft 15÷75	1/2	30	37	375	725	0,1			
665LB/10X							**322.00**	1	006650111
30÷150	1/2	40	43	470	995	0,5			
665LB/20							**351.00**	1	006650120
45÷240	1/2	40	43	590	1260	0,5			
665LB/30							**409.00**	1	006650130

665SW

calibration device

- **Device allows calibration of wrenches item 665 with help of torque meters 680 and 682, without having to dismantle wrench.**
- **Calibration is performed on several points, to compensate for nonlinear behaviour of spring.**
- **Fitted with a micro USB port, for firmware updates.**

							£		
665SW							**30.50**	1	006650100

666-667 ZERO-RESET

THE NEW TORQUE WRENCH THAT DOES NOT REQUIRE RELEASING TENSION.

Even if tension is not released, the number of cycles,durability and tightening accuracy as requiredby reference standards are guaranteed.
In order to confirm these parameters, Beta Utensili's Research & Development Department performed numerous durability tests at the in-house laboratories as at hundreds of end users'. This result has been obtained through:

- the use of the best-performing currently available materials;
- special heat treatments on interior parts.

100% MADE IN ITALY

The Zero-Reset torque wrench was entirely designed and developed in-house and is manufactured at Beta Utensili's factories in Italy, using 100% Italian-made parts.

Based on the new parts, the wrench no longer has to be reset to the minimum value at the end of the operation cycle.



666

ZERO-RESET click-type torque wrenches
with reversible ratchets,
for right-hand tightening,
torque accuracy: ± 3%

- **Does not require releasing tension**

UNI EN ISO 6789

Nm	■	D mm	A mm	L mm	g		£		
5÷25	1/4	26	25	273	395	0,05	286.00	1	006660702
5÷25	3/8	26	29	273	405	0,05	286.00	1	006660703
10÷50	3/8	30	33	342	680	0,25	256.00	1	006660705
20÷100	3/8	30	33	385	760	0,25	258.00	1	006660710
20÷100	1/2	30	37	385	770	0,25	260.00	1	006660711
40÷200	1/2	42	43	471	1020	0,5	286.00	1	006660720
60÷300	1/2	42	43	600	1270	1,0	331.00	1	006660730

666 LBF.FT

ZERO-RESET click-type wrenches
with reversible ratchets,
for right-hand tightening,
torque accuracy: ± 3%

- **Does not require releasing tension**
- **Scale in lbf.ft**

UNI EN ISO 6789

lbf.ft	■	D mm	A mm	L mm	g		£		
4÷18	1/4	26	25	273	395	0,05	286.00	1	006660762
4÷18	3/8	26	29	273	405	0,05	286.00	1	006660763
7÷37	3/8	30	33	342	680	0,25	256.00	1	006660765
15÷75	3/8	30	33	385	760	0,25	258.00	1	006660780
15÷75	1/2	30	37	385	770	0,25	260.00	1	006660781
30÷150	1/2	42	43	471	1020	0,5	286.00	1	006660782
50÷230	1/2	42	43	600	1270	1,0	331.00	1	006660783

667

ZERO-RESET click-type torque wrenches
with push-through ratchets,
for right-/left-hand tightening,
torque accuracy: ± 3%

- **Does not require releasing tension**



UNI EN ISO 6789

Nm	■	D mm	A mm	L mm	g		£		
40÷200	1/2	42	42	471	1035	0,5	351.00	1	006670720
60÷300	1/2	42	42	600	1285	1,0	393.00	1	006670730
80÷400	3/4	59	53	710	2220	1,0	964.00	1	006670740

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

668N

click-type torque bars,
for right-hand and left-hand tightening,
torque accuracy: ±3%

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	Ø mm	L mm	LB mm	LS mm	g		£		
5÷25	0,5÷2,5	4÷18	16	220	148	32	300	0,2	326.00	1	006680002
10÷50	1÷5	7÷37	16	307	229	32	590	0,5	326.00	1	006680005
20÷100	2÷10	15÷75	16	376	269	32	670	1,0	329.00	1	006680010
40÷200	4÷20	30÷150	16	450	352,6	32	795	2,0	350.00	1	006680020
60÷300	6÷30	50÷220	16	588	475,9	32	1230	2,0	397.00	1	006680030

668RG

click-type torque bar, ungraduated,
for right-hand and left-hand tightening
torque accuracy: ± 4%
(to be used with items 680 - 682)

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	Ø mm	L mm	g	£		
8÷60	0,8÷6	6÷44	16	288	550			
668RG/6						**237.00**	1	006680206
20÷100	2÷10	15÷80	16	315	600			
668RG/10						**242.00**	1	006680210
40÷200	4÷20	30÷150	16	405	780			
668RG/20						**256.00**	1	006680220
60÷300	6÷30	50÷220	16	645	1130			
668RG/30						**290.00**	1	006680230

668RGC

click-type torque wrench,
ungraduated,
with reversible ratchet,
for right-hand tightening,
torque accuracy: ± 4%
(for use with items 680 - 682)

UNI EN ISO 6789

Nm	Kgfm	lbf.in	■ mm	D mm	A mm	L mm	g	£		
12÷60	1,2÷6	5÷45	3/8	30	33	295	600			
668RGC/6								**217.50**	1	006680406
20÷100	2÷10	15÷75	3/8	30	33	335	700			
668RGC/10								**227.00**	1	006680410
20÷100	2÷10	15÷75	1/2	40	43	342	700			
668RGC/10X								**227.00**	1	006680411
40÷200	4÷20	30÷150	1/2	40	43	425	1000			
668RGC/20								**231.50**	1	006680420

669N

click-type torque bars,
rectangular female drive,
for right-hand and left-hand tightening,
torque accuracy: ± 3%

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	□ mm	L mm	LB mm	LS mm	g		£		
5÷25	0,5÷2,5	4÷18	9x12	215	140	28,8	300	0,2			
669N/2									**504.00**	1	006690202
10÷50	1÷5	7÷37	9x12	307	226,8	28,8	590	0,5			
669N/5									**389.00**	1	006690205
20÷100	2÷10	15÷75	9x12	376	266,8	28,8	670	1,0			
669N/10									**421.00**	1	006690210
40÷200	4÷20	30÷150	9x12	450	345,6	28,8	795	2,0			
669N/20									**504.00**	1	006690220
40÷200	4÷20	30÷150	14x18	450	351	39,8	795	2,0			
669N/20X									**531.00**	1	006690221
60÷300	6÷30	50÷220	14x18	588	468,5	39,8	1230	2,0			
669N/30									**561.00**	1	006690230
80÷400	8÷40	60÷295	14x18	664	563	39,8	2100	5,0			
669N/40									**637.00**	1	006690240

671B/C5

torque bar item 604B/5 and accessories

		£		
671B/C5		**1320.00**	1	006710001
604B/5	1÷5 Nm			
611	1/4			
641	5-6-7-8 mm			
900	4-5-5,5-6-7-8-9-10 mm			

270x120x45 mm - 1,3 kg

671B/C10

torque bar item 604B/10 and accessories

		£		
671B/C10		**1320.00**	1	006710002
604B/10	2÷10 Nm			
611	1/4			
641	6-7-8-10 mm			
900	4-5-5,5-6-7-8-9-10 mm			

270x120x45 mm - 1,4 kg

671N/C10

torque bar 668N/10
and accessories

		£		
671N/C10		**1310.00**	1	006710110
668N/10	100 Nm			
612	■ 3/8			
617	■ 3/8			
642	10-13-14-17-19 mm			
652	10-13-14-17-19 mm			
910A	□ 3/8 8-10-11-13-14-17-19 mm			
910/21	125 mm			
910/22	250 mm			

400x180x45 mm - 4,3 kg

671N/C20
torque bar 668N/20
and accessories

1/2" ø16

	£		
671N/C20	1375.00	1	006710120

668N/20	200 Nm
614	■ 1/2
619	■ 1/2
642	10-13-14-17-19 mm
652	10-13-14-17-19 mm
920A	□ 1/2 10-11-13-14-17-19-22 mm
920/20	75 mm
920/21	125 mm
920/22	255 mm

510x180x45 mm - 5,5 kg

671N/C30
torque bar 668N/30
and accessories

1/2" ø16

	£		
671N/C30	1300.00	1	006710130

668N/30	300 Nm
614	■ 1/2
619	■ 1/2
642	13-14-17-19 mm
652	13-14-17-19 mm
920A	□ 1/2 13-14-17-19-22-24-27 mm
920/20	75 mm
920/21	125 mm
920/22	255 mm

620x180x45 mm - 5,8 kg

674/C
click-type torque bars,
round drive Ø 22 mm,
for right-hand and left-hand tightening,
torque accuracy: ± 4%,
in case

ø22

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	Ø mm	L mm	LB mm	LS mm	kg	
100÷500	10÷50	80÷400	22	786	725	56	3,4	1,25

	£		
674/C50	987.00	1	006740005

Nm	Kgfm	lbf.ft	Ø mm	L mm	LB mm	LS mm	kg	
160÷800	16÷80	120÷600	22	997	915	56	4,5	2,0

	£		
674/C80	1071.00	1	006740008

Nm	Kgfm	lbf.ft	Ø mm	L mm	LB mm	LS mm	kg	
200÷1000	20÷100	150÷750	22	997	915	56	4,5	2,5

	£		
674/C100	1071.00	1	006740010

677
break-back torque wrenches
with push-through ratchets
for right-hand and left-hand tightening,
torque accuracy: ± 4%

3/4"

UNI EN ISO 6789

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
120÷600	12÷60	100÷450	69	55	1059	6,0	10

	£		
677/600	1045.00	1	006770006

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
200÷800	20÷80	150÷600	69	55	1319	6,7	10

	£		
677/800	1095.00	1	006770008

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
300÷1000	30÷100	200÷750	69	55	1554	7,4	20

	£		
677/1000	1175.00	1	006770010

677/C
break-back torque wrenches
with push-through ratchets,
for right-hand and left-hand tightening,
torque accuracy: ±4%
in case

3/4"



UNI EN ISO 6789

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
120÷600	12÷60	100÷450	69	55	1059	6,0	10

	£		
677/C600	1265.00	1	006770607

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
200÷800	20÷80	150÷600	69	55	1319	6,7	10

	£		
677/C800	1315.00	1	006770612

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
300÷1000	30÷100	200÷750	69	55	1554	7,4	20

	£		
677/C1000	1395.00	1	006770616

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
700÷1500	70÷150	500÷1000	69	55	1869	9,6	25

	£		
677/C1500	1785.00	1	006770621

677/CP2000
break-back torque wrenches
with push-through ratchets,
for right-hand and left-hand tightening,
torque accuracy: ± 4%
in case

1"



UNI EN ISO 6789

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg	
900÷2000	90÷200	700÷1500	69	63	1940	12,75	50

	£		
677/CP2000	3270.00	1	006770721

678/C

click-type torque wrenches
with push-through ratchets
for right-hand and left-hand tightening,
torque accuracy: ± 4%
in case

• Models 678/C100 and 678/C150 supplied complete with extensions.



UNI EN ISO 6789

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg		£		
130÷650	13÷65	100÷480	63	55	885	3,9	5,0			
678/C65								**2000.00**	1	006780607
300÷1000	30÷100	220÷750	75	60	1250	6,0	10			
678/C100								**2630.00**	1	006780611
500÷1500	50÷150	370÷1100	75	60	1570	8,5	10			
678/C150								**2960.00**	1	006780615

677/CV - 678/CV

empty cases for torque wrenches
items 677 and 678

	£		
677/CVN1 677/C600-677/C800-677/C1000	**222.50**	1	006770455
677/CVN2 677/C1500-677/CP2000	**313.00**	1	006770460
678/CV1 678/C65	**164.00**	1	006780455
678/CV2 678/C100	**187.50**	1	006780500
678/CV3 677/C100-677/C150-678/C150	**415.00**	1	006780415

680

electronic digital torque meter
Dynatester 680
for testing calibration,
clockwise/anticlockwise operation

• Accuracy: ± 1% of read value
• Colour LCD display, 4 digits
• 3 units of measurement: Nm - lbf.ft. - lbf.in

	Nm	kg	£		
680/3	0,1÷3	1,4	**3580.00**	1	006800000
680/30	1,5÷30	1,4	**3400.00**	1	006800003
680/350	10÷350	2,6	**3300.00**	1	006800035
680/2100	200÷2100	3,5	**4800.00**	1	006800210

682

electronic digital torque meter
with transducer Dynatester 682
to be used either clockwise
or anticlockwise
Remarkable reading accuracy
Supplied with serial output RS 232
for printers

TECHNICAL FEATURES
Reading accuracy
± 1% of the read value
Available measuring units
Nm-dNm-cNm-Lbf.ft-Lbf.in-Ozf.in-Kgf.m-Kgf.cm-gf.cm
Supply range
90 to 264 V AC at 50/60 Hz
Dimensions 235x185x185 mm
Tolerance test according to norm ISO 6789
Acceptability range
for each torque wrench tested
Display
Menu available in 11 languages
Provided with all certificates required

	Nm	kg	£		
682/60	1.2÷60	5,9	**7760.00**	1	006820006
682/400	8÷400	6,1	**7900.00**	1	006820040
682/1500	30÷1500	6,4	**8310.00**	1	006820150

IMPACT SOCKETS

Impact sockets are oversized compared to hand sockets, so that they can absorb high torque as developed by impact wrenches and torque multipliers.

The new **bi-hex profile** allows for quick nut fit. They must be used with pins and grommets to prevent disengagement from the drive.

As well as the classic models in standard, long and long, slim series, the **new XZN® profile** is also available; furthermore, the range of accessories for impact sockets has been expanded.

710
impact sockets, standard series

3/8"

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm	£		
7	12,5	28	19	9.85	3	007100007
8	13,8	28	19	9.85	3	007100008
9	15,0	28	19	9.85	3	007100009
10	16,3	28	19	9.85	3	007100010
11	17,5	30	19	9.85	3	007100011
12	19,0	30	19	9.85	3	007100012
13	20,0	30	22	10.80	3	007100013
14	21,3	30	22	10.80	3	007100014
16	23,8	30	22	10.90	3	007100016
17	25,0	30	22	10.90	3	007100017
18	26,3	30	22	11.20	3	007100018
19	27,5	30	22	11.20	3	007100019
21	30,0	32	22	12.00	3	007100021
22	32,0	32	22	13.20	3	007100022

710/C10
10 impact sockets

3/8"

	£		
710/C10 7-8-10-11-12-13 14-17-19-22 mm	149.50	1	007100910

130x55x40 mm - 800 g

710/16
impact adaptor, 3/8" female and 1/2" male drives

3/8"

L mm	Ø mm	□	■	£		
32	22	3/8	1/2	24.50	3	007100810

710/20
3/8" drive impact extension bar

3/8"

L mm	Ø mm	£		
75	22	25.00	2	007100821

710/21
3/8" drive impact extension bar

3/8"

L mm	Ø mm	£		
125	22	28.00	2	007100823

710/22
impact extension bar, 3/8" male and female square drives

3/8"

L mm	Ø mm	£		
150	22	31.50	2	007100825

710/25
3/3" drive impact universal joint

3/8"

L mm	Ø mm	£		
58	24	54.50	2	007100830

710/OR... - 710/SP...
rubber O-rings and locking pins for impact sockets

3/8"



	710 mm	710/16 L mm	£		
710/OR1	7÷12		0.85	10	007100921
710/OR2	13÷22	32	0.85	10	007100922
710/SP1	7÷12		1.43	10	007100911
710/SP2	13÷22	32	1.43	10	007100912

720
impact sockets, standard series

1/2"

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm	£		
8	15,0	38	25	11.90	5	007200008
9	16,0	38	25	11.90	5	007200009
10	17,0	38	25	11.90	5	007200010
11	18,5	38	25	11.90	5	007200011
12	20,0	38	25	12.00	5	007200012
13	21,0	38	25	12.00	5	007200013
14	22,5	38	25	12.00	5	007200014
15	23,0	38	30	14.00	5	007200015
16	25,0	38	30	14.00	5	007200016
17	26,0	38	30	14.00	5	007200017
18	27,5	38	30	14.00	5	007200018
19	28,5	38	30	14.00	5	007200019
20	30	38	30	15.40	5	007200020
21	31,0	38	30	15.40	5	007200021
22	32,5	38	30	15.40	5	007200022
23	34,0	38	30	16.10	5	007200023
24	35,0	38	30	16.10	5	007200024
27	38,5	45	30	19.80	3	007200027
29	41	47	30	19.80	3	007200029
30	42,0	50	30	21.90	3	007200030
32	44,0	50	30	24.50	3	007200032
36	50,0	50	30	34.50	3	007200036

720/C6
6 impact sockets

1/2"

	£		
720/C6 13-14-17-19-22-24 mm	119.50	1	007200910

195x80x55 mm - 1100 g

720/C12
12 impact sockets

1/2"

	£		
720/C12 10-11-12-13-14-17 19-22-24-27-30-32 mm	221.50	1	007200912

195x80x55 mm - 2000 g

720/C24
24 impact sockets

	£		
720/C24	**486.00**	1	007200904

720 — 10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm

720L — 13 - 17 - 19 - 21 - 22 - 24 mm

720LC — 17 - 19 - 21 mm

420x185x60 mm - 6,2 kg

720MC
impact sockets, standard series, coloured

mm	Ø mm	L mm		£		
10	17,0	38		**12.10**	3	007202010
11	18,5	38		**12.10**	3	007202011
12	20,0	38		**12.30**	3	007202012
13	21,0	38		**12.30**	3	007202013
14	22,5	38		**12.30**	3	007202014
15	23,0	38		**14.20**	3	007202015
16	25,0	38		**14.20**	3	007202016
17	26,0	38		**14.20**	3	007202017
18	27,5	38		**14.20**	3	007202018
19	28,5	38		**14.20**	3	007202019
21	31,0	38		**15.40**	2	007202021
22	32,5	38		**15.40**	2	007202022
24	35,0	38		**16.40**	2	007202024

720MC/C13
13 impact sockets, coloured

	£		
720MC/C13 10-11-12-13-14-15 16-17-18-19-21-22 24 mm	**233.00**	1	007202913

335x145x60 mm - 2,4 kg

720B
bi-hex impact sockets

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm	£		
10	17	38	25	**11.90**	5	007201010
11	18	38	25	**11.90**	5	007201011
12	19	38	25	**12.00**	5	007201012
13	20	38	25	**12.00**	5	007201013
14	22	38	25	**12.00**	5	007201014
15	23	38	30	**14.00**	5	007201015
16	24	38	30	**14.00**	5	007201016
17	26	38	30	**14.00**	5	007201017
18	27	38	30	**14.00**	5	007201018
19	28	38	30	**14.00**	5	007201019
21	30	38	30	**15.40**	5	007201021
22	31,8	38	30	**15.40**	5	007201022
23	31,8	38	30	**16.10**	5	007201023
24	33,8	40	30	**16.10**	5	007201024
27	37,8	43	30	**19.80**	3	007201027
30	41,8	43	30	**21.90**	3	007201030
32	43,8	43	30	**24.50**	3	007201032
36	49,8	50	30	**34.50**	3	007201036

720B/C12
12 bi-hex impact sockets

UNI/ISO 2725 DIN 3129

	£		
720B/C12 10-11-12-13-14-17 19-22-24-27-30-32 mm	**221.50**	1	007201912

195x80x55 mm - 2000 g

720AS
impact sockets, standard series

"	Ø mm	L mm	Ø1 mm	£		
3/8	17,0	38	25	**18.10**	2	007200210
7/16	18,2	38	25	**18.10**	2	007200211
1/2	20,7	38	25	**18.10**	2	007200213
9/16	22,0	38	25	**18.10**	2	007200214
5/8	24,5	38	30	**19.70**	2	007200216
11/16	25,7	38	30	**19.70**	2	007200217
3/4	28,2	38	30	**19.70**	2	007200219
13/16	30,7	38	30	**21.10**	2	007200221
7/8	32,0	38	30	**21.10**	2	007200222
15/16	34,5	38	30	**21.90**	2	007200224
1	35,7	38	30	**22.60**	2	007200225
1.1/16	38,2	40	30	**24.50**	1	007200227
1.1/8	40,7	42	30	**27.50**	1	007200229
1.1/4	44,5	42	30	**30.50**	1	007200232

720S
impact sockets, compact series

mm	Ø mm	L mm	Ø1 mm	£		
13	20,0	28,0	23,8	**8.05**	3	007200113
15	23,0	28,0	23,8	**8.05**	3	007200115
17	25,8	28,0	25,8	**8.35**	3	007200117
19	27,8	28,0	27,8	**8.95**	3	007200119
22	31,8	28,0	30,0	**9.70**	3	007200122
24	33,8	28,0	30,0	**11.00**	3	007200124

	£		
720S/SB6 13-15-17-19-22-24 mm	**66.00**	1	007200906

720L
impact sockets, long series

UNI/ISO 2725

mm	Ø mm	L mm	Ø1 mm	£		
10	17,0	80	25	**20.40**	2	007200310
11	18,5	80	25	**20.40**	2	007200311
12	20,0	80	25	**20.40**	2	007200312
13	21,0	80	25	**20.40**	2	007200313
14	22,5	80	25	**20.40**	2	007200314
15	23,0	80	30	**23.20**	2	007200315
16	25,0	80	30	**23.20**	2	007200316
17	26,0	80	30	**23.20**	2	007200317
18	27,5	80	30	**24.50**	2	007200318
19	28,5	80	30	**24.50**	2	007200319
21	31,0	80	30	**25.00**	2	007200321
22	32,5	80	30	**25.00**	2	007200322
24	35,0	80	30	**26.50**	2	007200324
27	38,5	80	30	**32.50**	2	007200327
30	42,0	80	30	**38.00**	2	007200330
32	44,0	80	30	**39.00**	2	007200332
36	50,0	80	30	**48.50**	2	007200336

720L/S3
set of 3 impact sockets item 720L

mm	£		
17-19-21	**72.50**	1	007200355

720LS
impact sockets,
long, slim series

mm	Ø mm	L mm	Ø1 mm	£		
10	15,5	78	24	19.70	2	007200360
11	16,7	78	24	19.70	2	007200361
12	18,0	78	24	19.70	2	007200362
13	19,2	78	24	19.70	2	007200363
14	20,5	78	24	20.40	2	007200364
15	21,7	78	24	21.90	2	007200365
16	23,0	78	24	21.90	2	007200366
17	24,2	78	29	21.90	2	007200367
18	25,5	78	29	24.50	2	007200368
19	26,7	78	29	24.50	2	007200369
21	29,2	78	29	26.00	2	007200371
22	30,5	78	29	26.00	2	007200372
24	33,0	78	29	28.50	2	007200374
27	36,7	78	29	32.50	2	007200377
30	40,5	78	29	42.50	2	007200380
32	43,0	78	29	43.00	2	007200382
36	48,0	78	29	61.50	2	007200386

720LC
wheel nut impact sockets,
with coloured polymeric inserts

mm	Ø mm		£		
17	26,5		14.60	2	007200637
19	28,5		14.60	2	007200639
21	30,3		14.60	2	007200641
22	32,4		15.50	2	007200642
24	34,6		16.20	2	007200644

720LC/C3 — £ 44.00 — 1 — 007200653
17-19-21 mm
148x132x44 mm - 860 g

720LC/S5 — £ 75.50 — 1 — 007200645
17-19-21-22-24 mm

720LC/PM5 — £ 136.00 — 1 — 007200646
17-19-21-22-24 mm

PM 1/2-Q5
magnetic socket rail

PM 1/2-Q5 — £ 60.50 — 1 — 088880233

720IC
spare coloured polymeric inserts for impact sockets 720LC-720LCL

	mm		£		
720IC 17	17		6.10	1	007200687
720IC 19	19		6.10	1	007200689
720IC 21	21		6.10	1	007200691
720IC 22	22		6.10	1	007200692
720IC 24	24		6.10	1	007200694

720LCL
wheel nut impact sockets
with coloured polymeric inserts,
long series

mm	Ø mm		£		
17	26,5		23.30	1	007200737
19	28,5		23.30	1	007200739
21	30,3		23.30	1	007200741

720LCL/C3 — £ 90.50 — 1 — 007200753
17-19-21 mm
210x50x150 mm - 1,65 kg

720MRC
impact socket
with polymeric insert for Mercedes wheel screw

mm	Ø mm	L mm	□	£		
17	27	85	1/2	28.00	1	007200631

720FRD
impact socket for Ford wheel nuts
with aluminium damaged caps

required when nut caps are damaged by impact wrenches

mm	L mm	£		
18,5÷19,5	63	28.50	1	007200633

720RNG
impact socket for Jeep Renegade wheel nuts
with aluminium damaged caps

required when nut caps are damaged by impact wrenches

mm	L mm	£		
16,5÷17,5	63	24.00	1	007200634

720TC
impact torsion bars, coloured,
for motor vehicle wheel nuts,
with 1/2" male and female square drives

Nm	L mm		£		
90	200		25.00	1	007200769
100	200		25.00	1	007200770
110	200		25.00	1	007200771
120	200		25.00	1	007200772
135	200		25.00	1	007200773

12”

		£		
720TC/S5	90-100-110-120-135 Nm	**125.00**	1	007200779

260x50x175 mm - 1,35 kg

720FTX

impact sockets, for Torx® head screws

12”

	Ø mm	L mm	Ø1 mm	£		
E10	14,0	38	25	**19.00**	2	007200410
E12	15,9	38	25	**19.00**	2	007200412
E14	17,7	38	25	**19.00**	2	007200414
E16	20,0	38	25	**19.00**	2	007200416
E18	22,0	38	25	**19.00**	2	007200418
E20	25,0	40	25	**21.00**	2	007200420
E24	30,0	40	30	**21.00**	2	007200424

12”

		£		
720FTX/SB6	E10-E12-E14 E16-E18-E20	**127.50**	1	007200450

720TX

impact socket drivers for Torx® head screws

12”

	Ø mm	L mm	L1 mm	£		
T30	25	78	54	**16.90**	3	007200460
T40	25	78	54	**16.90**	3	007200470
T45	25	78	54	**18.40**	3	007200472
T50	25	78	54	**19.00**	3	007200474
T55	25	78	54	**20.40**	3	007200476
T60	25	78	54	**21.90**	3	007200478

720TX/C6

6 impact socket drivers for Torx® head screws

12”

		£		
720TX/C6	T30-T40-T45 T50-T55-T60	**150.00**	1	007200483

275x120x65 mm - 5700 g

720ME

impact socket drivers for hexagon screws

12”



mm	Ø mm	L mm	L1 mm	£		
5	25	78	54	**15.60**	3	007200505
6	25	78	54	**15.60**	3	007200506
8	25	78	54	**15.60**	3	007200508
10	25	78	54	**15.60**	3	007200510
12	25	78	54	**15.60**	3	007200512
14	25	78	54	**17.10**	3	007200514
17	25	78	54	**17.10**	3	007200517
19	25	78	54	**17.10**	3	007200519

720ME/C8

8 impact socket drivers for hexagon screws

12”

		£		
720ME/C8	5-6-8-10-12 14-17-19 mm	**175.00**	1	007200525

270x120x45 mm - 1710 g

		£		
9899 720ME/C8	Thermoformed tray, empty	**19.30**	1	098990130

720XZN

impact socket drivers for for XZN® head screws

12”

	Ø mm	L mm	L1 mm	£		
M4	25	77	53	**16.20**	3	007201504
M5	25	77	53	**16.20**	3	007201505
M6	25	77	53	**16.20**	3	007201506
M8	25	77	53	**16.20**	3	007201508
M10	25	77	53	**16.60**	3	007201510
M12	25	77	53	**17.00**	3	007201512
M14	25	77	53	**17.00**	3	007201514
M16	25	77	53	**17.40**	3	007201516
M18	25	77	53	**18.30**	3	007201518

720XZN/C6

6 impact socket drivers for XZN® head screws

12”

		£		
720XZN/C6	M8-M10-M12-M14 M16-M18	**139.00**	1	007201530

275x120x65 mm - 5700 g

720/SN

impact sockets, articulated series

12”

mm	Ø mm	L mm	Ø1 mm	£		
17	25,7	69,6	30	**82.50**	2	007200087
19	28,2	73,6	30	**82.50**	2	007200089
24	34,5	75,6	30	**92.50**	2	007200094

720/15

impact adaptor, 1/2” female and 3/8” male drives

12”

L mm	Ø mm	□	■	£		
37,5	25	1/2	3/8	**10.50**	3	007200810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

720/16

impact adaptor, 1/2” female and 3/4” male drives

12”

L mm	Ø mm	□	■	£		
44	30	1/2	3/4	**19.70**	3	007200814

720/20
1/2” drive impact extension bar

L mm	Ø mm	£		
75	25	21.00	3	007200818

720/21
1/2” drive impact extension bar

L mm	Ø mm	£		
125	25	23.60	3	007200822

720/22
impact extension bar, 1/2" male and female drives

L mm	Ø mm	£		
250	25	26.00	3	007200824

720/25
1/2” drive impact universal joint

L mm	Ø mm	£		
64	28	44.50	2	007200831

720/OR... - 720/SP...
rubber O-rings and locking pins for impact sockets



	720 ⬢ mm	720TX ○	£		
720/OR1	10÷14	T30÷T60	1.06	10	007200923
720/OR2	15÷36		1.11	10	007200924
720/SP1	10÷14	T30÷T60	1.84	10	007200913
720/SP2	15÷36		1.84	10	007200914

727PI/16 1/2
impact bit holder for items 727/ES16, 727/ES16TX and 727/ES16XZN

Ø mm	L mm	○ mm	□	£		
28	42	16	1/2	48.50	2	007270015

727PI/16
impact bit holder for item 727/ES16 and 727/ES16TX

Ø mm	L mm	○ mm	□	£		
44	52	16	3/4	54.50	2	007270016

727/ES16
impact hexagon bits, 16 mm drive

mm	⬢ mm	L mm	£		
10	16	40	16.20	2	007270110
12	16	40	16.20	2	007270112
13	16	40	16.20	2	007270113
14	16	40	16.20	2	007270114
16	16	40	18.10	2	007270116
17	16	40	18.10	2	007270117
18	16	40	19.10	2	007270118
19	16	40	19.10	2	007270119
22	16	40	21.10	2	007270122

727/ES16TX
impact bits for Torx® head screws, 16 mm drive

○	⬢ mm	L mm	£		
T55	16	50	24.50	2	007270355
T60	16	50	24.50	2	007270360
T70	16	50	24.50	2	007270370

727/ES16XZN
impact bits for XZN® head screws, 16 mm drive

○	⬢ mm	L mm	£		
M6	16	60	31.50	2	007270606
M8	16	60	31.50	2	007270608
M10	16	60	31.50	2	007270610
M12	16	60	31.50	2	007270612
M14	16	60	31.50	2	007270614
M16	16	60	31.50	2	007270616
M18	16	60	43.50	2	007270618

727PI/22

impact bit holder for item 727/ES22 and 727/ES22TX

Ø mm	L mm	⬡ mm	£		
54	70	22	86.00	2	007270022

727/ES22

impact hexagon bits, 22 mm drive

mm	⬢ mm	L mm	£		
19	22	50	21.10	2	007270219
22	22	50	21.10	2	007270222
24	22	50	22.70	2	007270224
27	22	50	25.50	2	007270227
30	22	50	31.00	2	007270230
32	22	50	33.50	2	007270232

727/ES22TX

impact bits for Torx® head screws, 22 mm drive

✪	⬢ mm	L mm	£		
T80	22	60	36.00	2	007270480
T90	22	60	36.00	2	007270490
T100	22	60	36.00	2	007270500

727/C16

12 impact bits and 4 accessories

	£		
727/C16	505.00	1	007270900

727PI/16

727/ES16 14-17-19 mm

727/ES16TX T55-T60-T70

727PI/22

727/ES22 22-24-27 mm

727/ES22TX T80-T90-T100

96BPC 3-4 mm

335x145x60 mm - 3,6 kg

727PI/32

impact bit holder for item 727/ES32

Ø mm	L mm	⬡ mm	£		
86	66	32	221.50	1	007270032

727/ES32

impact hexagon bit, 32 mm drive

mm	⬢ mm	L mm	£		
19	32	44	51.00	2	007270519
22	32	44	51.00	2	007270522
24	32	44	51.00	2	007270524
27	32	44	59.50	2	007270527
30	32	44	59.50	2	007270530
32	32	44	59.50	2	007270532
36	32	44	64.00	2	007270536

728

impact sockets, standard series

UNI/ISO 2725 DIN 3129

⬢ mm	Ø mm	L mm	Ø1 mm	£		
17	30,0	51	44	30.50	2	007280017
18	31,0	51	44	30.50	2	007280018
19	32,5	51	44	30.50	2	007280019
21	35,0	51	44	30.50	2	007280021
22	36,0	51	44	30.50	2	007280022
23	37,5	51	44	31.00	2	007280023
24	38,5	51	44	31.00	2	007280024
27	42,5	53	44	31.00	2	007280027
28	44,0	53	44	33.00	2	007280028
30	46,0	53	44	33.50	2	007280030
32	48,5	57	44	34.00	2	007280032
33	50,0	57	44	39.00	2	007280033
34	51,0	57	44	39.50	2	007280034
35	52,5	57	44	40.50	2	007280035
36	53,5	57	44	42.00	2	007280036
38	56,0	57	44	48.00	1	007280038
40	58,5	58	44	51.00	1	007280040
41	60,0	58	44	51.50	1	007280041
44	64,0	62	44	56.00	1	007280044
45	65,0	62	44	60.50	1	007280045
46	66,0	62	44	61.50	1	007280046
50	71,0	68	54	73.00	1	007280050
55	77,5	71	54	84.50	1	007280055
60	83,0	73	54	107.50	1	007280060
65	88,0	78	54	111.50	1	007280065

728/C10

10 impact sockets

	£		
728/C10 17-19-22-24-27-30 32-36-41-46 mm	420.00	1	007280910

275x120x65 mm - 5,7 kg

728B

bi-hex impact sockets

UNI/ISO 2725 DIN 3129

⬢ mm	Ø mm	L mm	Ø1 mm	£		
17	28,5	50	38	30.50	2	007280117
19	30	52	38	30.50	2	007280119
21	32	52	38	30.50	2	007280121
22	34	52	38	30.50	2	007280122
23	35	52	38	31.00	2	007280123
24	36	52	38	31.00	2	007280124
27	40	52	40	31.00	2	007280127
29	42	52	42	33.50	2	007280129
30	44	52	44	33.50	2	007280130
32	48	52	44	34.00	2	007280132
33	50	56	44	39.00	2	007280133
34	51	56	44	39.50	2	007280134
35	52	56	44	40.50	2	007280135
36	53,5	56	44	42.00	2	007280136
38	56	56	44	48.00	1	007280138
41	60	58	44	51.50	1	007280141
46	67	63	44	61.50	1	007280146

728B/C10

10 bi-hex impact sockets

	£		
728B/C10 17-19-22-24-27 30-32-36-41-46 mm	420.00	1	007280930

275x120x65 mm - 5,7 kg

728AS
impact sockets,
standard series

⬢ "	Ø mm	L mm	Ø1 mm	£		
3/4	32,0	51	41	31.00	1	007280219
13/16	35,0	51	41	31.00	1	007280221
7/8	36,0	51	41	32.00	1	007280222
15/16	38,5	51	41	32.00	1	007280224
1	40,0	53	41	33.50	1	007280225
1.1/16	42,5	53	44	34.50	1	007280227
1.1/8	44,0	53	44	36.00	1	007280230
1.1/4	48,5	57	44	37.50	1	007280232
1.5/16	50,0	57	44	39.00	1	007280233
1.7/16	53,5	57	44	44.50	1	007280236
1.1/2	56,0	57	44	47.00	1	007280238
1.5/8	60,0	58	44	51.50	1	007280241

728FTX
impact sockets, for Torx® head screws

⬡	Ø mm	L mm	Ø1 mm	£		
E20	28,5	50	44	37.50	2	007280420
E22	30,0	50	44	37.50	2	007280422
E24	32,5	50	44	37.50	2	007280424

728ME
impact socket drivers
for hexagon screws



mm	Ø mm	L mm	L1 mm	£		
12	44	100	67	37.50	3	007280712
14	44	100	67	41.50	3	007280714
17	44	100	67	41.50	3	007280717
19	44	100	67	41.50	3	007280719
22	44	100	67	49.00	3	007280722
24	44	100	67	49.00	3	007280724

728ME/C6
6 impact socket drivers
for hexagon screws

	£		
728ME/C6 12-14-17-19-22-24 mm	313.00	1	007280906

335x145x60 mm - 4,0 kg

728L
impact sockets,
long series

mm	Ø mm	L mm	Ø1 mm	£		
17	30	90	44	49.50	2	007280317
19	32,5	90	44	49.50	2	007280319
21	35,0	90	44	49.50	2	007280321
22	36,0	90	44	49.50	2	007280322
24	38,5	90	44	49.50	2	007280324
26	41,0	90	44	49.50	2	007280326
27	42,5	90	44	49.50	2	007280327
30	46,0	90	44	53.50	2	007280330
32	48,5	90	44	61.50	2	007280332
33	50,0	90	44	62.50	1	007280333
34	51,0	90	44	67.00	1	007280334
36	53,5	90	44	68.00	1	007280336
38	56,0	90	44	75.50	1	007280338
41	60,0	90	44	81.00	1	007280341
44	64,0	90	44	84.50	1	007280344
46	66,0	90	44	84.50	1	007280346
50	71,0	90	44	88.50	1	007280350
55	77,5	100	54	117.50	1	007280355

	£		
728L/S3 30-32-36 mm	183.00	1	007280393

728LS
impact sockets, long slim series

mm	Ø mm	L mm	Ø1 mm	£		
17	28,0	100	43	55.50	2	007280517
19	30,5	100	43	55.50	2	007280519
22	34,3	100	43	55.50	2	007280522
24	36,8	100	43	55.50	2	007280524
27	40,5	100	43	55.50	2	007280527
30	44,3	100	43	55.50	2	007280530
32	46,8	100	43	62.50	2	007280532
33	48,0	100	43	63.50	2	007280533
36	51,8	100	43	73.50	1	007280536

728LQ
impact sockets, long series

(for ISUZU wheel nuts)

□ mm	L mm	Ø mm	Ø1 mm	£		
19	90	35	43,5	46.00	1	007280619
21	90	42	43,5	46.00	1	007280621

728/15
impact adaptor, 3/4” female
and 1/2” male drives

L mm	Ø mm	□	■	£		
58	38	3/4	1/2	40.50	2	007280810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

728/16
impact adaptor, 3/4” female and 1” male drives

L mm	Ø mm	□	■	£		
62	44	3/4	1	52.50	2	007280813

728/21
3/4” drive impact extension bar

L mm	Ø mm	£		
175	44	59.00	2	007280815

728/22
3/4” drive impact extension bar

L mm	Ø mm	£		
250	44	68.00	2	007280825

728/22L
3/4" drive impact extension bar

L mm	Ø mm	£		
330	44	78.50	1	007280826

728/25
3/4" drive impact universal joint

L mm	Ø mm	£		
107,5	44	119.50	1	007280830

728/OR - 728/SP
rubber O-rings and locking pins for impact sockets

	728 mm	728FTX	£		
728/OR-/15	728/15		1.91	5	007280925
728/OR	17÷46	E20÷E24	1.98	10	007280926
728/SP	17÷46	E20÷E24	3.10	10	007280916

729
impact sockets, standard series

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm	£		
24	41,5	58	54	49.50	1	007290024
27	45,0	60	54	49.50	1	007290027
30	49,0	62	54	49.50	1	007290030
32	51,5	63	54	54.50	1	007290032
33	52,5	63	54	54.50	1	007290033
34	54,0	63	54	54.50	1	007290034
36	56,5	66	54	54.50	1	007290036
38	59,0	66	54	65.00	1	007290038
41	62,5	68	54	67.50	1	007290041
46	69,0	72	54	68.00	1	007290046
50	74,0	76	54	73.00	1	007290050
55	80,0	84	54	85.50	1	007290055
60	86,5	88	54	107.50	1	007290060
65	92,5	92	54	127.00	1	007290065
70	99,0	96	54	152.00	1	007290070
75	105,0	102	63	190.00	1	007290075
80	111,5	102	63	207.50	1	007290080

729L
impact sockets, long series

mm	Ø mm	L mm	Ø1 mm	£		
24	41,5	108	54	88.50	1	007290324
27	45,0	108	54	88.50	1	007290327
30	49,0	108	54	88.50	1	007290330
32	51,5	108	54	88.50	1	007290332
33	52,2	108	54	91.50	1	007290333
34	54,0	108	54	91.50	1	007290334
36	56,5	108	54	91.50	1	007290336
41	62,5	108	54	107.50	1	007290341
46	69,0	108	54	115.00	1	007290346
50	74,0	108	54	117.50	1	007290350
55	80,0	108	54	130.00	1	007290355
60	86,5	108	54	169.00	1	007290360
65	92,5	108	54	200.00	1	007290365
70	99,0	108	54	236.00	1	007290370
75	105,0	108	63	269.00	1	007290375
80	111,5	108	63	305.00	1	007290380

729LS
impact sockets, long slim series

mm	Ø mm	L mm	Ø1 mm	£		
22	36,0	108	53	88.50	1	007290522
24	38,5	108	53	88.50	1	007290524
27	46,0	108	53	88.50	1	007290527
30	50,0	108	53	89.50	1	007290530
32	50,0	108	53	89.50	1	007290532
33	52,0	108	53	89.50	1	007290533
36	56,0	108	53	89.50	1	007290536

729T
impact torsion bars for wheel nuts

mm	Nm	L mm	£		
24	350	300	174.00	1	007290724
27	450	300	177.00	1	007290757
30	500	300	179.50	1	007290730
32	450	300	179.50	1	007290732
32	600	300	179.50	1	007290762
33	600	300	194.50	1	007290763
36	600	300	199.50	1	007290736

729/15
impact adaptor, 1" female and 3/4" male drives

L mm	Ø mm	□	■	£		
66,5	54	1	3/4	65.50	1	007290810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

729/16
impact adaptor, 1" female and 1.1/2" male drives

L mm	Ø mm	□	■	£		
88	54,0	1	1.1/2	107.50	1	007290813

729/21
1" drive impact extension bar

L mm	Ø mm	£		
175	54	95.50	1	007290815

729/21L
impact extension bar, 1" male and female square drives

L mm	Ø mm	£		
250	54	101.00	1	007290826

729/22
1" drive impact extension bar

L mm	Ø mm	£		
330	54	133.00	1	007290825

729/25
1" drive impact universal joint

L mm	Ø mm	£		
130	54	203.50	1	007290830

729/OR... - 729/SP...
rubber O-rings and locking pins for impact sockets

	728 mm	729-730 mm	£		
729/OR1	50÷60	24÷70	2.66	5	007290927
729/OR2		75÷125	4.80	5	007290928
729/SP1	50÷60	24÷70	2.43	5	007290917
729/SP2		75÷125	4.80	5	007290918

730
impact sockets, standard series

1½"

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm	£		
50	81	87	84	260.00	1	007300050
55	88	90	86	265.00	1	007300055
60	94	95	86	295.00	1	007300060
65	100	100	86	348.00	1	007300065
70	106	105	86	400.00	1	007300070
75	113	110	86	463.00	1	007300075
80	119	115	86	523.00	1	007300080
85	125	120	86	589.00	1	007300085
90	132	125	86	671.00	1	007300090
95	138	125	96	781.00	1	007300095
100	144	130	96	919.00	1	007300100
105	150	135	96	983.00	1	007300105
110	157	140	96	1088.00	1	007300110
115	163	140	96	1199.00	1	007300115
120	169	145	96	1295.00	1	007300120
125	175	145	96	1335.00	1	007300125

730L
hexagon impact sockets, long series

1½"

mm	Ø mm	L mm	Ø1 mm	£		
50	81	135	86	425.00	1	007300350
55	87	140	86	436.00	1	007300355
60	93	150	86	483.00	1	007300360
65	97	150	86	528.00	1	007300365
70	105	160	86	625.00	1	007300370
75	110	170	86	724.00	1	007300375
80	116	170	86	829.00	1	007300380
85	125	170	86	917.00	1	007300385
90	130	170	86	1043.00	1	007300390
95	137	180	95	1215.00	1	007300395
100	144	190	95	1410.00	1	007300400
105	150	190	95	1570.00	1	007300405
110	156	200	95	1710.00	1	007300410
115	160	200	95	1840.00	1	007300415
120	168	210	95	2055.00	1	007300420

730/15
adaptor

1½"

L mm	Ø mm	□	■	£		
105	84,0	1.1/2	1	220.00	1	007300810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

730/21
impact extension bar, 1.1/2" male and female square drives

1½"

L mm	Ø mm	£		
250	86	760.00	1	007300822

730/25
drive impact universal joint, 1.1/2" male and female square drives

1½"

L mm	Ø mm	£		
150	86	798.00	1	007300830

733/15
adaptor

2½"

L mm	Ø mm	□	■	£		
156	127	2.1/2	1.1/2	779.00	1	007330810

BITS



ISO 1173-C 6,3



retainer spring seat

ISO 1173-E 6,3

retainer ball slot

851
magnetic bit holder with handle

14

L1 mm	L mm	£		
45	165	19.10	2	008510165
125	245	21.30	2	008510245

851SR
quick release bit holder with handle

14

L mm	L1 mm	£		
230	110	28.50	2	008510001

852
bit holder with articulated T handle



⬡	L mm	L1 mm	£		
1/4"	400	160	59.00	2	008520006
10 mm	400	160	59.00	2	008520010

855P
reversible ratchet bit holder with articulated handle, and 7 built-in bits



L mm	L1 mm	£		
240	100	103.50	1	008550010

860PH	PH1 - PH2
860PZ	PZ1 - PZ2
860LP	LP 0,8X5,5 mm
860PE	4 - 5 mm

860LP
bits for slotted head screws, coloured

ISO 2351-1
ISO 1173 C 6,3

SxA mm	L mm	£		
0,5x3	25	2.13	5	008600005
0,6x4,5	25	2.13	5	008600010
0,8x5,5	25	2.13	5	008600015
1x5,5	25	2.13	5	008600020
1,2x6,5	25	2.13	5	008600025

860PH
bits for cross head Phillips® screws, coloured

ISO 2351-2
ISO 1173 C 6,3

PH	L mm	£		
0	25	2.13	5	008600220
1	25	2.13	5	008600225
2	25	2.13	5	008600230
3	25	2.13	5	008600245
4	25	3.40	5	008600250

860PZ
bits for cross head Pozidriv® - Supadriv® screws, coloured

ISO 2351-2
ISO 1173 C 6,3

PZ	L mm	£		
1	25	2.13	5	008600320
2	25	2.13	5	008600325
3	25	2.13	5	008600330
4	25	3.40	5	008600335

860PE
hexagon bits for power drivers, coloured

ISO 2351-3
ISO 1173 C 6,3

mm	L mm	£		
2	25	2.27	5	008600101
2,5	25	2.27	5	008600102
3	25	2.27	5	008600103
4	25	2.27	5	008600104
5	25	2.27	5	008600105
6	25	2.27	5	008600106
8	25	3.20	5	008600108
10	25	3.20	5	008600110

860TX
bits for Torx® head screws, coloured

ISO 1173 C 6,3

⬡	L mm	£		
T6	25	3.20	5	008600704
T7	25	3.20	5	008600705
T8	25	3.20	5	008600710
T9	25	3.20	5	008600715
T10	25	2.34	5	008600720
T15	25	2.34	5	008600725
T20	25	2.34	5	008600730
T25	25	2.34	5	008600735
T27	25	2.34	5	008600740
T30	25	2.34	5	008600745
T40	25	2.34	5	008600750

860RTX
bits for Tamper Resistant Torx® head screws, coloured

ISO 1173 C 6,3

⬡	L mm	£		
T9	25	3.40	5	008600550
T10	25	3.40	5	008600555
T15	25	3.40	5	008600560
T20	25	3.40	5	008600565
T25	25	3.40	5	008600570
T27	25	3.40	5	008600575
T30	25	3.40	5	008600580
T40	25	3.40	5	008600585

860/55
reversible bit ratchet

L mm	⬡	£		
100	1/4	48.50	3	008600870

860/58
bit ratchet with rotating handle

- Bit can be fitted onto both sides, for screwing or unscrewing
- Bi-material handle

	L mm	⬡	Ø mm	A mm	£		
860/58	126	1/4"	27	15	104.00	1	008600884

860/C27
25 bits,1 connector and 1 reversible ratchet in plastic case

	£		
860/C27	109.50	1	008600880

860/55	100 mm
860LP	0,5x3-1,0x5,5-1,2x6,5 mm
860PH	PH1-PH2(x2)-PH3
860PZ	PZ1-PZ2(x2)-PZ3
860PE	2-2,5-3-4-5-6 mm
860TX	T6-T8-T10-T15-T20-T25-T30-T40
892/0	● 1/4 ■ 1/4

860PHZ/A10
set of 10 bits with magnetic bit holder in plastic case

	£		
860PHZ/A10	35.00	1	008600910

			n.
860PH	PH1		1
	PH2		3
	PH3		1
860PZ	PZ1		1
	PZ2		3
	PZ3		1
882M1	⬡ 1/4 ● 1/4		

860PE/A10

set of 10 bits with magnetic bit holder in plastic case

	£		
860PE/A10	37.50	1	008600920

			n.
860PE	2 - 2,5 mm		1
	3 - 4 - 5 - 6 mm		2
882M1	⎔ 1/4 ⬢ 1/4		

860TX/A10

set of 10 bits with magnetic bit holder in plastic case

	£		
860TX/A10	40.00	1	008600970

			n.
860TX	T7 - T8 - T9 - T10 - T15 - T20		1
	T25 - T27 - T30 - T40		
882M1	⎔ 1/4 ⬢ 1/4		

860MIX/A10

set of 10 bits with magnetic bit holder in plastic case

	£		
860MIX/A10	35.00	1	008600900

			n.
860LP	0,5x3 - 1x5,5 - 1,2x6,5 mm		1
860PH	PH1		1
	PH2		2
	PH3		1
860PZ	PZ1 - PZ2 - PZ3		1
882M1	⎔ 1/4 ⬢ 1/4		

860MIX/A31

set of 30 bits with magnetic quick release bit holder in plastic case

	£		
860MIX/A31	106.50	1	008600902

860LP	0,5x3 - 0,6x4,5 - 0,8x5,5	
	1,0x5,5 - 1,2x6,5 mm	
860PE	2 - 2,5 - 3 - 4 - 5 - 6	
	8 - 10 mm	
860PH	PH0 - PH1 - PH2 - PH3 - PH4	
860PZ	PZ1 - PZ2 - PZ3 - PZ4	
860RTX	T9 - T10 - T15 - T20	
	T25 - T27 - T30 - T40	
882MSR 50	⎔ 1/4⬢ 1/4	

860/C38P

1 reversible ratchet bit holder with articulated handle, 27 bits, 8 hexagon sockets and 2 accessories

	£		
860/C38P	241.50	1	008600878

860LP	0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5 mm
860PE	2-2,5-3-4(x2)-5(x2) mm
860PH	PH1(x2)-PH2(x2)-PH3
860PZ	PZ1(x2)-PZ2(x2)-PZ3
860TX	T10-T15-T20-T25-T30-T40
900	5-5,5-6-7-8-9-10-13 mm
892/0	⬢ 1/4 ■ 1/4
892/3	⬢ 1/4 ■ 1/4
855P	240 mm

270x120x45 mm

861LP

bits for slotted head screws

ISO 2351-1

ISO 1173 C 6,3

SxA mm	L mm	£		
0,5x3	25	1.28	10	008610005
0,6x4	25	1.28	10	008610007
0,6x4,5	25	1.28	10	008610010
0,8x5,5	25	1.28	10	008610015
1x5,5	25	1.28	10	008610020
1,2x6,5	25	1.28	10	008610025
1,2x8	25	2.55	10	008610028
1,6x8	25	2.55	10	008610030

861PH

bits for cross head Phillips® screws

ISO 2351-2

ISO 1173 C 6,3

PH	L mm	£		
0	25	1.28	10	008610200
1	25	1.28	10	008610205
2	25	1.28	10	008610210
2L	50	2.48	10	008610213
3	25	1.28	10	008610215
4	25	3.65	10	008610220

861PH/C

bits for cross head Phillips® screws



ISO 2351-2
ISO 1173 C 6,3

PH	L mm	£		
0	25	1.09	200	008610250
1	25	1.09	200	008610255
2	25	1.09	200	008610260
2L	50	2.13	100	008610263
3	25	1.09	200	008610265
4	25	2.89	100	008610270

861PZ

bits for cross head Pozidriv®-Supadriv® screws

ISO 2351-2

ISO 1173 C 6,3

PZ	L mm	£		
1	25	1.28	10	008610300
2	25	1.28	10	008610305
2L	50	2.62	10	008610308
3	25	1.28	10	008610310
4	25	3.70	10	008610315

861PZ/C

bits for cross head Pozidriv®-Supadriv® screws



ISO 2351-2
ISO 1173 C 6,3

PZ	L mm	£		
1	25	1.09	200	008610350
2	25	1.09	200	008610355
2L	50	2.13	100	008610358
3	25	1.09	200	008610360
4	25	2.89	100	008610365

861PE

hexagon bits for power drivers

ISO 2351-3

ISO 1173 C 6,3

mm	L mm	£		
2	25	1.38	10	008610100
2,5	25	1.38	10	008610105
3	25	1.38	10	008610110
4	25	1.38	10	008610115
5	25	1.38	10	008610120
6	25	1.38	10	008610125
8	25	2.13	10	008610130
10	25	2.83	10	008610135

861TX

bits for Torx® head screws

ISO 1173 C 6,3

	L mm	£		
T5	25	2.13	10	008610399
T6	25	2.13	10	008610400
T7	25	2.13	10	008610405
T8	25	2.13	10	008610410
T9	25	2.13	10	008610415
T10	25	1.66	10	008610420
T15	25	1.66	10	008610425
T20	25	1.66	10	008610430
T25	25	1.66	10	008610435
T27	25	1.66	10	008610440
T30	25	1.66	10	008610445
T40	25	1.66	10	008610450

861TX/C

bits for Torx® head screws

ISO 1173 C 6,3

	L mm	£		
T10	25	1.28	200	008610470
T15	25	1.28	200	008610475
T20	25	1.28	200	008610480
T25	25	1.28	200	008610485
T27	25	1.28	200	008610490
T30	25	1.28	200	008610495
T40	25	1.28	200	008610499

861RTX

bits for Tamper Resistant Torx® head screws

ISO 1173 C 6,3

	L mm	£		
T6	25	3.10	10	008610537
T7	25	3.10	10	008610538
T8	25	3.10	10	008610540
T9	25	3.10	10	008610500
T10	25	3.10	10	008610505
T15	25	3.10	10	008610510
T20	25	3.10	10	008610515
T25	25	3.10	10	008610520
T27	25	3.10	10	008610525
T30	25	3.10	10	008610530
T40	25	3.10	10	008610535
T45	25	5.65	10	008610539

861RIBE

bits for RIBE® screws

ISO 1173 C 6,3

	L mm	£		
M5	25	1.28	10	008610705
M6	25	1.28	10	008610706
M7	25	1.66	10	008610707
M8	25	1.66	10	008610708
M9	25	2.27	10	008610709

861TRW

bits for Tri-Wing® head screws

ISO 1173 C 6,3

GR	L mm	£		
1	25	2.50	10	008610601
2	25	2.50	10	008610602
3	25	2.50	10	008610603
4	25	2.50	10	008610604
5	25	2.50	10	008610605
6	25	3.65	10	008610606

861TQS

bits for Torq-Set® head screws

ISO 1173 C 6,3

GR	L mm	£		
0	25	2.50	10	008610620
1	25	2.50	10	008610621
2	25	2.50	10	008610622
3	25	2.50	10	008610623
4	25	2.50	10	008610624
5	25	2.50	10	008610625
6	25	2.50	10	008610626
8	25	2.50	10	008610628
10	25	2.50	10	008610630

861SP

bits for Spanner screws

ISO 1173 C 6,3

SP	D mm	L mm	£		
4	1,5	25	2.05	10	008610650
6	2,4	25	2.05	10	008610653
8	2,8	25	2.05	10	008610656
10	3,3	25	2.05	10	008610658
12	3,9	25	2.05	10	008610660

1483KV-PT/S7

1483KV PT/S7	185

861XZN

bits for XZN® screws

ISO 1173 C 6,3

	L mm	£		
M5	25	1.28	10	008610725
M6	25	1.28	10	008610726
M8	25	1.66	10	008610728

861/C61P
61 bits and 1 magnetic quick release bit holder

	£		
861/C61P	201.50	1	008610978

861LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1,0x5,5 1,2x6,5 - 1,2x8 - 1,6x8 mm
861PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
861PH	PH0 - PH1 - PH2 - PH3
861PZ	PZ1 - PZ2 - PZ3
861TX	T6 - T7 - T8 - T9 - T10 - T15 T20 - T25 - T27 - T30 - T40
861RTX	T9 - T10 - T15 - T20 - T25 T27 - T30 - T40
861TRW	1 - 2 - 3 - 4 - 5 - 6
861TQS	0 - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 10
861SP	4 - 6 - 8 - 10 - 12
851SR	⎔ 1/4"

270x120x45 mm - 975 g

862LP
bits for slotted head screws

ISO 2351-1

ISO 1173 E 6,3

SxA mm	L mm	£		
0,5x3	50	2.66	5	008620005
0,6x4,5	50	2.66	5	008620010
0,8x5,5	50	2.66	5	008620015
1x5,5	50	2.66	5	008620020
1,2x6,5	50	2.66	5	008620025
1,2x8	50	3.70	5	008620030
1,6x8	50	3.70	5	008620035

862PH
bits for cross head Phillips® screws

ISO 2351-2

ISO 1173 E 6,3

PH	L mm	£		
1	50	2.89	5	008620200
2	50	2.89	5	008620205
3	50	2.89	5	008620210

862PH/L
bits for cross head Phillips® screws

ISO 2351-2

ISO 1173 E 6,3

PH	L mm	£		
1	70	4.95	5	008620230
2	70	4.95	5	008620232
3	70	4.95	5	008620234

862PH-XL
bits for cross head Phillips® screws

ISO 2351-2ISO 1173 E 6,3

PH	L mm	£		
1	100	4.30	5	008620250
2	100	4.30	5	008620252
3	100	4.30	5	008620254

862PZ
bits for cross head Pozidriv®-Supadriv® screws

ISO 2351-2

ISO 1173 E 6,3

PZ	L mm	£		
1	50	2.89	5	008620300
2	50	2.89	5	008620305
3	50	2.89	5	008620310

862PE
hexagon bits for power drivers

ISO 2351-3

ISO 1173 E 6,3

mm	L mm	£		
3	50	2.89	5	008620103
4	50	2.89	5	008620104
5	50	2.89	5	008620105
6	50	2.89	5	008620106
8	50	3.95	5	008620108

862TX
bits for Torx® head screws

ISO 1173 E 6,3

⎔	L mm	£		
T6	50	3.80	5	008620506
T7	50	3.80	5	008620507
T8	50	3.80	5	008620508
T9	50	3.80	5	008620509
T10	50	3.80	5	008620510
T15	50	3.80	5	008620515
T20	50	3.80	5	008620520
T25	50	3.80	5	008620525
T27	50	3.80	5	008620527
T30	50	3.80	5	008620530
T40	50	3.80	5	008620540

862TX/L
bits for Torx® head screws

ISO 1173 E 6,3

⎔	L mm	£		
T6	70	4.50	5	008620556
T7	70	4.50	5	008620557
T8	70	4.50	5	008620558
T9	70	4.50	5	008620559
T10	70	4.50	5	008620560
T15	70	4.50	5	008620565
T20	70	4.50	5	008620570
T25	70	4.50	5	008620575
T27	70	4.50	5	008620577
T30	70	4.50	5	008620580
T40	70	4.50	5	008620590

862TX-XL
bits for Torx® head screws

ISO 1173 E 6,3

⎔	L mm	£		
T9	100	4.30	5	008620659
T10	100	4.30	5	008620660
T15	100	4.30	5	008620665
T20	100	4.30	5	008620670
T25	100	4.30	5	008620675
T27	100	4.30	5	008620677
T30	100	4.30	5	008620680
T40	100	4.30	5	008620690

862F
magnetic bits, hexagon sockets

ISO 1173 E 6,3

mm	L mm	Ø mm	£		
5,5	65	11	7.80	5	008620405
6	65	11	7.80	5	008620406
7	65	11	7.80	5	008620407
8	65	13	7.80	5	008620408
10	65	15	8.20	5	008620410
12	65	18	9.00	5	008620412
13	65	18	9.85	5	008620413

862F/A7
7 magnetic bits, hexagon sockets, in plastic case

	£		
862F/A7	58.00	1	008620950

862F 5,5-6-7-8-10-12-13 mm

862XP/A16
16 impact bits in pocket-size case

	£		
862XP/A16	78.50	1	008620960

- PH2(x2)-PH3
- PZ2(x2)-PZ3
- T20-T25(x2)
  T30(x2)-T40(x2)
- 4-5-6 mm

866LP
bits for slotted head screws

ISO 2351-1
ISO 1173 C 8

SxA mm	L mm	£		
1x5,5	41	3.25	10	008660005
1,2x6,5	41	3.25	10	008660010
1,6x8	41	3.25	10	008660015
1,6x10	41	3.95	10	008660020
2x12	41	4.95	10	008660025

866PH
bits for cross head Phillips® screws

ISO 2351-2

ISO 1173 C 8

PH	L mm	£		
1	32	2.50	10	008660200
2	32	2.50	10	008660205
3	32	2.50	10	008660210
4	38	3.80	10	008660215

866PZ
bits for cross head Pozidriv®-Supadriv® screws

ISO 2351-2

ISO 1173 C 8

PZ	L mm	£		
1	32	2.66	10	008660300
2	32	2.66	10	008660305
3	32	2.66	10	008660310
4	38	4.15	10	008660315

866PE
hexagon bits for power drivers

ISO 2351-3

ISO 1173 C 8

mm	L mm	£		
3	30	2.13	10	008660100
4	30	2.13	10	008660105
5	30	2.13	10	008660110
6	30	2.13	10	008660115
7	30	2.13	10	008660117
8	30	2.13	10	008660120
10	30	3.05	10	008660125
12	30	4.30	10	008660132
14	30	5.40	10	008660134

866TX
bits for Torx® head screws

ISO 1173 C 8

	L mm	£		
T20	30	3.20	10	008660400
T25	30	3.20	10	008660405
T27	30	3.20	10	008660410
T30	30	3.20	10	008660415
T40	30	3.20	10	008660420
T45	30	3.20	10	008660425
T50	30	3.20	10	008660430
T55	30	3.95	10	008660435
T60	30	5.30	10	008660440
T70	30	5.95	10	008660445

866RTX
bits for Tamper Resistant Torx® head screws

ISO 1173 C 8

	L mm	£		
T40	30	3.65	10	008660520
T45	30	3.65	10	008660525
T50	30	3.65	10	008660530
T55	30	5.30	10	008660535
T60	30	6.95	10	008660540
T70	30	8.15	10	008660545

867PE
hexagon bits

mm	L mm	£		
4	30	2.27	5	008670104
5	30	2.27	5	008670105
6	30	2.27	5	008670106
7	30	2.27	5	008670107
8	30	2.27	5	008670108
10	30	2.27	5	008670110
12	30	3.25	5	008670112

867PE/L
hexagon bits

mm	L mm	£		
4	75	3.95	5	008670154
5	75	3.95	5	008670155
6	75	3.95	5	008670156
7	75	3.95	5	008670157
8	75	3.95	5	008670158
10	75	3.95	5	008670160
12	75	5.50	5	008670162

867XZN
bits with XZN® profile

	L mm	£		
M4	30	2.77	5	008670204
M5	30	2.77	5	008670205
M6	30	2.77	5	008670206
M8	30	2.77	5	008670208
M10	30	2.77	5	008670210
M12	30	3.85	5	008670212

867XZN/L
bits with XZN® profile

	L mm	£		
M5	75	4.35	5	008670255
M6	75	4.35	5	008670256
M8	75	4.35	5	008670258
M10	75	4.35	5	008670260
M12	75	6.10	5	008670262

867TX
bits for Torx® head screws

	L mm	£		
T20	30	2.27	5	008670400
T25	30	2.27	5	008670405
T30	30	2.27	5	008670410
T40	30	2.27	5	008670415
T45	30	2.27	5	008670420
T50	30	2.27	5	008670425
T55	30	2.27	5	008670430

867TX/L
bits for Torx® head screws

	L mm	£		
T20	75	3.50	5	008670450
T25	75	3.50	5	008670455
T30	75	3.50	5	008670460
T40	75	3.50	5	008670465
T45	75	3.50	5	008670470
T50	75	3.50	5	008670475
T55	75	3.50	5	008670480

867RTX
bits for Tamper Resistant Torx® head screws

	L mm	£		
T20	30	2.27	5	008670500
T25	30	2.27	5	008670505
T30	30	2.27	5	008670510
T40	30	2.27	5	008670515
T45	30	2.27	5	008670520
T50	30	2.27	5	008670525
T55	30	2.27	5	008670530

867RTX/L
bits for Tamper Resistant Torx® head screws

	L mm	£		
T20	75	3.95	5	008670550
T25	75	3.95	5	008670555
T30	75	3.95	5	008670560
T40	75	3.95	5	008670565
T45	75	3.95	5	008670570
T50	75	3.95	5	008670575
T55	75	3.95	5	008670580

867RIBE
bits for RIBE® screws



	L mm	£		
M5	30	2.32	5	008670705
M6	30	2.32	5	008670706
M7	30	2.32	5	008670707
M8	30	2.32	5	008670708
M9	30	2.32	5	008670709
M10	30	2.32	5	008670710
M11	30	3.45	5	008670711
M12	30	3.45	5	008670712
M13	30	3.45	5	008670713

867RIBE/L
bits for RIBE® screws

	L mm	£		
M5	75	3.95	5	008670755
M6	75	3.95	5	008670756
M7	75	3.95	5	008670757
M8	75	3.95	5	008670758
M9	75	3.95	5	008670759
M10	75	3.95	5	008670760
M11	75	5.30	5	008670761
M12	75	5.30	5	008670762
M13	75	5.30	5	008670763

867/...
bit holder sockets for item 867

	○ mm	□	L mm	Ø mm	£		
867/1	10	3/8"	38	17	8.20	5	008670600
867/2	10	1/2"	38	22	8.95	5	008670601

867/C20
18 bits for RIBE® screws, with 10 mm hexagon drive and 2 accessories

	£		
867/C20	152.50	1	008670920

867RIBE 5-6-7-8-9-10-11-12-13 mm
867RIBE/L 5-6-7-8-9-10-11-12-13 mm
867/1
867/2

335x145x60 mm - 1,7 kg

867/C38
38 hexagon bits, 10 mm, 1 bit holder with articulated T handle

	£		
867/C38	283.00	1	008670938

852 10 mm
867PE 4-5-6-7-8-10-12mm
867PE/L 4-5-6-7-8-10-12mm
867XZN M5-M6-M8-M10-M12
867XZN/L M5-M6-M8-M10-M12
867TX T20-T25-T30-T40-T45-T50-T55
867TX/L T20-T25-T30-T40-T45-T50-T55
882

420x185x60 mm - 3 kg

867/C52
52 hexagon bits, 10 mm
and 2 accessories

	£		
867/C52	179.50	1	008670901

867PE	○	4-5-6-7-8-10-12 mm
867PE/L	○	4-5-6-7-8-10-12 mm
867XZN	○	M5-M6-M8-M10-M12
867XZN/L	○	M5-M6-M8-M10-M12
867TX	✪	T20-T25-T30-T40-T45-T50-T55
867TX/L	✪	T20-T25-T30-T40-T45-T50-T55
867RTX	⚙	T20-T25-T30-T40-T45-T50-T55
867RTX/L	⚙	T20-T25-T30-T40-T45-T50-T55
867/1	⎔ 10 mm - □ 3/8"	
867/2	⎔ 10 mm - □ 1/2"	

250x170x70 mm - 2,1 kg

852

852 1/4	79,116	

882
bit holder with retaining ring for drivers

ISO 1173 E 6,3

L mm	○	●	Ø mm	£		
57	1/4	1/4	11	12.70	5	008820001

882AN
bevel gearbox, 1/4" hexagon drive

- **For electric drills with 10 mm and 13 mm spindles and 1/4" impact wrenches**
- **Max. speed: 3600 rpm**
- **Max. torque: 30 Nm**
- **With quick change bit holder**
- **Gear ratio: 1:1**
- **Connection to tool through 1/4" hexagon D6.3**

ISO 1173 E 6,3
ISO 1173 C 6,3

L mm	○	●	£		
137	1/4	1/4	103.00	1	008820090

882M1
magnetic bit holder

ISO 1173 E 6,3

L mm	○	●	Ø mm	£		
50	1/4	1/4	11	13.90	5	008820006

882M
magnetic bit holder

ISO 1173 E 6,3

L mm	○	●	Ø mm	£		
75	1/4	1/4	11	16.60	5	008820005

882MSR
magnetic quick release bit holder for drivers

ISO 1173 E 6,3

L mm	○	●	Ø mm	£		
50	1/4	1/4	11	27.00	5	008820205
75	1/4	1/4	11	31.50	5	008820207

882P
magnetic bit holder extension bar

L mm	●	○	Ø mm	£		
80	1/4	1/4	10	19.90	5	008820080

892
adaptors for drivers

	■	●	L mm	£		
892/0	1/4	1/4	25	3.70	5	008920000
* 892/1	1/4	5,5	50	9.20	5	008920001
* 892/2	3/8	5,5	50	13.80	5	008920002
° 892/3	1/4	1/4	50	9.20	5	008920003
° 892/4	3/8	1/4	50	13.80	5	008920004
892/5	1/4	5/16	75	12.10	5	008920005
892/6	3/8	5/16	75	18.30	5	008920006
892/7	1/2	1/4	75	19.10	5	008920007

*** ISO 1173 A 5,5**
° ISO 1173 C 6,3

895
socket holder for bits
item 861 - 862 - 866

DIN 7427

	○	□	L mm	Ø mm	£		
895/1	1/4	1/4	25,4	12	12.10	5	008950000
895/3	1/4	3/8	29	16,8	15.90	5	008950001
895/4	5/16	3/8	29	16,8	15.90	5	008950002
895/5	1/4	1/2	38	22	15.90	5	008950005
895/6	5/16	1/2	38	22	15.90	5	008950003

897
flexible bit holder with handle

L mm	L1 mm	£		
280	154	31.50	2	008970010

897L
flexible bit holder with handle, long model

L mm	L1 mm	£		
500	380	32.50	2	008970015

RATCHETS 9XX/55

- Pressing of hand on ratchet head does not cause reversal and always allows free lever return
- One-handed reversal
- Outstanding mechanical characteristics



Reduced work load, 17 teeth in contact with gear at all times

900
hexagon hand sockets

1/4"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
3,2	6,6	25	11,8	4.40	10	009000032
4	6,8	25	11,8	4.40	10	009000040
4,5	7,4	25	11,8	4.40	10	009000045
5	8,0	25	11,8	4.40	10	009000050
5,5	8,7	25	11,8	4.40	10	009000055
6	9,3	25	11,8	4.40	10	009000060
7	10,4	25	11,8	4.40	10	009000070
8	11,8	25	12,7	4.40	10	009000080
9	12,7	25	11,8	4.40	10	009000090
10	14,2	25	12,0	4.40	10	009000100
11	15,8	25	12,5	4.40	10	009000110
12	17,2	25	13,5	4.40	10	009000120
13	18,0	25	13,5	4.40	10	009000130
14	20,0	25	15,0	4.50	10	009000140

1/4"

	£		
900/SB13 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	77.00	1	009000150

900MC
hexagon hand sockets, coloured

1/4"

mm	L mm	Ø mm	Ø1 mm		£		
4	24,8	6,7	11,8		4.55	5	009002040
5	24,8	8,0	11,8		4.55	5	009002050
6	24,8	9,2	11,8		4.55	5	009002060
7	24,8	10,7	11,8		4.55	5	009002070
8	24,8	11,8	11,8		4.55	5	009002080
9	24,8	12,8	12,8		4.55	5	009002090
10	24,8	14,8	14,8		4.55	5	009002100
11	24,8	15,8	15,8		4.55	5	009002110
12	24,8	16,8	16,8		4.55	5	009002120
13	24,8	17,8	17,8		4.70	5	009002130
14	24,8	19,5	19,5		5.00	5	009002140

900MB
bi-hex hand sockets

1/4"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
4	6,7	22	11,2	9.55	5	009000160
5	7,7	25	11,2	9.55	5	009000161
5,5	8,3	25	11,2	9.55	5	009000162
6	9,0	25	11,2	9.55	5	009000163
7	10,2	25	11,2	9.55	5	009000164
8	11,3	25	12,0	9.55	5	009000165
9	13,0	25	12,0	9.55	5	009000166
10	14,3	25	12,9	9.55	5	009000167
11	16,0	25	14,3	9.55	5	009000168
12	17,4	25	16,0	9.55	5	009000169
13	18,0	25	16,4	11.10	5	009000170
14	19,3	25	17,9	11.20	5	009000171

1/4"

	£		
900MB/SB12 4-5-5,5-6-7-8-9-10 11-12-13-14 mm	136.00	1	009000179

900L
hexagon hand sockets, long series

1/4"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
4	6,5	50	12,0	10.20	5	009000181
4,5	7,0	50	12,0	10.20	5	009000182
5	7,5	50	12,0	10.20	5	009000183
5,5	8,5	50	12,0	10.20	5	009000184
6	9,5	50	12,0	10.20	5	009000185
7	10,5	50	12,0	10.20	5	009000186
8	12,0	50	12,0	10.20	5	009000187
9	13,0	50	13,0	10.20	5	009000188
10	14,0	50	14,0	10.60	5	009000189
11	16,0	50	16,0	10.60	5	009000190
12	17,5	50	17,5	10.60	5	009000191
13	17,5	50	17,5	10.60	5	009000192
14	20,0	50	20,0	10.60	5	009000193

1/4"

	£		
900L/SB13 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	154.00	1	009000203

900MB/L
bi-hex hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
5	8,0	50	12,0	16.90	3	009000211
6	9,3	50	12,0	16.90	3	009000212
7	10,9	50	12,0	16.90	3	009000213
8	11,6	50	12,0	16.90	3	009000214
9	13,0	50	12,0	16.90	3	009000215
10	14,3	50	12,8	18.00	3	009000216
11	16,0	50	14,2	18.00	3	009000217
12	17,4	50	15,5	18.00	3	009000218
13	18,0	50	16,2	18.40	3	009000219
14	19,0	50	17,1	18.60	3	009000220

900AS
hexagon hand sockets

"	Ø mm	L mm	Ø1 mm	£		
5/32	8,8	25	11,9	4.95	5	009000349
3/16	7,7	25	11,9	4.95	5	009000340
7/32	8,8	25	11,9	4.95	5	009000345
1/4	9,6	25	11,9	4.95	5	009000350
9/32	10,2	25	11,9	4.95	5	009000355
5/16	11,3	25	11,9	4.95	5	009000360
11/32	12,7	25	11,6	4.95	5	009000365
3/8	14,0	25	12,9	4.95	5	009000370
7/16	15,3	25	14,5	4.95	5	009000375
1/2	17,5	25	16,4	5.00	5	009000380
9/16	19,0	25	17,9	5.05	5	009000385

	£		
900AS/SB11 3/16-7/32-5/32-1/4-9/32-5/16 11/32-3/8-7/16-1/2-9/16	72.00	1	009000389

900AS/MB
bi-hex hand sockets

SAE AS 954E

"	Ø mm	L mm	Ø1 mm	£		
3/16	7,7	22	10,9	9.70	2	009000390
7/32	8,5	22	10,9	9.70	2	009000391
1/4	9,4	22	10,9	9.70	2	009000392
9/32	10,2	22	10,9	9.70	2	009000393
5/16	11,3	22	11,7	9.70	2	009000394
11/32	12,5	22	12,0	9.70	2	009000395
3/8	13,7	22	12,9	9.95	2	009000396
7/16	15,6	22	14,3	9.95	2	009000397
1/2	17,2	22	16,4	11.20	2	009000398
9/16	18,8	24	17,9	11.20	2	009000399

900AS/L
hexagon hand sockets, long series

SAE AS 954E

"	Ø mm	L mm	Ø1 mm	£		
3/16	7,0	50	12,0	11.20	2	009000301
7/32	8,5	50	12,0	11.20	2	009000303
1/4	9,8	50	12,0	11.20	2	009000305
9/32	10,5	50	12,0	11.20	2	009000307
5/16	12,0	50	12,0	11.20	2	009000309
11/32	13,0	50	13,0	11.20	2	009000311
3/8	14,0	50	14,0	11.20	2	009000313
7/16	16,0	50	16,0	11.20	2	009000315
1/2	17,5	50	17,5	11.20	2	009000317
9/16	20,0	50	20,0	11.90	2	009000319

900AS/MBL
bi-hex hand sockets, long series

"	Ø mm	L mm	Ø1 mm	£		
5/32	6,8	50	12,0	16.20	2	009000325
3/16	8,0	50	12,0	16.20	2	009000326
7/32	8,5	50	12,0	16.20	2	009000327
1/4	9,8	50	12,0	16.20	2	009000328
9/32	10,9	50	12,0	16.20	2	009000329
5/16	11,6	50	12,0	16.20	2	009000330
11/32	13,0	50	12,0	16.20	2	009000331
3/8	14,3	50	12,8	18.10	2	009000332
7/16	16,0	50	14,2	18.10	2	009000333
1/2	18,0	50	16,2	18.10	2	009000334
9/16	19,0	50	17,1	18.10	2	009000335

900U
gear lock hand sockets

mm	"			£		
4	5/32	E5	M5	4.50	5	009001702
4,5	3/16	E6		4.50	5	009001703
5	13/64		M6	4.50	5	009001704
5,5	7/32	E7		4.50	5	009001705
6	1/4	E8	M8	4.50	5	009001706
7	9/32			4.50	5	009001707
8	5/16	E10	M10	4.50	5	009001708
9	11/32			4.50	5	009001709
10	3/8	E12	M12	4.50	5	009001710
11	7/16	E14	M14	4.50	5	009001711
12	15/32	E16		4.50	5	009001712
13	1/2		M16	4.55	5	009001713
14	9/16	E18	M18	4.70	5	009001714

	£		
900U/SB13 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	78.00	1	009001750

900FTX
hand sockets for Torx® head screws

	Ø mm	L mm	Ø1 mm	£		
E4	5,4	22	11,2	9.85	5	009000404
E5	6,7	22	11,2	9.85	5	009000405
E6	7,7	22	11,2	9.85	5	009000406
E7	8,3	22	11,2	9.85	5	009000407
E8	9,6	22	11,2	9.85	5	009000408
E10	11,3	22	12,0	9.85	5	009000410
E11	12,1	22	12,5	13.20	5	009000411
E12	12,9	23	12,9	13.20	5	009000412
E14	14,0	25	14,0	13.20	5	009000414

	£		
900FTX/SB9 E4-E5-E6-E7-E8 E10-E11-E12-E14	113.50	1	009000419

900LP
socket drivers for slotted head screws

SxA mm	Ø mm	L mm	L1 mm	£		
0,8x4	12	28	9	12.10	5	009000605
1x5,5	12	28	9	12.10	5	009000610
1,2x6,5	12	28	9	12.10	5	009000615
1,2x8	13	28	8	12.10	5	009000620
1,6x10	14	28	8	12.10	5	009000625

900MC/LP
socket drivers
for slotted head screws, coloured

SxA mm	Ø mm	L mm	L1 mm		£		
0,8x4	12	28	9		19.10	3	009002605
1,2x6,5	12	28	9		19.10	3	009002615
1,2x8	13	28	8		19.10	3	009002620

900PH
socket drivers
for cross head Phillips® screws



PH	Ø mm	L mm	L1 mm	£		
1	12	28	12	13.50	5	009000701
2	12	28	12	13.50	5	009000702
3	12	28	12	13.50	5	009000703
4	13	28	11	13.50	5	009000704

	£		
900PH/SB4 PH1-PH2-PH3-PH4	63.50	1	009000708

900MC/PH
socket drivers
for cross head Phillips® screws, coloured

PH	Ø mm	L mm	L1 mm		£		
1	12	28	12		19.90	3	009002701
2	12	28	12		19.90	3	009002702
3	12	28	12		19.90	3	009002703

900PZ
socket drivers for cross head Pozidriv®-Supadriv® screws

PZ	Ø mm	L mm	£		
1	12	28	15.70	3	009000711
2	12	28	15.70	3	009000712
3	12	28	15.70	3	009000713

900ME
socket drivers for hexagon screws

mm	Ø mm	L mm	L1 mm	£		
2,5	12	25	4,5	10.80	5	009000502
3	12	25	5,0	10.80	5	009000503
4	12	25	5,6	10.80	5	009000504
5	12	25	6,3	10.80	5	009000505
6	12	25	7,6	10.80	5	009000506
7	13	25	7,2	10.80	5	009000507
8	13	25	8,7	10.80	5	009000508
10	13	25	8,7	13.50	5	009000510

	£		
900ME/SB8 2,5-3-4-5-6-7-8-10 mm	103.00	1	009000518

900PE/AS
socket drivers for hexagon screws

"	Ø mm	L mm	£		
1/8	11,9	25	26.50	5	009000521
5/32	11,9	25	26.50	5	009000522
3/16	11,9	25	26.50	5	009000523
7/32	11,9	25	26.50	5	009000524
1/4	11,9	25	26.50	5	009000525
9/32	13,1	25	26.50	5	009000526
5/16	13,1	25	26.50	5	009000527

900PT
socket drivers for 5-star head screws

	Ø mm	L mm	L1 mm	£		
PT10	12	28	12	24.30	5	009000750
PT15	12	28	12	24.30	5	009000755
PT20	12	28	12	24.30	5	009000760
PT25	12	28	12	24.30	5	009000765
PT27	12	28	12	24.30	5	009000767
PT30	12	28	12	24.30	5	009000770

900TX
1/4" socket drivers for Torx® head screws

	Ø mm	L mm	L1 mm	£		
T6	12	28	12	18.80	5	009000717
T7	12	28	12	18.80	5	009000718
T8	12	28	12	19.00	5	009000719
T9	12	28	12	19.00	5	009000720
T10	12	28	12	19.00	5	009000721
T15	12	28	12	19.00	5	009000722
T20	12	28	12	19.00	5	009000723
T25	12	28	12	19.00	5	009000724
T27	12	28	12	19.00	5	009000725
T30	12	28	12	19.00	5	009000726
T40	12	28	12	19.00	5	009000727

	£		
900TX/SB8 T9-T10-T15-T20 T25-T27-T30-T40	166.00	1	009000730

900MC/TX
socket drivers
for Torx® head screws, coloured

	Ø mm	L mm	L1 mm		£		
T10	12	28	12		20.20	3	009002721
T15	12	28	12		20.20	3	009002722
T20	12	28	12		20.20	3	009002723
T25	12	28	12		20.20	3	009002724
T27	12	28	12		20.20	3	009002725
T30	12	28	12		20.20	3	009002726
T40	12	28	12		20.20	3	009002727

900/16
adaptor, 1/4" female and 3/8" male drives

UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■	£		
28	13,0	1/4	3/8	7.75	5	009000814

900/...

1/4” female and male drive extension bars



UNI/ISO 3316 DIN 3123

	L mm	Ø mm	£		
900/20	50	11,5	6.75	5	009000818
900/20L	100	11,5	7.80	5	009000819
900/21	150	11,5	9.70	5	009000822
900/22	250	11,5	13.50	5	009000823
900/23	350	11,5	17.60	5	009000824

900AN

1/4” wobble extension bars



	L mm	Ø mm	£		
900AN/50	50	11,5	9.25	3	009000825
900AN/100	100	11,5	11.20	3	009000826

900FL

1/4” flexible universal extension bar



L mm	Ø mm	£		
150	12	11.00	3	009000828

900/25

1/4” drive universal joint

UNI/ISO 3316 DIN 3123

L mm	Ø mm	£		
41	12,5	16.90	5	009000830

900BG/30C

1/4” drive spinner handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm	£		
128	20	11.00	5	009000833

900BG/30

1/4” drive spinner handle



UNI/ISO 3315 DIN 3122

L mm	L1 mm	£		
176	68	11.30	5	009000834

900/32

1/4” drive flexible handle

L mm	L1 mm	£		
280	154	24.50	2	009000839

900/35A

1/4” drive swivel handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm	£		
148	84	40.50	5	009000840

900M/35

1/4” swivel drive with metal handle

UNI/ISO 3315 DIN 3122

L mm	£		
130	48.50	3	009000845

900/40

1/4” drive swivel T-handle

L mm	L1 mm	£		
390	145	51.50	3	009000843

900/42

1/4” drive sliding T-handle

UNI/ISO 3315 DIN 3122

L mm	A mm	£		
115	22	11.70	5	009000854

900T/44

1/4" male drive, bent, with high torque handle

L mm	L1 mm	£		
238	105	16.40	2	009000860

900/55

1/4” drive reversible ratchet, 48 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
125	25	29	60.00	5	009000870

900/55Z

Ratchet 900/55Z was developed by Beta's Technical Department with a new 72-tooth mechanism, 15 teeth being in contact with the gear at all times.

Therefore, the work load is distributed over a large number of teeth, thereby resulting in reduced wear of the individual parts and in an extremely long work life.



In addition, the 72 teeth ensure a take-up angle of no more than 5° and an extremely compact head, thereby providing quick access to smaller spaces as well.

Beta's ergonomic bi-material handle allows both quick use of the ratchet and the application of increased force.

900/55Z

1/4" drive reversible ratchet, 72 tooth mechanism

L mm	Ø mm	A mm	£		
126	25	23	60.00	3	009000882

900M/55

1/4" drive reversible ratchet with metal handle

UNI/ISO 3315
DIN 3122

L mm	Ø mm	A mm	£		
110	22	18	77.00	3	009000905

Spare parts rotating mechanism of ratchets, see table after item 929/C8

900/58

1/4" drive reversible ratchet with rotating handle, 52 tooth mechanism

- **Socket release button**
- **Ring nut reversal system on ratchet head**
- **Bi-material handle**

L mm	Ø mm	A mm	£		
126	28	28,5	99.50	2	009000884

900/C39N

11 hexagon sockets, 21 bits and 7 accessories

900/C39N			248.50	1	009000947

	861LP	0,6x4,5 - 1,2x6,5 - 1,2x8 mm
	861PH	PH1-PH2-PH3
	861PZ	PZ1-PZ2-PZ3
	861PE	2,5-3-4-5-6 mm
	861RTX	T10-T15-T20-T25-T27-T30-T40
	900	5-5,5-6-7-8-9-10-11-12-13-14 mm
	900/20	50 mm
	900/20L	100 mmm
	900/25	
	900BG/30C	128 mm
	892/0	
	895/1	
	900/55Z	126 mm

900/C39U

11 gear lock sockets, 21 bits and 7 accessories

900/C39U			250.00	1	009001947

	861LP	0,6x4,5 - 1,2x6,5 - 1,2x8 mm
	861PH	PH1-PH2-PH3
	861PZ	PZ1-PZ2-PZ3
	861PE	2,5-3-4-5-6 mm
	861RTX	T10-T15-T20-T25-T27-T30-T40
	900U	◎ 5-5,5-6-7-8-9-10-11-12-13-14 mm " 3/16-13/64-7/32-1/4-9/32-5/16 11/32-3/8-7/16-15/32-1/2-9/16 ◎ E6-E7-E8-E10-E12-E14-E16-E18 ○ M6-M8-M10-M12-M14-M16-M18
	900/20	50 mm
	900/20L	100 mmm
	900/25	
	900BG/30C	128 mm
	892/0	
	895/1	
	900/55Z	126 mm

900/C11

11 hexagon sockets, 20 bits and 8 accessories

900/C11			260.00	1	009000971

	861LP	0,5x3 - 0,8x5,5 1x5,5 - 1,2x6,5 mm
	861PE	3 - 4 - 5 - 6 - 8 mm
	861PH	0 - 1 - 2 - 3
	861TX	T8 - T10 - T15 - T20 T25 - T30 - T40
	895/1	
	900	5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	176 mm
	900/42	
	900/55	

270x120x45 mm - 1,2 kg

9899 900C11	19.30	1	098990132	
Thermoformed tray, empty				

900/C11Z

11 hexagon sockets,
20 bits and 8 accessories

	£		
900/C11Z	260.00	1	009000984

861LP	0,5x3 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
861PE	3 - 4 - 5 - 6 - 8 mm
861PH	0 - 1 - 2 - 3
861TX	T8 - T10 - T15 - T20 T25 - T30 - T40
895/1	
900	5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm
900/16	□ 1/4 - ■ 3/8
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	176 mm
900/42	
900/55Z	

350x150x50 mm - 1,2 kg

	£		
9899 900C11 Thermoformed tray, empty	19.30	1	098990132

900/C12MR

12 hexagon sockets, 20 bits and 7 accessories
in foam tray,
in metal case

	£		
900/C12MR	304.00	1	009000962

900	4-5-5,5-6-7-8-9-10-11-12-13-14 mm
900/20	50 mm
900/21	150 mm
900/25	
900/42	115 mm
900BG/30	128 mm
900/58	
895/1	
861TX	T8-T10-T15-T20-T25-T30-T40
861PH	PH0-PH1-PH2-PH3
861LP	0,5-0,8-1-1,2 mm
861PE	3-4-5-6-8 mm

350x150x50 mm 1,3 kg

900/C12MZ

12 hexagon sockets,
20 bits and 7 accessories
in foam tray

	£		
900/C12MZ	265.00	1	009000983

900	4-5-5,5-6-7-8-9-10-11-12-13-14 mm
900/20	50 mm
900/21	150 mm
900/25	
900/42	115 mm
900BG/30	176 mm
900/55Z	
895/1	
861TX	T8-T10-T15-T20-T25-T30-T40
861PH	PH0-PH1-PH2-PH3
861LP	0,5x3 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
861PE	3-4-5-6-8 mm

350x150x50 mm - 1,2 kg

900/C13-5

13 hexagon sockets and 5 accessories

	£		
900/C13-5	212.50	1	009000953

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1 kg

	£		
9899 900/C13-5 Thermoformed tray, empty	19.30	1	098990131

900/C13-8

13 hexagon sockets and 8 accessories

	£		
900/C13-8	267.00	1	009000954

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
900/16	□ 1/4 - ■ 3/8
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900MB/C19

11 bi-hex sockets and 8 accessories

	£		
900MB/C19	318.00	1	009000977

900MB	5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm
900/16	□ 1/4 - ■ 3/8
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900/C24

13 hexagon sockets, 11 socket drivers and 6 accessories

1/4"

	£		
900/C24	350.00	1	009000956

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
900LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
900PH	PH1 - PH2 - PH3
900ME	3 - 4 - 5 - 6 - 8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900MB/C28

11 bi-hex sockets, 11 socket drivers and 6 accessories

1/4"

	£		
900MB/C28	401.00	1	009000979

900MB	5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm
900LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
900PH	PH1 - PH2 - PH3
900ME	3 - 4 - 5 - 6 - 8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900MC/C24

11 hexagon sockets, 13 coloured socket drivers and 6 accessories

1/4"

	£		
900MC/C24	471.00	1	009002960

900MC	4 - 5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
900MC/PH	PH1 - PH2 - PH3
900MC/TX	T10 - T15- T20 - T25 - T27 - T30 - T40
900MC/LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1 kg

900MC/C32

11 coloured sockets, 20 coloured bits and 7 accessories

1/4"

	£		
900MC/C32	271.00	1	009002963

900MC	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
860LP	0,5x3 - 0,8x5,5 - 1,0x5,5 - 1,2x6,5 mm
860PH	0 - 1 - 2 - 3
860PE	3 - 4 - 5 - 6 - 8 mm
860TX	T8 - T10 - T15 - T20 -T25 - T30 - T40
895/1	
900/20	
900/21	
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1,2 kg

900U/C12M

12 gear lock hand sockets, 20 bits and 7 accessories, in soft foam tray

1/4" 1/4"

	£		
900U/C12M	266.00	1	009001792

900U	**4-5-5,5-6-7-8-9-10-11-12-13-14 mm** " 5/32-3/16-13/64-7/32-1/4-9/32-5/16 11/32-3/8-7/16-15/32-1/2-9/16 **E5-E6-E7-E8-E10-E12-E14-E16-E18** M5-M6-M8-M10-M12-M14-M16-M18
900/20	50 mm
900/21	150 mm
900/25	
900/42	115 mm
900BG/30	176 mm
900/55	125 mm
895/1	1/4 - □ 1/4
861LP	0,5x3 - 0,8x5,5 - 1,0x5,5 - 1,2x6,5 mm
861PE	3-4-5-6-8 mm
861PH	PH0-PH1-PH2-PH3
861TX	T8-T10-T15-T20-T25-T30-T40

350x150x50 mm - 1,2 kg

900AS/C10 - /MB-C17

10 sockets and 7 accessories

1/4"

	£		
900AS/C10	252.00	1	009000961

900AS	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

	£		
900AS/MB-C17	303.00	1	009000981

900AS/MB	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900AS/C17-MBM

10 bi-hex sockets
and 7 accessories
for aeronautical maintenance

1/4"

	£		
900AS/C17-MBM	328.00	1	009000982

900AS/MB	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900M/35	
900/42	
900M/55	

270x120x45 mm - 1,2 kg

900/C11HR

11 hexagon sockets,
20 bits and 7 accessories
in hard foam tray,
in metal case

- ratchet with rotating handle

1/4
1/4"

	£		
900/C11HR	300.00	1	009000980

861LP	0,5x3-0,8x5,5-1x5,5-1,2x6,5 mm
861PH	PH0-PH1-PH2-PH3
861PE	3-4-5-6-8 mm
861TX	T8-T10-T15-T20-T25-T30-T40
895/1	
900	5-5,5-6-7-8-9-10-11-12-13-14 mm
900/16	□ 1/4 - ■ 3/8
900/20	50 mm
900/21	150 mm
900/25	
900/42	
900BG/30	
900/58	

350x150x50 mm - 1,3 kg

902R/C6

6 adaptors for socket drivers

	£		
902R/C6	106.50	1	009020814

900/16	□ 1/4 - ■ 3/8
910/15	□ 3/8 - ■ 1/4
910/16	□ 3/8 - ■ 1/2
920/15	□ 1/2 - ■ 3/8
920/16	□ 1/2 - ■ 3/4
928/15	□ 3/4 - ■ 1/2

170x100x35 mm - 600 g

902A/C22

22 hexagon sockets and 6 accessoriesin metal case

1/4"
1/2"

	£		
902A/C22	444.00	1	009020807

900	5-5,5-6-7-8-9-10-11-12-13 mm
900/20	50 mm
900/25	
14" 900/55	
920A	10-13-14-15-17-18-19 22-24-27-30-32 mm
920/21	125 mm
920/25	
12" 920/55	

420x185x60 mm - 3,5 kg

	£		
9899 902A/C22	19.30	1	098990133

Thermoformed tray, empty

910A

hexagon hand sockets

3/8"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
6	9,5	28	16,7	8.55	5	009100006
7	10,7	28	16,7	8.55	5	009100007
8	12,1	28	16,7	8.55	5	009100008
9	13,2	28	16,7	8.55	5	009100009
10	14,6	29	16,7	8.55	5	009100010
11	15,8	29	16,7	8.55	5	009100011
12	17,2	30	17,7	9.00	5	009100012
13	18,4	31	17,0	9.00	5	009100013
14	19,7	32	17,5	9.00	5	009100014
15	20,9	32	18,0	9.00	5	009100015
16	22,2	33	18,5	10.20	5	009100016
17	23,2	33	19,0	10.20	5	009100017
18	24,7	34	20,0	10.20	5	009100018
19	25,8	35	21,0	10.20	5	009100019
20	27,2	35	22,0	10.40	5	009100020
21	28,2	36	23,0	10.40	5	009100021
22	29,7	37	24,0	10.60	5	009100022

3/8"

	£		
910A/SB17	184.00	1	009100030

6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21-22 mm

910B
bi-hex hand sockets

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
6	9,5	28	16,7	8.55	5	009100106
7	10,7	28	16,7	8.55	5	009100107
8	12,1	28	16,7	8.55	5	009100108
9	13,2	28	16,7	8.55	5	009100109
10	14,6	29	16,7	8.55	5	009100110
11	15,8	29	16,7	8.55	5	009100111
12	17,2	30	17,7	9.00	5	009100112
13	18,4	31	17,0	9.00	5	009100113
14	19,7	32	17,5	9.00	5	009100114
15	20,9	32	18,0	9.00	5	009100115
16	22,2	33	18,5	10.20	5	009100116
17	23,2	33	19,0	10.20	5	009100117
18	24,7	34	20,0	10.20	5	009100118
19	25,8	35	21,0	10.20	5	009100119
20	27,2	35	22,0	10.40	5	009100120
21	28,2	36	23,0	10.40	5	009100121
22	29,7	37	24,0	10.60	5	009100122

	£		
910B/SB17 6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21-22 mm	184.00	1	009100130

910AL
hexagon hand sockets,
long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
8	12,0	55	17	15.50	3	009100158
9	13,0	55	17	15.50	3	009100159
10	14,5	55	17	15.50	3	009100160
11	16,0	55	17	15.50	3	009100161
12	17,0	55	17	15.50	3	009100162
13	18,0	55	17	18.10	3	009100163
14	20,0	55	18	18.10	3	009100164
15	21,0	55	20	18.10	3	009100165
16	22,0	55	20	18.10	3	009100166
17	23,5	55	22	18.10	3	009100167
18	24,5	55	23	19.70	2	009100168
19	25,0	55	24	19.70	2	009100169
21	27,0	65	26	21.90	2	009100171
22	29,0	65	28	21.90	2	009100172

	£		
910AL/SB14 8-9-10-11-12-13-14 15-16-17-18-19-21-22 mm	273.00	1	009100174

910BL
bi-hex hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
8	12,0	55	17	15.50	3	009100308
9	13,0	55	17	15.50	3	009100309
10	14,5	55	17	15.50	3	009100310
11	16,0	55	17	15.50	3	009100311
12	17,0	55	17	15.50	3	009100312
13	18,0	55	17	18.10	3	009100313
14	20,0	55	18	18.10	3	009100314
15	21,0	55	20	18.10	3	009100315
16	22,0	55	20	18.10	3	009100316
17	23,5	55	22	18.10	3	009100317
18	24,5	55	23	19.70	2	009100318
19	25,0	55	24	19.70	2	009100319
21	27,0	65	26	21.90	2	009100321
22	29,0	65	28	21.90	2	009100322

	£		
910BL/SB14 8-9-10-11-12-13 14-15-16-17-18 19-21-22 mm	273.00	1	009100340

910B/SN
swivel end bi-hex hand sockets

mm	Ø mm	L mm	Ø1 mm	£		
10	14,5	48,5	19	48.00	2	009100230
11	15,8	49,5	19	48.00	2	009100231
12	17,0	50,0	19	48.00	2	009100232
13	18,3	51,0	19	48.00	2	009100233
14	19,5	51,0	19	51.50	2	009100234
15	20,8	53,5	19	51.50	2	009100235
16	22,0	53,5	19	51.50	2	009100236
17	23,3	54,5	19	51.50	2	009100237
18	24,5	54,5	19	51.50	2	009100238
19	25,8	56,5	19	51.50	2	009100239

910A/AS
hexagon hand sockets

"	Ø mm	L mm	Ø1 mm	£		
1/4	10,3	26	17,3	9.15	5	009100276
5/16	11,9	26	17,3	9.15	5	009100278
11/32	13,3	26	17,3	9.15	5	009100279
3/8	13,9	26	17,3	9.15	5	009100280
7/16	15,8	26	17,3	9.15	5	009100281
1/2	17,9	26	17,3	9.85	5	009100283
9/16	19,5	27	18,5	9.85	5	009100284
19/32	20,6	27	19,5	9.85	5	009100285
5/8	21,9	28	20,0	10.70	5	009100286
11/16	24,6	30	22,5	10.70	5	009100287
3/4	25,9	30	23,5	10.70	5	009100289
13/16	27,9	32	26,0	11.80	5	009100291
7/8	29,6	32	26,5	12.30	5	009100292

	£		
910A-AS/SB13 1/4-5/16-11/32-3/8-7/16 1/2-9/16-19/32-5/8-11/16 3/4-13/16-7/8	151.50	1	009100295

910AS
bi-hex hand sockets

"	Ø mm	L mm	Ø1 mm	£		
1/4	9,5	28	16,7	9.15	5	009100201
5/16	12,1	28	16,7	9.15	5	009100202
11/32	13,2	28	16,7	9.15	5	009100203
3/8	14,6	29	16,7	9.15	5	009100204
7/16	15,8	29	16,7	9.15	5	009100205
1/2	18,4	31	17,0	9.85	5	009100206
9/16	19,7	32	17,5	9.85	5	009100207
19/32	20,9	32	18,0	9.85	5	009100208
5/8	22,2	33	18,5	10.70	5	009100209
11/16	24,7	34	20,0	10.70	5	009100210
3/4	25,8	35	21,0	10.70	5	009100211
13/16	28,2	36	23,0	11.80	5	009100212
7/8	29,7	37	24,0	12.30	5	009100213

	£		
910AS/SB13 1/4-5/16-11/32-3/8-7/16 1/2-9/16-19/32-5/8-11/16 3/4-13/16-7/8	151.50	1	009100215

910AS/L

bi-hex hand sockets, long series

"	Ø mm	L mm	Ø1 mm	£		
1/4	10	55	17	18.10	3	009100350
5/16	12	55	17	18.10	3	009100351
3/8	14	55	17	18.10	3	009100352
7/16	16	55	17	18.10	3	009100353
1/2	18	55	17	19.70	3	009100354
9/16	20	55	18	19.70	3	009100355
19/32	21	55	20	20.50	3	009100356
5/8	22	55	20	20.50	3	009100357
11/16	23	55	22	20.50	3	009100359
3/4	25	55	24	22.30	3	009100360
13/16	27	65	26	23.60	3	009100362
7/8	29	65	28	23.60	3	009100363

	£		
910ASL/SB12 1/4-5/16-3/8-7/16 1/2-9/16-19/32-5/8-11/16 3/4-13/16-7/8	262.00	1	009100365

910AS/SN

swivel end bi-hex hand sockets

* SAE AS 954E

"	Ø mm	L mm	Ø1 mm	£		
* 3/8	14,0	48,0	19	51.50	2	009100260
* 7/16	15,8	51,0	19	51.50	2	009100261
* 1/2	18,3	51,0	19	51.50	2	009100262
* 9/16	19,5	51,0	19	51.50	2	009100263
* 5/8	22,0	53,5	19	51.50	2	009100264
11/16	24,5	54,5	19	55.00	2	009100265
3/4	25,8	56,5	19	55.00	2	009100266

910FTX

hand sockets for Torx® head screws

	Ø mm	L mm	Ø1 mm	£		
E4	6,2	26	17,3	9.95	5	009100404
E5	7,0	26	17,3	9.95	5	009100405
E6	8,3	26	17,3	9.95	5	009100406
E7	8,9	26	17,3	9.95	5	009100407
E8	9,9	26	17,3	9.95	5	009100408
E10	12,0	26	17,3	9.95	5	009100410
E11	13,3	26	17,3	9.95	5	009100411
E12	14,5	26	17,3	9.95	5	009100412
E14	15,8	26	17,3	9.95	5	009100414
E16	18,0	26	17,3	10.20	5	009100416
E18	19,5	26	18,5	11.30	3	009100418
E20	21,9	26	20,0	11.30	3	009100420

	£		
910FTX/SB9 E4-E5-E6-E7-E8 E10-E12-14-E16	105.00	1	009100430

910FTX/L

hand sockets for Torx® head screws, long series

	Ø mm	L mm	Ø1 mm	£		
E4	6,2	55	17,3	22.00	3	009100440
E5	7,0	55	17,3	22.00	3	009100441
E6	8,3	55	17,3	22.00	3	009100442
E7	8,9	55	17,3	22.00	3	009100443
E8	9,9	55	17,3	22.00	3	009100444
E10	12,0	55	17,3	22.00	3	009100445

	£		
910FTX-L/SB6 E4-E5-E6 E7-E8-E10	143.50	1	009100449

910FTX/XL

hexagon hand sockets for Torx® head screws, extra-long series

	Ø mm	L mm	Ø1 mm	£		
E6	8,0	200	18	19.30	2	009100766
E7	8,0	200	18	19.30	2	009100767
E8	10,0	200	18	19.30	2	009100768
E10	14,0	200	18	19.30	2	009100770
E11	14,0	200	18	19.30	2	009100771
E12	14,0	200	18	19.30	2	009100772
E14	17,0	200	18	21.00	2	009100774
E16	18,6	200	18	21.00	2	009100776
E18	21,5	200	18	22.30	2	009100778
E20	21,5	200	18	22.30	2	009100780

910FTX-XL/C10

set of 10 hand sockets for Torx® head screws, long series, in plastic case

	£		
910FTX/XL-C10 E6-E7-E8-E10-E11- E12-E14-E16-E18-E20	202.50	1	009100976

255x195x62 mm - 2,3 kg

910LP

socket drivers for slotted head screws

SxA mm	Ø mm	L mm	L1 mm	£		
1x5,5	18,5	54	24	18.90	2	009100452
1,2x6,5	18,5	54	24	18.90	2	009100453
1,2x8	18,5	54	24	18.90	2	009100454
1,6x9	18,5	54	24	18.90	2	009100456

910PH

socket drivers for cross head Phillips® screws

PH	Ø mm	L mm	L1 mm	£		
1	18,5	48	18	19.00	2	009100471
2	18,5	48	18	19.00	2	009100472
3	18,5	48	18	19.00	2	009100473
4	18,5	48	18	19.00	2	009100474

	£		
910PH/SB4 PH1-PH2-PH3-PH4	85.50	1	009100478

910PE
socket drivers for hexagon screws

DIN 7422

mm	Ø mm	L mm	L1 mm	£		
3	18,5	50	20	16.90	5	009100490
4	18,5	50	20	16.90	5	009100492
5	18,5	50	20	16.90	5	009100494
6	18,5	50	20	16.90	5	009100496
7	18,5	50	20	16.90	5	009100497
8	18,5	50	20	16.90	5	009100498
9	18,5	50	20	16.90	5	009100499
10	18,5	50	20	16.90	5	009100500

	£		
910PE/SB7 3-4-5-6-7-8-10 mm	131.00	1	009100503

910BP
ball head socket drivers
for hexagon screws

mm	L mm	L1 mm	£		
4L	92	62	16.20	3	009100584
5L	92	62	16.20	3	009100585
6L	92	62	16.20	3	009100586
7L	92	62	16.20	3	009100587
8L	92	62	16.20	3	009100588
10L	132	102	18.10	3	009100590

	£		
910BP/SB6L 4L-5L-6L-7L-8L-10L mm	111.00	1	009100596

910ME
socket drivers for hexagon screws

mm	Ø mm	L mm	L1 mm	£		
4	18	62	15	19.00	5	009100504
5	18	62	15	19.00	5	009100505
6	18	62	15	19.00	5	009100506
7	18	62	15	19.00	5	009100507
8	19	62	15	19.00	5	009100508
10	20	62	15	19.00	5	009100510
12	20	62	15	19.00	5	009100512

	£		
910ME/SB5 4-5-6-8-10 mm	105.50	1	009100515

910PE/AS
socket drivers for hexagon screws

"	Ø mm	L mm	L1 mm	£		
1/8	18,5	50	20	34.50	2	009100531
5/32	18,5	50	20	34.50	2	009100532
3/16	18,5	50	20	34.50	2	009100533
7/32	18,5	50	20	34.50	2	009100534
1/4	18,5	50	20	34.50	2	009100535
5/16	18,5	50	20	34.50	2	009100536
3/8	18,5	50	20	38.00	2	009100537

910PT
socket drivers for 5-star head screws



	Ø mm	L mm	L1 mm	£		
PT40	20	50	20	27.00	3	009100540
PT45	20	50	20	27.00	3	009100545
PT50	20	50	20	32.50	3	009100550

	£		
910PT/SB8 PT10-PT15-PT20-PT25 PT30-PT40-PT45-PT50	222.00	1	009100558

910TX
socket drivers for Torx® head screws

	Ø mm	L mm	L1 mm	£		
T15	18,5	50	20	19.70	5	009100519
T20	18,5	50	20	19.70	5	009100520
T25	18,5	50	20	19.70	5	009100521
T27	18,5	50	20	19.70	5	009100522
T30	18,5	50	20	19.70	5	009100523
T40	18,5	50	20	19.70	5	009100524
T45	18,5	50	20	19.70	3	009100525
T50	18,5	50	20	19.70	3	009100526

	£		
910TX/SB6 T15-T20-T25 T27-T30-T40	130.00	1	009100530

910XZN
socket drivers
with XZN® profile

	L mm	£		
M4	50	15.10	3	009100559
M5	50	15.10	3	009100560
M6	50	15.10	3	009100561
M8	50	15.10	3	009100563
M10	50	17.10	3	009100565

910CF
3/8" square drive crowfoot wrenches

mm	A mm	L mm	£		
10	21,3	32,3	12.10	2	009100135
11	23,1	34,3	12.10	2	009100136
12	25,5	36,2	14.60	2	009100137
13	26,9	37,4	14.60	2	009100138
14	30,2	40,0	15.50	2	009100139
15	33,3	41,3	16.20	2	009100140
16	33,3	41,3	18.80	2	009100141
17	38,1	46,5	21.90	2	009100142
18	38,1	46,5	21.90	2	009100143
19	39,6	48,0	21.90	2	009100144

	£		
910CF/SB10 10-11-12-13-14-15 16-17-18-19 mm	186.50	1	009100147

910/15
adaptor, 3/8" female
and 1/4" male drivers

UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■	£		
30	17,0	3/8	1/4	8.60	5	009100810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

910/16
adaptor, 3/8" female
and 1/2" male drives

UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■	£		
32	18,0	3/8	1/2	12.80	5	009100814

910/20 - 910/21 - 910/22
3/8" drive extension bars



UNI/ISO 3316 DIN 3123

	L mm	Ø mm	£		
910/20	75	17	8.10	5	009100820
910/21	125	17	13.50	5	009100822
910/22	250	17	18.10	5	009100826

910AN
3/8" wobble extension bars



	L mm	Ø mm	£		
910AN/75	75	17	12.90	3	009100827
910AN/125	125	17	16.20	3	009100828
910AN/250	250	17	24.50	3	009100829

910/25
3/8" drive universal joint

UNI/ISO 3316 DIN 3123

L mm	Ø mm	£		
54,6	19	21.10	5	009100830

910M/35
3/8" swivel drive with metal handle

UNI/ISO 3315 DIN 3122

L mm	£		
250	70.00	3	009100839

910/36A
3/8" drive swivel handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm	£		
255	154	59.00	3	009100845

910/40
3/8" drive swivel T-handle

L mm	L1 mm	£		
420	175	56.00	3	009100850

910/42
3/8" drive sliding T-handle



UNI/ISO 3315 DIN 3122

L mm	A mm	£		
210	30,5	21.00	5	009100854

910/46
3/8" square drive with speed brace



UNI/ISO 3315 DIN 3122

L mm	L1 mm	A mm	£		
315	80	115	35.00	1	009100862

910/55
3/8" drive reversible ratchet 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
200	30	33	71.00	3	009100882

910/55Q
3/8" drive reversible ratchet 48 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
200	30	33	71.00	3	009100885

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

910M/55
3/8" drive reversible ratchet
with metal handle

DIN 3122 - UNI ISO 3315

L mm	Ø mm	A mm	£		
178	30	26	97.00	2	009100875

910M/56

3/8” drive reversible swivel ratchet with metal handle

L mm	Ø mm	A mm	£		
265	31	29	130.00	2	009100887

910/58

3/8" drive reversible ratchet with rotating handle, 52 tooth mechanism

- **Socket release button**
- **Ring nut reversal system on ratchet head**
- **Bi-material handle**

L mm	Ø mm	A mm	£		
222	37	38,5	113.00	1	009100884

910.../C10

10 sockets and 2 accessories

	£		
910A/C10	220.00	1	009100909

910A	6 - 7 - 8 - 10 - 11 - 12 13 - 14 - 17 - 19 mm	
910/21	125 mm	
910/55		

270x120x45 mm - 1,3 kg

	£		
910B/C10	220.00	1	009100910

910B	6 - 7 - 8 - 10 - 11 - 12 13 - 14 - 17 - 19 mm	
910/21	125 mm	
910/55		

270x120x45 mm - 1,3 kg

910A/C16...

16 hexagon sockets and 5 accessories

	£		
910A/C16	347.00	1	009100936

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm	
910/21	125 mm	
910/22	250 mm	
910/25		
910/42		
910/55		

335x145x60 mm - 2,3 kg

	£		
9899 910C16	19.30	1	098990134

Thermoformed tray, empty

	£		
910A/C16Q	347.00	1	009100932

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm	
910/21	125 mm	
910/22	250 mm	
910/25		
910/42		
910/55Q		

335x145x60 mm - 2,3 kg

	£		
9899 910C16	19.30	1	098990134

Thermoformed tray, empty

910B/C16...

16 bi-hex sockets and 5 accessories

	£		
910B/C16	347.00	1	009100937

910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm	
910/21	125 mm	
910/22	250 mm	
910/25		
910/42		
910/55		

335x145x60 mm - 2,3 kg

	£		
9899 910C16	19.30	1	098990134

Thermoformed tray, empty

	£		
910B/C16Q	347.00	1	009100933

910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm	
910/21	125 mm	
910/22	250 mm	
910/25		
910/42		
910/55Q		

335x145x60 mm - 2,3 kg

	£		
9899 910C16	19.30	1	098990134

Thermoformed tray, empty

910A/C17

17 hexagon sockets and 9 accessories

	£		
910A/C17	511.00	1	009100938

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm	
910/15	□ 3/8 - ■ 1/4	
910/16	□ 3/8 - ■ 1/2	
910/21	125 mm	
910/22	250 mm	
910/25		
910/36A		
910/42		
910/46		
910/55		

420x280x60 mm - 4,0 kg

910.../C29

17 sockets, 12 socket drivers
and 5 accessories

3/8"

	£		
910A/C29	**586.00**	1	009100944

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
910LP	1x5,5 - 1,2x6,5 - 1,2x8 mm
910PH	PH1 - PH2 - PH3
910PE	3 - 4 - 5 - 6 - 8 - 10 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

420x185x60 mm - 3,5 kg

	£		
910B/C29	**586.00**	1	009100945

910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
910LP	1x5,5 - 1,2x6,5 - 1,2x8 mm
910PH	PH1 - PH2 - PH3
910PE	3 - 4 - 5 - 6 - 8 - 10 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

420x185x60 mm - 3,5 kg

910AS/C13...

13 bi-hex sockets and 5 accessories

3/8"

	£		
910AS/C13	**330.00**	1	009100925

910AS	1/4 - 5/16 - 11/32 - 3/8 - 7/16 1/2 - 9/16 - 19/32 - 5/8 - 11/16 3/4 - 13/16 - 7/8
910/21	125 mm
910/22	250 mm
910/42	
910/25	
910/55	

335x145x60 mm - 2,3 kg

910AS/MBM-C18

13 bi-hex sockets and 5 accessories
for aeronautical maintenance

3/8"

	£		
910AS/MBM-C18	**356.00**	1	009100926

910AS	1/4 - 5/16 - 11/32 - 3/8 - 7/16 1/2 - 9/16 - 19/32 - 5/8 - 11/16 3/4 - 13/16 - 7/8
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910M/55	

335x145x60 mm - 2,5 kg

910A/C16HR

16 hexagon sockets and 5 accessories

3/8"

	£		
910A/C16HR	**389.00**	1	009100935

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	210 mm
910/58	

335x145x60 mm - 2,4 kg

920A

hexagon hand sockets

1/2"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
8	12,4	38	21,7	**8.60**	10	009200008
9	13,5	38	21,7	**8.60**	10	009200009
10	14,9	38	21,7	**8.60**	10	009200010
11	16,1	38	21,7	**8.60**	10	009200011
12	17,5	38	21,7	**8.60**	10	009200012
13	18,7	38	21,7	**9.00**	10	009200013
14	20,1	38	21,7	**9.00**	10	009200014
15	21,5	38	22,5	**9.00**	10	009200015
16	22,7	38	23,7	**9.35**	10	009200016
17	24,1	38	23,1	**9.35**	10	009200017
18	25,3	39	24,0	**9.35**	10	009200018
19	26,6	39	24,0	**9.35**	10	009200019
20	27,8	40	25,0	**9.45**	5	009200020
21	28,8	40	25,0	**9.45**	5	009200021
22	29,9	41	26,0	**9.45**	5	009200022
23	30,8	42	26,0	**9.55**	5	009200023
24	32,2	43	27,0	**9.55**	5	009200024
25	33,2	44	27,0	**9.55**	5	009200025
26	34,7	45	28,0	**9.95**	5	009200026
27	36,2	46	29,0	**9.95**	5	009200027
28	37,2	47	30,0	**9.95**	5	009200028
29	38,6	48	31,0	**10.50**	5	009200029
30	40,2	48	32,0	**10.50**	5	009200030
32	42,3	49	34,0	**11.20**	5	009200032

1/2"

	£		
920A/SB13 10-11-12-13-14-15-16 17-18-19-20-21-22 mm	**138.50**	1	009200040

1/2"

	£		
920A/SB8 23-24-25-26-27-28-30-32 mm	**94.50**	1	009200042

920MC
hexagon hand sockets, coloured



mm	Ø mm	L mm	Ø1 mm		£		
8	13,2	38	22		9.00	5	009202008
10	15,3	38	22		9.00	5	009202010
11	16,5	38	22		9.00	5	009202011
12	17,8	38	22		9.00	5	009202012
13	19,0	38	22		9.55	5	009202013
14	20,3	38	22		9.55	5	009202014
15	21,6	38	22		9.55	5	009202015
16	23,0	38	23		9.85	5	009202016
17	23,9	38	24		9.85	5	009202017
18	25,0	38	25		9.85	5	009202018
19	26,5	38	24		9.85	5	009202019
21	28,8	38	27		10.10	3	009202021
22	29,9	40	28		10.10	3	009202022
24	32,8	40	30		10.30	3	009202024

920B
bi-hex hand sockets

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
8	12,4	38	21,7	8.60	10	009200108
9	13,5	38	21,7	8.60	10	009200109
10	14,9	38	21,7	8.60	10	009200110
11	16,1	38	21,7	8.60	10	009200111
12	17,5	38	21,7	8.60	10	009200112
13	18,7	38	21,7	9.00	10	009200113
14	20,1	38	21,7	9.00	10	009200114
15	21,5	38	22,5	9.00	10	009200115
16	22,7	38	23,7	9.35	10	009200116
17	24,1	38	23,1	9.35	10	009200117
18	25,3	39	24,0	9.35	10	009200118
19	26,6	39	24,0	9.35	10	009200119
20	27,8	40	25,0	9.45	5	009200120
21	28,8	40	25,0	9.45	5	009200121
22	29,9	41	26,0	9.45	5	009200122
23	30,8	42	26,0	9.55	5	009200123
24	32,2	43	27,0	9.55	5	009200124
25	33,2	44	27,0	9.55	5	009200125
26	34,7	45	28,0	9.95	5	009200126
27	36,2	46	29,0	9.95	5	009200127
28	37,2	47	30,0	9.95	5	009200128
29	38,6	48	31,0	10.50	5	009200129
30	40,2	48	32,0	10.50	5	009200130
32	42,3	49	33,9	11.20	5	009200132

	£		
920B/SB13 10-11-12-13-14-15-16 17-18-19-20-21-22 mm	138.50	1	009200140

	£		
920B/SB8 23-24-25-26-27 28-30-32 mm	94.50	1	009200142

920AL
hexagon hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
10	14,7	77	21	21.00	5	009200626
12	17,8	77	21	21.00	5	009200627
13	19,0	77	22	21.00	5	009200628
14	20,3	77	22	21.00	5	009200629
15	21,5	77	22	21.00	5	009200630
16	22,8	77	22	21.00	5	009200631
17	24,0	77	23	21.00	5	009200632
18	25,0	77	24	23.00	5	009200633
19	26,5	77	25	23.00	5	009200634
21	29,0	77	27	25.50	5	009200635
22	30,0	77	28	25.50	5	009200636
23	31,5	77	29	25.50	5	009200637
24	32,8	77	30	29.00	5	009200638
27	36,5	77	33	30.50	3	009200639
30	40,0	77	36	34.00	3	009200640
32	42,8	77	38	34.50	3	009200641
36	48,0	77	41	60.50	3	009200642

	£		
920AL/SB11 10-12-13-14-15-16 17-18-19-21-22 mm	262.00	1	009200644

920BL
bi-hex hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
10	14,7	77	21	21.00	5	009200310
12	17,8	77	21	21.00	5	009200312
13	19,0	77	22	21.00	5	009200313
14	20,3	77	22	21.00	5	009200314
15	21,5	77	22	21.00	5	009200315
16	22,8	77	22	21.00	5	009200316
17	24,0	77	23	21.00	5	009200317
18	25,0	77	24	23.00	5	009200318
19	26,5	77	25	23.00	5	009200319
21	29,0	77	27	25.50	5	009200321
22	30,0	77	28	25.50	5	009200322
23	31,5	77	29	25.50	5	009200323
24	32,8	77	30	29.00	5	009200324
27	36,5	77	33	30.50	3	009200327
30	40,0	77	36	34.00	3	009200330
32	42,8	77	38	34.50	3	009200332
36	48,0	77	41	60.50	3	009200336

	£		
920BL/SB11 10-12-13-14-15-16-17-18 19-21-22 mm	262.00	1	009200338

920A/AS
hexagon hand sockets

"	Ø mm	L mm	Ø1 mm	£		
3/8	14,6	37	21	9.55	2	009200270
7/16	16,5	37	21	9.55	3	009200272
1/2	19,0	37	22	9.70	3	009200273
9/16	20,3	37	22	9.70	3	009200274
19/32	21,0	37	22	10.50	3	009200275
5/8	22,8	37	22	10.50	3	009200276
11/16	25,0	37	24	10.70	3	009200277
3/4	26,5	38	25	10.70	3	009200279
25/32	28,0	38	26	11.10	3	009200280
13/16	29,0	38	27	11.10	3	009200281
7/8	30,0	40	28	11.10	3	009200282
15/16	32,8	42	30	12.00	3	009200284
1	35,0	42	32	12.00	3	009200285
1.1/16	36,5	43	33	13.20	2	009200287
1.1/8	39,0	43	35	15.20	2	009200289
1.3/16	41,0	46	36	15.90	2	009200290
1.1/4	42,8	46	38	15.90	2	009200292

	£		
920A-AS/SB11 3/8-7/16-1/2-9/16-5/8 11/16-3/4-13/16-7/8 15/16-1	134.50	1	009200295

920AS
bi-hex hand sockets

"	Ø mm	L mm	Ø1 mm	£		
3/8	14,9	38	21,7	9.55	3	009200201
7/16	16,1	38	21,7	9.55	3	009200202
1/2	18,7	38	21,7	9.70	3	009200203
9/16	20,1	38	21,7	9.70	3	009200204
5/8	22,7	38	22,5	10.50	3	009200206
19/32	21,5	38	23,7	10.50	3	009200207
11/16	25,3	39	24,0	10.70	3	009200208
3/4	26,6	39	24,0	10.70	3	009200209
25/32	27,8	40	25,0	11.10	3	009200210
13/16	28,8	40	25,0	11.10	3	009200211
7/8	29,9	41	26,0	11.10	3	009200212
15/16	32,2	43	27,0	12.00	3	009200214
1	34,2	45	28,0	12.00	3	009200216
1.1/16	36,2	46	29,0	13.20	2	009200217
1.1/8	38,6	48	31,0	15.20	2	009200218
1.3/16	40,2	48	32,0	15.90	2	009200219
1.1/4	42,3	49	33,5	15.90	2	009200220

	£		
920AS/SB11 3/8-7/16-1/2-9/16-5/8 11/16-3/4-13/16-7/8 15/16-1	134.50	1	009200225

920AS/L
bi-hex hand sockets, long series

"	Ø mm	L mm	Ø1 mm	£		
1/2	19,0	77	22	24.30	2	009200352
9/16	20,3	77	22	24.30	2	009200353
5/8	22,8	77	22	24.30	2	009200355
11/16	25,0	77	24	24.90	2	009200357
3/4	26,5	77	25	25.50	2	009200358
13/16	29,0	77	27	31.00	2	009200360
7/8	30,0	77	28	31.00	2	009200361
15/16	32,8	77	30	33.00	2	009200362
1	35,0	77	32	33.50	2	009200363
1.1/16	36,5	77	33,0	37.00	2	009200364
1.1/8	37,8	77	34	37.50	2	009200365

	£		
920ASL/SB11 1/2-9/16-5/8-11/16 3/4-13/16-7/8-15/16 1-1.1/8-1.1/16	344.00	1	009200369

920U
gear lock hand sockets

mm	"			L mm	£		
10	3/8	E12	M12	38	8.90	5	009201710
11	7/16	E14	M14	38	8.90	5	009201711
12	15/32	E16		38	8.90	5	009201712
13	1/2		M16	38	9.45	5	009201713
14	9/16	E18	M18	38	9.45	5	009201714
15	19/32			38	9.45	5	009201715
16	5/8	E20		38	9.70	5	009201716
17				38	9.70	5	009201717
18		E22		38	9.70	5	009201718
19	3/4	E24		38	9.70	5	009201719
20	25/32			38	9.85	3	009201720
21				38	9.85	3	009201721
22	7/8			38	9.85	3	009201722
24	15/16			38	10.10	3	009201724
27	1.1/16			42	10.30	3	009201727
30	1.1/18			44	10.80	3	009201730
32	1.1/4			44	11.80	3	009201732

	£		
920U/SB13 10-11-12-13-14-15-16 17-18-19-20-21-22 mm	143.50	1	009201740

	£		
920U/SB4 24-27-30-32 mm	52.50	1	009201744

920FTX
hand sockets for Torx® head screws

	Ø mm	L mm	Ø1 mm	£		
E10	13,2	36	21	12.20	5	009200380
E12	15,0	37	21	12.20	5	009200381
E14	16,3	37	21	12.20	5	009200382
E16	18,8	37	22	12.20	5	009200383
E18	20,4	37	22	12.20	5	009200384
E20	22,9	37	22	13.90	5	009200385
E22	25,0	37	24	15.50	3	009200387
E24	26,5	40	25	19.00	3	009200388

	£		
920FTX/SB6 E10-E12-E14 E16-E18-E20	86.50	1	009200390

	£		
920FTX/C8 E10-E12-E14-E16 E18-E20-E22-E24	155.00	1	009200391

270X120X45 mm - 1 kg

920FTX/L
hand sockets for Torx® head screws, long series

	Ø mm	L mm	Ø1 mm	£		
E10	13,2	77	21,0	24.80	5	009200400
E12	15,0	77	21,0	24.80	5	009200401
E14	16,3	77	21,0	24.80	5	009200402
E16	18,8	77	21,8	24.80	3	009200403
E18	20,4	77	21,8	24.80	3	009200404
E20	22,9	77	22,0	24.80	3	009200405

	£		
920FTX-LSB6 E10-E12-E14 E16-E18-E20	160.50	1	009200409

920LP
socket drivers for slotted head screws



SxA mm	Ø mm	L mm	L1 mm	£		
1x5,5	22,5	62	24	20.40	3	009200452
1,2x6,5	22,5	62	24	20.40	3	009200453
1,2x8	22,5	62	24	20.40	3	009200454
1,6x9	22,5	62	24	20.40	3	009200456
2x12	22,5	62	24	20.40	3	009200458

920PH
socket drivers for cross head Phillips® screws

PH	Ø mm	L mm	L1 mm	£		
1	22,5	56	18	17.60	3	009200471
2	22,5	56	18	17.60	3	009200472
3	22,5	56	18	17.60	3	009200473
4	22,5	56	18	17.60	3	009200474

	£		
920PH/SB4 PH1-PH2-PH3-PH4	80.00	1	009200479

920LH/SB7
socket drivers for cross head Phillips® screws

	£		
920LH/SB7	147.00	1	009200478
920LP	1,2x6,5 - 1,2x8 1,6x9 - 2x12 mm		
920PH	PH2 - PH3 - PH4		

920PE
socket drivers for hexagon screws



DIN 7422

mm	Ø mm	L mm	L1 mm	£		
3	22,5	58	20	16.90	5	009200410
4	22,5	58	20	16.90	5	009200412
5	22,5	58	20	16.90	5	009200414
5L	22,5	100	62	18.10	5	009200415
6	22,5	58	20	16.90	5	009200417
6L	22,5	100	62	18.10	5	009200418
7	22,5	58	20	16.90	5	009200420
7L	22,5	100	62	18.10	5	009200421
8	22,5	58	20	16.90	5	009200423
8L	22,5	100	62	18.10	5	009200424
9	22,5	58	20	16.90	5	009200425
9L	22,5	140	102	19.00	5	009200426
10	22,5	58	20	16.90	5	009200428
10L	22,5	140	102	19.00	5	009200429
12	23,0	58	20	19.70	5	009200432
12L	22,5	140	102	22.60	5	009200433
14	23,0	58	20	19.70	5	009200434
14L	22,5	140	102	22.60	5	009200435
17	29,5	60	22	24.30	5	009200437
19	29,5	60	22	24.30	5	009200439

920PE/SB9 £ 173.00 — 1 — 009200441
4-5-6-8-10 mm
5L-6L-8L-10L mm

920PE/C10 £ 235.00 — 1 — 009200443
4-5-6-7-8-10
12-14-17-19 mm

270X120X45 mm - 1,5 kg

9899 920PE/C10 £ 19.30 — 1 — 098990135
Thermoformed tray, empty

920PE/AS
socket drivers for hexagon screws

"	Ø mm	L mm	L1 mm	£		
1/8	22,5	58	20	20.50	2	009200460
3/16	22,5	58	20	20.50	2	009200461
1/4	22,5	58	20	20.50	2	009200463
3/8	22,5	58	20	20.50	2	009200464
1/2	22,5	60	20	21.10	2	009200465
3/4	22,5	60	20	22.30	1	009200468

920PE-AS/SB6 £ 137.00 — 1 — 009200469
1/8-3/16-1/4-3/8-1/2-3/4

920BP
ball head socket drivers
for hexagon screws



mm	Ø mm	L mm	L1 mm	£		
5L	22,5	100	62	21.90	5	009200490
5XL	22,5	240	202	25.50	1	009200495
6L	22,5	100	62	21.90	5	009200491
6XL	22,5	240	202	25.50	1	009200496
7L	22,5	100	62	21.90	5	009200492
8L	22,5	100	62	21.90	5	009200493
8XL	22,5	240	202	25.50	1	009200497
10L	22,5	140	102	22.30	5	009200494

920BP/SB8 £ 200.50 — 1 — 009200500
5L-6L-7L-8L-10L mm
5XL-6XL-8XL mm

920ME
socket drivers for hexagon screws

mm	Ø mm	L mm	L1 mm	£		
5	21	75	15,5	19.70	5	009200505
6	21	75	15,5	19.70	5	009200506
7	21	75	15,5	19.70	5	009200507
8	21	75	15,5	19.70	5	009200508
10	23	75	15,5	19.70	5	009200510
12	24	75	15,5	21.90	5	009200512
14	24	75	15,5	21.90	5	009200514
17	24	75	15,5	21.90	5	009200517

920ME/SB7 £ 157.50 — 1 — 009200519
5-6-8-10-12-14-17 mm

920ME/C7 £ 181.00 — 1 — 009200518
5-6-8-10-12-14-17 mm

250X100X35 mm - 1,4 kg

920TX
socket drivers for Torx® head screws

Ø mm	L mm	L1 mm	£		
T20	22,5	58	20	19.00	5	009200520
T20L	22,5	120	82	26.00	3	009200530
T25	22,5	58	20	19.00	5	009200521
T25L	22,5	120	82	26.00	3	009200531
T27	22,5	58	20	19.00	5	009200522
T27L	22,5	120	82	26.00	3	009200533
T30	22,5	58	20	19.00	5	009200523
T30L	22,5	120	82	26.00	3	009200534
T40	22,5	58	20	19.00	5	009200524
T40L	22,5	120	82	26.00	3	009200535
T45	22,5	58	20	19.00	5	009200525
T45L	22,5	120	82	26.00	3	009200537
T50	22,5	58	20	19.70	5	009200526
T50L	23,0	140	102	26.00	3	009200538
T55	23,0	58	20	25.00	3	009200527
T55L	23,0	140	102	37.50	3	009200539
T60	23,0	58	20	25.00	3	009200528
T60L	23,0	140	102	37.50	3	009200540
T70L	23,0	120	82	37.50	3	009200541

920TX/SB9 £ 198.50 — 1 — 009200532
T20-T25-T27-T30
T40-T45-T50-T55-T60

920TX-L/SB10 £ 311.00 — 1 — 009200545
T20L-T25L-T27L-T30L-T40L-
T45L-T50L-T55L-T60L-T70L

920TX/C9 £ 229.00 — 1 — 009200546
T20-T25-T27-T30-T40
T45-T50-T55-T60

270X120X45 mm - 1,2 kg

9899 920TX/C9 £ 19.30 — 1 — 098990136
Thermoformed tray, empty

920RTX
socket drivers
for Tamper Resistant Torx® head screws

	Ø mm	L mm	L1 mm	£		
T20	22,5	58	20	18.10	5	009200370
T25	22,5	58	20	18.10	5	009200371
T27	22,5	58	20	18.10	5	009200372
T30	22,5	58	20	18.10	5	009200373
T40	22,5	58	20	18.10	5	009200374

920RTX/SB5 — £ 101.00 — 1 — 009200378
T20-T25-T27-T30-T40

920XZN
socket drivers with XZN® profile



DIN 2324

	Ø mm	L mm	L1 mm	£		
M4	22,5	58	20	21.10	3	009200559
M5	22,5	58	20	21.10	3	009200560
M6	22,5	58	20	21.10	3	009200561
M6L	22,5	100	62	23.20	3	009200562
M8	22,5	58	20	21.10	3	009200563
M8L	22,5	100	62	23.20	3	009200564
M9	22,5	58	20	21.10	3	009200582
M9L	22,5	100	62	23.20	3	009200583
M10	22,5	58	20	21.10	3	009200565
M10L	22,5	100	62	23.20	3	009200566
M12	22,5	58	20	21.90	3	009200568
M12L	22,5	100	62	23.90	3	009200569
M14	23,0	58	20	21.90	3	009200571
M14L	23,0	100	62	23.90	3	009200572
M16	23,0	58	20	28.00	3	009200573
M18	23,0	58	20	28.50	3	009200574

920XZN/SB7 — £ 162.00 — 1 — 009200579
M4-M5-M6-M8
M10-M12-M14

920XZN/SB12 — £ 293.00 — 1 — 009200577
M5-M6-M8-M10-M12
M14-M16-M6L-M8L
M10L-M12L-M14L

920XZN-L/S5 — £ 117.50 — 1 — 009200578
M6L-M8L-M10L
M12L-M14L

920ES
special form socket drivers



UNI 9326

Ø mm		L mm	L1 mm	£		
7	(6R)	58	20	28.50	5	009200587
7XL	(6R)	240	202	39.00	1	009200607
9	(8R)	58	20	28.50	5	009200589
9XL	(8R)	240	202	39.00	1	009200609
10	(8S)	58	20	28.50	5	009200590
10XL	(8S)	240	202	39.00	1	009200610
11	(10R)	58	20	28.50	5	009200591
11XL	(10R)	240	202	39.00	1	009200611
12L	(10S)	100	62	36.50	3	009200592
12XL	(10S)	240	202	42.00	1	009200612
14L	(12S)	100	62	36.50	3	009200594
14XL	(12S)	240	202	42.00	1	009200614
16L	(14R)	100	62	36.50	3	009200596
16XL	(14R)	240	202	42.00	1	009200616

920ES/SB7 — £ 236.50 — 1 — 009200598
7-9-10-11-12L-14L-16L

920ES-XL/SB7 — £ 295.00 — 1 — 009200618
7XL-9XL-10XL-11XL
12XL-14XL-16XL

PM 1/2-Q5

PM 1/2-Q5 — 72,560

920/15
adaptor, 1/2" female
and 3/8" male drives

UNI/ISO 3316 DIN 3123

L mm	□	■	Ø mm	£		
42	1/2	3/8	22,0	12.10	5	009200810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

920/16
adaptor, 1/2" female
and 3/4" male drives

UNI/ISO 3316 DIN 3123

L mm	□	■	Ø mm	£		
46	1/2	3/4	26	16.20	5	009200814

920/20÷920/23
1/2" drive extension bars

UNI/ISO 3316 DIN 3123

	L mm	Ø mm	£		
920/20	75	22	15.70	5	009200818
920/21	125	22	19.70	5	009200822
920/22	255	22	22.30	5	009200826
920/23	375	22	26.00	2	009200827

920AN
1/2" wobble extension bars



	L mm	Ø mm	£		
920AN/50	50	22	13.60	5	009200833
920AN/125	125	22	20.50	5	009200834
920AN/250	250	22	28.00	3	009200835
920AN/375	375	22	42.00	3	009200836

920/25
1/2” drive universal joint

UNI/ISO 3316 DIN 3123

L mm	Ø mm	£		
75	27	23.90	5	009200830

920/35A
1/2” drive swivel handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm	£		
285	160	68.00	3	009200846

920M/35
1/2” swivel drive with metal handle

UNI/ISO 3315 DIN 3122

L mm	£		
380	89.50	2	009200845

920M/35L
1/2” swivel drive with metal handle, long series

L mm	£		
600	141.50	1	009200843

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

920/36A
1/2” drive swivel handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm	£		
408	283	73.50	2	009200847

920/38
1/2" extension drive swivel handle

L mm	L max mm	£		
262	402	99.50	1	009200839

920/40
1/2” drive swivel T-handle

L mm	L1 mm	£		
490	230	80.00	2	009200850

920/42
1/2” drive sliding T handle



UNI/ISO 3315 DIN 3122

L mm	A mm	£		
305	42	19.70	5	009200854

920/44
1/2” drive offset handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm	£		
230	60	34.00	3	009200858

920/46
1/2” drive with speed brace



UNI/ISO 3315 DIN 3122

L mm	L1 mm	A mm	£		
385	110	160	37.50	1	009200862

920/50
1/2” push-through drive ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
275	40	42	77.00	3	009200871

920/50F
1/2” female square drive ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
275	40	27	73.50	2	009200889

920/55
1/2" drive reversible ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
275	40	43	92.00	3	009200882

920/55Q
1/2” drive reversible ratchet, 48 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
275	40	43	92.00	3	009200885

920/55X

1/2” drive reversible ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
200	30	33	75.50	3	009200895

920/55LC

1/2” drive reversible ratchet
“Locking System”, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
275	40	43	95.50	2	009200896

920M/55

1/2”drive reversible ratchet
with metal handle



L mm	Ø mm	A mm	£		
253	38	35	111.00	1	009200893

920/56A

1/2” drive swivel reversible ratchet,
72 teeth

L mm	Ø mm	A mm	£		
315	40	43	136.00	1	009200911

920M/56

1/2” drive reversible swivel ratchet
with metal handle

L mm	Ø mm	A mm	£		
330	38	35,7	143.50	2	009200894

920/58

1/2" drive reversible ratchet
with rotating handle,
52 tooth mechanism

- **Socket release button**
- **Ring nut reversal system on ratchet head**
- **Bi-material handle**

L mm	Ø mm	A mm	£		
281	42,5	45	125.50	1	009200926

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

920.../C11

11 sockets and 2 accessories

	£		
920A/C11	253.00	1	009200921

- 920A — 10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm
- 920/22 — 255 mm
- 920/50

335x145x60 mm - 2,5 kg

	£		
920B/C11	253.00	1	009200922

- 920B — 10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm
- 920/22 — 255 mm
- 920/50

335x145x60 mm - 2,5 kg

920.../C12...

12 sockets and 5 accessories

	£		
920A/C12X	357.00	1	009200933

- 920A — 10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/55

420x185x60 mm - 4,2 kg

	£		
9899 920C12	19.30	1	098990116

Thermoformed tray, empty

	£		
920A/C12	342.00	1	009200931

- 920A — 10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/50

420x185x60 mm - 4,2 kg

9899 920C12 — £ 19.30 — 1 — 098990116
Thermoformed tray, empty

920B/C12X — £ 357.00 — 1 — 009200934
- 920B — 10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/55
420x185x60 mm - 4,0 kg

9899 920C12 — £ 19.30 — 1 — 098990116
Thermoformed tray, empty

920B/C12 — £ 342.00 — 1 — 009200932
- 920B — 10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/50
420x185x60 mm - 4,0 kg

9899 920C12 — £ 19.30 — 1 — 098990116
Thermoformed tray, empty

920MC/C14
14 coloured hexagon hand sockets and 5 accessories

12"

920MC/C14 — £ 379.00 — 1 — 009202964
- 920MC — 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/55
420x185x60 mm - 4,2 kg

920.../C20...
20 sockets and 5 accessories

12"

920A/C20X — £ 433.00 — 1 — 009200950
- 920A — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/55
420x185x60 mm - 5,1 kg

9899 920C20 — £ 19.30 — 1 — 098990121
Thermoformed tray, empty

920A/C20 — £ 418.00 — 1 — 009200948
- 920A — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/50
420x185x60 mm - 5,1 kg

9899 920C20 — £ 19.30 — 1 — 098990121
Thermoformed tray, empty

920A/C20Q — £ 433.00 — 1 — 009200955
- 920A — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/55Q
420x185x60 mm - 5,1 kg

9899 920C20 — £ 19.30 — 1 — 098990121
Thermoformed tray, empty

920B/C20 — £ 418.00 — 1 — 009200949
- 920B — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/50
420x185x60 mm - 5,0 kg

9899 920C20 — £ 19.30 — 1 — 098990121
Thermoformed tray, empty

920B/C20X — £ 433.00 — 1 — 009200951
- 920B — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/55
420x185x60 mm - 5,0 kg

9899 920C20 — £ 19.30 — 1 — 098990121
Thermoformed tray, empty

920.../C21...
21 sockets and 6 accessories

12"

920A/C21 — £ 477.00 — 1 — 009200952
- 920A — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/46
- 920/50
420x280x60 mm - 6,5 kg

920A/C21X — £ 492.00 — 1 — 009200983
- 920A — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/46
- 920/55
420x280x60 mm - 6,4 kg

920B/C21 — £ 477.00 — 1 — 009200953
- 920B — 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
- 920/21 — 125 mm
- 920/22 — 255 mm
- 920/25
- 920/42
- 920/46
- 920/50
420x280x60 mm - 6,4 kg

	£		
920B/C21X	**492.00**	1	009200984

	920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/46	
	920/55	

420x280x60 mm - 6,4 kg

920B/C30Q

30 bi-hex sockets and 5 accessories

1/2"

	£		
920B/C30Q	**693.00**	1	009200975

	920B	8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 20 - 21 22 -23 - 24 - 26 - 27 - 30 mm
	920BL	12 - 13 - 14 - 17 - 19 - 21 22 - 24 - 27 - 30 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55Q	

420x280x60 mm - 7,6 kg

920.../C33

20 sockets, 13 socket drivers and 5 accessories

1/2"

	£		
920A/C33	**683.00**	1	009200985

	920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
	920LP	1,2x8 - 1,6x9 - 2x12 mm
	920PH	PH2 - PH3 - PH4
	920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	

420x280x60 mm - 6,7 kg

	£		
920B/C33	**683.00**	1	009200986

	920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
	920LP	1,2x8 - 1,6x9 - 2x12 mm
	920PH	PH2 - PH3 - PH4
	920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	

420x280x60 mm - 6,7 kg

920A/C17M - 920A/C17MR

Assortment of 17 hexagon sockets and 5 accessories in foam tray, in metal case

1/2"

	£		
920A/C17M	**404.00**	1	009200924

	920A	10-11-12-13-14-15-16-17-18 19-20-21-22-24-27-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	305 mm
	920/55	

420x185x60 mm - 5 kg

	£		
9899 920C17	**35.50**	1	098990137

Soft module, empty

	£		
920A/C17MR	**437.00**	1	009200937

	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	305 mm
	920/58	

420x185x60 mm 5,1 kg

920/C37

37 bi-hex sockets and 5 accessories

1/2"

	£		
920/C37	**644.00**	1	009200988

	920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
	920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 5/8 - 11/16 - 3/4 - 25/32 - 13/16 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 1.3/16 - 1.1/4
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	

420x280x60 mm - 7,5 kg

920AS/C10
10 bi-hex sockets and 2 accessories

12"

	£		
920AS/C10	257.00	1	009200919

920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 11/16 - 3/4 - 13/16 - 7/8 - 15/16
920/22	255 mm
920/50	

335x145x60 mm - 2,6 kg

920AS/C15
15 bi-hex sockets and 6 accessories

12"

	£		
920AS/C15	455.00	1	009200947

920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 3/4 - 13/16 - 7/8 - 15/16 - 1 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/46	
920/50	

420x280x60 mm - 5,9 kg

920AS/C17X
17 bi-hex sockets and 5 accessories

12"

	£		
920AS/C17X	442.00	1	009200942

920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 - 5/8 11/16 - 3/4 - 25/32 - 13/16 - 7/8 15/16 - 1 - 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x185x60 mm - 4,8 kg

920AS/MBM-C21
16 bi-hex sockets and 5 accessories for aeronautical maintenance

12"

	£		
920AS/MBM-C21	446.00	1	009200944

920AS	3/8 - 7/16 - 1/2 - 9/16 19/32 - 5/8 - 11/16 - 3/4 25/32 - 13/16 - 7/8 - 15/16 1 - 1.1/16 - 1.3/16 - 1.1/4
920M/55	
920/21	125 mm
920/22	255 mm
920/25	
920/42	

420x185x60 mm - 5,0 kg

920TX/C17
6 bits , 6 sockets, 5 socket drivers and 4 accessories for Torx® head screws

12"

	£		
920TX/C17	409.00	1	009200989

861TX	T8 - T10 - T15 - T20 - T25 - T27
897	
920TX	T27 - T30 - T40 - T45 - T50
920FTX	E10 - E12 - E14 - E16 - E18 - E20
920/20	75 mm
920/22	255 mm
920/55	

420x185x60 mm - 2,9 kg

920A/C17HR
17 hexagon sockets and 5 accessories in hard foam tray, in metal case

- **ratchet with rotating handle**

12"

	£		
920A/C17HR	437.00	1	009200939

920A	10-11-12-13-14-15-16-17-18 19-20-21-22-24-27-30-32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/58	

420x185x60 mm - 5,1 kg

920U/C17M

17 gear lock hand sockets
and 5 accessories,
in soft foam tray

12"

	£		
920U/C17M	**410.00**	1	009201797

920U ◎ **10-11-12-13-14-15-16-17-18-19-20 21-22-24-27-30-32 mm**
" 3/8-7/16-15/32-1/2-9/16-19/32-5/8-3/4 25/32-7/8-15/16-1.1/16-1.1/8-1.1/4
○ **M12-M14-M16-M18**
◎ E12-E14-E16-E18-E20-E22-E24

920/21 125 mm

920/22 255 mm

920/25

920/42 305 mm

920/55 275 mm

420x185x60 mm - 5 kg

	£		
9899 920C17	**35.50**	1	098990137
Soft module, empty			

928A

hexagon hand sockets

34"

UNI/ISO 2725
DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
19	29,2	50	34	**17.60**	5	009280019
21	30,0	51	34	**17.60**	5	009280021
22	31,3	53	34	**17.60**	5	009280022
23	33,3	53	34	**17.70**	5	009280023
24	34,5	53	34	**17.70**	5	009280024
26	36,8	55	35	**20.40**	5	009280026
27	38,0	56	35	**20.40**	5	009280027
28	39,0	57	35	**21.00**	3	009280028
29	40,2	58	35	**21.20**	3	009280029
30	41,5	58	37	**21.60**	3	009280030
32	44,3	60	37	**23.90**	3	009280032
33	45,8	60	37	**25.00**	3	009280033
34	46,8	60	37	**25.50**	3	009280034
35	48,1	62	38	**28.50**	3	009280035
36	49,5	64	38	**28.50**	3	009280036
38	52,0	68	40	**31.00**	3	009280038
41	56,0	71	40	**34.50**	3	009280041
46	62,3	75	43	**38.00**	3	009280046
50	67,4	80	43	**43.50**	3	009280050
55	73,7	84	48	**50.50**	1	009280055
60	80,0	87	48	**55.00**	1	009280060

928B

bi-hex hand sockets

34"

UNI/ISO 2725
DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
19	29,2	50	34	**17.60**	5	009280119
21	30,0	51	34	**17.60**	5	009280121
22	31,3	53	34	**17.60**	5	009280122
23	33,3	53	34	**17.70**	5	009280123
24	34,5	53	34	**17.70**	5	009280124
26	36,8	55	35	**20.40**	5	009280126
27	38,0	56	35	**20.40**	5	009280127
28	39,0	57	35	**21.00**	3	009280128
29	40,2	58	35	**21.20**	3	009280129
30	41,5	58	37	**21.60**	3	009280130
32	44,3	60	37	**23.90**	3	009280132
33	45,8	60	37	**25.00**	3	009280133
34	46,8	60	37	**25.50**	3	009280134
35	48,1	62	38	**28.50**	3	009280135
36	49,5	64	38	**28.50**	3	009280136
38	52,0	68	40	**31.00**	3	009280138
41	56,0	71	40	**34.50**	3	009280141
46	62,3	75	43	**38.00**	3	009280146
50	67,4	80	43	**43.50**	3	009280150
55	73,7	84	48	**50.50**	1	009280155
60	80,0	87	48	**55.00**	1	009280160

928AS

hexagon hand sockets

34"

"	Ø mm	L mm	Ø1 mm	£		
7/8	32,0	53	34	**20.50**	1	009280202
15/16	34,5	53	34	**20.50**	1	009280203
1	36,2	55	35	**23.60**	1	009280204
1.1/16	38,0	56	35	**23.90**	1	009280205
1.1/8	40,2	58	35	**24.50**	1	009280206
1.1/4	44,2	60	37	**25.50**	1	009280208
1.5/16	45,8	60	37	**26.00**	1	009280209
1.3/8	48,1	62	38	**27.00**	1	009280210
1.7/16	49,5	64	38	**27.50**	1	009280211
1.1/2	52,0	68	40	**32.00**	1	009280212
1.5/8	56,0	71	40	**34.50**	1	009280214
1.11/16	58,8	74	40	**37.50**	1	009280215
1.13/16	62,3	75	43	**46.00**	1	009280217
1.7/8	65,0	78	43	**47.50**	1	009280218
2	68,3	80	43	**55.00**	1	009280219
2.1/16	71,5	83	48	**67.00**	1	009280220

928ME

socket drivers for hexagon screws

34"

mm	Ø mm	L mm	L1 mm	£		
14	35	75	15,5	**43.50**	2	009280514
17	35	75	15,5	**43.50**	2	009280517
19	35	75	15,5	**43.50**	2	009280519
22	35	75	22,5	**44.50**	2	009280522

928/15

adaptor, 3/4" female and 1/2" male drives

34"

UNI/ISO 3316
DIN 3123

L mm	Ø mm	□	■	£		
51,5	34	3/4	1/2	**21.10**	5	009280801

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

928/16

adaptor, 3/4" female and 1" male drives

34"

UNI/ISO 3316
DIN 3123

L mm	Ø mm	□	■	£		
65	34	3/4	1"	**24.50**	5	009280807

928/20 - 928/21 - 928/22

3/4" drive extension bars

34"

UNI/ISO 3316
DIN 3123

	L mm	Ø mm	£		
928/20	100	34	**21.00**	3	009280810
928/21	200	34	**39.00**	3	009280815
928/22	380	34	**55.50**	3	009280825

928/25

3/4" drive universal joint

34"

UNI/ISO 3316 DIN 3123

L mm	Ø mm	£		
108	40	**59.00**	1	009280830

928/36A
3/4” drive swivel handle

DIN 3122 - UNI ISO 3315

L mm	£		
545	118.50	1	009280844

928/42
3/4” drive slide T-handle



UNI/ISO 3315 DIN 3122

L mm	A mm	£		
450	62,5	64.00	3	009280850

928/55
3/4" drive reversible ratchet, 72 teeth

DIN 3122 - UNI ISO 3315

L mm	Ø mm	A mm	£		
510	58	59	226.50	2	009280862

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

928.../C12
assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case

	£		
928A/C12	970.00	1	009280955

928A	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

	£		
928B/C12	970.00	1	009280957

928B	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

928AS/C12
assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case

	£		
928AS/C12	1015.00	1	009280968

928AS	7/8-15/16-1.1/16-1.1/8-1.1/4 1.5/16-1.7/16-1.1/2-1.11/16 1.13/16-1.7/8-2.1/16
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

929
hexagon hand sockets

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm	£		
36	51	65	48	35.00	1	009290036
41	57	70	48	43.50	1	009290041
46	65	75	48	48.50	1	009290046
50	70	80	48	56.00	1	009290050
55	76	85	54	70.50	1	009290055
60	82	90	54	79.00	1	009290060
65	88	95	54	102.50	1	009290065
70	92	100	60	117.50	1	009290070
75	99	110	60	128.50	1	009290075
80	106	120	60	142.50	1	009290080

929/15
adaptor, 1” female and 3/4” male drives

UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■	£		
65	47	1”	3/4	43.50	2	009290801

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

929/21 - 929/22
1” drive extension bars



UNI/ISO 3316 DIN 3123

	L mm	Ø mm	£		
929/21	200	47	70.00	1	009290815
929/22	400	47	97.00	1	009290825

929/42
1” drive slide T-handle



UNI/ISO 3315 DIN 3122

L mm	£		
535	125.50	1	009290850

929/55
1" reversible ratchet 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	£		
770	62	63	263.00	1	009290860

929/55PR
extension bars for ratchets 929/55

L mm	Ø mm	Ø1 mm	£		
540	32	26	51.50	1	009290868

929/C8
8 hexagon sockets and 5 accessories

1"

	£		
929/C8	1565.00	1	009290925

929	46 - 50 - 55 - 60 - 65 70 - 75 - 80 mm
929/15	□ 1" - ■ 3/4
929/21	200 mm
929/22	400 mm
929/42	
929/55	

560x290x120 mm - 29 kg

9899 CV/A
empty case

	£		
9899 CV/A	45.50	1	098990001

583/C31-671B/C5-671B/C10-720ME/C8
860/C38P-861/C61P-900/C11-900AS/C10-/MB-C17
900/C24-900/C13-8-900/C13-5-900MB/C19-900MB/C28
900/C11HR-900AS/C10-/MB-C17-900AS/C17-MBM
900/C11Z-900MC/C24-900MC/C32-910.../C10
971/C8-920TX/C-920PE/C-920FTX/C-910.../C10

270x120x45 mm

9899 CV/B
empty case

	£		
9899 CV/B	53.50	1	098990002

352C/U-720MC/C13-727/C16-867/C20-900/C12MR
900/C12MZ-900U/C12M-910AS/C13...-910AS/MBM-C18
910A/C16...-910B/C16...-910A/C16HR
910A/C16...-910B/C16...-920AS/C10-920.../C11-1433/C11
1494/C14A-1529-1545/C5M

335x145x60 mm

9899 CV/C
empty case

	£		
9899 CV/C	66.50	1	098990003

920A/C17HR-920A/C17MR-920.../C12...
920A/C17M-910.../C29-902A/C22-867/C38
720/C24-450/C15-353N/C6-960KPC-920MC/C14
920U/C17M-920TX/C17-920.../C20...
920AS/MBM-C21-920AS/C17X-1547/C6-1495/C6
1489/C14-1461/C11A-1608/C9-1606A/C9-1602/C9

420x185x60 mm

900/R55
1/4" 48

	£		
900/R55	46.00	1	009000871

666N/2-900/55-666/2-666LBF.FT/2

900/R55-Z
1/4" 72

	£		
900/R55-Z	46.00	1	009000872

900M/R55
1/4"

	£		
900M/R55	23.30	1	009000888

900M/55

910/R55
3/8" 72

	£		
910/R55	46.00	1	009100879

599DGT/6-606/6-606/10-612-665/6-665/10-665LB/6
665LB/10-666N/5-666N/10-666N LBF.IN/5-666NLBF.IN/10
666/6-666/10-668RGC/6-668RGC/10-910/55-666/5
666HS/5-666HS/10-666 LBF.FT/5-666 LBF.FT/10

910M/R55
3/8"

	£		
910M/R55	23.20	1	009100888

910M/55-910M/56

910/R55Q
3/8" 48

	£		
910/R55Q	46.00	1	009100877

910/55Q

910/R55X
3/8" 48

	£		
910/R55X	44.50	1	009100897

666N/2X-666/2X-666 LBF.FT/2X

920/R50
1/2" 72

	£		
920/R50	47.50	1	009200866

614/50-667/20-667/30
667N/20-667N/30-920/50

920/R55
1/2" 72

	£		
920/R55	54.50	1	009200879

606/20-606/30-666/20-666/30-920/55
920/56A- 599DGT/20-599DGT/30
599DGT-AN/20-665/20-665/30-665LB/20
665LB/30-666N/20-666N/30
666N LBF.IN/20-666N LBF.IN/30-668RGC/20
666 LBF.FT/20-666 LBF.FT/30

920M/R55
1/2"

	£		
920M/R55	25.50	1	009200888

920M/55-920M/56

920/R55Q
1/2" 48

	£		
920/R55Q	54.50	1	009200877

920/55Q

920/R55X

12"

	£		
920/R55X 606/10X-612X 666/10X-920/55X-599DGT/10X-599DGT-AN/10 665/10X-665LB/10X-666N10X-666N LBF.IN/10X 668RGC/10X-666 LBF.FT/10X 666HS/20LC-666HS/30LC	**46.00**	1	009200878

920/R55LC

12"

	£		
920/R55LC 920/55LC "Locking System" 666HS/20LC-666HS/30LC	**62.50**	1	009200887

928/R55

3/4"

	£		
928/R55 928/55	**94.50**	1	009280859

928/R55X

3/4"

	£		
928/R55X 614X	**56.50**	1	009280858

929/R55

1"

	£		
929/R55 929/55	**99.50**	1	009290859

930

double ended bi-hex tubular socket wrenches, heavy series

UNI 6745

mm	L mm	Ø mm	Ø1 mm	£		
6x7	100	9,5	11,0	**17.10**	3	009300006
8x9	108	12,5	14,0	**21.10**	3	009300010
10x11	116	15,0	16,5	**21.90**	3	009300014
12x13	124	17,5	19,0	**26.00**	3	009300018
14x15	132	20,0	21,5	**28.50**	3	009300023
16x17	140	23,0	24,0	**33.00**	3	009300027
18x19	148	25,0	26,5	**36.00**	3	009300032
20x22	156	28,0	30,0	**40.50**	2	009300036
21x23	163	29,0	31,5	**44.50**	2	009300040
24x26	173	33,0	35,5	**54.50**	2	009300044
25x28	182	34,5	38,0	**59.00**	2	009300048
27x29	191	37,0	39,5	**69.00**	2	009300052
30x32	200	40,5	43,0	**81.00**	2	009300056

	£		
930/S8 6x7-8x9-10x11 -12x13-14x15 16x17-18x19-20x22 mm **940/1 - /2**	**237.50**	1	009300081
930/S13 6x7-8x9-10x11-12x13-14x15-16x17 18x19 -20x22-21x23-24x26 25x28-27x29-30x32 mm **940/1 - /2 - /3**	**560.00**	1	009300083

	£		
930/C13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm **940/1 - /2 - /3**	**638.00**	1	009300098

932

double ended hexagon / bi-hex offset socket wrenches, bright chrome-plated



NF E 74.303

mm	Ø mm	L mm	£		
6x6	11,5	110	**12.00**	5	009320006
7x7	12,5	116	**12.10**	5	009320007
8x8	13,0	120	**13.00**	5	009320008
9x9	14,0	125	**13.60**	5	009320009
10x10	16,5	133	**14.00**	5	009320010
11x11	17,5	143	**14.50**	5	009320011
12x12	19,0	148	**14.60**	5	009320012
13x13	19,5	154	**16.10**	5	009320013
14x14	21,5	167	**18.10**	5	009320014
15x15	22,5	182	**20.50**	5	009320015
16x16	24,5	193	**21.10**	5	009320016
17x17	26,0	198	**21.10**	5	009320017
18x18	26,5	215	**23.20**	5	009320018
19x19	29,0	220	**23.90**	5	009320019
20x20	30,5	222	**26.50**	3	009320020
21x21	30,5	236	**31.00**	3	009320021
22x22	32,5	250	**32.50**	2	009320022
23x23	33,5	256	**36.50**	2	009320023
24x24	35,0	272	**37.00**	2	009320024
25x25	36,5	282	**47.50**	2	009320025
26x26	37,5	296	**49.50**	2	009320026
27x27	39,0	296	**50.50**	2	009320027
28x28	39,0	314	**59.50**	2	009320028
30x30	42,5	348	**68.00**	2	009320030
32x32	45,5	364	**75.50**	2	009320032

	£		
932/S11 6-7-8-10-11-12 13-14-17-19-22 mm	**192.00**	1	009320080
932/S17 6-7-8-9-10-11-12 13-14-15 16-17-18-19-20-21-22 mm	**328.00**	1	009320081
932/S25 6-7-8-9-10-11-12-13 -14-15-16-17-18-19 20-21-22-23-24-25 -26-27-28-30-32 mm	**752.00**	1	009320082

933

double ended offset hexagon socket wrenches, bright chrome-plated



NF E 74.303

mm	Ø mm	L mm	£		
6x6	11,5	110	**12.00**	5	009330006
7x7	12,5	116	**12.10**	5	009330007
8x8	13,0	120	**13.00**	5	009330008
9x9	14,0	125	**13.60**	5	009330009
10x10	16,5	133	**14.00**	5	009330010
11x11	17,5	143	**14.50**	5	009330011
12x12	19,0	148	**14.60**	5	009330012
13x13	19,5	154	**16.10**	5	009330013
14x14	21,5	167	**18.10**	5	009330014
15x15	22,5	182	**20.50**	5	009330015
16x16	24,5	193	**21.10**	5	009330016
17x17	26,0	198	**21.10**	5	009330017
18x18	26,5	215	**23.20**	5	009330018
19x19	29,0	220	**23.90**	5	009330019
20x20	30,5	222	**26.50**	3	009330020
21x21	30,5	236	**31.00**	3	009330021
22x22	32,5	250	**32.50**	2	009330022
23x23	33,5	256	**36.50**	2	009330023
24x24	35,0	272	**37.00**	2	009330024
25x25	36,5	282	**47.50**	2	009330025
26x26	37,5	296	**49.50**	2	009330026
27x27	39,0	296	**50.50**	2	009330027
28x28	39,0	314	**59.50**	2	009330028
30x30	42,5	348	**68.00**	2	009330030
32x32	45,5	364	**75.50**	2	009330032

	£		
933/S11 6-7-8-10-11-12-13-14-17-19-22 mm	**192.00**	1	009330080
933/S17 6-7-8-9-10-11-12-13-14-15-16-17 18-19-20-21-22 mm	**328.00**	1	009330081
933/S25 6-7-8-9-10-11-12-13-14-15-16-17-18-19 20-21-22-23-24-25-26-27-28-30-32 mm	**752.00**	1	009330082

935

double ended hexagon tubular socket wrenches, light series

UNI 6746 DIN 896

mm	L mm	£		
6x7	100	10.50	5	009350105
8x9	110	11.80	5	009350111
10x11	120	12.70	5	009350115
12x13	130	14.00	5	009350117
14x15	140	16.80	5	009350126
16x17	150	19.00	5	009350128
18x19	160	21.10	5	009350131
20x22	170	25.50	3	009350138
21x23	180	31.00	3	009350141
24x26	190	33.50	3	009350144
25x28	200	35.00	2	009350150
27x29	210	42.00	2	009350153
30x32	220	47.00	2	009350156



	£		
935/S8	145.00	1	009350181
6x7-8x9-10x11-12x13-14x15-16x17 18x19-20x22 mm **940/1 - /2**			
935/S13	348.00	1	009350183
6x7-8x9-10x11-12x13-14x15-16x17 18x19-20x22-21x23-24x26-25x28 27x29-30x32 mm **940/1 - /2 - /3**			

937

double ended hexagon / bi-hex socket wrenches, chrome-plated



mm	Ø mm	L mm	£		
6x6	11,5	110	10.10	5	009370006
7x7	12,5	116	10.70	5	009370007
8x8	13,0	120	11.70	5	009370008
9x9	14,0	125	12.90	5	009370009
10x10	16,5	133	13.00	5	009370010
11x11	17,5	143	13.20	5	009370011
12x12	19,0	148	14.60	5	009370012
13x13	19,5	154	15.50	5	009370013
14x14	21,5	167	16.90	5	009370014
15x15	22,5	182	19.00	5	009370015
16x16	24,5	193	19.70	5	009370016
17x17	26,0	198	20.40	5	009370017
18x18	26,5	215	21.60	5	009370018
19x19	29,0	220	21.90	5	009370019
20x20	30,5	222	24.50	3	009370020
21x21	30,5	236	26.50	3	009370021
22x22	32,5	250	28.50	2	009370022
23x23	33,5	256	31.00	2	009370023
24x24	35,0	272	33.50	2	009370024
25x25	36,5	282	37.50	2	009370025
26x26	37,5	296	39.50	2	009370026
27x27	39,0	296	43.00	2	009370027
28x28	39,0	314	48.50	2	009370028
30x30	42,5	348	54.00	2	009370030
32x32	45,5	364	59.00	2	009370032

	£		
937/S11	176.50	1	009370080
6-7-8-10-11-12 -13-14-17-19-22 mm			
937/S17	301.00	1	009370081
6-7-8-9-10-11-12 -13-14-15-16-17 18-19-20-21-22 mm			

940

tommy bars for tubular wrenches items 930 and 935

	mm	L mm	£		
940/1	6÷13	100	5.50	5	009400001
940/2	14÷22	170	8.00	5	009400002
940/3	21÷32	290	14.60	5	009400003

941

hexagon / bi-hex socket wrenches, with high torque handles



mm	L mm	L1 mm	A1 mm	£		
7x7	200	91	35	34.00	2	009410107
8x8	220	107	50	36.00	2	009410108
9x9	220	109	50	36.50	2	009410109
10x10	236	111	50	40.50	2	009410110
11x11	236	114	50	42.50	2	009410111
12x12	255	122	50	47.50	2	009410112
13x13	255	124	55	47.50	2	009410113

	£		
941/S7	284.00	1	009410170
7-8-9-10-11-12-13 mm			

NUT SPINNERS WITH HANDLES

Suitable for quick, repeated screwing operations. The reduced thickness of the hexagons allows access to small spaces.
The interior exhaust hole makes it easier to work on nuts with projecting threaded parts. This is the case, in particular with deep, hi-torque nut spinners 944BX and 949.



The triple marking on the head makes it easier to identify the required size.

The flexible blade of model 943FL, which is made up of a steel core protected by a sheath, allows torque transmission in case of misalignment with the screw.

942BX

hi-torque hexagon nut spinners short series

UNI 6750

mm	L mm	L1 mm	A1 mm	£		
4	190	70	13,0	19.40	5	009420003
5	190	70	14,0	19.40	5	009420004
5,5	190	70	12,5	21.90	5	009420005
6	190	70	14,5	21.90	5	009420006
7	190	70	15,5	22.60	5	009420007
8	202	70	18,5	22.60	5	009420008
9	202	70	19,5	22.60	5	009420009
10	202	70	20,5	23.20	3	009420010
11	202	70	21,5	23.20	3	009420011
12	202	70	22,5	23.20	3	009420012
13	202	70	23,5	24.30	3	009420013
14	202	70	24,5	24.30	3	009420014

	£		
942BX/S12	269.00	1	009420030
4-5-5,5-6-7-8-9 10-11-12-13-14 mm			

943BX
hi-torque hexagon nut spinners
long series

ISO 2236 UNI 6750

mm	L mm	L1 mm	A1 mm	£		
4	270	150	13,0	21.90	5	009430003
5	270	150	14,0	21.90	5	009430004
5,5	270	150	12,5	23.20	5	009430005
6	270	150	14,5	23.20	5	009430006
7	270	150	15,5	23.90	5	009430007
8	282	150	18,5	23.90	5	009430008
9	282	150	19,5	23.90	5	009430009
10	282	150	20,5	24.50	3	009430010
11	282	150	21,5	24.50	3	009430011
12	282	150	22,5	24.50	3	009430012
13	282	150	23,5	25.50	3	009430013
14	282	150	24,5	25.50	3	009430014

943BX/S12 £ 286.00 — 1 — 009430030
4-5-5,5-6-7-8-9
10-11-12-13-14 mm

943BX/D6 £ 143.00 — 1 — 009430026
5-6-7-8-10-13 mm

943FL
flexible hexagon nut spinners
with handles

mm	L mm	L1 mm	Ø mm	£		
5	265	150	8	22.30	2	009430304
5,5	265	150	8	22.30	2	009430305
6	265	150	9	22.30	2	009430306
7	265	150	11	22.30	2	009430307
8	265	150	12	22.60	2	009430308
10	290	175	14	23.20	2	009430310

943FL/S6 £ 135.00 — 1 — 009430320
5-5,5-6-7-8-10 mm

944BX
deep, hi-torque hexagon nut spinners
long series

ISO 2236 UNI 6750

mm	L mm	L1 mm	A1 mm	£		
4	245	125	20	21.00	3	009440003
5	245	125	25	21.00	3	009440004
5,5	245	125	30	26.00	3	009440005
6	245	125	35	26.00	3	009440006
7	245	125	35	26.00	3	009440007
8	257	125	50	27.00	3	009440008
9	257	125	50	27.00	3	009440009
10	257	125	50	29.00	3	009440010
11	257	125	50	29.00	3	009440011
12	257	125	50	32.00	3	009440012
13	257	125	55	32.00	3	009440013
14	257	125	55	32.00	3	009440014

944BX/S12 £ 328.00 — 1 — 009440062
4-5-5,5-6-7-8-9
10-11-12-13-14 mm

944BX/D6 £ 161.00 — 1 — 009440056
5-6-7-8-10-13 mm

949
deep T-handle socket wrenches



mm	L mm	L1 mm	A1 mm	£		
8	220	160	50	42.50	2	009490008
10	230	160	50	44.00	2	009490010
12	240	175	50	46.00	2	009490012
13	244	175	55	47.50	2	009490013
14	250	190	55	49.50	2	009490014
17	264	200	60	55.00	2	009490017

949/S6 £ 284.00 — 1 — 009490076
8-10-12-13-14-17mm

950
T-handle hexagon socket wrenches



UNI 6742 DIN 3112

mm	L mm	Ø mm	L1 mm	£		
6	210	10,1	145	26.00	3	009500006
7	212	11,2	145	26.00	3	009500007
8	220	12,4	160	28.00	3	009500008
9	223	13,5	160	28.00	3	009500009
10	230	14,9	160	29.00	3	009500010
11	233	16,1	160	29.00	3	009500011
12	240	17,5	175	32.50	3	009500012
13	244	19,7	175	32.50	3	009500013
14	250	20,1	190	35.00	3	009500014
15	254	21,5	190	36.00	3	009500015
16	260	22,7	200	42.00	3	009500016
17	264	24,1	200	42.00	3	009500017
19	274	26,6	230	54.00	3	009500019
22	290	29,9	290	69.00	2	009500022
24	300	32,2	320	78.50	2	009500024
27	315	36,2	370	95.50	2	009500027

950/S9 £ 308.00 — 1 — 009500079
7-8-10-11-12
13-14-17-19 mm

950/S14 £ 509.00 — 1 — 009500082
6-7-8-9-10-11-12-13
14-15-16-17-19-22 mm

951 T-HANDLE WRENCHES WITH THREE HEXAGON MALE ENDS

When this wrench was launched, back in 1980, it was a revolution. Designed to work on high-resistance screws, it is the name for quick handling, accurate fit and flexible use.
The hexagon T handle can be adjusted as required.
The hexagon ends are designed to transmit the maximum possible torque to the screw.
The rod length allows remarkable torques to be effortlessly applied to the screws.
Ongoing production improvements have translated, for example, into sandblasted finishes and sharp-edged hexagon ends which allow a better fit onto any screws, including damaged ones.
Laser marking results in a sturdier rod.
The new model, **951GP**, was developed in tandem with MotoGP and Superbike technicians and mechanics, with a view to increasing screwing/unscrewing speed.

951

T-handle wrenches with three hexagon male ends

mm	L mm	L1 mm	Ø mm	£		
2	125	63	4,0	**23.60**	5	009510521
2,5	150	63	4,0	**23.60**	5	009510525
3	150	63	4,0	**23.60**	5	009510530
3,5	175	76	5,5	**24.30**	5	009510535
4	175	76	5,5	**24.30**	5	009510540
4,5	195	87	6,5	**26.50**	5	009510545
5	195	87	6,5	**26.50**	5	009510550
6	215	99	8,0	**32.50**	5	009510560
7	230	109	9,0	**35.00**	5	009510570
8	250	122	10,0	**35.00**	5	009510580
9	265	132	11,0	**45.00**	5	009510590
10	280	142	12,0	**45.50**	5	009510610
12	305	160	15,0	**57.00**	3	009510620
14	330	178	17,0	**71.00**	3	009510640

	£		
951/S6 2,5-3-4-5-6-8 mm	**165.50**	1	009510687
951/S8 2-2,5-3-3,5-4-4,5-5-6 mm	**205.00**	1	009510693
951/S14 2-2,5-3-3,5-4-4,5 5-6-7-8-9-10-12-14 mm	**493.00**	1	009510695

	£		
951/SP6 3-4-5-6-8-10 mm	**212.00**	1	009510696
951/SPV	**37.50**	1	009510697

951AS

T-handle wrenches with three hexagon male ends



"	L mm	L1 mm	Ø mm	£		
3/32	125	63	4,0	**33.50**	2	009510750
7/64	150	63	4,0	**33.50**	2	009510751
1/8	150	63	4,0	**33.50**	2	009510752
9/64	175	76	5,5	**34.50**	2	009510753
5/32	175	76	5,5	**34.50**	2	009510754
3/16	195	86	6,5	**37.50**	2	009510755
7/32	215	99	8,0	**37.50**	2	009510757
1/4	230	109	9,0	**42.50**	2	009510758
5/16	250	122	10,0	**43.50**	2	009510759
3/8	280	142	12,0	**48.50**	2	009510760

	£		
951AS/S6X 1/8-3/16-7/32-1/4-5/16-3/8	**243.00**	1	009510771

951GP

T-handle wrenches with one hexagon male end

Beta's wrench 951GP is the name for quick, accurate screw fit. Designed to satisfy some key requirements in the Racing world: developing high torque values and ensuring quick tightening.



mm	L mm	L1 mm	Ø mm	£		
3	185	130	5	**20.90**	3	009511530
4	214	150	5	**22.00**	3	009511540
5	240	165	6	**25.50**	3	009511550
6	271	180	7	**29.50**	3	009511560
8	300	200	10	**37.50**	3	009511580
10	310	200	12	**46.50**	3	009511610

	£		
951GP/S6 3-4-5-6-8-10 mm	**182.00**	1	009511687

951TX

T-handle wrenches with three male ends for Torx® head screws

	L mm	L1 mm	Ø mm	£		
T6	125	63	4	28.00	3	009510806
T7	125	63	4	28.00	3	009510807
T8	125	63	4	28.50	3	009510808
T9	125	63	4	28.50	3	009510809
T10	150	63	4	29.00	3	009510810
T15	150	63	4	30.50	3	009510815
T20	175	76	5	31.00	3	009510820
T25	175	76	5	31.00	3	009510825
T27	195	87	6	32.50	3	009510827
T30	195	87	6	32.50	3	009510830
T40	215	99	7	38.00	3	009510840
T45	230	109	8	42.00	3	009510845
T50	250	122	9	43.50	3	009510850

	£		
951TX/S6 T8-T10-T15-T20-T25-T30	182.50	1	009510866
951TX/S13 T6-T7-T8-T9-T10-T15-T20-T25 T27-T30-T40-T45-T50	423.00	1	009510863

952 T-HANDLE WRENCHES WITH SWIVELLING HEXAGON SOCKETS

Reliable, precise pre-positioning is the secret for the success of this wrench.
The articulated joint maintains its function over the years, no adjustment being required.
Socket rotation angle: 60°.
Can be used at 90° in fixed position.
Sliding T-handle, can be stopped in the required position throughout its length.
Triple size marking on head.

952

T-handle wrenches with swivelling hexagon sockets



UNI 6743

mm	Ø mm	L mm	£		
6	9,5	395	38.00	5	009520006
7	10,7	395	38.00	5	009520007
8	12,1	395	38.00	5	009520008
9	13,2	395	38.00	5	009520009
10	14,6	400	42.00	5	009520010
11	15,8	400	42.00	5	009520011
12	17,0	400	42.00	5	009520012
13	18,7	432	45.00	5	009520013
14	19,7	432	45.00	5	009520014
15	20,9	450	54.50	3	009520015
16	22,0	450	54.50	3	009520016
17	23,4	450	54.50	3	009520017
18	24,7	450	54.50	3	009520018
19	26,0	500	68.00	3	009520019
20	27,4	500	68.00	3	009520020
21	28,5	500	68.00	3	009520021
22	29,7	500	68.00	3	009520022
24	32,4	500	68.00	3	009520024

	£		
952/S7 8-10-11-13-14-17-19 mm	334.00	1	009520074
952/S10 7-8-10-11-12-13- 14-15-17-19 mm	469.00	1	009520080
952/S18 6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21-22-24 mm	926.00	1	009520083

	£		
952/D7 7-8-10-12-13-14-17 mm	304.00	1	009520079

852

852 1/4	79,85

952AS

T-handle wrenches with swivelling hexagon sockets



"	Ø mm	L mm	£		
1/4	9,5	395	**42.00**	2	009520256
5/16	12,1	395	**42.00**	2	009520258
3/8	14,6	400	**46.00**	2	009520260
7/16	15,8	400	**46.00**	2	009520261
1/2	18,7	432	**50.50**	2	009520263
9/16	19,7	432	**57.00**	2	009520264
5/8	22,0	450	**59.00**	2	009520266
11/16	23,4	450	**59.00**	2	009520267
3/4	26,0	500	**72.50**	2	009520269

952L

T-handle wrenches with swivelling hexagon sockets, long series



mm	Ø mm	L mm	£		
10	14,6	930	**103.50**	1	009520410
12	17,0	1063	**103.50**	1	009520412
13	18,7	1100	**103.50**	1	009520413
14	19,7	1100	**103.50**	1	009520414
15	20,9	1100	**113.00**	1	009520415
16	22,0	1100	**113.00**	1	009520416
17	23,4	1100	**113.00**	1	009520417
18	24,7	1100	**113.00**	1	009520418
19	26,0	1100	**135.00**	1	009520419

952FTX

T-handle wrenches with swivelling socket, for Torx® head screws



	Ø mm	L mm	£		
E6	8	392	**44.50**	2	009520106
E7	9	392	**44.50**	2	009520107
E8	10	395	**48.50**	2	009520108
E10	13	400	**51.50**	2	009520110
E12	15	440	**62.00**	2	009520112
E14	17	490	**80.00**	2	009520114
E16	19	490	**80.00**	2	009520116
E18	21	490	**80.00**	2	009520118
E20	23	490	**80.00**	2	009520120

	£		
952FTX/S9 E6-E7-E8-E10-E12 E14-E16-E18-E20	**571.00**	1	009520141

953

T-handle wrenches with swivelling hexagon male ends



UNI 6754

mm	H mm	L mm	£		
3	5	395	**43.00**	5	009530130
3,5	6	395	**43.00**	3	009530135
4	6	395	**43.00**	5	009530140
4,5	7	395	**43.00**	3	009530145
5	7	395	**43.00**	5	009530150
6	9	400	**43.50**	5	009530160
7	10	425	**47.50**	3	009530170
8	11	425	**47.50**	5	009530180
10	13	440	**55.00**	5	009530200

	£		
953/S5 3-4-5-6-8 mm	**220.00**	1	009530305
953/S9 3-3,5-4-4,5 5-6-7-8-10 mm	**408.00**	1	009530301

953TX

T-handle wrenches with swivelling end for Torx® head screws



	H mm	L mm	£		
T20	11	396	**51.50**	2	009530020
T25	11	396	**51.50**	2	009530025
T27	11	396	**51.50**	2	009530027
T30	13	400	**55.50**	2	009530030
T40	13	400	**55.50**	2	009530040
T45	13	426	**61.50**	2	009530045
T50	14	442	**69.50**	2	009530050
T55	14	442	**69.50**	2	009530055

	£		
953TX/S8 T20-T25-T27-T30 T40-T45-T50-T55	**466.00**	1	009530060

VEHICLE REPAIR

Our vehicle repair tools, which are used by the most demanding professionals, are developed and manufactured to meet the world's highest standards, and regularly tested under the most stressful operating conditions.

For over 50 years, we have been proudly working hand in hand with the greatest champions, who help us improve our products non-stop and provide testimony to the highest quality standard.

The vehicle repair tools are found in these sections:

Diagnostics	
	items 1438 to 1499 items 1758VT to 1760TMC
Engine	
	items 955 to 989A items 1438 to 1499
Oil and filters	
	items 1438 to 1499 items 1877 to 1885
Electric system	
	items 1438 to 1499
Starters	
	items 1498BC/12 to 1498/40A
Transmission	
	items 1438 to 1499
Suspension	
	items 1549 to 1569CP
Brakes	
	items 1438 to 1499
Wheels	
	items 955 to 989A
Body work	
	items 1302 to 1369 items 1763 to 1767A
Other equipment	
	items 1875LT to 3067
Jacks	
	items 3029/2T to 3067/70-13T

955

tubular spark-plug wrench
chrome-plated, hexagon end



mm - "	D mm	L mm	£		
16 5/8	21	86	21.90	3	009550016
20,8 13/16	29	86	21.90	3	009550021

956C

1/2" square drive spark plug sockets
chrome-plated, hexagon ends

ISO 11168

mm - "	Ø mm	L mm	£		
14 9/16	18,8	70	33.00	3	009560008
16 5/8	21,4	70	33.00	3	009560010
17,8 11/16	23,6	70	33.00	3	009560011
20,8 13/16	27,0	70	34.50	3	009560012

956E

3/8" square drive spark plug sockets
chrome-plated, hexagon ends

ISO 11168

mm - "	Ø mm	L mm	£		
14 9/16	18,8	70	36.50	3	009560018
16 5/8	21,4	70	36.50	3	009560020
17,8 11/16	23,6	70	37.00	3	009560021
20,8 13/16	27,0	70	37.00	3	009560022

956F

3/8" square drive spark plug sockets



mm -"	Ø mm	L mm	£		
14 9/16	18,8	70	48.00	1	009560114
16 5/8	20,5	70	60.00	1	009560116

956L

1/2" square drive spark plug sockets,
bi-hex ends, long series

mm - "	Ø mm	L mm	£		
14 9/16	19,0	250	69.50	2	009560214
16 5/8	21,0	250	70.50	2	009560216
17,8 11/16	24,0	250	72.50	2	009560217

957

T-handle spark plug wrenches
with swivelling sockets



ISO 11168

mm - "	Ø mm	L mm	£		
16 5/8	21,4	275	61.00	3	009570000
20,8 13/16	27,0	275	72.50	3	009570001

959
T-handle spark plug wrenches
with swivelling sockets, standard series



ISO 11168

mm - "	Ø mm	L mm	£		
14	18,8	483	**65.50**	3	009590009
9/16					
16	21,4	483	**69.00**	3	009590010
5/8					
20,8	27,0	527	**96.50**	3	009590011
13/16					

959R
rubber inset and spare spring
for items 956C - 956E - 957 - 959

	£		
959R/14	**6.50**	3	009590223
956C/14-956E/14			
959R/16	**6.50**	3	009590224
956C/16-956E/16			
957/16-959/16			
959R/17,8	**6.50**	3	009590225
956C/17,8-956E/17,8			
959R/20,8	**6.50**	3	009590226
956C/20,8-956E/20,8			
957/20,8-959/20,8-959L			

960
1/2" square drive socket
for Diesel engine injectors

mm	Ø mm	L mm	£		
27	36,5	77	**38.00**	2	009600027

960A
1/2" square drive socket
for Diesel engine injectors



mm	Ø mm	L mm	£		
27	36,5	77	**65.50**	2	009600017

960BC/C5
set of 5 sockets
for injector electric connection

set contents:
- **1 open hexagon socket, 25 mm**
- **1 open hexagon socket, 27 mm**
- **1 open hexagon socket, 29 mm**
- **1 open hexagon socket, 30 mm**
- **1 bi-hex socket, 28 mm**

12" 22 mm

	£		
960BC/C5	**204.50**	1	009600280

280x160x55 mm - 1,9 kg

960ER
slide hammer for injector washers

stepped drill bit



L mm	£		
350	**82.00**	1	009600726

960F
socket for nozzle holder ring nuts

Ø mm	Ø1 mm	●1 mm	●2 mm	£		
28,3	22	32	22	**42.50**	1	009600148

960G
socket for Diesel engine injectors
of Mercedes-Benz trucks

Ø mm	Ø1 mm	● mm	L mm	£		
28,5	22	32	122	**45.00**	1	009600151

960L
socket
for nozzle holder ring nuts

1/2"

Ø mm	Ø1 mm	L mm	£		
30	22	122	**46.00**	1	009600153

960M
socket
for nozzle holder ring nuts

1/2"



Ø mm	Ø1 mm	L mm	£		
28,5	22	72	**34.00**	1	009600154

960H/C4
set of sockets for nozzle holder ring nuts

	£		
960H/C4	**125.00**	1	009600152

960SL
sockets for Lambda probes
with 1/2" female square drives

1/2"

	Ø mm	£		
960SL 85	33	**72.50**	2	009600085
⎔ 22xL= 85 mm				
960SL 110	33	**87.00**	2	009600110
⎔ 22xL= 110 mm				

960SN
Diesel engine glow plug wrenches

1/4"
3/8"

mm	Ø mm	□	L mm	£		
8	12,0	1/4	60	**54.50**	2	009600834
9	13,3	1/4	60	**54.50**	2	009600835
10	14,5	3/8	70	**72.50**	2	009600836

960T/C11

assortment of sockets
for removing/installing
sensors

Kit contents:
- 1 double ended hexagon socket, size 1" - 11/16" for oil pressure sensors
- 1 open end hexagon socket, 29 mm, for oxygen sensors
- 1 open end bi-hex socket, 27 mm, for injectors
- 1 open end hexagon socket, 22 mm, for vacuostats
- 1 open end hexagon socket, 22 mm, 80 mm long, for oxygen sensors
- 1 open end hexagon socket, 22 mm, 90 mm long, for oxygen sensors
- 1 open end hexagon socket, 22 mm, compact, 30 mm long, for oxygen sensors
- 1 open end hexagon socket, 22 mm, compact, 50 mm long, for oxygen sensors
- 1 open end hexagon and bi-hex socket, 22 mm, compact, 34 mm long, for oxygen sensors
- 1 open end hexagon socket, 22 mm, tube-shaped
- 1 tap M18x1.5

⬡ 22 - 29 mm

	£		
960T/C11	290.00	1	009600031

330x270x25 mm

960T/A

open end hexagon socket, 29 mm,
for oxygen sensors



mm	L mm	£		
29	90	34.00	1	009600032

960T/B

open end bi-hex socket, 27 mm,
for injectors



mm	L mm	£		
27	85	31.00	1	009600033

960T/C

open end hexagon socket, 22 mm,
for vacuostats



mm	L mm	£		
22	88	26.50	1	009600034

960T/F

double ended hexagon socket, size 1" - 1 1/16",
for oil pressure sensors

"	mm	L mm	£		
1 - 1 1/16	28	74	21.00	1	009600037

960T/G

open end hexagon socket, 22 mm,
tube-shaped



mm	mm	L mm	£		
22	25	98	59.50	1	009600038

960T/H

open end hexagon and bi-hex socket, 22 mm, compact, 34 mm long,
for oxygen sensors



mm	L1 mm	L2 mm	£		
22	34	55	22.10	1	009600039

960/22EP

double head swivel socket wrench
for Lambda probes

Double hexagon/bi-hex and 180° joint result in remarkable versatility

L mm	○ mm	○ mm	£		
300	22	22	71.00	1	009600052

960/C6

3/8" female drive hexagon sockets
for removing/installing exhaust gas
temperature sensors

Kit contents:
- 3 short sizes, 13, 14, 17 mm
- 3 long sizes, 13, 14, 17 mm

	£		
960/C6	111.50	1	009600055

170x120x50 mm

960/D

open hexagon wrenches, long series, for
removing/installing exhaust gas temperature
sensors

mm	£		
13	16.90	1	009600073
14	16.90	1	009600074
17	21.10	1	009600077

960YP

open offset hexagon wrenches for removing/installing exhaust gas temperature sensors

mm	£		
13	18.40	1	009600063
14	18.90	1	009600064
17	24.50	1	009600067

960AVE

device for testing common rail diesel electrical injectors

	£		
960AVE	354.00	1	009600245

430x310x50 mm - 2,0 kg

960EPC/L

set of tools for removing glow plug electrode face

M8x1 - M9x1 - M10x1 - M10x1.25

	£		
960EPC/L	1305.00	1	009600890

270x230x80 mm - 2 kg

960E-PI/P

injector washer extractor

- **Male thread M10 for use with sliding hammer (Beta 1540)**

	£		
960E-PI/P	90.00	1	009600706

300x90x60 mm

960KC-M8/M9/M10

assortment of tools for removing broken or damaged glow plugs

- **For spark plugs with threads M8-M9-M10**

	£		
960KC-M8/9/10	528.00	1	009600801

380x290x50 mm - 2,3 kg

960KPC

reversible impulse extractor with adjustable torque for glow plugs

Torque can be adjusted in 4 positions: 10-20-30-40 Nm

	£		
960KPC	387.00	1	009600780

8-9-10-11-12 mm

420x185x60 mm - 2,8 kg

960UC

tool set for removing stuck M8-M9-M10 glow plugs with deformed tips

	£		
960UC	715.00	1	009600900

270x230x80 mm - 2,6 kg

960P

pressure/depressure tester with accessories and adaptors

	£		
960P	295.00	1	009600777

350x320x95 mm - 1,9 kg

960PI

assortment of reamers for cleaning injector seats in plastic case

For removing residues from injector seats
- Flat reamer, Ø 19 - 15 mm, for universal injectors
- Flat reamer, Ø 17 - 17 mm, for Delphi/Bosch injectors (BMW/PSA/Renault/Ford)
- Flat reamer, Ø 19 - 17 mm, for Bosch injectors (Mercedes CDI).
- Angled reamer, Ø 21 - 17 mm, for Fiat/Iveco injectors.
- Handle

	£		
960PI	140.50	1	009600215

250x130x50 mm - 600 g

960PI/C19

assortment of 19 tools
for cleaning injector seats

Kit contents:
- **11 flat reamers, Ø:**
  14/14 mm - 15.5/15.5 mm - 15/19 mm - 17/19 mm - 17/17.5 mm 17/19 mm - 17/19.5 mm - 17/20 mm - 18/21 mm - 19 mm - 20/21 mm
- **4 angled reamers, Ø:**
  15.5/15.5 mm - 17/17 mm - 17.5/20.5 mm - 17/21 mm
- **Handle and cutter accessories**

	£		
960PI/C19	**416.00**	1	009600217

360x230x60 mm

960PI/K36

kit of brushes for cleaning
injector seats

14

DIN 3126 E6,3

	£		
960PI/K36	**239.00**	1	009600218

350x255x74 mm 1253 g

960PI/S

kit for cleaning injector seats

Kit contents:
- **3 steel brushes, Ø 18, 22, 25 mm, for cleaning injector seats**
- **2 brushes, Ø 14 and 16 mm, for cleaning injector seat bottoms**
- **6 caps for closing hole connecting with combustion chamber**
- **1 brush for cleaning hole connecting with combustion chamber**
- **1 flexible bit holder with handle**

14

	£		
960PI/S	**231.50**	1	009600214

360x140x50 mm - 700 g

960VTC

leakage tester
for petrol engine cylinders

after compressed air has been introduced into cylinder, gauge will allow it to be tested for compression leaks

	£		
960VTC	**382.00**	1	009600261

373x295x70,6 mm - 2,3 kg

960RPI

blowing tool for injectors seat cleaning

for M8x1 - M9x1 - M10x1 - M10x1.25 glow plugs

	£		
960RPI	**273.00**	1	009600940

960PMC

diesel injector test and calibrating
hand pump

Bar Max.	£		
600	**1063.00**	1	009600200

961P6

electronic videoscope
with flexible probe

- Supports SD cards (8 GB)
- Supports flash memories (8 GB)
- Internal memory: 128M
- TV-OUT feature
- Supports video formats (MP4, AVI, 3GP)
- 4 LEDs
- Power supplied by USB port (built-in battery)

SPECIFICATIONS
- Sensor pixels: 640x480
- Maximum resolution: 320x240
- Probe length: 1 m
- Camera diameter: 6 mm
- Video formats: MPEG4, 3GP, AVI,ASF.
- Photo formats: JPEG
- Shooting angle: 0÷180°
- Data output: USB cable and SD card
- Power supply: 3.7V 2000 mAh battery

	£		
961P6	**987.00**	1	009610000

961P6/S

flexible probes, 6 mm

IP67

	L mm	£		
961P6/S 1	1000	**440.00**	1	009610006
961P6/S 2	2000	**447.00**	1	009610262
961P6/S 3	3000	**508.00**	1	009610263

962

tyre levers

L mm	A mm	£		
300	21	**26.00**	5	009620003
400	25	**33.00**	5	009620004
500	27	**42.50**	3	009620005
600	27	**53.50**	3	009620006

962C

962C	277

962P
tyre levers with non-scratch rubber protection

L mm	A mm	£		
490	25	126.50	1	009620049

962M
tyre removal/installation tool

particularly recommended for runflat tyres and lower shoulder models

- **non-scratch rim locking jaws**
- **tyre removal lever seat**

	£		
962M	458.00	1	009620501

963
pry bar with pointed and flat bent ends

L mm	A mm	£		
400	23	45.50	5	009630001

964
pry bar with pointed and leverage ends

L mm	A mm	£		
400	46	45.00	5	009640001

965
pry bars with flat curved ends

L mm	A mm	L1 mm	£		
300	16	185	20.60	2	009650013
450	20	312	32.00	2	009650014
600	20	462	36.00	2	009650016

	£		
965/S3	88.50	1	009650019

966/C3
set of 3 levers with articulated, flat, curved heads

	£		
966/C3 L=200-250-300 mm	163.50	1	009660103

355x140x65 mm - 1,8 kg

720LS
impact sockets, long, slim series

	mm	Ø mm	L mm	Ø1 mm	£		
720LS 36	36	48,0	78	29	61.50	2	007200386

969B
hub nut locking socket

mm	Ø mm	L mm	£		
24	36,0	76	26.00	1	009690124
27	36,0	76	26.00	1	009690127
30	40,0	76	27.00	1	009690130
31	42,0	76	27.50	1	009690131
32	42,5	76	28.00	1	009690132
34	45,0	76	32.50	1	009690134
35	46,0	76	34.00	1	009690135
36	49,0	76	37.50	1	009690136

969/C5
set of 5 hub nut locking sockets in plastic case

	£		
969/C5	159.00	1	009690201

969B 30-32-34-35-36

970B
socket for locking Fiat Daily hub nuts



mm	Ø mm	L mm	£		
65	88	75	140.50	1	009700010

970IVECO
hook socket for Iveco Daily hub nuts
for versions from year 2014



Ø1 mm	Ø2 mm	£		
61,5	74,8	39.00	1	009700011

971/C8

torque screwdriver with accessories for controlled tightening of tyre valves with pressure control system

	£		
971/C8	474.00	1	009710108

583/6	1,2÷6 Nm
892/0	
862TX	T10-T15-T20
900L	11-12 mm
986 78	

972/C4BMW

removal kit for anti-theft bolts with free rings, for BMW and Mini cars

	£		
972/C4 BMW	328.00	1	009720004

516x145x66 mm - 3,8 kg

972/C10

removal kit for damaged wheel nuts

for use on anti-theft and conventional nuts

	£		
972/C10	413.00	1	009720010

290x250x60 mm - 2,4 kg

973

kit of 4 nylon wheel covers

suitable for the following rims:
14" ÷ 18" item number 009730014
19" ÷ 22" item number 009730019

- Preserves and protects wheel from scratches and dust
- During storage, it prevents early deterioration of rubber polymers in summer or winter tyres
- An icon allows wheel position (right/left front or right/left rear) identification
- Provided with handles for convenient transportation
- Fabric: nylon, washable

	£		
973 14-18	146.00	1	009730014
973 19-22	159.00	1	009730019

978 - 979

four-way hexagon wheel nut wrenches



UNI/ISO 6788 DIN 3119

	£		
978 17x19x21x22 mm	77.00	2	009780001
979 17x19x22x■1/2 mm	77.00	2	009790001

982

four-way hexagon wheel nut wrench



UNI/ISO 6788 DIN 3119

	£		
24x27x32x■3/4 mm	202.50	1	009820001

983PM

abrasive brush for cleaning hubs

Ø1 mm	Ø2 mm	£		
90	150	105.50	1	009830010

983 PM/R-DA

abrasive discs, pair, for item 983PM

Ø mm	£		
150	90.50	1	009830050

984

wheel nut plastic cap pliers

L mm	H mm	£		
195	4	33.00	1	009840005

985/B7

assortment of 7 guide pins for wheel installation

Included sizes:
- **M12X1.25 male**
- **M12x1.25 female**
- **M12x1.5 male**
- **M12x1.5 female**
- **M14x1.25 male**
- **M14x1.5 male**
- **M16x1.5 male**

	£		
C985/B7	141.50	1	009850007

985M
male guide pins for wheel installation

	L mm	£		
985M M12X1,25	150	**15.20**	1	009850101
985M M12X1,50	150	**15.20**	1	009850102
985M M14X1,25	150	**16.60**	1	009850103
985M M14X1,50	150	**16.80**	1	009850104
985M M16X1,50	150	**18.00**	1	009850105

985F
female guide pins for wheel installation

	L mm	£		
985F M12X1,25	150	**22.20**	1	009850106
985F M12X1,50	150	**22.90**	1	009850107

986 48
tyre valve screwdriver, short model
automatic valve retention

L mm	L1 mm	£		
18	48	**21.00**	1	009860048

986 78
tyre valve screwdriver

automatic valve retention

L mm	L1 mm	£		
18	78	**21.00**	1	009860078

986PT
tyre valve screwdriver, precalibrated, 0.4 Nm

automatic valve retention
slip mechanism prevents valve core gasket from getting damaged

L mm	L1 mm	£		
19	120	**72.50**	1	009860140

987
tyre valve lever with rubber protection

L mm	£		
310	**44.50**	1	009870001

987AR
tyre valve lever with non-scratch fulcrum
- **rubber and nylon fulcrum for alloy and iron rims**
- **valve quick coupling, does not require screwing**

L mm	£		
305	**142.50**	1	009870021

987P
tyre valve lever made of plastic

Handle accommodates screwdriver to work on mechanism inside valve

L mm	£		
335	**33.50**	1	009870011

988/K4
set of 4 scratchproof plastic flat chisels

	£		
988/K4 A= 19-21-25-38 mm	**26.50**	1	009880104

989
wheel balancing weight tool

L mm	£		
250	**59.50**	2	009890001

989A
pliers for removing wheel balancing adhesive weights

Nose profile specially designed to remove weights without making contact with rim

	L mm	£		
989A	220	**47.00**	1	009890011

989B
combination pliers for wheel balancing weights

functions:
- **removing adhesive weights for alloy rims**
- **removing weights for iron rims**
- **hammer with removable PE-HD covering for adhesive weights and iron rims**
- **weight jaws for iron rims**

L mm	£		
230	**88.50**	1	009890015

990
straight thin knurled point spring tweezers made from stainless steel bright finish

L mm	£		
130	14.40	5	009900001

991
bent thin knurled point spring tweezers made from stainless steel, bright finish

L mm	£		
130	16.10	5	009910001

992
straight thin knurled point pin spring tweezers made from stainless steel bright finish

L mm	£		
150	16.10	5	009920001

993
bent thin knurled point pin spring tweezers made from stainless steel bright finish

L mm	£		
145	17.70	5	009930001

993PL
bent thin knurled point pin spring tweezers made from stainless steel PVC-coated

L mm	£		
150	18.50	3	009930010

993G
pin spring tweezers, curved round ends, knurled made from stainless steel bright finish

L mm	£		
160	17.70	3	009930030

994
straight large knurled point spring tweezers made from stainless steel bright finish

L mm	£		
150	14.40	5	009940001

994PL
straight large knurled point spring tweezers made from stainless steel PVC-coated

L mm	£		
150	16.80	3	009940010

994TF
spring tweezers, acid and magnetic resistant, large round noses, strong and knurled ends made from stainless steel semi-bright finish

L mm	£		
150	22.90	3	009940020

996
straight end spring tweezers with wide tips made from stainless steel bright finish

L mm	£		
150	15.50	5	009960001

998
cross knurled end spring tweezers made from stainless steel bright finish

L mm	£		
155	23.80	5	009980001

999
flat round end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm	£		
115	18.90	3	009990011

999A
extra slim short end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm	£		
120	18.90	3	009990015

999B
strong straight end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm	£		
120	19.00	3	009990017

999C
extra slim straight end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm	£		
110	19.10	3	009990019

999D

extra slim angled end spring tweezers,
acid and magnetic resistant
made from stainless steel semi-bright finish

L mm	£		
115	19.10	3	009990021

999E

extra slim curved end spring tweezers,
acid and magnetic resistant
made from stainless steel semi-bright finish

L mm	£		
120	19.10	3	009990023

999G

extra slim straight end spring tweezers, acid and magnetic resistant with stop mechanism made from stainless steel semi-bright finish

L mm	£		
140	19.10	3	009990027

999/B6N

set of 6 spring tweezers,
acid and magnetic resistant

	£		
999/B6N 999-999A-999B 999C-999D-999E	123.00	1	009990060

1002

self-locking round end knurled tool made of stainless steel

L mm	£		
160	23.80	2	010020001

1008

long flat knurled nose pliers,
slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm	£		
160	51,5	37.50	5	010080006

1008BM

long flat knurled nose pliers
bi-material handles

ISO 5745

L mm	L1 mm	£		
160	51,5	44.00	3	010080036

1009

extra-long knurled nose pliers, slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm	£		
160	56,5	37.50	2	010090006

1009L/A

extra long needle knurled nose pliers,
for special operations,
slip-proof double layer PVC coated handles

L mm	L1 mm	£		
283	80	34.00	2	010090008

1009L/B

curved extra long knurled nose pliers,
45°, for special operations,
slip-proof double layer PVC coated handles

L mm	L1 mm	£		
273	73	36.00	2	010090009

1009L/C

bent extra long knurled nose pliers, 90°,
for special operations,
slip-proof double layer PVC coated handles

L mm	L1 mm	£		
253	45	37.00	2	010090010

CIRCLIP PLIERS (SEEGER TYPE)

1009L/D
extra-long, knurled double swivel nose pliers, slip-proof double layer PVC coated handles



L mm	L1 mm	£		
342	71	42.50	1	010090058

1009L/DP
curved extra-long knurled double swivel nose pliers, 45°, slip-proof double layer PVC-coated handles

L mm	L1 mm	£		
336	66	42.50	1	010090059

1009L/DP-S2
Set of 2 extra-long, knurled double swivel nose pliers

	£		
1009L/DP-S2	85.00	1	010090060

1010
long round knurled nose pliers, slip-proof double layer PVC coated handles



ISO 5745

L mm	L1 mm	£		
160	51,5	37.50	2	010100006

1010BM
long round knurled nose pliers bi-material handles

ISO 5745

L mm	L1 mm	£		
160	51,5	44.00	2	010100036

PERFECT ALIGNMENT
Tests have shown that Beta's circlip pliers provide excellent seeger (snap ring) alignment, based on the special reverse cone geometry of the tips, obtained through the company's exclusive cold-pressing technology.

REDUCED TIP BREAKAGE
Beta's pliers are fitted with built-in cold-pressed tips, which provide increased durability compared to competitors', both when used and in case of accidental drops.

1031/S4
set of 4 circlip pliers

		£		
1031/S4		124.00	1	010310000
1032 180	⊙ 19 ÷ 60 mm			
1034 170	⊙ 19 ÷ 60 mm			
1036 175	● 19 ÷ 60 mm			
1038 175	● 19 ÷ 60 mm			

1032
internal circlip pliers, straight pattern PVC-coated handles

UNI 7914 DIN 5256

L mm	⊙ Ø mm	£		
140x0,9	8÷12	26.50	5	010320013
140x1,3	12÷25	26.00	5	010320014
180	19÷60	28.50	5	010320017
225	40÷100	34.50	3	010320021
300	85÷200	51.50	2	010320028

1033
internal circlip pliers, bent pattern, 45° PVC-coated handles

UNI 7914 DIN 5256

L mm	⊙ Ø mm	£		
140x0,9	8÷12	31.00	5	010330013
140x1,3	12÷25	28.50	5	010330014
180	19÷60	33.00	5	010330017
225	40÷100	40.00	3	010330021

1034
internal circlip pliers, bent pattern, 90° PVC-coated handles

UNI 7914 DIN 5256

L mm	⊙ Ø mm	£		
130x0,9	8÷12	31.00	5	010340013
130x1,3	12÷25	28.50	5	010340014
170	19÷60	33.00	5	010340017
210	40÷100	40.00	3	010340021
290	85÷200	58.00	2	010340028

1034L

90° curved long nose pliers
for elastic safety rings for holes,
PVC-coated handles

L mm	⊙ Ø mm	£		
190	40÷100	92.50	2	010340320

1036

external circlip pliers, straight pattern
PVC-coated handles

UNI 7915 DIN 5254

L mm	● Ø mm	£		
140x0,9	3÷10	29.00	5	010360013
140x1,3	10÷25	28.00	5	010360014
175	19÷60	29.00	5	010360017
225	40÷100	38.50	3	010360021
300	85÷200	60.50	2	010360028

1037

external circlip pliers, bent pattern,
45° PVC-coated handles

UNI 7915 DIN 5254

L mm	● Ø mm	£		
140x0,9	3÷10	33.50	5	010370013
140x1,3	10÷25	32.00	5	010370014
175	19÷60	33.50	5	010370017
225	40÷100	43.00	3	010370021

1038

external circlip pliers, bent pattern,
90° PVC-coated handles

UNI 7915 DIN 5254

L mm	● Ø mm	£		
135x0,9	3÷10	33.50	5	010380013
135x1,3	10÷25	32.00	5	010380014
175	19÷60	33.50	5	010380017
220	40÷100	43.00	3	010380021
300	85÷200	65.00	2	010380028

1039

straight point pliers for internal
and external circlips PVC-coated handles

L mm	⊙ Ø mm	● Ø mm	£		
150	10÷15	6÷25	78.00	2	010390015

1558/C4

internal and external snap ring tool,
screw-operated

square drive allows a high force to be applied in both operating conditions
Supplied tips:
Ø 2.5-3-3.5 mm

	⊙ Ø mm	● Ø mm	£		
1558/C4	5,5 ÷ 77	5,5 ÷ 77	243.00	1	015580100

330x220x50 mm - 900 g

1044N

slip joint pliers, phosphated,
overlapping joint,
non-slip PVC-coated handles
· **8-position model**



L mm	A max mm	L1 mm	£		
250	46	48	34.00	5	010440025

1047

slip joint pliers, push button adjustment



L mm	A max mm	L1 mm	£		
180	30	29	49.00	2	010470180
240	36	35	49.50	2	010470240
300	50	48	76.50	1	010470300

1047BM

slip joint pliers, push button adjustment,
bimaterial handles



L mm	A max mm	L1 mm	£		
240	36	35	55.50	2	010470340

1048N - POLIGRIP SLIP JOINT PLIERS, BOXED JOINTS

OUTSTANDING GRIP AND UNIQUE EASE OF HANDLING

- Tooth geometry and angle designed for effective, safe grip on hexagonal and cylindrical profiles
- Induction hardened teeth for longer durability
- Wider head/handle angle for improved ergonomic handling
- Contrast retainer preventing accidental hand crushing
- Innovative, slip-proof PVC coated handles
- Unparalleled ease of handling and comfort thanks to larger handle contact surface

1048N

slip joint pliers,
slip-proof PVC coated handles



ISO 8976

L mm	A max mm	L1 mm	S mm	£		
175	36	31	11	40.00	3	010480910
250	46	38	13	43.00	5	010480915
300	60	44	14.8	60.00	2	010480920
400	96	81	19	105.50	1	010480940

1048N/D3

set of slip joint pliers

phosphated heads

	£		
1048N/D3 175-250-300 mm	143.00	1	010480923

1048BM

slip joint pliers, boxed joint, bimaterial handles

· new 9-position model



ISO 8976

L mm	A max mm	L1 mm	£		
250	48	39	56.00	3	010480215

1048VN

slip joint pliers, boxed joints,
with orange lacquered finish



ISO 8976

L mm	A max mm	L1 mm	£		
175	36	31	32.00	3	010480111
250	46	38	34.50	5	010480116
300	60	44	55.00	2	010480121

1050

double adjustment self-locking pliers

L mm	£		
220	95.00	2	010500022

1051

double adjustment self-locking pliers long jaws

L mm	£		
255	98.00	2	010510025

1051GM

double adjustment self-locking pliers, floating jaw



L mm	£		
255	113.50	2	010510250

1051L

large-capacity double adjustment self-locking pliers



L mm	£		
270	108.50	2	010510100

1051XL

large-capacity double adjustment self-locking pliers, extra-long jaws

L mm	£		
270	128.50	2	010510140

1052

adjustable self-locking pliers, concave jaws



L mm	A1 max mm	£		
140	22	28.00	3	010520014
190	36	32.00	3	010520019
240	42	40.50	3	010520024
300	55	58.00	2	010520030

1053
adjustable self-locking pliers, floating jaw



L mm	A1 max mm	£		
240	35	57.00	2	010530024

1054
adjustable self-locking pliers, straight jaws



L mm	A1 max mm	£		
235	40	46.00	2	010540022

1055
adjustable self-locking pliers, curved jaws



L mm	A1 max mm	£		
270	75	46.00	2	010550027

1055D
adjustable self-locking pliers, for nuts and cylindrical profiles



L mm	A1 max mm	£		
195	22	32.00	2	010550119
235	43	36.00	2	010550123

1056
adjustable self-locking pliers for refrigeration technicians



L mm	£		
195	31.50	2	010560017

1057A
automatic self-locking pliers with adjustable force

L mm	£		
240	58.00	2	010570124

1058
adjustable self-locking pliers, long jaws



L mm	A1 max mm	Ø max mm	£		
175	34	26	47.50	2	010580017
225	46	31	48.50	2	010580025

1059
adjustable self-locking pliers with one sliding jaw



L1 mm	L mm	A1 mm	£		
160	255	120	76.50	1	010590016
270	255	220	80.00	1	010590027

1060
adjustable self-locking pliers, fork-type jaws



L mm	A1 max mm	£		
200	50	51.50	2	010600020
280	80	68.00	2	010600028

1061
adjustable self-locking pliers, fork-type jaws



L mm	A1 max mm	£		
275	80	58.00	2	010610027

1062
adjustable self-locking pliers with C-shaped jaws



L mm	A2 max mm	£		
170	50	40.00	2	010620017
290	120	56.50	2	010620029
460	255	78.50	1	010620045

1062AL
adjustable self-locking pliers,
aluminium C-shaped jaws



L mm	A1 max mm	£		
275	88	81.00	2	010620327

1062GM
adjustable self-locking pliers
with floating C-shaped jaws



L mm	A1 max mm	£		
170	45	47.50	2	010620217
290	88	62.00	2	010620229
460	255	92.50	1	010620245

1063
adjustable self-locking pliers
for tinsmiths



L mm	A1 max mm	£		
200	31	55.50	2	010630021

1064
adjustable self-locking pliers with chain

L mm	Ø mm	£		
230	150	70.50	2	010640023

1065F
hand punch steel punch and matrix



ø mm	L mm	£		
5	228	157.50	1	010650010
6	228	158.50	1	010650015

1065P
hand crimper steel matrix

L mm	£		
228	160.00	1	010650020

1066
adjustable self-locking pliers,
90° locking angle



L mm	A1 max mm	g	£		
210	55	500	105.00	1	010660021

1067
adjustable self-locking pliers for pipes,
articulated pipe clamping jaws



L mm	A1 max mm	£		
285	76	72.50	1	010670285
380	89	80.00	1	010670380

1077
straight wide blade tinsmith's pliers,
PVC-coated handles

L ~	A mm	L1 mm	£		
280	60	53	67.00	1	010770026

1078
curved wide blade tinsmith's pliers,
45° PVC-coated handles

L ~	A mm	L1 mm	£		
280	60	77	70.50	1	010780026

1080D
diagonal flush cutting nippers,
slip-proof double layer PVC coated handles

For cutting plastic



α	L mm	L1 mm	£		
15°	160	22	28.00	3	010800015
45°	160	22	38.00	3	010800045

1081

semi-flush cutting nippers,
slip-proof double layer PVC coated handles

• For micro-mechanics and heavy-duty electronics

L mm	L1 mm	£		
125	16	40.50	3	010810130

1082

diagonal cutting nippers,
chrome-plated,
slip-proof double layer PVC coated handles

UNI/ISO 5749

L mm	L1 mm	mm	£		
140	20	1,6	31.00	5	010820004
160	22	1,6	34.50	5	010820006

1082G

diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish

UNI/ISO 5749

L mm	L1 mm	mm	£		
140	20	1,6	28.00	5	010820064
160	22	1,6	31.00	5	010820066

1082BM

diagonal cutting nippers,
bi-material handles

UNI/ISO 5749

L mm	L1 mm	mm	£		
140	20	1,6	40.00	3	010820034
160	22	1,6	48.00	3	010820036

1082GBM

diagonal cutting nippers,
bi-material handles,
industrial finish

UNI/ISO 5749

L mm	L1 mm	mm	£		
140	20	1,6	36.50	3	010820264
160	22	1,6	43.00	3	010820266

1084

heavy duty diagonal cutting nippers,
chrome-plated,
slip-proof double layer PVC coated handles

UNI/ISO 5749

L mm	L1 mm	mm	£		
160	22	1,6	37.50	5	010840006
200	28	2,0	51.50	3	010840010

1084G

heavy duty diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish

UNI/ISO 5749

L mm	L1 mm	mm	£		
160	22	1,6	33.00	5	010840066
200	28	2,0	42.50	3	010840070

1084BM

heavy duty diagonal cutting nippers,
chrome-plated,
bi-material handles

UNI/ISO 5749

L mm	L1 mm	mm	£		
160	22	1,6	51.50	3	010840036
200	28	2,0	65.50	3	010840040

1084GBM

heavy duty diagonal cutting nippers,
bi-material handles,
industrial finish

UNI/ISO 5749

L mm	L1 mm	mm	£		
160	22	1,6	51.00	3	010840266
200	28	2,0	62.00	3	010840270

1088

heavy duty end cutting nippers,
slip-proof double layer PVC coated handles



UNI/ISO 5748

L mm	L1 mm	mm	£		
160	9	1,6	45.00	2	010880006
200	11	2,0	60.50	2	010880010

1088BM

heavy duty end cutting nippers,
bi-material handles

UNI/ISO 5748

L mm	L1 mm	mm	£		
160	9	1,6	57.00	2	010880036
200	11	2,0	79.00	2	010880040

1092V
toggle lever assisted end cutting nippers



UNI/ISO 5748

L mm	L1 mm	mm	£		
180	8	2,0	199.50	2	010920280
200	9	2,5	216.50	2	010920310

1094V
toggle lever assisted
diagonal cutting nippers

UNI/ISO 5749

L mm	L1 mm	mm	£		
200	23	2,5	199.50	2	010940200

1095N
toggle lever assisted
diagonal cutting nippers

L mm	L1 mm	mm	£		
195	26	1,6	49.50	2	010950010

1096
carpenter's pincers

ISO 9243

L ~	L1 mm	£		
160	21	25.00	5	010960016
200	23	28.50	5	010960020
250	30	38.50	5	010960025

1098
construction worker's pincers

ISO 9242 DIN 5242

L ~	L1 mm	£		
190	12	25.00	5	010980190
220	13	28.00	5	010980220
250	15	34.00	5	010980250
280	18	38.00	5	010980280

1098PL
construction worker's pincers,
PVC coated handles

ISO 9242 DIN 5242

L ~	L1 mm	£		
220	13	31.00	5	010980320
250	15	36.00	5	010980350
280	18	40.00	5	010980380

1101
bolt cutter phosphatized blades
and rubber grip handles

L mm	L "	£		
300	12	61.00	2	011010030
350	14	70.50	2	011010035
450	18	92.50	1	011010045
600	24	133.00	1	011010060
750	30	165.00	1	011010075
900	36	220.50	1	011010090

L mm	R = 80 Kgf=mm² Ø mm	R = 140 Kgf=mm² Ø mm	g	
300	5	4	745	
350	6	5	1043	
450	7	6	1537	
600	9	7	2540	
750	11	8	3870	
900	12	9	6170	

1101R
spare blades for item 1101

mm	1101	£		
300	300	36.00	1	011010130
350	350	42.00	1	011010135
450	450	54.00	1	011010145
600	600	79.00	1	011010160
750	750	93.50	1	011010175
900	900	128.50	1	011010190

1102
bolt cutters, small series

Cutting capacity
R= 80 Kgf/mm²

L ~	mm	£		
230	4	49.00	3	011020020

1103
flat hat bolt cutter
for rod irons, bolts and electrowelded mesh for concrete reinforcement

max. Ø = 12 mm
max. Ø (HRC 48)= 6 mm



L mm	£		
950	196.50	1	011030090

1103R
spare head for item 1103

	£		
1103R 950	115.00	1	011030190

1104

heavy-duty cutters for flexible steel cables, handles with thermoplastic grips

R=80 Kgf/mm²

L mm	mm	£		
420	12	196.00	1	011040004
600	16	284.00	1	011040006

1104R

spare blades for item 1104

mm	£		
420	130.00	1	011040014
600	182.00	1	011040016

1105

punches made from burnished steel

D mm	L mm	£		
2	27	19.10	1	011050002
3	27	19.10	1	011050003
4	27	19.10	1	011050004
5	27	19.10	1	011050005
6	27	19.10	1	011050006
7	27	19.10	1	011050007
8	27	19.10	1	011050008
9	27	19.10	1	011050009
10	27	19.10	1	011050010
12	27	23.20	1	011050012
14	27	23.20	1	011050014
16	27	23.20	1	011050016
18	27	23.20	1	011050018
20	27	23.20	1	011050020
22	32	29.00	1	011050022
24	32	29.00	1	011050024
26	32	29.00	1	011050026
28	32	29.00	1	011050028
30	32	29.00	1	011050030
32	37	37.00	1	011050032
34	37	37.00	1	011050034
36	37	37.00	1	011050036
38	37	37.00	1	011050038
40	37	37.00	1	011050040
42	42	44.50	1	011050042
44	42	44.50	1	011050044
46	42	44.50	1	011050046
48	42	44.50	1	011050048
50	42	44.50	1	011050050

1105T20

shank for punches 1105, 2 to 20 mm

L mm	£		
110	95.00	1	011050200

1105T30

shank for punches 1105, 3 to 30 mm

L mm	£		
175	210.00	1	011050205

1105T50

shank for punches 1105 2 to 50 mm

L mm	£		
175	215.50	1	011050207

1105AD-50

shank adaptor for item 1105T50

Ø mm	£		
57	133.00	1	011050210

1105/C10T

assortment of 10 punches, 3 to 20 mm, and 1 accessory

	£		
1105C/10T	236.50	1	011050250

1105 — 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18 - 20 mm

1105T20

135x92x32 mm

1105/C16T

assortment of 15 punches, 3 to 30 mm, and 1 accessory

	£		
1105C/16T	418.00	1	011050255

1105 — 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18 - 20 - 22 - 24 - 26 - 28 -30 mm

1105T30

240x210x60 mm

1105/C32T

assortment of 29 punches, 2 to 50 mm, and 3 accessories

	£		
1105C/32T	824.00	1	011050257

1105 — 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 16 - 18 - 20 - 22 - 24 - 26 - 28 - 30 - 32 - 34 - 36 - 38 - 40 - 42 - 44 - 46 - 48 - 50 mm

1105T50

1105AD-50

455x380x115 mm

1112

tin snips straight wide blades

Cutting capacity
R= 60 Kgf/mm²

L ~	L1 mm	S mm	A mm	£		
200	50	0,5	26	31.00	2	011120020
250	62	0,8	33	39.50	2	011120025
300	76	1,0	37	54.50	2	011120030
375	76	1,2	44	81.50	1	011120037

1114
tin snips straight narrow blades

R = 60 Kgf/mm²



L ~	L1 mm	S mm	A mm	£		
250	58	0,5	15	32.00	1	011140265
350	76	1	22	45.00	1	011140340

1118
safety strap cutting shears

Fe = normal steel
Inox = stainless steel

L ~	L1 mm	Fe S mm	Inox S mm	£		
310	42	1	0,8	52.50	2	011180001

1120A
hand nibbler

Fe = normal steel

L mm	Fe S mm	£		
280	1,2	100.50	1	011200101

1120ARL - ARG
spare parts for item 1120A

	£		
1120ARL	23.40	1	011200110
1120ARG	33.00	1	011200120

1122
compound leverage shears, straight blades

Inox = stainless steel

L ~	L1 mm	Inox S mm	A mm	£		
250	40	1	24	39.50	2	011220020

1123
right cut compound leverage shears, curved blades

Inox = stainless steel

L ~	L1 mm	Inox S mm	A mm	£		
250	40	1	24	39.50	2	011230020

1124
left cut compound leverage shears, curved blades

Inox = stainless steel

L ~	L1 mm	Inox S mm	A mm	£		
250	40	1	24	39.50	2	011240020

1125
compound leverage shears for straight and right cuts

Inox = stainless steel



L ~	L1 mm	Inox S mm	A mm	£		
250	35	1	46	72.50	2	011250020

1126
compound leverage shears for straight and left cuts

Inox = stainless steel



L ~	L1 mm	Inox S mm	A mm	£		
250	35	1	46	72.50	2	011260020

1122 - 1125MOL

		£		
1122 MOL	1122 - 1124	1.72	1	011220010
1123 MOL	1123	1.58	1	011230010
1125 MOL	1125 - 1126	1.58	1	011250040

1127
telephone engineer's scissors, straight blades

L mm	L1 mm	£		
150	35	22.70	5	011270001

1128BAX
Double-acting electricians' scissors, with milling profiles in DLC-coated stainless steel

Double-acting cutting: a special cam on the fulcrum allows the blades to run lengthwise, which results in increased cutting power while closing the blades.

Profile and mill: designed to enlarge holes on plastic, from 13 mm to 25 mm.

DLC coating: DLC (diamond-like carbon) is an innovative carbon-based coating: the high hardness and low coefficient of friction arise from the simultaneous presence of carbon on the surface in the form of graphite, and diamond.

- High blade surface hardness (resistance to abrasion and wear)
- Low coefficient of friction (smoothness and anti-adherence)
- Anti-loose eccentric pin
- Large handles with pipe throttling grooves
- With articulated plastic case

L mm	L1 mm	mm²	£		
150	50	50	40.00	5	011280088

1128BMX
electrician's scissors, straight stainless steel blades, with microteeth

L mm	L1 mm	£		
147	58,2	24.80	5	011280051

1128BMX/F
articulated plastic case for item 1128BMX

	£		
1128BMX/F	1.99	1	011280059

1128FXS ELECTRICIAN'S SCISSORS WITH GRADUATED MILLING PROFILES

To redesign our electrician's scissors, we observed users' daily work.
We have made it into a universal tool, incorporating the 4 main features into one object.

CUTTING Quick and sharp, for cables up to 50 mm2, with a cable cutting groove and a microtoothed blade, for improved hold.

STRIPPING The sensitive anti-loosening pin allows even the thinnest cables to be accurately stripped.

CRIMPING Safe and durable, for tube terminals.

COUNTERSINKING The milling profile allows the holes in pull boxes to be countersunk accurately and neatly.

1128BAX DOUBLE-ACTING ELECTRICIANS' SCISSORS WITH MILLING PROFILES IN DLC-COATED STAINLESS STEEL

Scissors 1128BAX stand out for their DLC-finished blades. DLC (diamond-like carbon) is an innovative carbon-based coating: the high hardness and low coefficient of friction arise from the simultaneous presence of carbon on the surface in the form of graphite, and diamond.

- High blade surface hardness - resistance to abrasion and wear
- Low coefficient of friction - smoothness and anti-adherence

Milling profile: designed to enlarge holes on plastic, from 13 mm to 25 mm.

DLC DIAMOND LIKE CARBON

+HARDNESS
-COEFFICIENT OF FRICTION

1128BSX

electrician's scissors
with graduated milling profiles with case

L mm	L1 mm	£		
148	58,2	40.00	5	011280061

1128FX

electrician's scissors,
straight stainless steel blades,
with microteeth, cable cutting groove and crimping pliers for tube terminals

- **Articulated belt hook case**
- **Bimaterial handles**
- **Anti-loose pin**

L mm	L1 mm	mm²	£		
145	52	50	37.50	5	011280090

1128FXS

electrician's scissors with graduated milling profiles, straight stainless steel blades, with microteeth, cable cutting groove and crimping pliers for tube terminals

- **Articulated belt hook case**
- **Bimaterial handles**
- **Anti-loose pin**

- **Profile and mill: designed to enlarge holes on plastic, from 13 to 21 mm.**

L mm	L1 mm	mm²	£		
145	52	50	40.00	5	011280095

1128BM

electrician's scissors, straight blades

L mm	L1 mm	£		
145	50	23.40	5	011280000

1129BM

electrician's scissors, curved blades

L mm	L1 mm	£		
145	44	25.00	5	011290000

1130BMX

Multiuse scissors,
straight stainless steel blades,
with microteeth

L mm	L1 mm	£		
185	60	23.40	1	011300002

1131CK

Kevlar® and fibre optics scissors

L mm	L1 mm	£		
203	75	84.50	1	011310001

1132
cable cutters for insulated copper and aluminium cables, slip-proof double layer PVC coated handles

UNI 8791

L ~	mm	mm²	£		
170	14	50	58.50	2	011320107
230	18	95	71.50	2	011320113

1132BM
cable cutters for insulated copper and aluminium cables, bi-material handles

UNI 8791

L ~	mm	mm²	£		
170	14	50	71.00	2	011320137
230	18	95	90.00	2	011320143

1133
cable cutter for copper cables, flexible

up to 325 mm²

L ~	mm	mm²	£		
600	30	325	242.00	1	011330001

1133RL
spare blades for item 1133

	£		
1133RL	176.50	1	011330011

1134
ratchet cable cutters burnished finish, plastic handles

L mm	mm	mm²	£		
260	35	400	704.00	1	011340032

1134RL
spare blade for item 1134

	£		
1134RL	310.00	1	011340132

1134A
ratchet cable cutters burnished finish, plastic handles

L mm	mm	mm²	£		
240	45	500	1035.00	1	011340045

1142BM
wire stripping pliers, bi-material handles

UNI 7923

L mm	mm²	mm	£		
160	0,5÷6	0-2,8	53.50	3	011420036

1143
wire stripping pliers

L ~	mm²	mm	£		
165	0,5÷6	1-3,2	78.00	1	011430001

1143R
spare blades for item 1143

	£		
1143R	26.50	1	011430011

1144D
cable stripping tool

L mm	mm²	mm	£		
170	4,5÷240	2,5-18	130.00	1	011440010

1144D/RG
spare hook for item 1144D

	£		
1144D/RG	40.50	1	011440012

1144D/RL
spare blades for item 1144D

	£		
1144D/RL	62.50	1	011440011

1144G
cable stripping tool

with adjustable blade for transverse and longitudinal cuts

L mm	mm²	mm	£		
140	6÷75	2.8-12	70.00	1	011440004

1144G/RL
spare blade for item 1144G

	£		
1144G/RL	13.40	1	011440005

1144L
cable stripping tool with adjustable blade depth, for transverse and longitudinal stripping

with smooth and hook-shaped retractable blade

L mm	mm²	mm	£		
145	6-150	4-28	40.00	1	011440050

1144T
cable stripping tool, pocket size, with cutting device

L mm	mm	g	£		
112	3,5 ÷ 9	40	27.00	1	011440060

1148A
wire stripping pliers, self-adjusting, with cutting device

cutting capacity
10 mm² (8 AWG) flexible wires
1,5 mm² (16 AWG) sturdy wires

L mm	mm²	mm	£		
190	0,02÷10	0-4	238.50	1	011480100

1148A/R
spare blades for item 1148A

	£		
1148A/R	99.50	1	011480102

1148B
wire stripping pliers, self-adjusting, with cutting device

L mm	mm²	mm	£		
190	4÷16	2-5	285.00	1	011480200

1148B/R
spare blades for item 1148B

	£		
1148B/R	130.00	1	011480202

1148P
wire stripping pliers, self-adjusting, with cutting device

L mm	mm²	mm	£		
165	0.2-6	0-3.5	59.50	1	011480300

1149F
front wire stripping pliers with cutting blade, self-adjusting

L mm	mm²	£		
175	0,2 ÷ 6	23.50	1	011490010

1150
combination pliers
bright chrome-plated,
slip-proof double layer PVC coated handles

• The decentralized pin increases the lever effect, thereby reducing effort, for powerful cutting capacity.

ISO 5746

L mm	L1 mm	mm	£		
160	42	1,6	28.00	5	011500046
180	46	1,8	28.50	5	011500048
200	50	2,0	33.00	5	011500050
220	50	2,0	36.00	2	011500052

1150G
heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish

• The decentralized pin increases the lever effect, thereby reducing effort, for powerful cutting capacity.

ISO 5746

L mm	L1 mm	mm	£		
160	42	1,6	27.00	5	011500066
180	46	1,8	28.00	5	011500068
200	50	2,0	32.00	5	011500070
220	50	2,0	34.00	2	011500072

1150HPC HEAVY DUTY UNIVERSAL PLIERS
WITH CUTTING EDGES MADE OF M2 SINTERED STEEL

- The decentralized pin allows the fulcrum to be closer to the cutting point, thereby resulting in an improved lever effect.
- Perfect alignment of the nose and the thin profile allow the pliers to be used in very small areas.
- The body of the pliers is made of a reliable molybdenum steel which has been heat treated in order to be flexible and resistant so as to guarantee a safe grip in any moment.

Shearing stress - static test =	-73%
Average life of cutting edges = (test ISO 5744)	+127%
Hardness of M2 steel cutting edges =	65HRC

ABSOLUTELY GROUNDBREAKING

PEARL CHROME-PLATED FINISH

REMARKABLE CUTTING CAPACITY

1150HPC
heavy duty combination pliers with integrated cutting edges
and decentralized pin
matt chrome plated finish
bi-material handles
open joint
integrated cutting edge
steel: M2
thickness: 0.20 mm
angle: 62°
hardness: 63÷65 HRC

PATENTED

ISO 5746

L mm	L1 mm	mm	£		
180	42	1,8	82.50	2	011500618

1150BM
combination pliers bright chrome-plated,
bi-material handles

• The decentralized pin increases the lever effect, thereby reducing effort, for powerful cutting capacity.

ISO 5746

L mm	L1 mm	mm	£		
160	42	1,6	34.00	3	011500146
180	46	1,8	36.00	3	011500148
200	50	2,0	40.50	3	011500150
220	50	2,0	45.00	2	011500152

1150GBM
heavy duty combination pliers,
bi-material handles,
industrial finish

• The decentralized pin increases the lever effect, thereby reducing effort, for powerful cutting capacity.

ISO 5746

L mm	L1 mm	mm	£		
160	42	1,6	33.50	3	011500266
180	39	1,8	34.50	3	011500268
200	50	2,0	39.50	3	011500270
220	50	2,0	44.00	2	011500272

1153
adjustable pliers,
two positions, PVC-coated handles

UNI ISO 9343

L mm	L1 mm	£		
200	34	33.00	2	011530120

1162
extra-long flat knurled nose pliers,
chrome-plated,
slip-proof double layer PVC coated handles



ISO 5745

L mm	L1 mm	mm	£		
160	58	1,6	31.50	5	011620006
200	86	1,6	34.50	5	011620010

1162G

extra-long flat knurled nose pliers,
slip-proof double layer PVC coated handles,
industrial finish



ISO 5745

L mm	L1 mm	mm	£		
160	58	1,6	26.00	5	011620066
200	86	1,6	32.00	5	011620070

1162BM

extra-long flat knurled nose pliers,
chrome-plated,
bi-material handles

ISO 5745

L mm	L1 mm	mm	£		
160	58	1,6	40.50	3	011620036
200	86	1,6	45.00	3	011620040

1162GBM

extra-long flat knurled nose pliers,
bi-material handles,
industrial finish

ISO 5745

L mm	L1 mm	mm	£		
160	58	1,6	36.00	3	011620266
200	86	1,6	42.00	3	011620270

1164

extra long bent flat knurled nose pliers,
slip-proof double layer PVC coated handles



ISO 5745

L mm	L1 mm	mm	£		
160	54	1,6	34.00	5	011640006
200	76	1,6	37.00	5	011640010

1164BM

extra long bent flat knurled nose pliers,
bi-material handles

ISO 5745

L mm	L1 mm	mm	£		
160	54	1,6	43.00	3	011640036
200	76	1,6	47.00	3	011640040

1166

extra-long needle knurled nose pliers,
chrome-plated,
slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm	mm	£		
160	56	1,6	31.50	5	011660006
200	76	1,6	34.50	5	011660010

1166G

extra-long needle knurled nose pliers,
slip-proof double layer PVC coated handles,
industrial finish



ISO 5745

L mm	L1 mm	mm	£		
160	56	1,6	26.00	5	011660066
200	76	1,6	32.00	5	011660070

1166BM

extra-long needle knurled nose pliers,
chrome-plated,
bi-material handles

ISO 5745

L mm	L1 mm	mm	£		
160	56	1,6	40.50	3	011660036
200	76	1,6	45.00	3	011660040

1166GBM

extra-long needle knurled nose pliers,
bi-material handles,
industrial finish

ISO 5745

L mm	L1 mm	mm	£		
160	56	1,6	36.00	3	011660266
200	76	1,6	42.00	3	011660270

1168

extra-long bent needle knurled nose pliers,
chrome-plated,
slip-proof double layer PVC coated handles



ISO 5745

L mm	L1 mm	mm	£		
160	54	1,6	34.00	5	011680006
200	76	1,6	37.00	5	011680010

1168G

extra-long bent needle knurled nose pliers,
slip-proof double layer PVC coated handles,
industrial finish



ISO 5745

L mm	L1 mm	mm	£		
160	54	1,6	28.00	5	011680066
200	76	1,6	33.50	5	011680070

1168BM

extra-long bent needle knurled nose pliers,
chrome-plated,
bi-material handles

ISO 5745

L mm	L1 mm		£		
160	54	1,6	**43.00**	3	011680036
200	70	1,6	**47.00**	3	011680040

1168GBM

extra-long bent needle knurled nose pliers,
bi-material handles,
industrial finish

ISO 5745

L mm	L1 mm		£		
160	54	1,6	**37.50**	3	011680266
200	70	1,6	**44.00**	3	011680270

1169/D3

set of 1 combination pliers, 1 long needle nose pliers and 1 diagonal cutting nippers

	£		
1169/D3	**94.50**	1	011690053
1082 160mm			
1150 180mm			
1166 160mm			

1169G/D3

set of 1 combination pliers,
1 long needle nose pliers
and 1 diagonal cutting nippers, slip-proof double layer PVC, industrial finish

	£		
1169G/D3	**85.00**	1	011690073
1082G 160mm			
1150G 180mm			
1166G 160mm			

1169BM/D3

set of 1 combination pliers, 1 long needle nose pliers and 1 diagonal cutting nippers

	£		
1169BM/D3	**124.50**	1	011690133
1082BM 160mm			
1150BM 180mm			
1166BM 160mm			

1169GBM/D3

set of 1 combination pliers,
1 long needle nose pliers
and 1 diagonal cutting nippers, bi-material handles, industrial finish

	£		
1169GBM/D3	**113.50**	1	011690273
1082GBM 160mm			
1150GBM 180mm			
1166GBM 160mm			

1169N/D4

Set of 1 heavy-duty combination pliers,
1 long needle nose pliers, 1 cutting nippers,
chrome-plated, and 1 slip joint pliers with boxed joints,
phosphated

	£		
1169N/D4	**137.50**	1	011690024
1082 160 mm			
1150 180 mm			
1166 160 mm			
1048N 250 mm			

1171BM

smooth, flat short nose pliers
bi-material handles

ISO 9655

L ~	L1 mm	A mm	B mm	£		
130	18	12	8	**42.50**	2	011710101

1172BM

smooth, flat long nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm	£		
140	40	12	8	**42.50**	2	011720101

1172BM/P
smooth, flat bent long nose pliers
bi-material handles

L ~	L1 mm	A mm	B mm	£		
140	38	12	13	44.50	2	011720102

1173BM
round short nose pliers
bi-material handles

ISO 9655

L ~	L1 mm	A mm	B mm	£		
125	22	12	8	42.50	2	011730101

1175BM
smooth half-round short nose pliers
bi-material handles

ISO 9655

L ~	L1 mm	A mm	B mm	£		
140	29	12	8	42.50	2	011750101

1177BM
smooth half-round long nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm	£		
140	38	12	8	42.50	2	011770101

1177BM/Z
half-round long knurled nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm	£		
140	39	12	8	44.50	2	011770113

1178BM
smooth half-round long needle nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm	£		
140	37	12	8	44.50	2	011780101

1178BM/P
smooth half-round long bent
needle nose pliers
bi-material handles



L ~	L1 mm	A mm	B mm	£		
140	36,5	12	12	44.50	2	011780102

Copper cutting nippers.
For heavier duty jobs see item 1081

1182BM
diagonal semi-flush cutting nippers,
slim tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
120	11	10	1	44.50	2	011820101

1183BM
diagonal semi-flush cutting nippers,
rounded tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
120	11	10	1	**44.50**	2	011830101

1184BM
diagonal flush cutting nippers,
rounded tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
120	11	10	1	**44.50**	2	011840101
130	13	12,5	1,25	**44.50**	2	011840102

1185BM
diagonal flush cutting nippers,
slim tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
120	11	10	1	**44.50**	2	011850101
130	13	12,5	1,25	**44.50**	2	011850102

1186BM
diagonal flush cutting nippers,
slim tapering tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
120	11	10	1	**44.50**	2	011860101
130	13	12,5	1,25	**44.50**	2	011860102

1188BM
diagonal axial cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
125	12	12	1,25	**44.50**	2	011880101
130	17	15	2	**44.50**	2	011880102

1190BM
end semi-flush cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
120	12	12	1,25	**44.50**	2	011900113

1191BM
end flush oblique cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
130	8	12	0,8	**44.50**	2	011910101

1191BM/L
end flush long oblique cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm	£		
130	18	12	1	**44.50**	2	011910110

1191R/5-M
spare spring kit for pliers and nippers for electronics, 5 pairs (items: 1171...1191)

	£		
1191R/5-M	**11.20**	1	011910995

1200MS
magnetizer/demagnetizer



	£		
1200MS	**17.90**	5	012000000

Beta EVOX

THE EVOLUTION OF THE SCREWDRIVER!

The ergonomic design fits the palm of the hand perfectly. The large contact surface makes it possible to transmit maximum force with minimum effort.
Beta's tried-and-tested blades ensure unique elasticity, hardness and wear resistance, for top-end professional tools.
The octagonal section prevents any bothersome rolling on the worktop.
The precision area allows the screwdriver to be quickly rotated between the fingers.
The hole on the handle allows the screwdriver to hang for easy storage.
New thermoplastic rubber makes each use including heavy-duty ones even more comfortable.
The style and size of the tip is printed on the round cap for quick identification.

1201E

screwdriver for slotted head screws

ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,4x2,5x50	146	2,5	4.60	5	012011003
0,4x2,5x75	166	2,5	4.80	5	012011006
0,5x3x75	171	3,0	4.85	5	012011009
0,5x3x100	196	3,0	5.00	5	012011012
0,6x3,5x75	171	3,5	5.45	5	012011018
0,6x3,5x100	196	3,5	5.65	5	012011021
0,8x4x100	196	4,0	5.70	5	012011030
0,8x4x125	221	4,0	5.95	5	012011033
0,8x4x150	246	4,0	6.15	5	012011036
1,0x5,5x100	209	5,0	6.50	5	012011039
1,0x5,5x125	234	5,0	6.75	5	012011040
1,0x5,5x150	259	5,0	6.95	5	012011042
1,2x6,5x100	220	6,0	8.00	5	012011048
1,2x6,5x125	234	6,0	8.30	5	012011050
1,2x6,5x150	270	6,0	8.55	5	012011051
1,2x8x150	282	8,0	10.70	3	012011057
1,2x8x200	332	8,0	11.90	3	012011060
1,6x10x200	332	9,5	12.90	3	012011066

	£		
1201E/S6 0,5x3x75-0,6x3,5x100 0,8x4x100-1,0x5,5x100 1,2x8x150-1,6x10x200 mm	46.50	1	012011206

1201EN

screwdriver for slotted head screws, extra-short series

ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,8x4x30	86,5	4	7.45	3	012011103
1,2x6,5x30	86,5	6	8.30	3	012011106

1201E/DZ

screwdriver for Dzus® head screws

L mm	L1 mm	£		
53	173	16.60	2	012011501

1202E

screwdriver for cross head Phillips® screws

UNI-ISO 8764

PHxDxL mm	L1 mm	£		
0x3x60	156	4.85	5	012021003
0x3x100	200	5.65	5	012021006
1x4,5x80	189	6.40	5	012021009
1x4,5x120	229	7.00	5	012021012
2x6x100	220	8.45	5	012021018
2x6x150	270	9.25	5	012021021
3x8x150	282	11.70	3	012021024
4x9,5x200	332	15.00	3	012021027

	£		
1202E/S4	33.00	1	012021204
PH0x3x60-PH1x4,5x120 PH2x6x150-PH3x8x150 mm			

1202EN

screwdriver for cross head Phillips® screws, extra-short series

UNI-ISO 8764

PHxDxL mm	L1 mm	£		
1x4,5x30	86,5	7.55	3	012021103
2x6x30	86,5	8.35	3	012021106

1202EL

screwdriver for cross head Phillips® screws, long series



UNI-ISO 8764-1

PHxDxL mm	L1 mm	£		
0x3x300	400	9.00	3	012021303
1x4,5x300	400	9.85	3	012021305
1x4,5x400	508	12.00	3	012021306
2x6x400	519	13.90	3	012021309

1203E/D

set of screwdrivers

		£		
1203E/D5		36.00	1	012031001
1201E	0,6x3,5x100-1,0x5,5x150 1,2x6,5x150 mm			
1202E	PH1x4,5x80-PH2x6x100 mm			
1203E/D5PZ		32.50	1	012031003
1201E	0,5x3x75-0,8x4x125 1,0x5,5x150 mm			
1209E/PZ	PZ1x4,5x80-PZ2x6x100 mm			
1203E/D6		37.50	1	012031006
1202E	PH1x4,5x80-PH2x6x100 mm			
1204E	0,4x2,5x60-0,5x3x100 0,8x4x100-1,0x5x125 mm			
1203E/D7		45.50	1	012031007
1201E	0,5x3x75-0,8x4x100 1,0x5,5x100-1,2x6,5x150 mm			
1202E	PH0x3x60-PH1x4,5x80 PH2x6x100 mm			
1203E/D8		57.50	1	012031008
1201E	0,5x3x75-0,8x4x125 1,0x5,5x150-1,2x6,5x150 mm			
1202E	PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm			
1203E/D8P		50.00	1	012031018
1201E	2,5x50-3x75-4x100 5,5x100-6,5x150 mm			
1202E	PH0x60-PH1x80-PH2x100 mm			
1203E/D10		72.50	1	012031010
1201E	0,4x2,5x50-0,5x3x75 0,8x4x100-1,0x5,5x100 1,2x6,5x150-1,2x8x150 mm			
1202E	PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm			
1203E/D10N		65.50	1	012031019
1201E	0,4x2,5x50-0,5x3x75-0,8x4x100-1,0x5,5x150-1,2x6,5x150 mm			
1201EN	0,8x4x30 mm			
1202E	PH0x3x60 - PH1x4,5x80 - PH2x6x100 mm			
1202EN	PH1x4,5x30 mm			

1203E/S

		£		
1203E/S8		50.00	1	012031009
1201E	2,5x50-3x75-4x100 5,5x125-6,5x150 mm			
1202E	PH0x3x60-PH1x4,5x80 PH2x6x100 mm			
1203E/S10		73.00	1	012031021
1201E	0,4x2,5x50-0,5x3x75 0,8x4x125-1,0x5,5x150 1,2x6,5x150-1,2x8x150 mm			
1202E	PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm			

1204E

screwdriver for headless slotted screws

ISO 2380

SxDxL mm	L1 mm	£		
0,4x2,5x60	156	4.75	5	012041003
0,6x3x75	175	4.85	5	012041006
0,5x3x100	196	5.10	5	012041009
0,8x4x100	196	5.85	5	012041012
0,8x4x125	233	6.40	5	012041015
1x5x125	234	7.10	5	012041018
1x5x150	258	8.90	5	012041021
1,2x6,5x150	270	10.10	5	012041024

	£		
1204E/S5	33.00	1	012041205
0,4x2,5x60-0,5x3x100 0,8x4x100-1x5x125 1,2x6,5x150 mm			

1204EL

screwdriver for headless slotted screws, long series



ISO 2380

SxDxL mm	L1 mm	£		
0,5x2,5x200	300	7.30	3	012041303
0,5x3x300	400	8.90	3	012041306
0,8x4x400	508	10.80	3	012041309
1x5x400	508	11.80	3	012041315
1,2x6,5x400	519	15.00	3	012041318

1205E/ES

hexagon drivers with handles

mm	L mm	L1 mm	£		
1,5	100	200	6.20	3	012051315
2	100	200	6.20	3	012051320
2,5	100	200	6.40	3	012051325
3	100	200	6.50	3	012051330
4	100	208	7.70	3	012051340
5	100	219	9.45	3	012051350
6	125	244	9.65	3	012051360
8	150	277	12.80	2	012051380

	£		
1205E/ES-S8 1,5-2-2,5-3-4-5-6-8 mm	65.00	1	012051408

1206E/BP

ball head hexagon drivers with handles

mm	L mm	L1 mm	Ø mm	£		
2	100	198	2,5	6.70	3	012061320
2,5	100	198	3,0	6.80	3	012061325
3	100	198	3,5	7.00	3	012061330
4	100	209	5,0	8.35	3	012061340
5	100	220	6,0	9.90	3	012061350
6	125	245	7,0	10.30	3	012061360
8	150	287	9,5	13.80	2	012061380

	£		
1206E/BP-S7 2-2,5-3-4-5-6-8 mm	63.00	1	012061407

1207E/TX

screwdrivers for Torx® head screws, with handles

	L mm	L1 mm	Ø mm	£		
T5	50	150	3	5.60	5	012071005
T6	60	156	4	5.60	5	012071006
T7	60	156	4	5.65	5	012071007
T8	60	156	4	5.90	5	012071008
T9	60	156	4	6.00	5	012071009
T10	80	189	5	7.55	5	012071010
T15	80	189	5	7.60	5	012071015
T20	100	209	5	7.70	5	012071020
T25	100	209	5	7.80	5	012071025
T27	100	220	6	8.60	5	012071027
T30	100	220	6	8.75	5	012071030
T40	130	262	7	12.00	2	012071040
T45	130	262	8	12.30	2	012071045

	£		
1207E/TX-D7 T6-T8-T10-T15 T20-T25-T30	51.00	1	012071207
1207E/TX-S13 T5-T6-T7-T8-T9-T10-T15 T20-T25-T27-T30-T40-T45	101.00	1	012071213

1208E/RTX

screwdrivers for Tamper Resistant Torx® head screws, with handles

	L mm	L1 mm	Ø mm	£		
T9	60	156	4	6.00	5	012081009
T10	80	189	5	7.70	5	012081010
T15	80	189	5	7.80	5	012081015
T20	100	209	5	7.90	5	012081020
T25	100	209	5	8.05	5	012081025
T27	100	220	6	9.00	5	012081027
T30	100	220	6	9.15	5	012081030
T40	130	262	7	12.40	2	012081040

	£		
1208E/RTX-D7 T9-T10-T15-T20 T25-T27-T30	55.50	1	012081207

1209E/PZ

screwdriver for cross head Pozidriv®-Supadriv® screws

UNI-ISO 8764

PZ	L mm	L1 mm	£		
0	60	156	5.10	5	012091000
1	80	189	6.80	5	012091003
2	100	220	8.20	5	012091006
3	150	282	12.00	3	012091009
4	200	327	13.90	3	012091012

	£		
1209E/PZ-S4 PZ0-PZ1-PZ2-PZ3	32.00	1	012091204

1209EN/PZ

screwdriver for cross head Pozidriv®-Supadriv® screws, extra-short series

ISO 8764

PZ	L mm	L1 mm	£		
1	30	87	7.25	3	012091103
2	30	87	7.80	3	012091106

Beta EVOX-E

ELECTRIC SCREWDRIVER BETA EVOX-E

The electric screwdriver, Beta Evox-E, is ideal for carrying out high-precision jobs with minimum effort and maximum rapidity.

Battery life

Long-lasting 3.7V 2300mAh lithium battery, allowing up to 1,000 screw fastenings with one charging cycle.

It is available in two variants:

- **electric screwdriver 1210E/GE with bits**

- **electric screwdriver 1211E/GE with 1000V insulated bits**

△1000 V

1210E/GE

Evox-E electric screwdriver

L mm	£		
150	200.50	1	012100701

1211E/GE

Evox-E electric screwdriver

L mm	£		
150	209.00	1	012110701

	£		
1229LP/A6 1,2-1,4-1,8-2-2,4-3 mm	32.00	1	012290300

1229LPH/A6

set of 6 micro-screwdrivers items 1229LP-1229PH

	£		
1229LPH/A6 1229LP 1,4-2,0-2,4-3 mm 1229PH PH0-PH1	32.00	1	012290310

1236B

offset screwdrivers
for slotted head screws



UNI 7079 DIN 5200

SxA mm	L mm	£		
0,8x4	100	4.95	5	012360201
1x5,5	125	5.60	5	012360202
1,2x8	150	7.00	5	012360204

1238B

offset screwdrivers
for cross head Phillips® screws

UNI 7083 DIN 5208

PH	L mm	£		
1-2	125	5.45	5	012380201
3-4	200	9.85	5	012380203

1241

screwdrivers with steel head for slotted head screws



ISO 2380

SxAxL mm	L1 mm	£		
1x5,5x100	202	15.10	5	012410039
1,2x6,5x125	240	16.70	5	012410050
1,2x8x150	268	19.90	3	012410057
1,6x10x175	300	23.30	2	012410065
1,6x10x200	325	25.00	2	012410066
2,0x12x200	325	25.50	2	012410067
2,5x14x250	375	28.00	2	012410076

1242

screwdrivers with steel head for cross head Phillips® screws



UNI/ISO 8764

PHxDxL mm	L1 mm	£		
1x4,5x100	202	15.00	5	012420209
2x6x100	215	16.70	5	012420218
3x8x150	268	19.90	3	012420221
4x11x200	325	27.50	2	012420224

1243LP/D6

set of 6 screwdrivers with steel heads, for slotted head screws

1243LP/D6		£ 128.50	1	012430016
1241	1x5,5x100-1,2x6,5x125 3x8x150-1,6x10x175 2,0x12x200-2,5x14x250 mm			

1243/D7

Set of 7 screwdrivers with steel heads

1243/D7		£ 128.50	1	012430017
1241	1x5,5x100-1,2x6,5x125 1,2x8x150-1,6x10x200 mm			
1242	PH1x4,5x100-PH2x6x100 PH3x8x150 mm			

1243/S11

set of 6 screwdrivers with steel heads

1243/S11		£ 232.50	1	012430021
1241	1x5,5x100-1,2x6,5x125 3x8x150-1,6x10x175 1,6x10x200-2,0x12x200 2,5x14x250 mm			
1242	PH1x4,5x100-PH2x6x100 PH3x8x150-PH4x11x200 mm			

1250

screwholding screwdrivers
for slotted head screws



SxDxL mm	L1 mm	£		
0,5x3x125	190	22.70	5	012500030
0,6x4x125	225	26.00	5	012500040
0,7x5x150	255	28.00	5	012500050

1251

screwholding screwdrivers
for cross head Phillips® screws



PHxDxL mm	L1 mm	£		
0x4x125	225	26.00	5	012510000
1x5x125	225	30.50	5	012510010
2x6x175	280	32.50	5	012510020

1252/S5

1252/S5		£ 139.50	1	012520001
1250	0,5x3x125-0,6x4x125 0,7x5x150 mm			
1251	PH1x5x150-PH2x6x175 mm			

1253
mains testing screwdriver 150/250V



SxAxL mm	L1 mm	£		
0,5x3,5x100	190	10.10	5	012530001

1253A
mains testing screwdriver 125/250V, double insulation

SxAxL mm	L1 mm	£		
0,5x3x15	150	8.45	5	012530010

1254
circuit testing screwdriver 6-24V



SxAxL mm	L1 mm	£		
0,5x3x44	123	11.30	5	012540001

1256/C36-2
microscrewdriver with 36 interchangeable 4-mm bits and magnetic extension

	£		
1256/C36-2	91.50	1	012560100

1256TX — T3 - T4 -T5 - T6 - T7 T8 - T9 - T10 - T15

1256RTX — T6 - T7 - T8 - T9 - T10

1256LP — 0,8 - 1,2 - 1,5 - 1,8 - 2 - 2,5 3 - 3,5 - 4 mm

1256PE — 0,7 - 0,9 - 1,3 - 1,5 - 2 mm

1256PH — PH000 - PH00 - PH0 - PH1

1256PZ — PZ000 - PZ00 - PZ0 - PZ1

1256/20

1256/30

130x60x35 mm - 200 g

1256LP
4-mm bits
for slotted head screws



SxA mm	L mm	£		
0,25x0,8	27	1.62	5	012560001
0,25x1,2	27	1.62	5	012560002
0,3x1,5	27	1.62	5	012560003
0,35x1,8	27	1.62	5	012560004
0,4x2,0	27	1.62	5	012560005
0,4x2,5	27	1.62	5	012560006
0,5x3,0	27	1.62	5	012560007
0,6x3,5	27	1.62	5	012560008
0,8x4,0	27	1.62	5	012560009

1256PH
4-mm bits
for cross head Phillips® screws

PH	L mm	£		
000	27	1.41	5	012560011
00	27	1.41	5	012560012
0	27	1.41	5	012560013
1	27	1.41	5	012560014

1256PZ
4-mm bits
for slotted head Pozidriv® - Supradriv® screws

PZ	L mm	£		
000	27	1.41	5	012560061
00	27	1.41	5	012560062
0	27	1.41	5	012560063
1	27	1.41	5	012560064

1256PE
4-mm bits
for hexagon head screws

mm	L mm	£		
0,7	27	1.62	5	012560021
0,9	27	1.62	5	012560022
1,3	27	1.62	5	012560023
1,5	27	1.62	5	012560024
2,0	27	1.62	5	012560025

1256TX
4-mm bits
for Torx® head screws

	L mm	£		
T3	27	1.84	5	012560041
T4	27	1.84	5	012560042
T5	27	1.84	5	012560043
T6	27	1.84	5	012560044
T7	27	1.84	5	012560045
T8	27	1.84	5	012560046
T9	27	1.84	5	012560047
T10	27	1.84	5	012560048
T15	27	1.84	5	012560049

1256RTX
4-mm bits
for Tamper Resistant Torx® head screws

	L mm	£		
T6	27	2.34	5	012560051
T7	27	2.34	5	012560052
T8	27	2.34	5	012560053
T9	27	2.34	5	012560054
T10	27	2.34	5	012560055

1256/20
hexagon drive extension, 4 mm

	£		
1256/20	8.45	5	012560092

1256/30
4-mm bit holder with handle

L mm	£		
110	11.90	2	012560097

1257LP
micro-screwdrivers
for slotted head screws



SxD mm	L mm	£		
0,25x1,2	60	5.85	5	012570012
0,23x1,5	60	5.85	5	012570015
0,3x1,8	60	5.85	5	012570018
0,4x2	60	5.85	5	012570020
0,4x2,5	60	5.85	5	012570024

SxD mm	L mm	£		
0,5x3	60	5.85	5	012570030
0,6x3,5	60	5.85	5	012570035
0,8x4	60	5.85	5	012570040

	£		
1257LP/S8	80.00	1	012570200
0,2x1,2-0,25x1,5 0,3x1,8-0,4x2-0,4x2,5 0,5x3-0,6x3,5-0,8x4 mm			

1257PH

micro-screwdrivers
for cross-head Phillips® screws

PH	L mm	£		
00	60	5.85	5	012570060
0	60	5.85	5	012570063
1	60	5.85	5	012570066

1257LPH/S8

	£		
1257LPH/S8	80.00	1	012570210
1257PH	PH00-PH0-PH1		
1257LP	0,4x2-0,4x2,5-0,5x3 0,6x3,5-0,8x4 mm		

1257ES

micro-screwdrivers hexagon male ends

mm	L mm	£		
0,9	60	5.95	5	012570045
1,3	60	5.95	5	012570046
1,5	60	5.95	5	012570047
2	60	5.95	5	012570048
2,5	60	5.95	5	012570049
3	60	5.95	5	012570050

1257ESB/S8

	£		
1257ESB/S8	85.50	1	012570230
1257ES	0,9-1,3-1,5-2-2,5-3 mm		
1257BE	4-5 mm		

1257TX

micro-screwdrivers for Torx®
head screws

	L mm	£		
T5	60	6.90	5	012570075
T6	60	6.90	5	012570076
T7	60	6.90	5	012570077
T8	60	6.90	5	012570078
T9	60	6.90	5	012570079
T10	60	6.90	5	012570080
T15	60	6.90	5	012570081
T20	60	6.90	5	012570082

	£		
1257TX/S8	88.00	1	012570220
T5-T6-T7-T8 T9-T10-T15-T20			

1257BE

micro-screwdrivers hexagon socket wrenches

mm	L mm	£		
3,2	60	8.45	5	012570085
4	60	8.45	5	012570086
5	60	8.45	5	012570087
5,5	60	8.45	5	012570088

The BetaGrip screwdrivers are the fruit of Beta's long expertise in screwdriver design and close cooperation with the mechanics of motor racing teams.
New, one-of-a-kind technical solutions capable of satisfying the most demanding professionals' requirements have been used with a view to achieving the highest standards as regards ergonomics, strength and quality of the materials.

• The **blade** is made from special steel with a high silicon, chromium and vanadium content, to ensure improved performance in terms of torsional and flexural strength.
A non-glare, matt chrome-plated finish has been chosen.

• The **geometry of the tip** has been designed to ensure perfect coupling between the blade and the screw head. The phosphate-coated finish prevents the tip from getting oxidized, while maintaining precise profiles.

• The **texture** has been inspired by the treads of Racing tyres, developed to maximize grip on different grounds. Hence it ensures effective screwdriver hold under any working conditions, for enhanced precision and control when fitting the tip onto the screw.

1260

screwdrivers for slotted head screws



ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,4x2,5x50	150	2,5	8.45	5	012600003
0,4x2,5x75	175	2,5	9.00	5	012600006
0,5x3x75	175	3,0	9.25	5	012600009
0,5x3x100	200	3,0	9.50	5	012600012
0,6x3,5x75	175	3,5	9.95	5	012600018
0,6x3,5x100	200	3,5	10.20	5	012600021
0,8x4x100	208	4,0	11.30	5	012600030
0,8x4x125	233	4,0	12.00	5	012600033
0,8x4x150	258	4,0	12.40	5	012600036
1x5,5x100	208	5,0	11.80	5	012600039
1x5,5x125	233	5,0	12.40	5	012600040
1x5,5x150	258	5,0	12.70	5	012600042
1,2x6,5x100	219	6,0	13.00	5	012600048
1,2x6,5x125	244	6,0	13.50	5	012600050
1,2x6,5x150	269	6,0	14.00	5	012600051
1,2x8x150	277	8,0	17.60	3	012600057
1,2x8x200	327	8,0	18.30	3	012600060
1,6x10x200	327	9,5	19.90	3	012600066
2x12x250	377	10	25.00	3	012600069
2x14x250	377	10	26.50	2	012600073

	£		
1260/S6	**75.00**	1	012600306
0,4x2,5x75-0,5x3x75-0,8x4x125 1x5,5x150-1,2x6,5x150-1,2x8x200 mm			

1260N

screwdrivers for slotted head screws, extra-short series



ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,8x4x30	87	4	10.20	5	012600103
1,2x6,5x30	87	6	10.70	5	012600106

1260E
screwdrivers for slotted head screws with hexagon bolsters

ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
1,2x6,5x150	269	6,0	16.70	3	012600156
1,2x8x175	301	8,0	20.50	3	012600157
1,6x10x200	327	9,5	22.80	2	012600159
2x12x250	377	9,5	27.50	2	012600162

1260MC
screwdriver for slotted head screws, coloured

SxAxL mm	L1 mm	Ø mm	£		
0,4x2,5x50	150	2,5	8.60	3	012602003
0,6x3,5x75	175	3,5	9.65	3	012602018
0,8x4x100	208	4,0	12.00	3	012602030
1x5,5x150	233	5,0	12.80	5	012602040
1,2x6,5x150	269	6,0	14.00	5	012602051

1262
screwdrivers for cross head Phillips® screws

UNI/ISO 8764

PHxDxL mm	L1 mm	£		
0x3x60	160	9.00	5	012620003
0x3x100	200	9.50	5	012620006
1x4,5x80	188	11.70	5	012620009
1x4,5x120	228	12.10	5	012620012
2x6x100	219	13.60	5	012620018
2x6x150	269	14.60	5	012620021
3x8x150	277	17.60	3	012620024
4x10x200	327	21.30	3	012620027

	£		
1262/S4	52.00	1	012620304
PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm			

1262N
screwdrivers for cross head Phillips® screws, extra-short series

UNI/ISO 8764

PHxDxL mm	L1 mm	£		
1x4,5x30	87	10.20	5	012620103
2x6x30	87	10.70	5	012620106

1262E
screwdrivers for cross head Phillips® screws with hexagon bolsters

UNI/ISO 8764

PHxDxL mm	L1 mm	£		
2x6x150	269	17.50	3	012620153
3x8x175	302	20.50	3	012620156
4x10x200	327	25.00	2	012620159

1262L
screwdrivers for cross head Phillips® screws, long series

UNI/ISO 8764-1

PHxDxL mm	L1 mm	£		
0x3x300	400	13.40	3	012620203
1x4,5x300	400	16.70	3	012620205
1x4,5x400	508	17.60	3	012620206
2x6x400	519	20.50	3	012620209

1262MC
screwdriver for cross head Phillips® screws, coloured

PHxDxL mm	L1 mm	£		
0x3x60	160	9.85	3	012622003
1x4,5x80	188	11.80	3	012622009
2x6x100	219	14.40	3	012622018

1263/D...
set of screwdrivers

		£		
1263/D6		72.00	1	012630006
1260	0,5x3x75-0,8x4x100 1x5,5x125-1,2x6,5x150 mm			
1262	PH1x4,5x80-PH2x6x100 mm			
1263/D7		75.50	1	012630017
1262	PH0x3x60 PH1x4,5x80 PH2x6x100 mm			
1264	0,5x2,5x60-0,6x3x100 0,8x4x125-1x5x125 mm			
1263/D7PZ		83.00	1	012630007
1260	0,5x3x75-0,8x4x100 1x5,5x150-1,2x6,5X150 mm			
1269PZ	PZ0 - PZ1 - PZ2			
1263/D8		89.50	1	012630008
1260	0,4x2,5x50-0,5x3x75 0,8x4x100-1x5,5x125 1,2x6,5X150 mm			
1262	PH0x3x60-PH1x4,5x80 PH2x6x100 mm			
1263/D10		113.00	1	012630010
1260	0,5x3x75-0,6x3,5x100 0,8x4x125-1x5,5x150 1,2x6,5X150 mm			
1260N	0,8x4x30			
1262	PH0x3x60-PH1x4,5x80 PH2x6x100 mm			
1262N	PH1x4,5x30			

1263/S12
set of 12 screwdrivers

		£		
1263/S12		**156.50**	1	012630112
1260	0,4x2,5x50-0,5x3x75 0,6x3,5x100-0,8x4x125 1x5,5x125-1,2x6,5x150 1,2x8x200-1,6x10x200 mm			
1262	PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm			

1263MC/D8
set of 8 coloured screwdrivers

		£		
1263MC/D8		**93.00**	1	012632008
1260MC	0,4x2,5x50-0,5x3x75 0,8x4x100-1x5,5x125 1,2x6,5X150 mm			
1262MC	PH0x3x60-PH1x4,5x80 PH2x6x100 mm			

1264
screwdrivers for headless slotted screws

SxDxL mm	L1 mm	£		
0,5x2,5x60	160	**8.45**	5	012640003
0,6x3x75	175	**9.00**	5	012640006
0,6x3x100	200	**9.15**	5	012640009
0,8x4x100	208	**10.80**	5	012640012
0,8x4x125	233	**11.30**	5	012640015
1x5x125	233	**12.40**	5	012640018
1x5x150	258	**13.00**	5	012640021
1,2x6,5x150	269	**15.90**	5	012640024

		£		
1264/S5	0,5x2,5x60-0,6x3x75 0,8x4x100-1x5x125-1,2x6,5x150 mm	**56.50**	1	012640305

1264L
screwdrivers for headless slotted screws, long series

SxDxL mm	L1 mm	£		
0,5x2,5x200	300	**11.10**	3	012640203
0,6x3x300	400	**12.80**	3	012640206
0,8x4x400	508	**15.90**	3	012640209
1x5x400	508	**16.70**	3	012640215
1,2x6,5x400	519	**22.10**	3	012640218

1265ES
hexagon drivers with handles

mm	L mm	L1 mm	£		
1,5	100	200	**9.65**	3	012650015
2	100	200	**9.85**	3	012650020
2,5	100	200	**10.10**	3	012650025
3	100	200	**10.20**	3	012650030
4	100	208	**12.30**	3	012650040
5	100	219	**13.90**	3	012650050
6	125	244	**15.10**	3	012650060
8	150	277	**21.30**	2	012650080

		£		
1265ES/S8	1,5-2-2,5-3-4-5-6-8 mm	**102.50**	1	012650308

1266BP
ball head hexagon drivers with handles

mm	L mm	L1 mm	£		
2	100	200	**9.85**	3	012660020
2,5	100	200	**9.95**	3	012660025
3	125	225	**10.30**	3	012660030
4	125	233	**12.30**	3	012660040
5	120	239	**14.00**	3	012660050
6	140	259	**15.30**	3	012660060
8	160	287	**20.50**	2	012660080
10	160	287	**24.40**	2	012660100

		£		
1266BP/S8	2-2,5-3-4-5-6-8-10 mm	**116.50**	1	012660308

1267TX
drivers for Torx® head screws, with handles

	L mm	L1 mm	Ø mm	£		
T5	50	150	3	**9.45**	5	012670005
T6	50	150	3	**9.65**	5	012670006
T7	50	150	3	**9.85**	5	012670007
T8	60	160	3	**9.95**	5	012670008
T9	60	167	4	**11.60**	5	012670009
T10	80	188	4	**11.80**	5	012670010
T15	80	188	4	**12.10**	5	012670015
T20	100	208	4,5	**12.70**	5	012670020
T25	100	208	5	**13.00**	5	012670025
T27	115	234	6	**15.00**	5	012670027
T30	115	234	6	**15.10**	5	012670030
T40	130	257	7	**18.90**	2	012670040
T45	130	257	8	**19.90**	2	012670045

	£		
1267TX/D7 T6-T8-T10-T15 T20-T25-T30	**84.50**	1	012670307

	£		
1267TX/S13 T5-T6-T7-T8-T9 T10-T15-T20-T25 T27-T30-T40-T45	**169.00**	1	012670312

1267MC/TX

drivers for Torx® head screws, with handles, coloured

	L mm	L1 mm	Ø mm	£		
T6	50	150	3	**10.20**	5	012672006
T8	60	160	3	**10.40**	5	012672008
T10	80	188	4	**12.20**	5	012672010
T15	80	188	4	**12.70**	5	012672015
T20	100	208	4,5	**13.30**	5	012672020
T25	100	208	5	**13.80**	3	012672025
T30	115	234	6	**16.10**	3	012672030

	£		
1267MC/TX-D7 T6-T8-T10-T15 T20-T25-T30	**88.50**	1	012672307

1268RTX

screwdrivers for Tamper Resistant Torx® head screws, with handles

	L mm	L1 mm	Ø mm	£		
T9	60	167	4,0	**11.80**	3	012680009
T10	80	188	4,0	**12.00**	3	012680010
T15	80	188	4,0	**12.10**	3	012680015
T20	100	208	4,5	**12.40**	3	012680020
T25	100	208	5,0	**12.80**	3	012680025
T27	115	234	6,0	**15.30**	3	012680027
T30	115	234	6,0	**15.70**	3	012680030
T40	130	257	7,0	**19.00**	2	012680040

	£		
1268RTX/S8 T9-T10-T15-T20 T25-T27-T30-T40	**111.00**	1	012680307

1269PZ

screwdrivers for cross head Pozidriv®-Supadriv® screws

UNI/ISO 8764

	L mm	L1 mm	£		
0	60	160	**9.50**	5	012690000
1	80	188	**12.00**	5	012690001
2	100	219	**14.30**	5	012690002
3	150	277	**20.50**	3	012690003
4	200	327	**25.00**	3	012690004

	£		
1269PZ/S4 PZ0-PZ1-PZ2-PZ3	**56.50**	1	012690304

1269N/PZ

screwdrivers for cross head Pozidriv®-Supadriv® screws, extra-short series

UNI/ISO 8764

PZ	L mm	L1 mm	£		
1	30	87	**10.60**	5	012690011
2	30	87	**11.20**	5	012690012

1281BG

interchangeable blade screwdriver handle

L mm	⬣ mm	£		
118	10	**12.70**	5	012810280

1281PM

quick-fit magnetic bit holder

L mm	£		
165	**15.90**	5	012810292

1281PB

socket holder with 1/4" male drive

L mm	£		
175	**12.10**	5	012810293

1281LP

reversible screwdrivers for slotted head screws

	£		
1281LP/1 0,8x4-1,2x6,5 mm	**7.25**	5	012810302
1281LP/2 1x5,5-1,2x6,5 mm	**7.25**	5	012810304

1281PH

reversible screwdrivers
for cross head Phillips® screws

PH	£		
1-2	7.25	5	012810310
2-3	7.25	5	012810312

1281LPH

reversible screwdrivers
for slotted and Phillips® head screws

	£		
1281LPH/1 PH0-0,8X4 mm	7.25	5	012810321
1281LPH/2 PH1-1x5,5 mm	7.25	5	012810322
1281LPH/3 PH2-1,2x6,5 mm	7.25	5	012810323

1281PZ

reversible screwdrivers
for cross head Pozidriv®-Supadriv® screws

PZ	£		
1-2	7.25	5	012810330
2-3	7.25	5	012810332

1281PE

reversible ball head hexagon
screwdriver blades

mm	£		
2,5	7.25	5	012810342
3	7.25	5	012810343
4	7.25	5	012810344
5	7.25	5	012810345
6	7.25	5	012810346

1281TX

reversible screwdrivers for Torx® head screws

	£		
1281TX/1 T6-T8	7.70	5	012810349
1281TX/2 T7-T9	7.70	5	012810350
1281TX/3 T10-T15	7.70	5	012810351
1281TX/4 T20-T25	7.70	5	012810352
1281TX/5 T30-T40	7.70	5	012810353

1281RTX

reversible screwdrivers
for Tamper Resistant Torx® head screws

	£		
1281RTX/3 T10-T15	8.35	5	012810361
1281RTX/4 T20-T25	8.35	5	012810362
1281RTX/5 T30-T40	8.35	5	012810363

1281BG/A9

assortment of 9 reversible screwdrivers
and 1 accessory in case

1/4"

	£		
1281BG/A9	97.00	1	012810520

- **1281BG**
- **1281LPH/1** PH0-0,8x4 mm
- **1281LPH/2** PH1-1x5,5 mm
- **1281LPH/3** PH2-1,2x6,5 mm
- **1281PZ/1** PZ1-PZ2
- **1281PE** 2,5 mm
- **1281PE** 3 mm
- **1281PE** 4 mm
- **1281PE** 5 mm
- **1281PE** 6 mm

1281BG-TX/A8

assortment of 8 reversible screwdrivers
and 1 accessory in case

1/4"

	£		
1281BG-TX/A8	92.00	1	012810530

- **1281BG**
- **1281LPH/1** PH0-0,8x4 mm
- **1281LPH/2** PH1-1x5,5 mm
- **1281LPH/3** PH2-1,2x6,5 mm
- **1281TX/1** T6-T8
- **1281TX/2** T7-T9
- **1281TX/3** T10-T15
- **1281TX/4** T20-T25
- **1281TX/5** T30-T40

1281BG/B28NA

assortment of 16 reversible screwdrivers, 9 1/4" sockets, 2 accessories and 1 handle, in durable polyester wallet

1/4"

	£		
1281BG/B28NA	223.50	1	012810511

- **900** 4 - 4,5 - 5 - 5,5 6 - 7 - 8 - 9 - 10 mm
- **1281BG**
- **1281PB** ■ 1/4
- **900/25**
- **1281LP/1** 0,8x4 - 1,2x6,5 mm
- **1281LP/2** 1,0x5,5 - 1,2x6,5 mm
- **1281PH/1** PH1 - PH2
- **1281PH/2** PH2 - PH3
- **1281PZ/1** PZ1 - PZ2
- **1281PZ/2** PZ2 - PZ3
- **1281PE** 2,5 - 3 - 4 - 5 - 6 mm
- **1281TX/1** T6 - T8
- **1281TX/2** T7 - T9
- **1281RTX/3** T10 - T15
- **1281RTX/4** T20 - T25
- **1281RTX/5** T30 - T40

	£		
2002/BV7-ZIP	21.90	1	020020060

Betamax
MAXIMUM PERFORMANCE

The **BetaMax screwdrivers** rely on several technical characteristics to make work operations even easier.

- The handle is inspired by the triangular section, which ensures optimal screwing, based on a 120° range, in line with maximum wrist rotation.
- The design provides remarkable ergonomic properties, during both quick screwing and tightening operations.
- The chrome-plating free tip ensures perfect coupling with the screw and is protected from oxidation with phosphate-coating treatment.

1290

screwdrivers for slotted head screws



ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,4x2,5x50	146	2,5	10.80	5	012900003
0,4x2,5x75	171	2,5	11.10	5	012900006
0,5x3x75	171	3,0	11.20	10	012900009
0,5x3x100	196	3,0	11.30	10	012900012
0,6x3,5x75	171	3,5	12.10	10	012900018
0,6x3,5x100	196	3,5	12.30	10	012900021
0,8x4x100	196	4,0	12.40	10	012900030
0,8x4x125	221	4,0	12.70	10	012900033
0,8x4x150	246	4,0	13.60	10	012900036
1x5,5x100	209	5,0	13.50	10	012900039
1x5,5x150	259	5,0	14.00	10	012900042
1,2x6,5x100	220	6,0	15.90	10	012900048
1,2x6,5x150	270	6,0	16.70	10	012900051
1,2x8x150	282	7,0	21.30	3	012900057
1,2x8x200	332	7,0	22.00	3	012900060
1,6x10x200	332	8,0	25.00	3	012900066
2x12x250	382	10	31.50	2	012900069

1290/S

screwdriver set

		£		
1290/S5		75.50	1	012900305
1290	0,5x3x75-0,8x4x100 -1x5,5x150 1,2x6,5x150 -1,2x8x150 mm			
1290/S9X		141.00	1	012900319
1290	0,4x2,5x75 - 0,5x3,5x100 0,8x4x125 - 1x5,5x150 1,2x6,5x150 - 1,2x8x200 1,6x10x200 mm			
1290N	0,8x4x30 -1,2x6,5x30 mm			

1290N

screwdrivers for slotted head screws
extra short series

ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,8x4x30	86	4	12.90	5	012900103
1,2x6,5x30	86	6	14.10	5	012900106

1292

screwdrivers for cross head Phillips® screws

UNI/ISO 8764

PHxDxL mm	L1 mm	£		
0x3x60	156	9.85	10	012920003
0x3x100	196	10.80	5	012920006
1x4,5x80	189	12.40	10	012920009
1x4,5x120	229	13.60	10	012920012
2x6x100	220	14.60	10	012920018
2x6x150	270	15.60	10	012920021
3x8x150	282	19.10	3	012920024
4x10x200	332	25.00	3	012920027

	£		
1292/S4	56.00	1	012920304
PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm			

1292N

screwdrivers for cross head Phillips® screws
extra short series

UNI/ISO 8764

PHxDxL mm	L1 mm	£		
1x4,5x30	86	11.80	5	012920103
2x6x30	86	12.40	5	012920106

1292L

screwdrivers for cross head Phillips® screws, long series



UNI/ISO 8764-1

PHxDxL mm	L1 mm	£		
0x3x300	396	18.50	3	012920203
1x4,5x400	509	22.80	3	012920206
2x6x400	520	27.50	3	012920209

1293/D...
screwdriver set

		£		
1293/D6		**79.50**	1	012930401
1290	0,6x3,5x75-1x5,5x150 1,2x6,5x150 mm			
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm			
1293/D8		**112.50**	1	012930403
1290	0,5x3x75-0,8x4x100 1x5,5x150-1,2x6,5x150 1,2x8x150 mm			
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm			

1293/S...
screwdriver set

		£		
1293/S8		**102.00**	1	012930208
1290	2,5x50-3x75-4x100-5,5x150 6,5x150 mm			
1292	PH0x3x60-PH1x4,5x80 PH2x6x100 mm			
1293/S10		**155.50**	1	012930201
1290	0,4x2,5x50 -0,6x3,5x100 1x5,5x100-1,2x6,5x150 1,2x8x150-1,6x10x200 mm			
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100-PH3x8x150 mm			
1293/S12		**169.50**	1	012930203
1290	0,5x3x75-0,8x4x125 1x5,5x150-1,2x6,5x150 1,2x8x200 mm			
1290N	0,8x4x30 mm			
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100-PH3x8x150 mm			
1292N	PH1x4,5x30-PH2x6x30 mm			
1293/S7		**79.50**	1	012930207
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm			
1294	0,5x2,5x60-0,6x3x75 0,8x4x100-1x5x125 mm			

1293ES
hexagon drivers with handles

mm	L mm	L1 mm	Ø mm	£		
2	100	196	3	**12.70**	5	012930001
2,5	100	196	4	**12.70**	5	012930002
3	100	196	4	**13.20**	5	012930003
4	100	196	5	**15.80**	5	012930004
5	100	209	6	**16.70**	5	012930005
6	125	245	7	**17.60**	5	012930006
8	150	282	10	**24.40**	2	012930008

		£		
1293ES/S7	2-2,5-3-4-5-6-8 mm	**113.00**	1	012930057

1293BP
ball head hexagon drivers with handles

mm	L mm	L1 mm	£		
2	100	196	**11.90**	5	012930501
2,5	100	196	**12.00**	5	012930502
3	100	196	**12.30**	5	012930503
4	100	196	**13.80**	5	012930506
5	100	209	**15.10**	5	012930509
6	125	245	**16.70**	5	012930512
8	150	282	**22.80**	2	012930515

		£		
1293BP/S7	2-2,5-3-4-5-6-8 mm	**104.50**	1	012930558

1294
screwdrivers for headless slotted screws

SxDxL mm	L1 mm	£		
0,5x2,5x60	156	**8.80**	5	012940003
0,6x3x75	171	**9.25**	5	012940006
0,6x3x100	196	**9.65**	5	012940009
0,8x4x100	196	**11.20**	5	012940012
0,8x4x150	246	**15.30**	5	012940015
1x5x125	234	**13.60**	5	012940018
1,2x6,5x150	282	**15.90**	5	012940027

		£		
1294/S5	0,5x2,5x60-0,6x3x100 0,8x4x100-1x5x125 1,2x6,5x150 mm	**59.00**	1	012940305

1294L
screwdrivers for headless slotted screws long series

SxDxL mm	L1 mm	£		
0,6x3x300	396	**18.10**	3	012940206
0,8x4x400	496	**21.30**	3	012940209
1x5x400	509	**25.00**	3	012940215
1,2x6,5x400	532	**28.50**	3	012940218

1295
impact screwdriver

12"

L mm	£		
130	**75.00**	1	012950001

1295/C14

impact screwdriver
with 14 insets and 1 socket holder

	£		
1295/C14	**160.50**	1	012950108

866LP	1,2x6,5 - 1,6x10 mm
866PH	PH2 - PH3
866PZ	PZ2 - PZ3
866PE	5 - 6 mm
866TX	T27 - T30 - T40 - T45 - T50 - T55
895/6	□ 1/2 - ⬭ 5/16
1295	■ 1/2

170x100x35 mm - 1,3 kg

1297TX

drivers for Torx® head screws,
with handles

	L mm	L1 mm	Ø mm	£		
T6	50	146	3,0	**13.50**	5	012970006
T7	50	146	3,0	**13.60**	5	012970007
T8	60	156	3,0	**13.90**	5	012970008
T9	60	169	4,0	**14.10**	5	012970009
T10	80	189	4,0	**14.70**	5	012970010
T15	80	189	4,0	**15.90**	5	012970015
T20	100	209	4,5	**16.70**	5	012970020
T25	100	209	5,0	**16.80**	5	012970025
T27	115	235	6,0	**18.30**	5	012970027
T30	115	235	6,0	**18.90**	5	012970030
T40	130	262	7,0	**21.30**	2	012970040
T45	130	262	8,0	**23.40**	2	012970045

	£		
1297TX/S12 T6-T7-T8-T9-T10 T15-T20-T25-T27 T30-T40-T45	**201.00**	1	012970312

	£		
1297TX/D6 T10-T15-T20 T25-T27-T30	**101.50**	1	012970409

1297TX/L

drivers for Torx® head screws, long series

	L mm	L1 mm	Ø mm	£		
T15	210	319	4,0	**16.30**	2	012970115
T20	210	319	4,5	**16.90**	2	012970120
T25	210	319	5,0	**17.70**	2	012970125
T30	210	330	6,0	**19.90**	2	012970130
T45	210	342	8,0	**23.20**	2	012970145

	£		
1297TX/L-S5 TX/L15-TX/L20-TX/L25- TX/L30-TX/L45	**94.00**	1	012970325

1298RTX

screwdrivers for Tamper Resistant Torx®
head screws, with handles

	L mm	L1 mm	Ø mm	£		
T9	60	169	4,0	**15.60**	5	012980009
T10	80	189	4,0	**15.80**	5	012980010
T15	80	189	4,0	**17.50**	5	012980015
T20	100	209	4,0	**18.10**	5	012980020
T25	100	209	4,5	**18.40**	5	012980025
T27	115	235	5,5	**18.90**	5	012980027
T30	115	235	6,0	**19.90**	5	012980030
T40	130	262	7,0	**23.80**	2	012980040

	£		
1298RTX/S8 T9-T10-T15-T20 T25-T27-T30-T40	**148.00**	1	012980308

1299PZ

screwdrivers for cross head
Pozidriv®-Supadriv® screws

UNI/ISO 8764

PZ	L mm	L1 mm	£		
0	60	156	**11.90**	5	012990000
1	80	189	**13.80**	5	012990003
2	100	220	**16.70**	5	012990006
3	150	282	**22.10**	2	012990009
4	200	332	**32.00**	2	012990012

	£		
1299PZ/S6 1299PZ PZ0-PZ1-PZ2-PZ3 1299N/PZ PZ1-PZ2	**93.50**	1	012990306

1299N/PZ

screwdrivers for cross head
Pozidriv®-Supadriv® screws
extra short series

UNI/ISO 8764

PZ	L mm	L1 mm	£		
1	30	86	**14.00**	5	012990021
2	30	86	**15.00**	5	012990024

VEHICLE REPAIR

Our vehicle repair tools, which are used by the most demanding professionals, are developed and manufactured to meet the world's highest standards, and regularly tested under the most stressful operating conditions.
For over 50 years, we have been proudly working hand in hand with the greatest champions, who help us improve our products non-stop and provide testimony to the highest quality standard.

The vehicle repair tools are found in these sections:

Diagnostics	
	items 1438 to 1499 items 1758VT to 1760TMC
Engine	
	items 955 to 989A items 1438 to 1499
Oil and filters	
	items 1438 to 1499 items 1877 to 1885
Electric system	
	items 1438 to 1499
Starters	
	items 1498BC/12 to 1498/40A
Transmission	
	items 1438 to 1499
Suspension	
	items 1549 to 1569CP
Brakes	
	items 1438 to 1499
Wheels	
	items 955 to 989A
Body work	
	items 1302 to 1369 items 1763 to 1767A
Other equipment	
	items 1875LT to 3067
Jacks	
	items 3029/2T to 3067/70-13T

1302
double end dolly, round, convex pein head

g	£		
770	121.50	1	013020001

1303
curved dolly

g	£		
1350	80.00	1	013030001

1304
sole dolly

g	£		
875	119.00	1	013040001

1305
toe dolly

g	£		
1190	65.50	1	013050001

1305Z
milled toe dolly

g	£		
1065	76.50	1	013050002

1306
heel dolly

g	£		
1040	68.00	1	013060001

1307
regular dolly



g	£		
1100	136.50	1	013070001

1308
egg dolly

g	£		
1100	126.50	1	013080001

1310
general purpose dolly

g	£		
1225	67.50	1	013100001

1312
anvil dolly

g	£		
1220	164.00	1	013120001

1314
double end dolly, convex, flat head

g	£		
760	72.50	1	013140001

1326
curved angle spoon

g	£		
560	68.00	1	013260001

1327
heavy-duty spoon

g	£		
1075	95.50	1	013270001

1328
pry and bumping spoon

g	£		
935	88.50	1	013280001

1329
double-ended spoon

g	£		
1800	254.00	1	013290001

1330
long double-ended spoon

g	£		
2125	274.00	1	013300001

1331
bending iron with leather face

g	£		
1100	148.50	1	013310001

1335BM
bumping blade
with plastic handle

g	£		
500	44.00	2	013350010

1337/S5
set of 5 stopping knives for car repairers, made of stainless steel

Japanese type
(25-50-75-100-125 mm)

L mm	£		
25-50-75-100-125	13.90	1	013370015

1338A - 1338B
adjustable body blade holder
with flexible flat blades

	1/1"	L mm	£		
1338A	9	360	112.00	2	013380001
1338B	12	360	117.00	2	013380002

1338
body blade holder for item 1338R

	£		
1338	61.00	2	013380003

1338R9 - 1338R12
spare body blades for item 1338A-B

	1/1"	£		
1338R9	9	51.00	2	013380004
1338R12	12	56.00	2	013380005

1342
extra flat chisel with straight cutter

L mm	£		
235	40.00	5	013420001

1342PM
extra flat chisel with straight cutter
with hand guard



L mm	L1 mm	£		
235	118	60.00	2	013420002

1342PMR
spare hand guard for item 1342

	£		
1342PMR	20.10	1	013420003

1343
flat chisel with side cutter

L mm	£		
200	37.50	5	013430001

1344
feeler gauges for car body repair shops, pair, 10-bladed, with suction cup

suitable for:
- fitting rear windows
- maintaining position during installation

	£		
1344	44.00	1	013440010

1344A/VW
fixing hook removal tool for Volkswagen handles

L mm	£		
260	18.30	1	013440100

1345
hammer with round, convex face and pein, wooden shaft

	£		
1345	67.00	2	013450010

1351
hammer with round, flat face and ball pein, wooden shaft

	£		
1351	69.00	2	013510010

1353
hammer with round, flat face and point pein, wooden shaft

	£		
1353	68.00	2	013530010

1357Z/45
hammers with flat, round, milled face and square, smooth face, wooden shafts

	£		
1357Z/45	98.00	2	013570045

1359T
hammer with round, flat face and horizontal pein, wooden shaft

	£		
1359 T	62.00	2	013590010

1360G
soft dead-blow rubber hammer, for installing gaskets and delicate parts

The extremely soft faces prevent any parts being worked on from getting damaged, as they absorb impact by getting deformed.

L mm	Ø mm	£		
280	72	109.50	1	013600000

1360/K6
aluminium hammer with flat, round face, interchangeable plastic pins and punch

supplied with:
- 4 plastic pins
- 1 punch, adjustable in 2 different lengths, applicable to hammer

L mm	Ø mm	£		
320	34	118.50	1	013600006

1360/KP3
hammers with ball heads and point peins/ punches, made of plastic

Kit contents:
- 1 210 g hammer with head Ø 30 mm
- 1 290 g hammer with head Ø 40 mm
- 1 75 g punch with 5 mm pein

	£		
1360/KP3	115.00	1	013600503

1361/C12
set of Teflon® rods for body repair shops

	£		
1361/C12	183.50	1	013610012

275x160x57 mm

1361/K9
kit of 8 levers for bodywork dent pullers

kit contents:
- round ball head rod, Ø 31 mm, length 110 cm
- tip rod, length 62 cm
- whale tail tip rod, length 112 cm
- hook tip rod, length 27 cm
- flat round head rod, length 50 cm
- round ball head rod, Ø 19 mm, length 52 cm
- whale tail head rod, length 27 cm
- round whale tail head rod, length 28 cm
- fabric bag with handles



	£		
1361/K9	395.00	1	013610030

1362B

circular dent reflector made from textile material

- surface fully covered with a nonscratch material
- supplied in a small transport bag

	Ø mm	£		
1362B	755	107.50	1	013620011

1364SE

extension bodywork support

Specifications:

- 4 swivel castors, 2 with brakes
- pantograph can be extended up to 1400 mm
- vertically adjustable up to 1315 mm
- position locking
- contact surface covered with removable rubber

L mm	H mm	P mm	£		
215÷1400	780÷1315	890	549.00	1	013640001

1364SV

bodywork support with central tray

Specifications:

- contact surface covered in polyethylene
- tray dimensions: 340x845x40 mm
- foldable

H mm	£		
1000	323.00	1	013640002

1364SCP

revolving bodywork support

particularly suitable for bonnets, wings and doors
fitted with 4 castors - 2 steering with brakes
can be rotated up to 180°

H mm	L mm	P mm	£		
1300	1100	680	519.00	1	013640003

1364SP

bodywork support with suction cups

particularly suitable for use with windows
fitted with 4 suction cups, Ø 95 mm
extension can be adjusted by means of a chain
polyethylene coated tube

H mm	L mm	£		
1250	950	260.00	1	013640004

1364SR

wheeled dispenser for masking paper rolls

Specifications:

- with 2 handling wheels
- 3 paper roll bars with built-in paper cutting blade
- built-in paper tape support
- max. paper roll dimensions: 350 - 650 -1050 mm

L mm	P mm	H mm	H1 mm	£		
1530	520	1080	960	316.00	1	013640005

1365/K13

oil pressure pump, 10 t, and bodywork accessories kit in trolley

Kit contents:

- oil pressure pump, 10 t, with 1.5-m-long hose, 1/2" coupling
- piston
- wing opening pliers; capacity: 500 kg
- baseplate, 150x90 mm
- L-shaped base, 50x50 mm
- 4-point punch
- round, knurled punch, Ø 50 mm
- wedge-shaped punch, 43 mm
- 170-mm-long extension
- 300-mm-long extension
- 400-mm-long extension
- 530-mm-long extension
- rubber head
- male-to-male coupling for installing accessories

	£		
1365/K13	992.00	1	013650013

900x420x180 mm

1365P10

oil pressure pump

1.5-m-long hose, 1/2" coupling

	£		
1365P10	424.00	1	013650110

1366A

dent puller with kit of 19 plastic glue tabs

ideal for removing:

- hail dents
- dents caused by doors
- small dents in general

	£		
1366A	111.50	1	013660200

1366B
hammer face for plastic
dent pulling glue tabs

hammer face weight: 500 g

L mm	£		
440	71.50	1	013660250

1366KF
kit of 19 plastic glue tabs
for item 1366A

	£		
1366/KF	40.50	1	013660205

1366/K5
pneumatic dent puller, with 1.1 kg hammer face

Kit contents:
- **1 suction cup Ø 75 mm**
- **1 suction cup Ø 100 mm**
- **1 suction cup Ø 125 mm**
- **1 hook**

	£		
1366/K5	320.00	1	013660010

610x240x90 mm

1366SH
multifunction
bodywork spotter

- **microprocessor for managing welding parameters**
- **contact and manual welding cycle start**
- **automatic spot welding time setting function**
- **supplied with quick coupling gun and 2.2-m-long ground cable**

Accessory kit contents:
- **extractor hammer**
- **three-pointed washer head**
- **10 three-pointed washers**
- **carbon electrode**
- **squashing electrode**

Technical data:
- Power supply: 230V
- 50% power: 2.5 KVA
- Power peak: 13 KVA
- Amp output: 2850 (2%) A
- Max. Amp output : 3200 A

	£		
1366SH	2690.00	1	013660400

1366SH/C
trolley for spotter 1366SH

	£		
1366SH/C	491.00	1	013660410

1366SL
pulling lever
for repairing dents on metal surfaces

articulated multihook head
for use with crimped wire

L mm	£		
700	291.00	1	013660002

1366ST
crossbar
for repairing dents on metal surfaces

articulated multihook head
for use with crimped wire

L mm	£		
850	859.00	1	013660003

1366S/R1
3-pointed washer mandrel

	£		
1366S/R1	32.50	1	013660501

1366S/R2
3-pointed washer
for pulling sheets

	£		
1366S/R2	32.50	1	013660502

Stated prices are for 20 pieces

1366S/R3
electrode for washers
Ø 8x16x1.5 mm

	£		
1366S/R3	38.50	1	013660503

1366S/R4
washer hook, Ø 8x16x1.5 mm

	£		
1366S/R4	33.00	1	013660504

1366S/R5
washers Ø 8x16x1.5mm

	£		
1366S/R5	18.10	1	013660505

Stated prices are for 100 pieces

1366S/R6
electrode for M5-M6 screws

	£		
1366S/R6	38.50	1	013660506

1366S/R7
100 self-threading pins, 5x18 mm

	£		
1366S/R7	32.50	1	013660507

1366S/R8
100 self-threading pins, 5x25 mm

	£		
1366S/R8	44.00	1	013660508

1366S/R9
100 threaded pins, M5 x 18 mm

	£		
1366S/R9	29.00	1	013660509

1366S/R10
10 slotted washers

	£		
1366S/R10	20.10	1	013660510

1366S/R11
electrode for slotted washers

	£		
1366S/R11	106.00	1	013660511

1366S/R12
10 90° slotted washers

	£		
1366S/R12	40.50	1	013660512

1366S/R13
sheet flattening electrode

	£		
1366S/R13	78.50	1	013660513

Stated prices are for 5 pieces

1366S/R14
wire spot welding electrode

	£		
1366S/R14	37.50	1	013660514

1366S/R21
crimped wires for use of pulling lever and crossbar

	£		
1366S/R21	27.00	1	013660551

Stated prices are for 10 pieces

1366S/R22
magnetic support for crimped wire

	£		
1366S/R22	93.50	1	013660552

1366S/R24
pull ring M4

	£		
1366S/R24	102.50	1	013660554

Stated prices are for 5 pieces

1366S/R25
pull ring M5

	£		
1366S/R25	102.50	1	013660555

Stated prices are for 5 pieces

1366S/R26
pull ring M6

	£		
1366S/R26	102.50	1	013660556

Stated prices are for 5 pieces

1367/S4
set of punches for installing parking sensors

sizes:
23 - 24 - 27 -28

	£		
1367/S4	322.00	1	013670104

1367/K4

kit of 4 wheel arch clamps, arc-type

Maximum jaw opening: 6.5 mm

	L mm	H mm	S mm	£		
1367/K4	62	40÷58	15,7	77.00	1	013670010

1367/K10

kit of punches for installing parking sensors

Kit contents:
• sizes: 17 - 18 - 18.2 - 19 - 20 - 22.5 - 24 - 26 - 26.7 - 32 mm

⬡ 12 mm

	£		
1367/K10	254.00	1	013670200

190x130x58 mm

1368

plastic repair kit

• Allows cracked and broken plastic parts to be quickly fixed

Power supply: 220÷240 V with Schuko socket
Heat gun cable length: 3.5 m
Power supply cable length: 1.35 m
2 power adjustments: 35-75 W
Heat gun with brass terminals, 2 staple insertion angles: 0°-90°
Input protection: thermal circuit breaker
Output protection: 10 A fuse
Metal gun pocket

CE

	£		
1368	583.00	1	013680001

1368G/K400

assortment of 400 clips for item 1368

	£		
1368G/K400	94.50	1	013680140

1368G/OD

corrugated clips, straight, for item 1368

	£		
1368G/OD	23.60	1	013680100

The prices shown are for 100 pieces

1368G/SD

spiral clips, straight, for item 1368

	£		
1368G/SD	23.60	1	013680110

The prices shown are for 100 pieces

1368G/CV

convex angle clips for item 1368

	£		
1368G/CV	23.60	1	013680120

The prices shown are for 100 pieces

1368G/C2U

concave angle clips for item 1368

	£		
1368G/C2U	23.60	1	013680130

The prices shown are for 100 pieces

HAMMER HANDLES

Handles made from **hickory** wood
Hickory is a type of wood with excellent properties, which suit hammer handles perfectly. Its long fibre structure absorbs vibration and makes it extremely resistant to breakage. In the unlikely event that some fibres should break, the risk that the head will suddenly come off is very small anyway.
Wood handles can be replaced when worn.
As wood is a natural material, it should retain its own moisture. Therefore, the hammer should not be stored in an excessively dry place.
Handles made from **fibreglass**
Handles with fibreglass core are both durable and safe; the risk of breakage and injuries is reduced to a minimum.
They are weathertight and resistant to the most common chemicals.

• Indestructible fibreglass core

• Ergonomic polypropylene frame

• Nonslip, comfortable elastomer coating

1369/C11
assortment of 11 tools

	£		
1369/C11	**1051.00**	1	013690033

1303
1305
1306
1302
1310
1314
1327
1338A
1353
1357Z/45
1390

470x340x70 mm - 15,2 kg

1370
engineer's hammers, wooden shaft

HICKORY

UNI 7778 DIN 1041

g	A mm	L mm	L1 mm	£		
100	15	260	82	**15.90**	5	013700051
200	19	280	95	**18.30**	5	013700052
300	23	300	105	**22.10**	5	013700053
400	25	310	112	**23.50**	5	013700054
500	27	320	118	**25.00**	5	013700055
600	30	330	122	**26.00**	5	013700056
800	33	350	130	**28.50**	4	013700058
1000	36	360	135	**36.00**	4	013700060
1500	42	380	145	**38.50**	2	013700065
2000	47	400	155	**43.00**	1	013700070

1370/MR...
spare shafts for item 1370

	£		
1370MR 100 1370/100	**7.80**	4	013700081
1370MR 200 1370/200	**8.35**	4	013700082
1370MR 300 1370/300	**9.15**	4	013700083
1370MR 400 1370/400	**9.85**	4	013700084
1370MR 500 1370/500	**10.40**	4	013700085
1370MR 600 1370/600	**11.30**	4	013700086
1370MR 800 1370/800	**12.70**	4	013700088
1370MR 1000 1370/1000	**13.60**	4	013700090
1370MR 1500 1370/1500	**15.00**	4	013700095
1370MR 2000 1370/2000	**15.90**	4	013700100

1370T
mechanic's hammers
fibre shaft

g	A mm	L mm	L1 mm	£		
200	19	280	95	**27.50**	5	013700620
300	23	300	105	**31.00**	5	013700630
500	27	320	118	**37.00**	5	013700650
800	33	350	130	**38.00**	4	013700680
1000	36	360	135	**44.00**	4	013700700
1500	42	365	145	**52.50**	2	013700750

1370F
riveting hammers, wooden shaft

HICKORY

NF E 71.014

A mm	L mm	L1 mm		£		
24	260	77	280	**30.50**	2	013700424
26	260	80	310	**31.00**	2	013700426
28	280	86	400	**31.50**	2	013700428
30	280	92	450	**36.00**	2	013700430
32	300	100	550	**37.00**	2	013700432
36	300	104	720	**48.00**	2	013700436
40	330	110	1065	**53.50**	2	013700440
42	330	116	1080	**54.00**	2	013700442
50	380	138	1760	**58.00**	2	013700450
60	380	160	2585	**65.00**	2	013700460

1370F/MR...
spare shafts for item 1370F

	£		
1370F/MR 24 1370F/24-26	**7.80**	2	013700474
1370F/MR 28 1370F/28-30	**8.70**	2	013700478
1370F/MR 32 1370F/32-36	**9.65**	2	013700482
1370F/MR 40 1370F/40-42	**11.90**	2	013700490
1370F/MR 50 1370F/50	**14.60**	2	013700495
1370F/MR 60 1370F/60	**17.30**	2	013700496

1370FT
riveting hammers, fibre shafts

A mm	L mm	L1 mm		£		
28	280	86	530	**45.00**	1	013700528
30	280	92	625	**49.00**	1	013700530
32	300	100	750	**53.50**	1	013700532
36	300	104	930	**59.50**	1	013700536
40	330	110	1150	**61.00**	1	013700540
42	330	116	1250	**64.00**	1	013700542
50	380	138	2100	**69.00**	1	013700550
60	380	160	2750	**72.50**	1	013700560

1374F
carpenter's hammers, wooden shaft

HICKORY

NF E 71.012

A mm	L mm	L1 mm		£		
16	250	80	180	**26.50**	2	013740416
20	270	86	250	**28.50**	2	013740420
22	290	92	335	**31.00**	2	013740422
26	290	103	425	**32.00**	2	013740426
28	310	108	510	**32.50**	2	013740428
30	310	117	580	**34.50**	2	013740430

1374F/MR...
spare shafts for item 1374F

	£		
1374F/MR 16 1374F/16	**7.55**	2	013740456
1374F/MR 20 1374F/20	**8.05**	2	013740460
1374F/MR 22 1374F/22-26	**8.70**	2	013740462
1374F/MR 28 1374F/28	**9.20**	2	013740468
1374F/MR 30 1374F/30	**9.85**	2	013740470

1375
claw hammer, wooden shaft

g	L1 mm	Ø mm	L mm	£		
300	95	25	300	26.50	3	013750000

1375/MR
spare shafts for item 1375

	£		
1375/MR	11.70	2	013750003

1375A
claw hammers,
plastic and fibreglass handles

oz	g	L mm	L1 mm	£		
16	450	330	130	39.50	3	013750016
20	570	330	130	42.50	3	013750020

1375B
claw hammers, steel shafts

oz	g	L mm	L1 mm	£		
16	450	330	130	34.50	3	013750026
20	570	330	130	37.00	3	013750030

1376X
claw hammers with square peins,
magnets and nail holders
wooden shaft

g	A mm	L1 mm	L mm	£		
250	20	125	450	28.50	3	013760125
300	25	130	450	31.00	3	013760130
400	27	132	450	34.00	3	013760140

1376X/MR
spare shaft for item 1376X

	£		
1376X/MR	16.70	2	013760161

1376XT
claw hammers with square peins,
magnets and nail holders
plastic shaft

g	A mm	L1 mm	L mm	£		
250	20	125	500	37.00	3	013760525
300	25	130	500	38.50	3	013760530
400	27	132	500	40.00	3	013760540

1376XT/MR
spare shaft for item 1376XT

	£		
1376MR/XT	21.30	2	013760585

1377
ball pein hammers, round heads,
for coppersmiths and tinsmiths,
wooden shafts

HICKORY

g	L mm	L1 mm	£		
340	330	95	39.50	2	013770134
450	350	102	42.50	2	013770145
570	350	110	48.00	2	013770157
680	360	116	49.50	2	013770168
900	380	120	54.50	2	013770190

1377/MR...
spare shafts for item 1377

	£		
1377MR 340 1377/340	9.45	2	013770234
1377MR 450 1377/450	11.70	2	013770245
1377MR 570 1377/570	12.70	2	013770257
1377MR 680 1377/680	12.80	2	013770268
1377MR 900 1377/900	14.10	2	013770290

1377T
ball pein hammers,
round hands,
for coppersmiths and tinsmiths,
fibre shafts

g	L mm	L1 mm	£		
340	330	95	34.50	2	013770534
450	350	102	42.00	2	013770545
570	350	110	47.50	2	013770557
680	360	116	51.00	2	013770568
900	380	120	58.00	2	013770590

1378
joiner's hammers, round heads
and peins, wooden shaft

HICKORY

g	L mm	L1 mm	Ø mm	£		
340	330	100	27	38.00	2	013780134
570	350	115	32	51.50	2	013780157

1378/MR...
spare shafts for item 1378

	£		
1378MR 340 1378/340	8.05	2	013780234
1378MR 570 1378/570	12.80	2	013780257

1379F
electrician's hammers, wooden shafts

HICKORY

NF E 71.011

A mm	L mm	L1 mm	£		
16	250	126	28.00	2	013790416
18	250	135	28.50	2	013790418
20	260	142	31.50	2	013790420

1379F/MR...
spare shafts for item 1379F

	£		
1379F/MR 16 1379F/16-18	**7.70**	2	013790426
1379F/MR 20 1379F/20	**7.90**	2	013790430

1380
lump hammers, wooden shafts

HICKORY

UNI 7777 DIN 6475

g	A mm	L mm	L1 mm	£		
800	38	260	90	**31.00**	2	013800208
1000	40	260	95	**32.00**	2	013800210
1250	43	260	100	**36.00**	2	013800212
1500	45	280	110	**40.00**	2	013800215
2000	50	300	120	**54.00**	2	013800220

1380/MR...
spare shafts for item 1380

	£		
1380MR 800 1380/800-1000-1250	**9.45**	2	013800238
1380MR 1500 1380/1500	**10.40**	2	013800245
1380MR 2000 1380/2000	**11.70**	2	013800250

1380S
mason club hammers with security collars wooden shafts

g	A mm	L mm	L1 mm	£		
800	36	260	90	**31.00**	2	013800400
1000	39	260	95	**32.00**	2	013800405
1250	43	260	100	**37.00**	2	013800410
1500	45	260	110	**40.50**	2	013800415

1380S/MR...
spare shafts for item 1380S

	£		
1380S/MR 800 1380S/800-1000-1250	**9.45**	2	013800417
1380S/MR 1500 1380S/1500	**10.70**	2	013800419

1380T
Mason club hammers, fibre shafts

g	A mm	L mm	L1 mm	£		
800	35	260	85	**47.00**	2	013800308
1000	40	260	100	**48.00**	2	013800310
1250	42	260	110	**49.00**	2	013800312
1500	45	260	120	**51.50**	2	013800315
2000	49	295	120	**58.00**	1	013800320

1381
sledge hammers, Hickory shafts

HICKORY

g	A mm	L mm	L1 mm	£		
3000	55	800	142	**116.00**	1	013810030
4000	60	900	152	**130.00**	1	013810040
5000	70	900	162	**148.50**	1	013810050
8000	80	900	185	**257.00**	1	013810080

*** = ash shaft**

1381/MR...
spare shafts for item 1381

	£		
1381MR 3-4 1381/3000-4000	**59.50**	2	013810730
1381MR 5 1381/5000	**65.00**	2	013810750
1381MR 8 1381/8000	**69.00**	2	013810780

1381T
sledge hammers, fibre shafts

g	A mm	L mm	L1 mm	£		
3000	55	900	142	**136.50**	1	013810330
4000	60	900	152	**146.00**	1	013810340
5000	70	900	162	**156.00**	1	013810350
8000	82	920	180	**276.00**	1	013810380

1385
copper head hammers, wooden shafts

g	A mm	L mm	L1 mm	£		
400	26	260	75	**53.50**	2	013850404
600	32	270	80	**74.50**	2	013850406
800	34	280	90	**91.50**	2	013850408
1000	37	280	100	**114.00**	2	013850410
1500	43	280	110	**160.00**	2	013850415
2000	48	300	120	**207.00**	1	013850420

1385/MR
spare shafts for item 1385

	£		
1385MR 400 1385 400	**14.60**	2	013850464
1385MR 600 1385 600	**15.30**	2	013850466
1385MR 800 1385 800	**15.90**	2	013850468
1385MR 1000 1385 1000	**17.60**	2	013850470
1385MR 1500 1385 1500	**18.30**	1	013850475
1385MR 2000 1385 2000	**19.90**	1	013850480

1390
soft face hammers, wooden shafts

UNI 7784

Ø mm	L mm	L1 mm	£		
22	260	70	**25.00**	5	013900022
28	280	85	**31.50**	5	013900028
35	310	95	**43.00**	5	013900035
45	320	107	**69.00**	4	013900045
60	380	128	**115.50**	2	013900060

1390/MR...
spare shafts for item 1390

	£		
1390MR 22 1390/22	**5.35**	2	013900222
1390MR 28 1390/28	**5.85**	2	013900228
1390MR 35 1390/35	**6.80**	2	013900235
1390MR 45 1390/45	**7.90**	2	013900245
1390MR 60 1390/60	**9.45**	2	013900260

1390R
spare faces for item 1390

Ø mm	£		
22	4.20	4	013900122
28	6.75	4	013900128
35	8.95	4	013900135
45	15.40	4	013900145
60	26.50	4	013900160

1390N
nylon face hammers, wooden shafts

Medium-hard faces: 75 Shore
Oil and wear resistant
Particularly suitable for working metal

UNI 7784

Ø mm	L mm	L1 mm	£		
22	260	70	27.50	3	013900522
28	280	85	34.00	3	013900528
35	310	95	45.50	3	013900535
45	320	107	75.00	2	013900545
60	380	128	127.00	2	013900560

1390NR
spare nylon faces for item 1390N

Ø mm	£		
22	4.45	4	013900622
28	7.30	4	013900628
35	9.95	4	013900635
45	16.70	4	013900645
60	28.00	4	013900660

1391
dead-blow hammers,
entirely covered with rubber

Ø mm	L mm	L1 mm	£		
35	280	90	38.00	2	013910135
50	320	105	54.50	2	013910150
55	355	110	62.00	2	013910155
65	380	130	83.00	2	013910165

1391A
dead-blow hammers for tile workers,
entirely covered with rubber

g	Ø mm	L mm	L1 mm	£		
500	45	290	100	38.00	2	013910205
1000	60	300	120	51.50	2	013910210

1392
dead-blow hammers,
with interchangeable plastic faces, steel shafts

Ø mm	L mm	L1 mm	£		
30	300	105	70.50	2	013920030
35	305	115	73.00	2	013920035
40	310	125	84.50	2	013920040
50	325	135	98.00	2	013920050
60	385	155	153.50	2	013920060

1392R
spare faces for item 1392



Ø mm	£		
30	9.15	4	013920230
35	13.80	4	013920235
40	20.50	4	013920240
50	28.00	4	013920250
60	44.00	4	013920260

1393
hard rubber head hammers

Ø mm	L mm	L1 mm	£		
50	315	90	15.90	3	013930050
60	340	110	18.30	3	013930060
70	370	130	22.00	2	013930070

VEHICLE REPAIR

Our vehicle repair tools, which are used by the most demanding professionals, are developed and manufactured to meet the world's highest standards, and regularly tested under the most stressful operating conditions.

For over 50 years, we have been proudly working hand in hand with the greatest champions, who help us improve our products non-stop and provide testimony to the highest quality standard.

The vehicle repair tools are found in these sections:

Diagnostics
items 1438 to 1499
items 1758VT to 1760TMC

Engine
items 955 to 989A
items 1438 to 1499

Oil and filters
items 1438 to 1499
items 1877 to 1885

Electric system
items 1438 to 1499

Starters
items 1498BC/12 to 1498/40A

Transmission
items 1438 to 1499

Suspension
items 1549 to 1569CP

Brakes
items 1438 to 1499

Wheels
items 955 to 989A

Body work
items 1302 to 1369
items 1763 to 1767A

Other equipment
items 1875LT to 3067

Jacks
items 3029/2T to 3067/70-13T

1410/M

spring pulling hook wrench

Ø mm	£		
3,5	25.50	2	014100051

1428

pullers for damaged nuts with square drive

3/8" 1/2"

mm	□	L mm	⬡ mm	£		
8	3/8	36	17	28.50	2	014280008
10	3/8	36	17	28.50	2	014280010
11	3/8	36	17	28.50	2	014280011
12	3/8	36	19	28.50	2	014280012
13	3/8	36	19	28.50	2	014280013
14	3/8	36	19	28.50	2	014280014
15	1/2	38	21	30.50	2	014280015
16	1/2	38	21	30.50	2	014280016
17	1/2	38	21	30.50	2	014280017
18	1/2	38	26	30.50	2	014280018
19	1/2	38	26	30.50	2	014280019
20	1/2	38	26	31.00	2	014280020
21	1/2	38	26	31.00	2	014280021
22	1/2	38	26	34.50	2	014280022
24	1/2	38	26	34.50	2	014280024
27	1/2	38	26	37.50	2	014280027

1428L

socket pullers, long series, for damaged right-hand nuts, with square drive

1/2"

mm	£		
17	69.00	1	014280217
19	71.00	1	014280219
21	76.50	1	014280221

1/2"

	£		
1428L/B3 17-19-21 mm	216.50	1	014280303

3/8"
1/2"

	£		
1428/SB11 8-10-11-12-13-14 15-16-17-18-19 mm	342.00	1	014280111
1428/SB5 20-21-22-24-27 mm	179.00	1	014280115

1429

pullers for damaged screws and stud bolts with square drive

3/8"
1/2"

mm	□	L mm	£		
2	3/8	60	15.90	3	014290002
3	3/8	60	15.90	3	014290003
4	3/8	60	15.90	3	014290004
5	3/8	60	16.80	2	014290005
6	3/8	60	16.80	2	014290006
8	1/2	70	22.80	2	014290008
10	1/2	70	22.90	2	014290010

3/8"
1/2"

	£		
1429/SB7 2-3-4-5-6-8-10 mm	140.00	1	014290107

1430/...

tapered extractors for broken screws and studs made from hardened and tempered steel



	M mm	A mm	£		
1430/1	3÷6	2,5	4.60	10	014300006
1430/2	6÷8	3,0	4.95	10	014300008
1430/3	8÷11	4,5	5.85	10	014300011
1430/4	11÷14	6,0	7.70	10	014300014
1430/5	14÷18	8,0	8.80	10	014300018
1430/6	18÷24	11,0	16.80	5	014300024
1430/7	24÷33	14,0	26.00	5	014300033
1430/8	33÷50	21,0	33.50	5	014300050

	£		
1430/S5 1430/1-1430/2-1430/3 1430/4-1430/5	32.50	1	014300105
1430/S6 1430/1-1430/2-1430/3 1430/4-1430/5-1430/6	48.50	1	014300106
1430/S8 1430/1-1430/2-1430/3 1430/4-1430/5-1430/6 1430/7-1430/8	108.50	1	014300108

1431/...

tapered extractors for broken screws and studs

For removing screws and studs that cannot be held firmly, percussion mechanism



	M	A mm	L mm	□ mm	£		
1431/3	3÷6	2,5	59	5	7.60	10	014310051
1431/5	6÷8	5,0	68	5	7.60	10	014310052
1431/6	8÷11	6,0	72	6	9.15	10	014310053
1431/8	11÷14	8,0	77	8	9.65	10	014310054
1431/9	14÷18	9,0	82	9	10.40	10	014310055

1431/C5

tapered extractors for broken screws and studs

Percussion mechanism

	M mm	A mm	£		
1431/C5	3÷18	2,5÷9	47.00	1	014310005

1433

roller stud extractors

3/8"
1/2"



M mm	Ø mm	L mm	⬢ mm	□	£		
5	21	60	19	3/8	17.60	2	014330005
6	24	60	21	1/2	17.60	2	014330006
7	24	60	21	1/2	17.60	2	014330007
8	24	60	21	1/2	17.60	2	014330008
9	28	70	21	1/2	20.50	2	014330009
10	28	70	21	1/2	20.50	2	014330010
10,5	28	70	21	1/2	20.50	2	014330021
11	28	70	21	1/2	20.50	2	014330011
12	28	70	21	1/2	20.50	2	014330012
14	36	72	24	-	31.50	2	014330014
16	36	72	24	-	31.50	2	014330016

1433/C11

roller stud extractors
with 1/2" female square drives

3/8"
1/2"

	£		
1433/C11	**275.00**	1	014330311

M5 - M6 - M7 - M8 - M9 - M10 - M10,5
M11 - M12 - M14 - M16

340x135x56 mm - 3,0 kg

1435

eccentric stud extractor

Ø mm	£		
4÷20	**124.50**	1	014350001

1435R

spare wheel for item 1435

	£		
1435R	**37.50**	1	014350010

1435/1

eccentric stud extractor

Ø mm	£		
19÷26	**172.00**	1	014350002

1435/1R

spare wheel for item 1435/1



	£		
1435/1R	**38.50**	1	014350011

1437/C12

assortment of 12 tools for removing air bags

	£		
1437/C12	**127.00**	1	014370001

260x160x55 mm - 1,0 kg

1438

universal clutch aligner complete
with 3 expansion mandrels

	£		
1438	**59.50**	1	014380001

1438R

spare expansion mandrels
for item 1438

Ø mm	£		
14÷18	**3.90**	5	014380101
18÷21	**3.90**	5	014380102
22÷25	**3.90**	5	014380103

1438EVO

universal clutch aligning kit

Component parts made entirely from metal

	£		
1438EVO	**347.00**	1	014380011

290x200x60 mm - 2 kg

1438DSG

lever for locking/unlocking DSG dual-clutch
gearbox
from VAG group

	£		
1438DSG	**39.50**	1	014380200

1438K/DSG-2

tool set for aligning 6- and 7-speed DSG
clutches

**for use with 6-speed DSG and manual-shift,
7-speed DSG (series 1 and 2) and S-tronic gearboxes.**

	£		
1438K/DSG-2	**873.00**	1	014380260

350x370x117 mm - 10 kg

1438K/PWR

removal/installation tool set
for Powershift dual clutch transmission

	£		
1438K/PWR	**600.00**	1	014380270

440x400x85 mm - 10 kg

1438DCT/S
tool set for aligning Ford dry dual clutches

for clutch alignment
after carrying out jobs like clutch oil seal replacement

	£		
1438DCT/S	**457.00**	1	014380305

440x400x85 mm - 8 kg

1439/K7
angular screwdriver (90°), long series, with blades, in case

Case contents:
- Angular screwdriver
- 1 slotted screw head
- 1 1/4" bit head
- Special blade head
- 7 special blades

	£		
1439K7	**268.00**	1	014390101

500x120x60 mm 825 g

1440/...
piston ring compressors

	Ø mm	L mm	£		
1440/0	40÷75	50	**31.50**	1	014400000
1440/1	57÷125	80	**43.00**	1	014400010
1440/1A	57÷125	100	**48.50**	1	014400011
1440/2	90÷175	80	**51.50**	1	014400020
1440/2A	90÷175	100	**55.50**	1	014400021
1440/3	90÷175	165	**82.50**	1	014400030

1445/1 - 1445/2
piston ring expanders

	Ø mm	£		
1445/1	50÷100	**46.00**	1	014450001
1445/2	90÷150	**60.50**	1	014450002

1452K
valve spring compressor, with three flanges



	£		
1452K	**194.50**	1	014520100

1452PN/K
pneumatic tool for engine valve springs

Thrust pressure: 1400 N



Ø mm	L mm	L1 mm	£		
16-19-23	230	185	**459.00**	1	014520110
25-30-42					

1454P
scraper for removing packing and sealant residues

particularly recommended for cleaning heads and flat surfaces to match

L mm	L1 mm	mm	£		
210	32	3,3	**57.00**	1	014540010

1455SVP
pneumatic valve grinder

- **Pressure: 6 bars**



	£		
1455SVP	**507.00**	1	014550001

1455SVP/R...
spare parts for item 1455SVP

	£		
1455SVP/R1	**8.05**	5	014550501
1455SVP/R2	**8.05**	5	014550502
1455SVP/R3	**8.05**	5	014550503

1457/B4
tool set for releasing Rilsan hose fittings

Sizes included in set:
- **6x8**
- **10x12**
- **15x16**
- **18x1/2**

	£		
1457/B4	**59.50**	1	014570024

1458
external butt-ended circlip pliers

DIN 5417

Ø mm	£		
30÷100	**94.00**	2	014580001

1460F
valve seat removing tool

	£		
1460F	84.50	1	014600010

1462CF/C6
set of 6 single-ended bi-hex wrenches for fuel injector connectors

sizes:
12-14-16-17-18-19 mm

12"

	£		
1462CF/C6	129.00	1	014620006

260x145x60 mm - 1,2 kg

1462CF
single-ended bi-hex wrenches for fuel injector connectors

12"

mm	£		
12	20.50	1	014620012
14	20.70	1	014620014
16	21.20	1	014620016
17	21.60	1	014620017
19	22.60	1	014620019
18	22.20	1	014620018

1462CF-SN/C6
set of 6 single-ended, articulated hexagon wrenches for fuel injector connectors

sizes:
12-14-16-17-18-19

3/8"

	£		
1462CF-SN/C6	194.50	1	014620026

275x182x64 mm

1462CF-SN
single-ended, articulated hexagon wrenches for fuel injector connectors

3/8"

mm	£		
12	32.50	1	014620032
14	33.00	1	014620034
16	34.50	1	014620036
17	36.00	1	014620037
18	37.00	1	014620038
19	37.50	1	014620039

1462/KI
assortment of common rail diesel injector pullers

Allows DELPHI-BOSCH-SIEMENS-DENSO injectors to be removed

	£		
1462/KI	3930.00	1	014620235

530x470x140 mm - 2,0 kg

1462/KU
universal tool assortment for removing diesel common rail injectors

Complete with pliers and hammer

	£		
1462/KU	1073.00	1	014620100

390x290x100 mm - 4,5 kg

Beta Quality Tools

1462/MB
hammer face kit for removing injectors

Kit contents:
- **1 4 kg hammer face with 400 mm rod**
- **1 articulated adapter, male M10x1.5, female M22x1.5 mm**
- **1 adapter, male M22x1.5, female M13x1.4 mm**
- **1 adapter, male M14x1.5, female M27X1 mm**
- **1 adapter, male M14x1.5, male M25x1 mm**
- **1 adapter, male M14x1.5, male M27x1 mm**
- **1 adapter, male M14x1.5, female M14x1.5 mm**
- **1 adapter, male M14x1.5, male M20x1 mm**
- **1 adapter, male M14x1.5, male M17x1 mm**

	£		
1462/MB	406.00	1	014620110

500x250x80 mm - 7,2 kg

1462AD/BSC
adapter for removing Bosch common rail injectors

For use with items Beta 960KI and Beta 1462/KU

	£		
1462AD/BSC	310.00	1	014620435

1462AD/SMN
adapter kit for removing Siemens and Denso injectors

For use with item Beta 960KI/1462KI

	£		
1462AD/SMN	466.00	1	014620436

1462/EI
universal vibration tool for injector removal

- Helps to fully remove jammed injectors from their housings, without damaging cylinder heads and without breaking injectors.
- Can be used with any injector removal set, with or without hammer face.
- Tool acts directly on removal tie rod, which is coupled with injector, through vibrations and pulses.
- Control valve allows vibration intensity to be adjusted to type of work to be carried out.

CE

	£		
1462/EI	1000.00	1	014620240

1463/KIT
valve timing system pulley locking kit

	£		
1463/KIT	589.00	1	014630001

280x140x75 mm - 1,2 kg

1464T
digital pressure and compression tester

SPECIFICATIONS
- **5" touch screen display**
- **rechargeable polymer lithium battery**
- **complete with 80 bar sensor (for low pressure) and USB cable**

A major advantage of item 1464T is that you can purchase several different additional kits to perform other tests as well, including the high pressure circuit test in common rail engines:

- **1464ADB** for testing AdBlue® system pressure
- **1464VD** for measuring and storing maximum vacuum value
- **1464FAP** for testing diesel particulate filter (DPF) pressure
- **1464APB** for testing high pressure system in FSI petrol engines
- **1464PF** for testing pressure in braking system
- **1464PT** for testing turbo pressure
- **1464TDI** for testing pump pressure in TDI engines
- **1464FG** Set of dummy regulators for testing diesel common rail system
- **1464CBD** Comprehensive adapter set for testing compression in petrol and diesel engines
- **1464IC** Set of dummy injectors and dummy glow plugs to check compression in diesel engines
- **960AD/TP2** for petrol and diesel engine compression, engine oil pressure, common rail low pressure, petrol injection pressure

	£		
1464T	1180.00	1	014640050

1464T/SP80
pressure sensor, 80 bars,
for items 1464T and 960TP

	£		
1464T/SP80	353.00	1	014640053

960AD/TP2
set of adaptors for item 960TP
in plastic case

	£		
960AD/TP2	685.00	1	009600510

430x310x50 mm - 3,2 kg

1464CBD
comprehensive adapter set for testing compression in petrol and diesel engines, with tester 1464T

Makes it possible to connect to engine to test petrol and diesel compression with tester 1464T
Contents:
- 8 dummy spark plugs with non-return valves
- 44 dummy glow plugs with non-return valves
- 1 adjustable universal dummy injector for cars, trucks, marine engines and agricultural machines
- 1 90° adapter, pressure release valve and connecting hose
- space accommodating tester 1464T in case

	£		
1464CBD	990.00	1	014640300

510x410x140 mm - 5,5 kg

1464IC
complete set of dummy injectors and dummy glow plugs for item 1464T

Makes it possible to connect to the engine to check compression in diesel engines with digital tester 1464T.

Contents:
- 22 dummy glow plugs
- 5 dummy injectors
- 1 universal dummy injector kit for cars, trucks, marine engines and agricultural machines

	£		
1464IC	772.00	1	014640350

559x312x50 mm - 4,5 kg

1464IC/RK
universal dummy injector kit for cars, trucks, marine engines and agricultural machines

supplied with item 1464IC

	£		
1464IC-RK	248.00	1	014640377

200x110x30 mm - 885 g

1464AP
set for testing high pressure system in common rail diesel engines, with item 1464T

Complete with:
- high pressure pipe set
- fittings
- 2,000 bar sensor

	£		
1464AP	1016.00	1	014640450

430x310x50 mm - 1,8 kg

1464AP T
high-pressure pipe
for items 1464AP and 960TAP

	£		
1464AP T12X12	86.00	1	014640453
1464AP T12X14	86.00	1	014640454
1464AP T14X12-M1,0	92.00	1	014640455

1464AP T16X12

	£		
1464AP T16X12	106.50	1	014640456

1464FG

set of dummy regulators
for testing diesel common rail system
(for use with Beta 1464T-1464AP)

Used with the tester and suitable adapters, it makes it possible to determine whether the problem is the high pressure pump or the regulator when there is no pressure in the high pressure circuit in common rail engines.
Recommended for Bosch, Delphi, Denso and Siemens pressure regulators

	£		
1464FG	**442.00**	1	014640470

350x250x80 mm - 1,8 kg

1464FG/CP4

dummy regulator for Bosch CP4 pump,
not supplied with item 1464FG

	£		
1464FG/CP4	**67.50**	1	014640475

1464APB

set for testing high pressure
system in FSI petrol engines,
for use with item 1464T

comes with 200 bar sensor
and connectors

	£		
1464APB	**579.00**	1	014640500

240x210x50 mm - 0,5 kg

1464PB

set of 9 connectors for testing
fuel low pressure
(for use with item 1464T)

Quick connectors to tester 1464T
allow fuel low pressure in diesel and petrol engines to be quickly checked

	£		
1464PB	**772.00**	1	014640700

530x440x120 mm - 3,8 kg

1464ADB

set for testing AdBlue® system pressure
for item 1464T

Supplied with adaptors for use with 80-bar standard sensor supplied with item
1464T

	£		
1464ADB	**133.00**	1	014640620

240x210x50 mm - 0,5 kg

1464FAP

set for testing diesel particulate filter (DPF) pressure
for item 1464T

Supplied with:
- 500 mbar sensor
- 8 mm adaptor with quick coupling and T fitting
- 3-m-long RJ45 cable

Technical data:
• Pressure test: 0÷500 mbar
• Resolution: 1 mbar

	£		
1464FAP	**288.00**	1	014640610

240x210x50 mm - 0,5 kg

1464PT

set for testing
turbo pressure,
for use with item 1464T

comes with sensor
and connecting cable

	£		
1464PT	**248.00**	1	014640550

240x210x50 mm - 380 g

1464TDI

set for testing
pump pressure
in TDI engines,
for use with item 1464T

comes with connector

	£		
1464TDI	**171.00**	1	014640600

240x210x50 mm - 400 g

1464VD

vacuum testing set
for item 1464T

For measuring and storing maximum vacuum value
Supplied with:
- 800 mbar sensor
- 6 and 8 mm adaptors
- 3-m-long RJ45 cable

Technical data:
• Vacuum test: 0÷800 mbar
• Resolution: 1 mbar
• Maximum value storage

	£		
1464VD	**288.00**	1	014640570

240x210x50 mm

1464PF

set for testing pressure in braking system, for use with item 1464T

comes with adapters and connectors

	£		
1464PF	**1037.00**	1	014640650

400x280x60 mm - 3 kg

1465

engine efficiency tester

Allows endothermic engine compression to be tested within just a few seconds, without requiring connection to engine, taking power from vehicle battery, through a dedicated software

Step 1: calculating engine rpm
Step 2: testing battery voltage trend during each revolution
Step 3: displaying absorbed power and compression calculated through starter operation for each piston
Step 4: testing battery charge and efficiency

Technical data:
- Operating voltage: 12V DC (vehicle battery)
- Dimensions: 140x75x30 mm
- Clamp cable length: 1300 mm
- Weight: 215 g

	£		
1465	**1755.00**	1	014650010

1466/C5

kit of 5 brake bleeding wrenches

kit contents:
- **5 wrenches sizes 7-8-9-10-11 mm**
- **1 drain hose with check valve**

	£		
1466/C5	**178.00**	1	014660100

260x170x50 mm - 600 g

1466L 11

brake bleeding wrench, 11 mm, long version

	⬡ mm	L mm	£		
1466L 11	11	60	**45.50**	1	014660211

1466TLF

brake oil recovery tank capacity: 1.5 l

Quick coupler for bleeding pipe Ø 5.5 mm

	£		
1466TLF	**66.00**	1	014660201

1467

brake fluid extractor

Pressure: min 5 bar, max 11.5 bar

	l	£		
1467	1,5	**442.00**	1	014670001

1467/RK1

spare tube kit for item 1467

	£		
1467/RK1	**33.50**	1	014670501

1467/RK2

spare filler for item 1467

	£		
1467/RK2	**131.00**	1	014670502

1467LF/2

electric instrument for brake fluid replacement

with "pulsating effect" function

- Automatically stops when tank is empty, thereby preventing air from being let in
- Maximum tank volume: 20 l
- Operating pressure: 0.4÷3.5 bar
- Power supply: 230V

Supplied with:
- Brake oil recovery tank
- 1 standard cap E20

	£		
1467LF/2	**2470.00**	1	014670099

1467LF/RC

vessel with recovery tube for item 1467

	£		
1467LF RC	**164.00**	1	014670125

1467TU
plug for brake fluid tanks

- can be adapted to 90% of available tanks
- for use with Beta's item 1467LF

	£		
1467TU	93.00	1	014670090

1467T/C6
set of adapter plugs
for brake fluid tanks,
for use with BETA items 1467LF and 1467LF/2

Set contents:
- 1 plug for Toyota vehicles
- 1 plug for Ford, Hyundai, Mazda, Mitsubishi, Nissan, Subaru vehicles
- 1 plug for Honda vehicles
- 1 plug for Mazda and Suzuki vehicles
- 1 plug for Nissan vehicles
- 1 brake bleeding adapter plug for European vehicles

	£		
1467T/C6	415.00	1	014670080

350x240x85 mm - 1,8 kg

1470
drum brake spring pliers

L mm	£		
210	46.00	1	014700001
330	64.00	1	014700002
540	218.00	1	014700010

1470FT
drum brake shoe spring clamp pliers

40° angled noses
Easy access to awkward spaces

L mm	£		
184	54.00	1	014700000

1470PF
tool for replacing cylinders
in drum brakes
jaws remain open, for easy cylinder replacement

38"

⬡ 17 mm

A mm	£		
25÷140	108.50	1	014700200

1471
drum brake spring pliers

L mm	£		
330	100.00	1	014710001

1471A
handbrake wire pliers

A max mm	B mm	£		
45	5	121.50	2	014710010

1471GF
mouldable hooks for supporting brake calipers while replacing pads, pair

	Max kg	£		
1471GF	5	15.90	1	014710310

1471M/C22
pneumatic tool for pushing back and rotating right and left disc brake pistons with accessories

	£		
1471M/C22	328.00	1	014710101

350x310x85 mm - 3,5 kg

1471M/50
pneumatic tool for pushing back and rotating right and left disc brake pistons with accessories



Ø mm	Kg	Bar	£		
50	150	5÷8	190.50	1	014710069

1471M/P
worn pad and TRW-Mégane caliper adapters

	£		
1471M/P	31.50	1	014710080

1471M/W50
VW Passat handbrake adapter (≥ 2005)

	£		
1471M/W50	9.25	1	014710079

1471PN/B1
Ford handbrake adapter



	£		
1471PN/B1	9.30	1	014710081

1471PN/B2
Daily handbrake adapter



	£		
1471PN/B2	13.60	1	014710082

1471PN/B3
BMW handbrake adapter

	£		
1471PN/B3	9.25	1	014710083

1471PN/B4
BMW handbrake adapter



	£		
1471PN/B4	9.25	1	014710084

1471PN/B5
Mini/ BMW handbrake adapter

	£		
1471PN/B5	9.25	1	014710085

1471CF
pentagon hand sockets for brake caliper nuts

12"

mm	£		
14	19.40	1	014710314
19	19.40	1	014710319

1471CM
pentagon socket driver for brake caliper screws

12"

mm	£		
10	19.40	1	014710360

1471CM/E11
hexagon socket driver, 11 mm,
for Mercedes ML brake caliper screws (series 166)

12"

mm	Ø mm	L mm	L1 mm	£		
11	24	75	15,5	22.20	1	014710361

1471PT/C5
impact socket kit for brake calipers nuts

for cars of Volkswagen, Audi & Porsche group
- **3 10-tooth sockets: 11.5 mm - 15 mm - 20 mm**
- **2 7-tooth socket: Ø 14 mm - 22 mm**

12"

	£		
1471PT/C5	104.00	1	014710367

1471D2
tool for pushing back front disc brake pistons, with closed callipers

Two pairs of plates for working on 2 and 4 piston callipers

⬡ mm	£		
10	103.50	1	014710301

250x170x60 mm 1,5 kg

1471T/C5
5 slogging wrenches for truck brake calipers

can be used with torque wrenches for tightening operations
included sizes:
- **female Torx wrenches E18, E20, E24**
- **ring wrenches M24, M26**

34"

	£		
1471T/C5	356.00	1	014710400

275x220x60 mm - 3,1 kg

1472
hose clamp pliers

	£		
1472	57.00	1	014720001

1472AU
automatic hose clamp pliers

Ø mm	£		
18÷53	172.00	1	014720100

1472R/AU
spare tips for pliers 1472AU

	£		
1472AU/R	68.00	1	014720101

1472AU/P
automatic hose ring pliers
with extension

ø mm	L mm	£		
18÷54	630	158.00	1	014720105

1472AU/RP
spare cable for pliers 1472AU/P

	£		
1472AUP/R	34.50	1	014720106

1472B/RNLT
double head socket, specially designed for suction hose clamps installed on Renault group engines

	£		
1472B/RNLT	22.20	1	014720250

1472FC
Clic® collar pliers with swivel heads

	£		
1472FC	45.50	1	014720090

1472FC/GE
heavy-duty Clic® collar pliers

particularly suitable for large-size clippers

L mm	£		
230	100.50	1	014720093

1472FC/L
Clic® collar pliers with flexible extension

L	£		
630 mm	153.00	1	014720095

1472FCL/RP
spare cable for pliers 1472FC/L

	£		
1472FCL/RP	67.00	1	014720096

1472FCA
collar removal pliers
with Visa ® type rack

	£		
1472FCA	89.00	1	014720041

1472H
Henn clamp removal tool

L mm	£		
1472H 100	32.50	1	014720000

1472MT/VW
pair of claws for disconnecting
suction manifolds in VAG cars

Can be used on turbocharged petrol engines 1.0 - 1.2 - 1.4

	£		
1472MT/VW	15.40	1	014720500

1472TM
quick coupler pliers for multijet filters

	£		
1472TM	32.00	1	014720200

1472VW
hose clamp pliers,
with swivel heads
For Volkswagen and Mercedes cars

	£		
1472 VW	56.00	1	014720051

1473
OETIKER® collar pliers

	£		
1473 275	167.00	1	014730001

1473A
slotholder pliers for OETIKER® collars

	£		
1473A	126.00	1	014730010

1473P
clamp pliers for OETIKER® low-profile collars

	A Max mm	£		
1473P	53	33.00	1	014730020

1473FN
tool for tightening and cutting strap ties made of stainless steel

For use with Panduit® ties and the like

	A mm	£		
	4,7÷9,5	98.50	1	014730501

1473T
steel collar cutting nippers

allows collars to be cut without risking damaging guards, sleeves etc.

	A Max mm	L mm	£		
	14	220	80.00	1	014730582

1474/C4
kit of 4 tools for removing Volkswagen spark plug coils

	£		
1474/C4	140.50	1	014740100

290x190x50 mm - 1 kg

1474E/VW
expansion puller for ignition coils, Volkswagen group

	£		
1474E/VW	36.00	1	014740120

1474E/VW2
ignition coil puller, for VAG group vehicles

for use on engines 1.0 - 1.2 - 1.4 - 2.0

	£		
1474E/VW2	49.50	1	014740150

1474L
spark-plug pliers, curved long nose, 15°



	Ø min mm	Ø E mm	£		
	14	20	109.00	2	014740010

1474DL
spark-plug pliers, long nose, double layer PVC coated handles



	£		
1474DL	48.00	1	014740015

1474G
curved long nose pliers for removing glow plug caps

	£		
1474G	60.00	1	014740200

1475U
combination pliers, bright chrome-plated, double layer PVC coated gun handles



	£		
1475U	37.00	1	014750010

1476
adjustable self-locking pliers
for exhaust pipe cutting

Ø min mm	Ø max mm	L mm	£		
19	75	225	102.00	1	014760002

1476/RC
spare chain for item 1476

	£		
1476RC	54.00	1	014760012

1476A
pliers for exhaust pipe cutting

Ø min mm	Ø max mm	£		
30	95	132.00	1	014760005

1476A/RC
spare chain for item 1476A

	£		
1476A/RC	114.50	1	014760015

1476C/1
exhaust pipe expanders

	£		
1476C/1	55.00	1	014760101

Ø 30÷42 mm
L = 131 mm
L1 = 51 mm

1476GT
pliers for removing rubber supports
from exhaust pipes

L mm	A Max mm	mm	£		
280	58	3	45.50	1	014760050

1476PSA
exhaust collar pliers
with pin, PSA group
Nose shape and automatic rack locking make it possible to work without pulling out pin

L mm	A Max mm	S mm	£		
309	60	12,2	56.00	1	014760060

1476T
wrench for removing/installing turbines
on Volkswagen Audi diesel engines

mm	£		
12	54.50	1	014760200

1477/C10
bent wrench with 9 bits
for belt tightening nuts

1 bent wrench with bit drive
4 double bi-hex bits: 12x14 - 13x15 - 16x17 - 18x19 mm
5 bits for Torx(R) head screws: E10 - E12 - E14 - E16 - E18

	£		
1477/C10	239.50	1	014770310

530x110x55 mm

1477D
ring wrenches for belt tightening nuts

mm	£		
13	37.00	1	014770113
15	37.00	1	014770115
16	37.00	1	014770116
17	37.00	1	014770117
19	38.50	1	014770119

1477D/S5
set of 5 ring wrenches for belt tightening nuts

	£		
1477D/S5	186.50	1	014770200
13-15-16-17-19 mm			

600x200x70 mm - 2,2 kg

1477K/7
kit with bent reversible ratcheting wrench
and bits

- 2 TORX T40-T45 bits
- 1 XZN 10 bit
- 1 hexagon bit, 8 mm
- 3 bi-hex bits, 10-12-13 mm

	L mm	£		
1477K/7	250	212.50	1	014770051

1478
pin removing pliers

	£		
1478	70.50	1	014780001

1478NSS
plastic pin removal pliers
with 3 release points

	L mm	£		
1478NSS	180	58.00	1	014780163

1478T
plastic pin removable pliers
with swivel head and pressure clips

Head can be rotated 90°

	S mm	£		
1478T	4,5	60.50	1	014780101

1478/K3
pin removing pliers kit with plastic clips assortment

kit contents:
- **flat nose pliers (1 pc.)**
- **90° bent nose pliers (1 pc.)**
- **625 plastic clips in 16 different sizes**
- **clips in 3 stackable PPL containers**

	L mm	L1 mm	£		
1478/K3	180	170	138.50	1	014780160

1478SP
assortment of 625 plastic clips

16 different types

	£		
1478SP	38.50	1	014780201

1479
trim pin remover



	£		
1479	31.00	2	014790001

1479/B27
kit of 27 nylon tools for removing pins and working on plastics and seals, hangable

	£		
1479/B27	108.00	1	014790407

1479LB/C5
kit of 5 metal trim pin removers

	£		
1479LB/C5	153.00	1	014790150

215x165x50 mm

1479L/S2
multipurpose wrecking bars, pair, made of Teflon ®

	£		
1479L/S2	40.00	1	014790510

1479LV/S3
kit of 3 multipurpose wrecking bars, made of metal

sizes:
1479LV/1: 10x12 mm
1479LV/2: 4.8x9.6 mm
1479LV/3: 2.8x6 mm

	£		
1479LV/S3	42.50	1	014790100

1479L/K4
4 wrecking bars for jobs on dashboards and delicate parts

	£		
1479L/K4	47.00	1	014790604

1479ML/B17
kit of 17 multipurpose wrecking bars, made of plastic

particularly recommended for precision jobs

	£		
1479ML/B17	94.00	1	014790700

1479ML/S3
kit of 3 multipurpose wrecking bars, made of plastic

Particularly recommended for precision jobs

	£		
1479ML/S3	15.00	1	014790603

1479N/S5
kit of 5 nylon trim pin removers

	£		
1479N/S5	49.50	1	014790251

1479RB/1
straight putty knife scraper

	£		
1479RB/1	31.00	1	014790315

1479RB/2
bent putty knife scraper

	£		
1479RB/2	31.00	1	014790320

1479RB/3
flat putty knife scraper

	£		
1479RB/3	33.50	1	014790310

1479U/13
putty knife scrapers

	£		
1479U/13	26.50	2	014790010

1479U/32
trim pin remover, stainless steel blade

	£		
1479U/32	28.50	2	014790015

1480
Kit for filling diesel oil filters of cars without electric pumps
• Also for use with tyre inflators

Kit contents:
- GM quick couplings
- Renault, GM, Fiat quick couplings, inside Ø 6 mm
- Renault, GM, Fiat quick couplings, inside Ø 7 mm
- Fordquick couplings
- PSA quick couplings, inside Ø 6 mm
- PSA quick couplings, inside Ø 7 mm
- Ford quick couplings
- 2 cone-shaped adapters for cars without quick couplings

	£		
1480	525.00	1	014800010

410x320x70 mm

1481/C12
Kit of 6 pairs of hose pliers

Kit contents:
- 2 different pairs of pliers size 1/4"
- 2 different pairs of pliers size 3/8"
- 2 different pairs of pliers size 5/16"
- 3 pairs of rubber caps

	£		
1481/C12	174.00	1	014810312

370x270x59 mm

1481K/S4
kit of 4 self-locking terminals for line obstruction
sizes:
5/16" - 3/8" - 1/2" and loop

	£		
1481K/S4	40.50	1	014810400

1481PL/A
plastic hose pliers



	Ø mm	£		
1481PL/A	8÷15	25.00	3	014810110
1481PL/B	15÷25	28.00	3	014810120
1481PL/C	25÷45	38.00	3	014810130

1481PL/S3
set of 3 plastic hose pliers

	£		
1481PL/S3	91.00	1	014810200

1481PL-A Ø 8÷15 mm
1481PL-B Ø 15÷25 mm
1481PL-C Ø 25÷45 mm

1481T/C12
set of fuel line plugs

3 pairs of plugs with male/female quick couplers for closing fuel lines

	£		
1481T/C12	183.50	1	014810212

275x220x45 mm - 540 g

1482
adjustable self-locking wrench for tank floating ring nuts

Ø mm	£		
89÷170	158.50	1	014820001
89÷200	154.00	1	014820002

1482A/1
3-leg wrench for floating ring nuts, tank with aluminium ring nut

For operating on aluminium ring nut installed on Fiat, Volkswagen, Opel, Chevrolet, Mercedes and BMW cars since 2011

12"

Ø mm	£		
185	110.00	1	014820005

1482A/3
wrench for tank floating ring nuts, PSA group

So designed as to make it possible to operate on decentralized axis by removing ring nut, without damaging delicate fuel line

Ø mm	£		
157	121.50	1	014820007

1482A/5
wrench for tank floating ring nuts, 22 sectors

for use on plastic ring nuts in VAG group cars

12"

Ø mm	£		
180	94.00	1	014820015

1482/8 - 1482/10
quick coupler pliers for fuel pipes



	Ø mm	£		
1482/8	8	52.50	2	014820008
1482/10	10	52.50	2	014820010

1482B
quick coupler pliers for fuel pipes

	£		
1482B	66.00	1	014820021

1482SN
quick coupler swivel pliers for fuel pipes, with articulated jaws

L mm	£		
260	72.50	1	014820110

1482C
wedges (2 pairs) for releasing diesel fuel filter fittings, Fiat, Volkswagen, Jeep, Chrysler and Volvo groups

Quick filter replacement without irreparably damaging fittings

	£		
1482C	90.00	1	014820022

1482D
quick coupler pliers for fuel pipes, with flexible extension

	£		
1482D	126.00	1	014820026

1483K/12
kit for removing valves from air-conditioning system with set of five-star head bits

Kit contents:
- **2 female octagon sockets, Ø 12 and 15 mm, for high-pressure valves**
- **2 male open end sockets, section 2.2 and 3.2 mm, for throttle valves**
- **1 set of five-star head bits: PT10, PT15, PT20, PT25, PT27, PT30, PT40**

1/4"

1/4

	£		
1483K/12	47.50	1	014830012

120x80x35 mm

1483KV-PT/S7
set of five-star head bits

Included sizes:
PT10 - PT15 - PT20 - PT25 - PT27 - PT30 - PT40

1/4

	£		
1483KV PT/S7	13.80	1	014830117

1483K/22

kit for separating couplers on air-conditioning, fuel supply and lubrication systems

	£		
1483K/22	182.00	1	014830022

300x230x55 mm - 1 kg

1484

set of 2 tools for removing and installing stretch belts

Allows stretch belt to be quickly removed and correctly installed, without risking damaging it

	£		
1484	150.00	1	014840010

1484PSA

tool for installing water pump stretch belt without belt tightener

for use for PSA and Opel group vehicles engines 1.0 - 1.2

	£		
1484PSA	18.10	1	014840012

1485BP

half-moon tool for locking toothed pulleys

can be adjusted through swivel handle, tightens and locks pulley from outside, preventing neighbouring sensors from getting damaged

A Max mm	£		
130	319.00	1	014850000

1485BPM

half-moon tool with aluminium jaws for locking multi-groove pulleys

can be adjusted through swivel handle; tightens and locks pulley from outside, preventing neighbouring sensors from getting damaged

A Max mm	£		
180	278.00	1	014850002

1485FCA/K2

tools for pre-loading timing belt bearings, pair, FCA group

recommended for 1.2, 1.4 8/16 V and 1.4 Multiair engines

- 1 175-mm-long tool with 13.5-mm-deep push rods
- 1 305-mm-long articulated tool with 13.5-mm-deep push rods

	£		
1485FCA/K2	146.50	1	014850220

1485FCA/T

timing belt tensioner, long series, with 13.5 mm inserts

L mm	P mm	£		
175	13,3	53.50	1	014850210

1485FCA/TS

timing belt tensioner, articulated, with 13.5 mm inserts

L mm	P mm	£		
305	13,5	93.00	1	014850215

1485FRD/T

tensioning lever for service belts mounted on Ford engines

can be used to remove alternator pulleys

L mm	Q mm	£		
450	12,80	114.50	1	014850310

1485MRC/T

tensioning lever for service belts mounted on Mercedes engines

for use with M133 - M270 engines



L mm	○	£		
510	T55	46.00	1	014850315

1485VLV/T

tensioning lever for service belts mounted on Volvo engines



L mm	○	○ mm	£		
420	T50-T60	15	98.50	1	014850320

1485TC

tensioning lever for service belts, mounted on Ford, PSA, FCA engines

L mm	£		
475	69.00	1	014850330

1485/KIT

kit for controlling cam belt tension

	£		
1485/KIT	278.00	1	014850100

230x140x75 mm - 580 g

1485MJ
camshaft locking tool,
for 1.3 16V Multijet engines

2 3-form heads for working on all 1.3 16V Multijet engines of FCA, Opel, Ford and Suzuki group vehicles

	L mm	£		
1485MJ	500	183.50	1	014850150

1485PMTJ
driving shaft pulley release lever for Multijet engines
so designed as to lock driving shaft while removing pulley

L mm	£		
450	181.50	1	014850190

1485R
universal tool for rotating camshaft pulleys made from forged steel
with 2 pairs of tips

Ø mm	Ø1 mm	L mm	£		
30÷120	10 - 17	500	188.50	1	014850025

1485R/P10
pairs of inserts

	£		
1485R/P10	18.00	1	014850035

1485R/P17
pairs of inserts

	£		
1485R/P17	19.40	1	014850038

1485VAG/K2
tools for pre-loading timing belt bearings, pair

- **3-position swivel head**
- **1 tool with 12.5-mm-deep head**
- **1 tool with 21.5-mm-deep head**

	£		
1485VAG/K2	111.50	1	014850080

1485VAG
tools for pre-loading timing belt bearings

- **3-position swivel head**

	L mm	P mm	£		
1485VAG/12,5	190	12,5	57.00	1	014850062
1485VAG/21,5	195	21,5	54.00	1	014850071

1487/K2
2 sockets for radiator drain plugs

3/8"

	£		
1487/K2	35.00	1	014870100

1488 - 1488L
oil-filter wrench with double chain

	Ø mm	£		
1488	60÷110	114.00	1	014880001
1488L	60÷160	126.50	1	014880050

1488/1
oil-filter wrench with thin double chain

1/2"

Ø mm	£		
60÷110	141.50	1	014880010

1488R...
spare chain

			£		
1488RC	1488	350	44.50	1	014880101
1488R/L	1488/L	520	70.50	1	014880150
1488RC/1	1488/1		69.00	1	014880110

1489/31T
alternator pulley free wheel wrench

1/2"

			£		
T50	15	31	33.00	1	014890016

1489/33
alternator pulley free wheel wrench

		£		
1489/33	33	16.40	1	014890010

1489/33P

alternator pulley free wheel wrench,
for new Bosch FIAT Grande Punto alternators

M	mm		£		
10	15	31	48.50	1	014890015

1489/E

alternator pulley
free wheel wrench

mm	mm	£		
10	15	26.50	1	014890025

1489R

alternator pulley free wheel wrench



	£		
1489/R	18.00	1	014890020

1489/Y

alternator pulley free wheel wrench,
for Nippondenso alternators

mm	£		
32	18.90	1	014890040

1489/C14

assortment of 14 tools for free alternator pulleys

	£		
1489/C14	328.00	1	014890100

867PE	8 mm	
867PE/L	8 mm	
867XZN/L	M10	
867TX/L	T50	
867/2	□1/2"	
920B	10 mm	
1489/33		
12" 1489/33P	M10	
1489/R		
1489/Y		
1489/31T	T50	
1489/E	10 mm	
188	10 mm	
188	15 mm	

420x250x45 mm - 1,9 kg

1490

strap wrenches for oil filters



	Ø max mm	£		
1490/1	160	44.50	1	014900001
1490/2	240	45.50	1	014900002

1490/R1 - 1490/R2

spare fabric straps for item 1490

	Ø mm	£		
1490R/1	160	21.60	1	014900101
1490R/2	240	25.00	1	014900102

1490F

strap wrenches for filters

38"
12"

Ø Max mm		£		
200	50	40.00	1	014900201

1491

adjustable oil filter wrench

Ø mm	£		
65÷110	58.50	2	014910001

1491R

spare metal band for item 1491

	£		
1491R	8.60	10	014910010

1491A

adjustable oil filter pliers

Precision adjustment through rack

L mm	Ø min - Max mm	£		
345	55 ÷ 140	48.00	1	014910040

1491T

adjustable truck oil filter pliers

Precision adjustment through rack
For use with drier filters

L mm	Ø min - Max mm	£		
500	70÷200	113.50	1	014910050

1492/1 - 1492/2
adjustable oil filter wrenches

	Ø mm	£		
1492/1	60÷80	57.00	1	014920001
1492/2	80÷110	60.00	1	014920002

1492T
drier filter wrenches

12"

	Ø mm	H mm	£		
1492T 40	125÷145	40	43.00	1	014920540
1492T 75	120÷140	75	77.00	1	014920575

1493B
bi-hex wrenches
for hard-to-reach oil filter cartridges

38"

mm	±S mm	£		
24	8	28.00	1	014930524
27	8	30.50	1	014930527
32	8	31.50	1	014930532
36	8	32.50	1	014930536
38	8	33.00	1	014930538

1493B/S5
set of 5 bi-hex wrenches
for hard-to-reach oil filter cartridges

sizes:
24-27-32-36-38 mm

38"

	£		
1493B/S5	111.00	1	014930599

1493
oil filter wrench

12"

Ø mm	N	£		
65	14	11.10	1	014930200
73	14	11.10	1	014930208
74	14	11.10	1	014930209
74	15	11.10	1	014930210
76	14	11.10	1	014930218
76-74	15	11.90	1	014930220
78	15	11.90	1	014930224
80	15	12.80	1	014930226
82-80	15	12.80	1	014930228
86	16	13.30	1	014930230
90	15	13.30	1	014930234
92	10	13.30	1	014930236
93	15	13.30	1	014930238
100	15	16.40	1	014930248
106	15	17.30	1	014930250
108	15	17.30	1	014930252
135	18	26.50	1	014930256

1493/PF
Purflux® oil-filter wrenches

12"

Ø mm	N	£		
66	6	11.10	1	014930202
76	12	11.10	1	014930216
76	30	11.90	1	014930222
86	18	13.30	1	014930232
93	36	13.30	1	014930240
93	45	13.30	1	014930242
96	18	13.30	1	014930246
108	18	18.00	1	014930254

1493/C30
set of 28 oil filter wrenches

12"

Sizes included in kit (Ø mm / n°. of sides)
1493:
65/14 - 67/14 - 68/14 - 73/14 - 74/15
76/15 - 75.77/15 - 76/14 - 76/8 - 78/15 - 80/15
82/15 - 86/16 - 90/15 - 92/10 - 93/15 - 95/15
100/15 - 106/15 - 108/15

1493PF (Purflux)
66/6 - 76/12 - 76/30- 86/18
93/36 - 93/45 - 96/18 - 108/18

- Includes 1 adjustable oil filter wrench
Ø 65÷120 mm

	£		
1493/C30	355.00	1	014930000

530x400x110 mm - 4 kg

1493AL
oil filter wrenches

N= number of sides

38"
12"

Ø mm	N	⬢	□	£		
64	14	27	½"	21.00	1	014930310
66,5	14	27	½"	18.00	1	014930315
74	14	27	½"	22.90	1	014930320
79	15	27	3/8"	21.00	1	014930325
84	14	27	3/8"	22.90	1	014930330
87	16	27	½"	27.00	1	014930335
92	15	27	3/8"	23.60	1	014930340
100,5	15	27	3/8"	23.60	1	014930350

1493AL 4S
oil filter wrenches
for Asian cars
4-hook profile

38"



Ø1 mm	Ø2 mm		£		
70	64,5	27	22.90	1	014930304
80	64,5	27	21.00	1	014930305

1493AL CF

hexagon socket wrenches
for oil filter cartridges

1/2"

Ø mm	H mm	⬢	£		
24	34	27	13.20	1	014930424
30	34	27	13.20	1	014930430
32,5	34	27	13.90	1	014930432
36	34	27	13.90	1	014930436
38	34	27	13.90	1	014930438

1493/C19

set of 18 oil filter wrenches,
particularly suitable for Asian cars

Ø mm	N°. of sides
63-64	14
66.5	14
74	14
79	15
84	14
87	16
92	15
94.5	15
100.5	15
64.5	14 hook wrench for Toyota cars
64.5	14 hook wrench for Lexus cars

6 hexagon sockets, sizes 24-27-30-32.5-36-38 mm, for filter cartridges
Kit includes 1 universal adjustable wrench Ø 58÷93 mm

1/2"
3/8"

	£		
1493/C19	328.00	1	014930019

490x450x60 mm - 4 kg

1493DSG

wrench for removing/installing
DSG oil filter

1/2"

○ mm	£		
24	48.50	1	014930800

1493FF

wrench for removing/installing plastic seats of
Ford Peugeot Citroën oil filters
engines: TDCi-HDi

Allows plastic seat to be correctly tightened at 25 Nm by means of a torque wrench

1/2"

○ mm	£		
27	33.00	1	014930127

1493FT

wrench for Ford Transit Diesel oil filters

Can be used for all
Transit, Transit Custom and Tourneo Custom versions manufactured since 2012

1/2"



Ø mm	£		
115	34.00	1	014930085

1493J

wrench for MultiJet



Ø mm	£		
90	174.00	1	014930080

1493VW

diesel oil filter wrench,
for VAG and Volvo cars

1/2"

Ø mm	£		
82,5	20.10	1	014930086

1493HK

diesel oil filter wrench for
Hyundai Kia, 15-sided

1/2"

	£		
1493HK	35.00	1	014930087

1493/C7

self-adjusting oil filter wrench with three arms
for right- and left-hand tightening,
with interchangeable arms

antislip diamond finish
2 sets of arms:
- **1 set with 20 mm working length**
- **1 set with 38 mm working length**

3/8"

	Ø mm	○ mm	£		
1493/C7	50÷100	16	165.50	1	014930079

210x150x50 mm

1493H

self-adjusting oil filter wrench with 3 arms,
for right and left hand tightening

Knurled jaws

3/8"
1/2"



	Ø mm	H mm	£		
1493H	72÷127	62	34.00	1	014930077

1493/S-U

self-adjusting oil filter wrench with 3 arms, for right and left hand tightening

	□	Ø mm	£		
1493/S	3/8-1/2	80-115	100.00	1	014930074
1493/U	1/2	105-165	210.00	1	014930076

1493X

self-locking oil filter wrenches, for left-hand tightening

38"

	Ø mm	S mm	£		
1493X/1	60÷80	2,9	34.50	1	014930105
1493X/2	80÷98	2,9	34.50	1	014930110

1493Y

self-locking oil filter wrenches, for right- and left-hand tightening, heavy-duty version

item 1493Y/2 can also be used for drier filters

12"



	Ø mm	S mm	£		
1493Y/1	80÷110	7,3	155.00	1	014930120
1493Y/2	104÷145	7,3	239.50	1	014930122

1493C/ADB

socket for opening AdBlue® caps, for PSA group vehicles

38"

17 mm

	£		
1493C/ADB	22.20	1	014930900

1493U/ADB

socket for opening AdBlue® drain plugs

38"

17 mm

	£		
1493U/ADB	14.30	1	014930910

1494T/C5

set of special sockets for plastic oil drain plugs

Set contents:
- 1 socket for VAG group oil drain plugs
- 1 socket for BMW oil drain plugs
- 1 socket for PSA and Ford group oil drain plugs
- 1 socket for Mercedes oil drain plugs
- 1 "T"-handle wrench

38"

17 mm

	£		
1494T/C5	97.50	1	014940350

173x125x50 mm - 360 g

1494BMW

special socket for plastic oil drain plugs, for BMW engines

38"

	£		
1494BMW	15.80	1	014940315

1494FPC

special socket for plastic oil drain plugs, for Ford, Peugeot and Citroën engines

38"

	£		
1494FPC	18.10	1	014940320

1494VW

special socket for plastic oil drain plugs, Volkswagen engines

Allows plastic plug to be removed and installed from oil sump.
Specially designed for Volkswagen cars with TFSI and TDI engines

38"

	£		
1494VW	23.60	1	014940305

1494MRC

special socket for plastic oil drain plugs, for Mercedes engines

38"

17 mm

	£		
1494MRC	14.30	1	014940325

1494MAN

special socket for plastic oil drain plugs, for DAF and MAN engines

38"

17 mm

	£		
1494MAN	14.30	1	014940330

1494

square oil drain plug socket

■ 1/2"

mm	£		
10	10.20	1	014940280

1494E

male hexagon oil drain plug sockets

○ 1/2"

mm	£		
8	10.20	1	014940208
9	10.20	1	014940209
10	10.20	1	014940210
11	10.20	1	014940211
12	10.20	1	014940212
14	10.20	1	014940214
17	10.20	1	014940217

1494Q
male square oil drain plug sockets

mm	£		
8	10.20	1	014940258
9,5	10.20	1	014940259
12	10.20	1	014940262
13	10.20	1	014940263

1494T
male triangular oil drain plug socket

mm	£		
9,5	10.20	1	014940289

1494XZN
male oil drain plug socket with XZN® profile

M	£		
16	12.30	1	014940296

1494VW/K
engine oil replacement kit, for VAG cars

Kit contents:
- 1 special socket for plastic oil drain plugs
- 6 plastic oil sump plugs

	£		
1494VW/K	42.50	1	014940310

1494VW/KT
kit of 6 plastic caps for item 1494VW/K

	£		
1494VW/KT	27.00	1	014940311

1494/C14A
assortment of 14 oil change tools

	£		
1494/C14A	173.00	1	014940150

- 1494E 8-9-10-11-12-14-17
- 1494Q 8-9,5(3/8")-12-13
- 1494 10
- 1494T 9,5(3/8")
- 1494XZN M16

380x305x40 mm - 1,7 kg

1494M
tool for hexagon oil drain plugs, magnetic, flexible

Allows plug to be unscrewed without risking getting burnt or dirty

L mm	F kg	Ø mm	£		
293	2,5	19	23.60	1	014940401

1495/C6
assortment of tools for repairing oil sump threads

- Damaged thread is removed by screw tap and enlarged by one size
- Allows repairs and avoids replacing oil sump

Contents:
- 1 screw tap M13x1.25 + 6 screws + 12 washers
- 1 screw tap M13x1.5 + 6 screws + 12 washers
- 1 screw tap M15x1.5 + 6 screws + 12 washers
- 1 screw tap M17x1.5 + 6 screws + 12 washers
- 1 screw tap M20x1.5 + 6 screws + 12 washers
- 1 screw tap M22x1.5 + 6 screws + 12 washers

	£		
1495/C6	375.00	1	014950500

420x185x60 mm - 2,1 kg

1495M
screw tap for oil drain plug threads

M	£		
13x1,25	22.20	1	014950553
13x1,50	19.40	1	014950563
15x1,50	20.00	1	014950565
17x1,50	22.20	1	014950567
20x1,50	24.40	1	014950570
22x1,50	32.00	1	014950572

1495T
kit with 6 oil drain plugs and washers

M	£		
13x1,25	25.50	1	014950503
13x1,50	25.50	1	014950513
15x1,50	25.50	1	014950515
17x1,50	28.00	1	014950517
20x1,50	33.00	1	014950520
22x1,50	44.50	1	014950522

1496/C
oil plug wrench

	£		
■ 8 x ■ 10 mm	23.60	3	014960010

1497D
relay removal pliers, straight pattern

	A min÷Max mm	£		
1497D	15÷50	52.50	1	014970150

1497BS

relay and fuse removal pliers, straight, thin pattern

the long, extremely thin noses allow the relay and fuse to be removed from small areas



	L mm	L1 mm	A min	£		
1497BS	230	45	14	29.50	1	014970190

1497P

relay removal pliers, bent pattern, 60°

	A min÷Max mm	£		
1497P	15÷50	55.50	1	014970160

1497SS

self-locking pliers for soldering tinned wires

Upper clips allow soldering wires to be clamped and brought close to each other.
Built-in rack allows wires to be placed in 6 different positions

	L mm	A min÷Max mm	£		
1497SS	245	14÷70	27.00	1	014970195

1497TE

pliers for disconnecting electrical connectors

the extremely thin noses allow the clips to be released without damaging the connectors

	L mm	A Max	Ø mm	£		
1497TE	215	63	4	34.00	1	014970180

1497/C23

assortment of 23 tools for releasing electrical connectors

	£		
1497/C23	301.00	1	014970200

440x250x70 mm - 1,7 kg

1497/C94

assortment of 94 car testing connectors for use with main diagnostic tools

- **2 t-taps**
- **2 potentiometers**
- **2 warning lights**
- **2 SRS connectors**
- **2 alligator clips**
- **2 acicular probes**
- **2 prods**
- **2 dual banana connectors**
- **4 single banana connectors**
- **24 flat male terminals 0.6÷6 mm**
- **12 round male terminals 1.6÷3.9 mm**
- **24 flat female terminals 0.6÷6 mm**
- **12 round female terminals 1.6÷3.9 mm**

	£		
1497/C94	573.00	1	014970300

430x390x100 mm - 3 kg

1497RC

t-taps, pair

- **cable section: 1.5÷3.5 mm**
- **voltage: 0÷330V**
- **max. current: 5A**

	£		
1497RC	113.50	1	014970351

1497KB/S3

3 tool kit for removing Knorr and Bremse electrical connectors

- **1 tool for bayonet connectors**
- **1 single head tool for 2-pole connectors**
- **1 double head tool for 4- or 6- and 12-pole connectors**

	£		
1497KB/S3	119.50	1	014970050

1497/S3

set of 3 cables for electrical signal detection

- **1 straight pc.**
- **1 45° pc.**
- **1 90° pc.**

	£		
1497/S3	28.00	1	014970400

1498

voltage tester



	£		
3÷48V	60.00	2	014980100

VEHICLE REPAIR

Our vehicle repair tools, which are used by the most demanding professionals, are developed and manufactured to meet the world's highest standards, and regularly tested under the most stressful operating conditions.

For over 50 years, we have been proudly working hand in hand with the greatest champions, who help us improve our products non-stop and provide testimony to the highest quality standard.

The vehicle repair tools are found in these sections:

Diagnostics	
	items 1438 to 1499 items 1758VT to 1760TMC
Engine	
	items 955 to 989A items 1438 to 1499
Oil and filters	
	items 1438 to 1499 items 1877 to 1885
Electric system	
	items 1438 to 1499
Starters	
	items 1498BC/12 to 1498/40A
Transmission	
	items 1438 to 1499
Suspension	
	items 1549 to 1569CP
Brakes	
	items 1438 to 1499
Wheels	
	items 955 to 989A
Body work	
	items 1302 to 1369 items 1763 to 1767A
Other equipment	
	items 1875LT to 3067
Jacks	
	items 3029/2T to 3067/70-13T

1498BC/12

multipurpose portable starter, 12V

Technical data:
- **Starting current: 600A**
- **Pickup current: 1500A**
- **Battery type: 4 cells, LifePo4**
- **Battery capacity: 25000mAh**
- **Device protecting against polarity reversal, short-circuit, overcurrent, overcharge and overheating**

Supplied with:
- Protective case
- Cable with starting clamps
- USB ports for charging electronic devices
- LED battery charge indicator
- USB and USB-C cable
- Mains power supply
- Multifunction LED torch

	L mm	P mm	H mm	£		
1498BC/12	225	100	40	530.00	1	014980040

1498MN/12-C

booster cable with clamps for item 1498BC/12

	£		
1498MN/12-C	74.50	1	014980005

1498MN/12-R

mains power supplies for mini starter 1498BC/12

	£		
1498MN/12-R	59.50	1	014980003

1498MN/12-P

car socket power supply for mini starters 1498BC/12

	£		
1498MN/12-P	34.00	1	014980004

1498MN/12-U

USB cables with universal U adapters

	£		
1498MN/12-U	25.50	1	014980009

1498LT/12

portable high-performance starter, ultralightweight

Technical Data:
- Operating voltage: 12 V
- Continuous amperage: 800 A
- Maximum starting amperage: 2000 A
- Peak amperage: 4000 A
- Cable length: 500 mm
- Battery type: 4-cell LifePo4
- Memory saving function: YES
- Dimensions: 260 x 135 x 72 mm
- Net weight: 2.5 kg
- Complete with charging power supply 12 V 1.3A

	£		
1498LT/12	1235.00	1	014980012

1498LT/12-SF

wall fixing bracket for starter 1498LT/12

	£		
1498LT/12-SF	194.50	1	014980013

1498LT/12-R7

mains power supply for starter 1498LT/12

	£		
1498LT/12-R7	85.50	1	014980657

1498LT/12-24

portable high-performance starter, 12-24 V, ultralightweight,

suitable for use on cars, commercial vehicles and trucks

The microprocessor provides total protection against:
- polarity reversal
- short circuits
- incorrect voltage
- overloads
- underdischarge
- overcharge
- overtemperature

Technical data:
- operating voltage: 12/24V
- continuous amperage: 2000/1000 A
- maximum starting amperage: 5000/2500 A
- peak amperage: 10000/5000 A
- clamp amperage: 1000 A
- cable length: 160 cm
- cable section: 25mm²
- automatic power supply: 4 Amp
- memory saving function
- dimensions: 350x240x140 mm
- weight: 5 kg

	£		
1498LT/12-24	**2550.00**	1	014980014

1498/12

Portable car starter, 12V

TECHNICAL DATA:
- Pickup current: 2200A
- Shoulder strap included
- Sealed lead acid battery, solid electrolyte (AGM) type

	£		
1498/12	**883.00**	1	014980480

13 kg

1498/24

portable car and commercial vehicle starter, 12-24V

Technical Data:
- Pickup current: 4200A (12V) - 2100A (24V)
- Shoulder strap included
- Sealed lead acid battery, solid electrolyte (AGM) type
- Weight: 17 kg

	£		
1498/24	**1745.00**	1	014980490

1498B12/R02

12V spare battery for starters 12-24V

	£		
1498B/12-R02	**417.00**	1	014980502

1498/12-24 R20

mains power supply for starters items 1498/12 and 1498/24

	£		
1498/12-/24 R20	**103.00**	1	014980520

1498/2A

electronic motorcycle battery charger, 12V

allows charging of all Pb Wet, Agm, Gel, Mf and Vrla battery types and LiFePo4 lithium batteries

Features:
- Two different types of charge, for lithium and lead acid batteries respectively
- Automatic multi-stage charge cycle
- Reverse polarity and short-circuit protection
- IP65 degree of protection
- Complete with cable with clamps and cable with eyelets
- Power supply voltage: 220-240V

Technical data:
- Charging current: 1A
- Charging capacity: 2Ah-40Ah
- Frequency: 50-60 Hz
- Battery voltage: 12V
- Dimensions: 180x80x40 mm
- Weight: 0.5 kg

	£		
1498/2A	**192.00**	1	014980102

1498/4A

Electronic car/motorcycle battery charger, 6-12 V

- Protected against polarity reversal and short circuits
- Automatic 6 V or 12 V selection
- Automatic battery type selection
- Digital backlit display
- Pull-back fixing hook

TECHNICAL DATA
Power supply voltage: 220V-240V
Frequency: 50-60 Hz
Rated current (min-max): 1-4 Amp
Battery voltage: 6V/12V
Battery capacity: 4Ah-80Ah
Charging time: 12 hours
Degree of protection: IP65

	£		
1498/4A	**224.50**	1	014980104

1498SA/2A-4A

cable with cigarette lighter plug for items 1498/2A and 1498/4A

	£		
1498SA/2A-4A	**45.00**	1	014980120

1498/8A

Electronic car / commercial vehicle battery charger, 12 V

Features:
- Slow and quick charge (2A-8A)
- Flat battery recovery function
- Power supply function 13.8V-5A
- Protected against polarity reversal and short circuits
- Manual battery type selection
- Digital backlit display
- Pull-back fixing hook

Technical data:
- Power supply voltage: 220V - 240V
- Frequency: 50-60 Hz
- Rated current (min-max): 2-8 Amp
- Battery voltage: 12V
- Battery capacity: 5Ah-160Ah
- Memory saving feature: 13,8V - 5A
- Degree of protection: IP65

	£		
1498/8A	308.00	1	014980108

1498/4A-8A CO

eyelet cable for items 1498/4A and 8A

	£		
1498/4A-8A-CO	21.20	1	014980114

1498/4A-8A CP

cable with clamps for items 1498/4A and 8A

	£		
1498/4A-8A-CP	31.50	1	014980118

1498/2A-8A-PR

extension for item 1498/2A/4A/8A

	£		
1498/2A-8A-PR	54.50	1	014980119

1498/16A

electronic multipurpose battery charger, 12-24V

- Backlit graphic display
- Max. charging current: 16A, continuous
- Charging and charge maintenance
- Protected against polarity reversal and short circuits
- 9 charging steps
- Floating system
- Show room function (13.8V - 12A)
- Supply function (14V - 12A)
- Memory saving function (13.8V - 12A)
- Battery recovery function
- Clamp holder
- Reclining hook fastening
- Supplied accessories: cable with clamp, cable with eyelets

Technical data:
- Power supply: 220-240V
- Power: 240W
- Charging current: 4-16A
- Battery types: Agm - Wet - Lithium (LiFePo4)
- Charging capacity: 5-360Ah
- Maintenance capacity: 5-550Ah
- Output voltage: 12-24V
- Minimum battery voltage: 0.8V
- Degree of protection: IP20

	£		
1498/16A	661.00	1	014980126

1498/25A

electronic multipurpose battery charger, 12-24V

Features:
- Backlit graphic display
- Maximum continuous charging current: 25A
- Charging and maintenance
- Protected against polarity reversal, short circuits
- 9 charging stages
- Floating system
- SHOW ROOM function (13,8V - 21A)
- SUPPLY function (14V - 21A)
- Memory saving function (13.8V - 21A)
- Battery recovery function
- Clamp holder
- Reclining fixing hook
- Supplied accessories: cable with clamp

Technical data:
- Power supply: 220-240V
- Power: 390W
- Charging current: 5-25A
- Battery type: Agm - Wet - Lithium (LiFePo4)
- Charging capacity: 5-550Ah
- Maintenance capacity: 5-800Ah
- Output voltage: 12-24V
- Minimum battery voltage: 0.8V
- Protection degree: IP20

	L mm	H mm	P mm	£		
1498/25A	260	130	75	750.00	1	014980125

1498/120A

electronic multipurpose battery charger, 12V

Allows batteries to be charged and powers motor vehicles while reprogramming and self-diagnosing

- maximum continuous charging current: 120A
- charging and maintenance with CPU microprocessor
- battery recovery function
- reprogramming and power supply for ECU
- protected against polarity reversal, short circuits, incorrect voltage and overload

TECHNICAL DATA
Power supply: 90-260V
Power: 1500W
Charging current: 10-120A
Battery type: Agm - Wet - Lithium (LifePo4)
Charging capacity: 10-1200Ah
Maintenance capacity: 5-3600Ah
Output voltage: 12 Volt
Cable length, with clamps: 2700 mm
Dimensions: 310 x 150 x 350 mm
Weight: 8.5 kg

	£		
1498/120A	**4210.00**	1	014980142

1498/40A

multipurpose battery charger / starter, 12-24V wheeled

Since no internal battery is available, thestart function (max. 350A) does not replace that of a specific starter type1498LT/12 (2000A).

- 3 programmed charging cycles and 1 manual cycle
- electronic adjusting potentiometer
- specific WET-SPIRAL/GEL-AGM charging cycles
- electronic control and protection system
- 10-stage charging process
- battery desulfurization and recovery function
- supply function
- dual voltage, 12-24V
- also suitable for Start&Stop batteries
- professional rubber-insulated brass clamps

TECHNICAL DATA
Power supply: 230V
Output voltage: 12-24V
Charging current: 1-40A
Starting current: 350A max cc
Charging capacity: 4-450Ah

	£		
1498/40A	**1820.00**	1	014980140

330x250x792

1498SM

memory saver, 12 V

prevents data stored by computer on board cars from getting lost during maintenance jobs or battery replacement.

Technical specifications:
- self-supplied
- internal battery Pb 5 Ah
- 12 volts
- professional connection with OBD socket

	£		
1498SM	**353.00**	1	014980020

1498SM-C

OBD II car memory saver connectors, 12V, for item 1498SM/C

	£		
1498SM-C	**39.00**	1	014980021

1498SM-CP

car memory saver connectors, 12V clamp, for item 1498SM/CP

	£		
1498SM-CP	**33.00**	1	014980022

1498SM-A

memory saver power supplies for item 1498SM/A

	£		
1498SM-A	**42.00**	1	014980023

1498TB/6-12

analogue battery tester, 6-12V

for testing 6V and 12V batteries up to 1000CCA

READING TABLE TEST RESULTS:

OK (GREEN)
Battery capacity is OK. Battery may or may not be fully charged. Make sure it is completely recharged.

WEAK or BAD but needle remains in fixed position (YELLOW OR RED):
UNSATISFACTORY battery capacity. Battery may be faulty or not completely charged. If battery is not fully charged (100%) battery must be replaced.

WEAK or BAD but needle does not remain fixed in place - (YELLOW OR RED):
Battery may be faulty or to the ground. Replace battery.

	L mm	L1 mm	P mm	£		
1498TB/6-12	290	170	75	**83.00**	1	014980420

1498TB/12-24

digital battery tester, 12V,
and starting/charging system analyzer, 12-24V

- allows the following to be tested: battery, alternator (smart and normal) and starter, diode ripple and chassis test
- fitted with software for printing test from PC
- backlit display
- compact, shockproof frame
- 10 language software
- complete with input for connecting a removable mini printer (optional accessory, Beta 1498ST/TB)

Technical Data:
- Applications: 12V battery test - Alternator charge test, 12-24V - Starter test
- Operating range: 100-2000 CCA
- Reference standards: CCA,SAE,DIN,EN,IEC,JIS
- Supported batteries: PB, WET, GEL, AGM, AGM FLAT, EFB
- Voltmeter: 9V-36V
- Cable length: 1600 mm
- Languages: Italian, English, French, German, Spanish, Polish, Romanian, Dutch, Swedish and Finnish
- Accessories included: USB cable and software

	£		
1498TB/12-24	937.00	1	014980401

1498ST/TB

mini thermal printer
for tester item 1498TB/12

- Mini printer can be directly connected to tester
- Allows test results to be printed

	£		
1498ST/TB	361.00	1	014980410

1498ST/TB ROT

paper refill
for printer 1498ST/TB

	£		
1498ST/TB ROT	14.60	2	014980411

1498PC

voltage stabilizer, 12-24 V

**Protects control units
in welding and starting processes**

	£		
1498PC	139.00	1	014980801

1499

sonoscope probe

	£		
1499	121.50	1	014990001

1500/...

two-leg universal pullers



	L mm	£		
1500/1	100	102.00	1	015000301
1500/2	100	104.00	1	015000302
1500/3	150	181.00	1	015000303
1500/4	150	253.00	1	015000304
1500/5	205	465.00	1	015000305
1500/6	205	539.00	1	015000306
1500/7	205	807.00	1	015000307
1500/8	230	1295.00	1	015000308

	A min÷Max mm	A1 min÷Max mm
1500/1	25÷80	70÷130
1500/2	25÷130	80÷180
1500/3	50÷160	105÷220
1500/4	60÷200	120÷270
1500/5	80÷250	160÷330
1500/6	80÷350	160÷420
1500/7	110÷520	195÷600
1500/8	170÷640	260÷715

		£		
1500/SP5	1500/1-1500/2-1500/3 1500/4-1500/5	1188.00	1	015000325
1500/SPV		116.00	1	015000001

1500G/...

legs, pair, standard series,
for items 1500 and 1580/8I

	mm	1500	£		
1500G/1	35	/1-2	74.50	1	015000311
1500G/3	35	/3-4	106.50	1	015000313
1500G/5	35	/5-6-7	220.50	1	015000315
1500G/8	50	/8 1580/8I	274.00	1	015000317

1500N/...

universal pullers with 2 sliding legs



	A min÷Max mm	L mm	£		
1500N/0	18÷65	70	87.00	1	015000600
1500N/1	23÷70	100	88.00	1	015000601
1500N/2	23÷100	100	90.00	1	015000602
1500N/3	35÷140	150	152.50	1	015000603
1500N/4	35÷190	150	163.00	1	015000604
1500N/5	43÷250	205	323.00	1	015000605
1500N/6	43÷320	205	344.00	1	015000606

	£		
1500N/SP6 1500N/0-1500N/1-1500N/2-1500N/3 1500N/4-1500N/5	**903.00**	1	015000626
1500N/SPV	**150.50**	1	015000006

1500N/G...

loose legs for pullers 1500N

	mm	1500N	£		
1500N/G0	10	/0	**21.30**	2	015000650
1500N/G1-2	12	/1-2	**25.00**	2	015000651
1500N/G3-4	17	/3-4	**44.00**	2	015000653
1500N/G5-6	23	/5-6	**99.50**	2	015000655

1501/1 - 2 - 3

thin leg pullers



	L mm	£		
1501/1	100	**261.00**	1	015010101
1501/2	200	**275.00**	1	015010102
1501/3	250	**284.00**	1	015010103

	A min÷Max mm
1501/1	25÷130
1501/2	25÷130
1501/3	25÷130

1501G/1 - 2 - 3

legs for item 1501

	L mm	£		
1501G/1	100	**148.00**	1	015010111
1501G/2	200	**158.50**	1	015010112
1501G/3	250	**170.50**	1	015010113

1501Z/S - P - R

leg ends for item 1501G

	mm	D mm	£		
1501Z/S	2,0	27	**48.50**	2	015010211
1501Z/P	3,6	27	**48.00**	2	015010212
1501Z/R	3,6	14	**54.50**	2	015010213

1502/...

two-leg universal pullers
with quick leg adjustment and closure





	L mm	L1 mm	£		
1502/0	100	166	**167.00**	1	015020000
1502/1	100	166	**182.00**	1	015020001
1502/2	150	247	**290.00**	1	015020002
1502/3	150	247	**320.00**	1	015020003
1502/4	200	321	**551.00**	1	015020004

	A min÷Max mm	A1 min÷Max mm
1502/0	40÷90	80÷130
1502/1	50÷130	90÷170
1502/2	65÷150	115÷210
1502/3	65÷190	125÷260
1502/4	70÷235	170÷335

1505V

windshield and rear window wiper
arm remover

Removable perforated brass tip
for arm removal, with built-in washer jet

	A Max mm	L mm	£		
1505V	43	37	**69.00**	1	015050001

1505/C5
windshield wiper removal kit

1 two-leg puller, Ø 25÷40 mm
4 half-moon tools, Ø 25 mm, Ø 30 mm, Ø 35 mm, Ø 41 mm

⬡ mm	£		
12	**208.00**	1	015050300

320x150x60 mm - 1,2 kg

1506
two-leg self-locking puller

	A min÷Max mm	L mm	L1 mm	£		
1506	10÷50	80	40	**55.50**	1	015060001

1508/1 - 1508/2
two-leg pullers, light series



	L mm	£		
1508/1	105	**193.00**	1	015080001
1508/2	130	**232.00**	1	015080002

	A min÷Max mm	L1 mm
1508/1	6÷100	85
1508/2	10÷140	120

1511/1 - 2 - 3
external pullers
with two reversible legs



	L mm	£		
1511/1	235	**345.00**	1	015110001
1511/2	330	**439.00**	1	015110002
1511/3	405	**519.00**	1	015110003

	A min÷Max mm	A1 min÷Max mm
1511/1	20÷100	65÷95
1511/2	40÷150	103÷190
1511/3	40÷150	103÷175

1515/1 - 2 - 3
pullers with two floating legs

	L mm	£		
1515/1	85	**46.00**	1	015150101
1515/2	85	**48.00**	1	015150102
1515/3	105	**70.50**	1	015150103

	A Max mm	L1 mm
1515/1	60	105
1515/2	70	105
1515/3	90	105

1516/1 - 2 - 3
pullers with three floating legs

	L mm	£		
1516/1	85	**65.00**	1	015160001
1516/2	85	**67.50**	1	015160002
1516/3	105	**95.00**	1	015160003

	A Max mm	L1 mm
1516/1	60	85
1516/2	70	85
1516/3	90	105

1517
three-leg self-locking pullers

- **For major pulling loads.**
- **Self-locking effect.**

	L mm	L1 mm	⬡ mm	£		
1517/90	182	60	22	**341.00**	1	015170000
1517/150	242	115	22	**363.00**	1	015170010
1517/200	307	150	22	**407.00**	1	015170020
1517/260	395	180	30	**458.00**	1	015170030

	⬢ mm	A mm	kg	N
1517/90	19	18÷90	6000	59000
1517/150	19	25÷150	6000	59000
1517/200	19	40÷200	6000	59000
1517/260	27	50÷260	8000	78500

1517C
TWO/THREE-LEG SELF-LOCKING PULLERS FOR EXTERNAL USE

Beta's puller 1517C relies on a leg self-locking mechanism triggered by the spring on the crosspiece. This feature makes it easy to position and lock the puller on the part to remove. After the puller has been fixed in place, the legs can be locked by means of the ring nut.

The peculiar crosspiece has 4 seats which allow the 1517C puller to be used with both 2 legs – for easier, quicker jobs – and 3 legs – for increased firmness.

The shear pin on the screw head breaks when the maximum permissible torque is exceeded, thereby protecting the puller from overloads.

1517C/...

combination two/three-leg self-locking pullers

- for 2- or 3-leg use
- self-locking effect

	L mm	L1 mm	£		
1517C/0	145	250	300.00	1	015170500
1517C/1	200	300	370.00	1	015170501
1517C/2	270	300	458.00	1	015170502

	A mm	⬣ mm
1517C/0	12÷140	18
1517C/1	20÷180	18
1517C/2	30÷280	18

1518/...

three-leg pullers

	L mm	£		
1518/1	105	112.00	1	015180001
1518/2	135	146.00	1	015180002
1518/3	235	251.00	1	015180003
1518/4	270	381.00	1	015180004
1518/5	270	439.00	1	015180005
1518/6	270	465.00	1	015180006

	A min÷Max mm	L1 mm
1518/1	24÷100	105
1518/2	32÷160	150
1518/3	40÷220	220
1518/4	80÷250	240
1518/5	80÷300	350
1518/6	80÷350	400

1518U/...

three-leg universal pullers



	L mm	L1 mm	£		
1518U/0	100	166	207.00	1	015180500
1518U/1	100	166	221.00	1	015180501
1518U/2	150	247	338.00	1	015180502
1518U/3	150	247	352.00	1	015180503
1518U/4	200	321	507.00	1	015180504

	A min÷Max mm	A1 min÷Max mm	⬣ mm
1518U/0	40÷90	80÷130	17
1518U/1	50÷130	90÷170	17
1518U/2	65÷150	115÷210	22
1518U/3	65÷190	125÷260	22
1518U/4	70÷235	170÷335	27

1519/...

three-leg universal pullers with quick leg adjustment and closure



	L mm	L1 mm	£		
1519/0	100	166	238.50	1	015190000
1519/1	100	166	254.00	1	015190001
1519/2	150	247	362.00	1	015190002
1519/3	150	247	384.00	1	015190003

	A min÷Max mm	A1 min÷Max mm	⬣ mm
1519/0	40÷90	80÷130	17
1519/1	50÷130	90÷170	17
1519/2	65÷150	115÷210	22
1519/3	65÷190	125÷260	22

1520/1 - 1520/2
pullers with two reversible legs

	L mm	£		
1520/1	135	112.00	1	015200101
1520/2	235	196.00	1	015200102

	A Max mm	L1 mm
1520/1	110	85
1520/2	160	140

1521/1 - 1521/2
pullers with three reversible legs

	L mm	£		
1521/1	135	146.00	1	015210101
1521/2	235	251.00	1	015210102

	A Max mm	L1 mm
1521/1	110	90
1521/2	160	140

1528
self-locking puller
for brake discs

⬡ 19 mm

A min÷Max mm	£		
170÷ 380	259.00	1	015280000

480x240x60 mm - 4,8 kg

1529
multi-step cone pulley puller



A min÷Max mm	L min÷Max mm	L1 min÷Max mm	£		
24÷240	60÷95	90÷135	298.00	1	015290000

260x210x60 mm - 2,6 kg

1529/C7
pulley puller

Kit contents:
- 2 legs with two 4.7-mm-thick feet
- 2 legs with one 4.3-mm-thick foot
- 1 leg with two 2.3-mm-thick feet
- 1 leg with one 2.3-mm-thick foot

The pair of legs can be made up according to one's operating requirements

	L mm	L1 mm	A min÷Max mm	£		
1529/C7	50	72,5	53÷114	201.00	1	015290100

285x155x50 mm - 2 kg

1529PI
universal injection pump pulley puller

- Allows fuel injection pump pulley to be quickly and accurately removed.
- Particularly suitable for Fiat, Ford, Volkswagen, Citroën and Peugeot vehicles.

Includes 3 pairs of screws for tightening puller to pulley:
M6 x 1.0 x 49 mm
M7 x 1.0 x 75 mm
M8 x 1.25 x 76 mm

	£		
1529PI	147.50	1	015290051

1529/PG
high-pressure diesel oil pump puller,
for VAG group vehicles

⬡ mm	£		
15-24	97.00	1	015290010

1530/C5
wheel hub and bearing pulling kit,
3, 4, 5 holes

Kit contents:
1 universal flange (96÷138 mm)
1 hydraulic screw (12 t)
1 hammer face (2.8 kg), required
for hubs without central fixing bolts

	£		
1530/C5	779.00	1	015300300

760x320x120 mm - 11,5 kg

1530/C16
hammer face kit with spacing studs,
for pulling wheel hubs and bearings
3, 4, 5 holes

Ideal for hubs with projecting centre rings

Kit contents:
- 1 universal flange (90÷130 mm)
- 1 hammer face (5 kg)
- 4 M12 coupling studs
- 4 M14 coupling studs

	£		
1530/C16	923.00	1	015300316

760x310x100 mm - 13,5 kg

1531/C7
removal kit for hub wheel bearing inner rings

included sizes:
- 1 pliers Ø 40÷45 mm
- 1 pliers Ø 45÷51 mm
- 1 pliers Ø 50÷55 mm
- 1 pliers Ø 55÷61 mm

	£		
1531/C7	**1027.00**	1	015310107

390x315x96 mm - 4,3 kg

1532
packing and oil seal removal tool

	£		
1532	**21.00**	2	015320001

1533/...
pullers for separators 1534

	L mm	£		
1533/2	150	**146.00**	1	015330002
1533/3	210	**274.00**	1	015330003
1533/4	315	**417.00**	1	015330004
1533/5A	305	**509.00**	1	015330006

	A min÷Max mm	L1 mm
1533/2	45÷140	110
1533/3	55÷205	175
1533/4	90÷260	175
1533/5A	100÷360	235

1533PR/1 - 2 - 3
extensions for pullers 1533

	£		
1533PR/1 1533/2	**31.50**	1	015330011
1533PR/2 1533/3	**33.00**	1	015330012
1533PR/3 1533/4	**38.00**	1	015330013
1533PR/5A 1533/5A	**38.00**	1	015330016

1534/...
separators



		£		
1534/1	1533/2	**121.50**	1	015340001
1534/2	1533/2	**144.00**	1	015340002
1534/3	1533/3	**236.50**	1	015340003
1534/4	1533/4	**393.00**	1	015340004
1534/5A	1533/5A	**822.00**	1	015340006

	A min÷Max mm	L1 mm
1534/1	5÷60	63
1534/2	12÷75	75
1534/3	22÷115	118
1534/4	25÷155	154
1534/5A	30÷220	180

1535/C...
puller kits

	£		
1535/C1	**406.00**	1	015350001

1533/2
1533PR/1
1534/1

260x180x40 mm - 2,5 kg

	£		
1535/C2	**428.00**	1	015350002

1533/2
1533PR/1
1534/2

260x180x40 mm - 2,8 kg

	£		
1535/C3	**683.00**	1	015350003

1533/3
1533PR/2
1534/3

380x280x55 mm - 8,0 kg

	£		
1535/C4	**1048.00**	1	015350004

1533/4
1533PR/3
1534/4

420x380x65 mm - 14,8 kg

	£		
1535/C5A	**1605.00**	1	015350006

530x510x85 mm - 27,2 kg

1539
sheet sliding hammer

	£		
1539	**212.50**	1	015390001

1540
sliding hammer



	L mm		1544	£		
1540	390	M10	0÷7	**123.00**	1	015400001

1542/1 - 1542/2

two-leg pullers for extractors

	A min÷Max mm	1544	£		
1542/1	35÷75	0÷7	**91.50**	1	015420001
1542/2	60÷130	9C-10C	**144.00**	1	015420002

	L mm	L1 mm
1542/1	140	140
1542/2	175	160

1544/...

internal extractors



	C mm		£		
1544/0 A= 5÷7	0,25	M10	**92.50**	1	015440100
1544/A A= 7÷9	0,80	M10	**94.00**	1	015440105
1544/1 A= 9÷12	0,80	M10	**95.50**	1	015440110
1544/2 A= 13÷17	1,15	M10	**98.00**	1	015440120
1544/2B A= 14÷19	1,00	M10	**99.50**	1	015440121
1544/3 A= 16÷21	1,70	M10	**100.50**	1	015440130
1544/4 A= 20÷25	1,65	M10	**112.00**	1	015440140
1544/5 A= 25÷30	2,00	M10	**119.00**	1	015440150
1544/6 A= 30÷37	3,00	M10	**142.50**	1	015440160
1544/7 A= 38÷45	3,80	M10	**164.00**	1	015440170
1544/9C A= 40÷75	2,60	G 3/8"	**248.00**	1	015440189
1544/10C A= 70÷115	7,30	G 3/8"	**369.00**	1	015440199

1545/C5M

puller 1542/1 with 5 extractors 1544

	£		
1545/C5M	**670.00**	1	015450011

1542/1	⬢ 24 mm
1544/1	9÷12 mm
1544/2	13÷17 mm
1544/3	16÷21 mm
1544/4	20÷25 mm
1544/5	25÷30 mm

265x180x45 mm - 2,4 kg

1547/C6

dummy ball bearing extractors

	£		
1547/C6	**326.00**	1	015470006

420x185x60 mm - 3 kg

1547KP

set of 3 pairs of dummy ball terminals

	Ø mm	£		
1547KP/1	9-11-12,5	**60.50**	1	015470106
1547KP/2	5-6-8	**40.50**	1	015470206

1547P

hexagonal extensions

	L mm		£		
1547P/1	205	1547/1	**12.10**	1	015470101
1547P/2	102	1547/2	**7.55**	1	015470201

1547PC/2

round extensions, short series

	L mm		£		
1547PC/2	42	1547/2	**6.70**	1	015470202

1547PL/2

round extensions, long series

L

	L mm		£		
1547PL/2	106	1547/2	**6.90**	1	015470203

1549

kit for removing and installing double effect shock absorbers with gas return

allows stem to be kept straightened while springs are being installed

	£		
1549	**618.00**	1	015490001

310x270x110 mm - 3 kg

1550U

pneumatic shock absorber removal tool for cars, SUVs and commercial vehicles

Features

- Maximum thrust: 2 tons (10 bars) - 1.6 tons (8 bars) - 1.2 tons (6 bars)
- Spring compression stroke: 335 mm
- Upper universal hold system that allows all left/right-hand spring diameters to be compressed with one upper adaptable plate
- Active safety system on spring: safety hook and 3 locking valves allow spring to be properly positioned/seated, maintaining such position throughout compression
  If spring is not positioned properly, system will stop machine.
- Protective "Full Body" Grille: provides maximum safety and working area coverage
- Control Lever operation: increased accuracy and sensitivity during compression stage
- Working position: working height on rear fork raised up to 875 mm
- Supplied with 2 lower forks for diameters 78-205 mm

	£		
1550U	**4260.00**	1	015500010

1550U/CGS-R

lowered upper jaws, pair, for item 1550U

	£		
1550U/CGS-R	**809.00**	1	015500035

1550U/MRC-ABE

special forks for item 1550U, specially designed for Mercedes A-B-E Class cars

	£		
1550U/MRC-ABE	**831.00**	1	015500031

1550U/MRC-C

special forks for item 1550U, specially designed for Mercedes C class cars

	£		
1550U/MRC-C	**729.00**	1	015500032

1550U/S...

lower fork for item 1550U

	Ø mm	£		
1550U/S 130	78÷130 mm	**512.00**	1	015500014
1550U/S 182	105÷182 mm	**556.00**	1	015500015
1550U/S 205	125÷205 mm	**480.00**	1	015500016

1550U/SS187

left-hand fork for item 1550U

Particularly suitable for left-hand springs, e.g. Nissan Qashqai and Renault Koleos

	£		
1550U/SS 187	**538.00**	1	015500018

1550U/M

vice for shock absorber removal tool item 1550U

Allows shock absorber stem to be locked

	£		
1550U/M	**491.00**	1	015500021

1551/C20

kit for removing shock absorber heads

Kit contents:

- **7 hexagon sockets, sizes: 16 - 17 - 18 - 19 - 21 - 22 - 24**
- **1 socket extension, length: 120 mm**
- **3 slotted female bits, sizes: 8x5 - 8x6 - 11x8**
- **1 female hexagon bit, size: 10 mm**
- **1 male XZN(R) bit, size: M10**
- **1 male Torx(R) bit, size: T50**
- **4 male hexagon bits, sizes: 5- 6 - 7 - 8**
- **1 bit holder extension, length: 95 mm**
- **1 bit holder extension, length: 190 mm**

	£		
1551/C20	**223.50**	1	015510020

320x245x71 mm - 2,6 kg

1552/C9

kit for spreading shock absorber, wishbone and steering wheel joints apart

working with single or double retractor head also makes it possible to work on double joints, e.g. from VAG group

	£		
1552/C9	**173.50**	1	015520020

195x140x40 mm - 1,0 kg

1555/Q
compressor for MacPherson and equivalent shock absorber springs

Maximum thrust: 1500 kg



A min÷Max mm	Ø min÷Max mm	£		
65÷354	80÷195	1093.00	1	015550006

1555/QS
compressor for MacPherson and equivalent shock absorber springs

A min÷Max mm	Ø min÷Max mm	£		
70÷300	80÷200	1200.00	1	015550005

1555S/BMW-RNT
fork for BMW E39, E46 and Renault Mégane II shock absorbers, for items 1555Q and 1555/QS

	£		
1555S/BMW-RNT	414.00	1	015550303

1555C
telescopic compressor for shock absorber springs with 4 forks and torsion bar

12"

A min÷Max mm	Ø min÷Max mm	N	t	£		
80÷225	90÷160	25000	8,5	1580.00	1	015550202

1556/1A
compressor for shock absorber springs



min L Max mm	£		
65÷320	305.00	1	015560101

1556/2A
compressor for shock absorber springs



min L Max mm	£		
65÷200	298.00	1	015560102

1557
impact sockets for truck leaf springs

3/4"

L mm	L1 mm	£		
37	28	117.00	1	015570137
46	34	118.50	1	015570146
56	34	125.50	1	015570156

1557V
impact sockets for Volvo leaf springs

mm	£		
27	57.00	1	015570299

1557/S3
set of 3 sockets for shock absorber nuts



	£		
1557/S3	71.00	1	015570010

1558/C4
internal and external snap ring tool, screw-operated

square drive allows a high force to be applied in both operating conditions
Supplied tips:
Ø 2.5-3-3.5 mm

3/8"

Ø mm	Ø mm	£		
1558/C4 5,5 ÷ 77	5,5 ÷ 77	243.00	1	015580100

330x220x50 mm - 900 g

1558P
snap ring tips, pair, for item 1558

Ø mm	£		
2,5	9.25	1	015580125
3,0	9.25	1	015580130
3,5	9.25	1	015580135

1558/C13
internal and external snap ring tool, screw-operated

square drive allows a high force to be applied in both operating conditions

supplied tips:
- **straight: Ø 2.5 - 3 - 3.5 - 3.8 mm**
- **45°: Ø 2,5 - 3 - 3,5 - 3.8 mm**
- **90°: Ø 2.5 - 3 - 3.5 - 3.8 mm**

3/8"

Ø mm	Ø mm	£		
1558/C13 5,5÷77	5,5÷77	325.00	1	015580200

330x220x45 mm - 1,6 kg

1559
ball joint puller, light series

	A Max mm	Ø mm	£		
1559/22	50	18÷22	96.50	1	015590001
1559/36	90	36	508.00	1	015590036
1559/45	115	45	847.00	1	015590045

1559V/8T
hydraulic screw for ball joint pullers 1559/36 and 1559/45

Nm	t	£		
80000	8	421.00	1	015590145

1560/2
ball joint pullers, professional type

	A min÷Max mm	Ø mm	£		
1560/2	60÷85	20	256.00	1	015600002

1560A
ball joint puller

	£		
1560A	286.00	1	015600601

1561/...
ball joint pullers

	L mm	A mm	Ø mm	£		
1561/1	39	36,6	18	86.00	1	015610001
1561/2	47	45,7	25	125.50	1	015610002
1561/3	63	62	30	156.00	1	015610003
1561/4	75	63	40	238.50	1	015610004

1562D
ball joint puller

Supplied with 2 screws for pulling suspension and steering joints

A max mm	Ø mm	⬢ mm	L mm	£		
50	39	26	155	471.00	1	015620239

1563/C4
set of 4 ball joint removal sockets

for use with air hammer
set contents:
- **1 socket M12x1.25 mm**
- **1 socket M12x1.5 mm**
- **1 socket M14x1.5 mm**
- **1 socket M16x1.5 mm**

	£		
1563/C4	51.50	1	015630010

1565/1 - 2 - 3
fork separators for ball joints

	Ø mm	L1 mm	£		
1565/1	18	65	100.00	1	015650001
1565/2	23	65	111.00	1	015650002
1565/3	30	88	120.00	1	015650003

1566N
tool for removing/installing steering arms

Ø x L mm	⬡ mm	□	£		
28÷35 x 400	27	1/2"	193.00	1	015660005
35÷45 x 190	27	-	190.50	1	015660008
35÷45 x 400	27	1/2"	199.50	1	015660010

1566R
adjustable tool for removing/installing steering arms

Ø mm	£		
27÷43	37.00	1	015660015

1566/G01
homokinetic joint puller



L mm	A mm	Ø1 mm	Ø2 mm	£		
250	115	29	36	156.00	1	015660052

1566P
ribbed axle shaft circlip pliers

Pliers compress circlip, making it easier to fix axle shaft into homokinetic joint

L mm	A Max mm	£		
280	36	90.00	1	015660091

1567
lever for removing wishbone heads and shock absorbers from pillar

Can be used by one operator

A mm	B min÷Max mm	£		
1060	100÷300	471.00	1	015670001

1568

pneumatic assembly tool
for silicone axle shaft boots

8 spreader arms
maximum arm spreading: 145 mm

CE

L mm	L1 mm	£		
420	195	**322.00**	1	015680001

1569/F

tool assortment for removing and inserting
Fiat Panda, Fiat 500 and Ford Ka silentblocks

	£		
1569/F	**618.00**	1	015690021

1569/SB

assortment of tools for removing and installing
rear axle silent blocks,
driving shaft oil seals and wheel bearings

• bushings can be used both on vehicle and on hydraulic press

	£		
1569/SB	**300.00**	1	015690016

425x365x100 mm - 13 kg

1569CP

striking tools
for installing conical bearings and oil seals

Quick adjustment

	Ø min÷Max mm	L mm	£		
1569CP/50	9,5÷50	130	**186.50**	1	015690750
1569CP/90	18÷90	145	**235.00**	1	015690790

1570/3

hydraulic presses for pullers

t	L mm	L1 mm	● mm	£		
30	243	36	19	**337.00**	1	015700003

1580/8I

two-leg hydraulic puller



	£		
1580/8I	**2175.00**	1	015800008

	A min÷Max mm	L mm	L1 mm	A1 min÷Max mm	N Max
1580/8I	170÷640	715	280	260÷715	180000

1580GL

loose legs, long series, for pullers item 1580/8I

	L mm	£		
1580GL/8A	300	**235.00**	1	015800227
1580GL/8B	400	**262.00**	1	015800228
1580GL/8C	500	**330.00**	1	015800229

1585/5I - 6I - 7I

three-leg pullers for hydraulic use

	£		
1585/5I	**1525.00**	1	015850005
1585/6I	**1580.00**	1	015850006
1585/7I	**1705.00**	1	015850007

	A min÷Max mm	L1 mm	L mm	N Max
1585/5I	50÷350	135	280	150000
1585/6I	50÷350	235	280	150000
1585/7I	50÷350	335	280	150000

1585GI/5 - 6 - 7

legs for hydraulic puller
1585/I-1585/6I-1585/7I



	L mm	£		
1585GI/5	135	**158.50**	1	015850205
1585GI/6	235	**187.50**	1	015850206
1585GI/7	335	**224.50**	1	015850207

1589VI

hydraulic screw for pullers
1580/8I and 1585/5I - 1585/6I - 1585/7I



	£		
1589VI	**898.00**	1	015890001

1589PI/50 - 100 - 150

extension sockets for hydraulic screw

	L mm	L1 mm	£		
1589PI/50	50	70	**84.50**	1	015890005
1589PI/100	100	120	**92.50**	1	015890010
1589PI/150	150	170	**103.00**	1	015890015

1590
standard clamps

A max mm	L1 mm	£		
60	55	33.50	2	015900305
100	65	56.50	2	015900310
150	95	90.00	2	015900315

1591
screw clamps



A ~	A max mm	L1 mm	£		
200	200	80	36.50	2	015910020
300	310	85	47.50	2	015910030
400	410	85	49.00	2	015910040
500	500	95	67.50	2	015910050
600	600	95	70.00	2	015910060
800	800	95	82.50	2	015910080
1000	1000	110	102.50	2	015910100

1593
screw clamps



A ~	A max mm	L1 mm	£		
160	170	80	50.00	2	015930016
200	240	100	77.50	2	015930020
300	320	145	103.50	2	015930030

1594
lever bar clamps



A ~	A max mm	L1 mm	£		
200	240	145	158.50	1	015940020
250	290	145	160.50	1	015940025
300	340	145	169.00	1	015940030
400	430	150	175.50	1	015940040
500	530	150	187.50	1	015940050
600	630	150	191.50	1	015940060

1595
screw clamps



A ~	A max mm	L1 mm	£		
200	230	100	77.50	2	015950020
250	270	120	80.00	2	015950025
300	330	120	107.50	2	015950030
400	420	120	116.00	2	015950040
500	520	125	127.50	2	015950050
600	620	125	135.50	2	015950060
800	820	125	160.50	1	015950080
1000	1030	125	170.00	1	015950100

1599F
parallel bench vices, forged

Fully steel cast. Milled and hardened jaw surface.
Front opening. High clamping depth.

L1 mm	BxH mm	Ø mm	A MAX mm	£		
100	92x46	11	125	400.00	1	015990100
125	108x54	13	150	535.00	1	015990125
150	125x62	13	200	729.00	1	015990150
175	140x70	15	220	959.00	1	015990175

1599GI
parallel bench vices with interchangeable jaws

- **with square guide for heavy-duty jobs**
- **interchangeable jaws with hardened surface**



L1 mm	BxH mm	Ø mm	A MAX mm	£		
100	92x46	11	125	405.00	1	015990200
125	108x54	13	150	541.00	1	015990225
150	125x62	13	200	736.00	1	015990250
175	140x70	15	220	967.00	1	015990275

1599GR
pairs of jaws and spare screws for vices 1599GI

	A mm	£		
1599GR 100	100	31.50	1	015990920
1599GR 125	125	40.00	1	015990925
1599GR 150	150	46.50	1	015990950
1599GR 175	175	56.00	1	015990975

1599P
parallel bench vices

Hardened jaws.
Anvil with large lacquered surface.
Square steel base.



L1 mm	B mm	Ø mm	A MAX mm	£		
100	92	11	111	349.00	1	015990000
125	108	13	130	404.00	1	015990025
150	130	15	170	580.00	1	015990050

1599B
revolving bases for vices item 1599P

	1599P	£		
1599B 100	100	156.50	1	015990810
1599B 125	125	177.00	1	015990812
1599B 150	150	219.00	1	015990815

1599T
parallel drill vices

Special cast iron vices, with hardened and ground jaws.
For use on small and medium size pillar drills



L1 mm	B mm	Ø mm	A MAX mm	£		
80	111	11	65	211.00	1	015990480
100	120	13	87	259.00	1	015990500

1599G
pairs of aluminium jaw covers

- magnetic throughout their length
- internally milled to lock threaded parts



A mm	£		
100	71.50	1	015990910
125	74.50	1	015990912
150	77.00	1	015990915
180	80.50	1	015990917

1600Q 8
four-way wrench for control panel operators

square 5 / 6 / 7-8 mm
triangle 7 / 9 mm
flaps 3-5 mm
hexagon 1/4"
slotted head 1.0x7 mm + cross head PH2



L mm	£		
76	42.00	1	016000008

1600Q 10
eight-way wrench with articulated joint, for control panel operators

square 5 / 6-7 / 8-9 mm
triangle 5-6-7 / 8-9 / 10 mm
flaps 3-5 mm
hexagon 1/4"
male drive 1/4"

L mm	£		
125	54.00	1	016000010

CERTIFICATION SERVICE FOR MEASURING INSTRUMENTS

Certification of measuring instruments is essential in the sectors or fields of application where precise, unambiguous, recognizable measurements are required.
Certification involves issuing an Accredia certificate:

On request, Beta Utensili S.p.A. provides the certification service for Sliding Gauges, Digital Verniers, Dial Indicators, Micrometers and Feeler Gauges. To receive this service, please contact your dealer.

1650
sliding gauge
reading to 0.05 mm



UNI EN ISO 13385-1DIN 862

A max mm	L mm	£		
150	235	87.00	1	016500001
200	290	125.50	1	016500002

1650FD
sliding gauge for brake discs
reading to 0.1 mm



	£		
1650FD	310.00	1	016500050

1650FT
sliding gauge for brake drums
made from stainless steel
reading to 0.05 mm

	A max mm	L mm	£		
1650FT/1	350	438	521.00	1	016500060
1650FT/2	500	550	909.00	1	016500070

1651DGTB
digital vernier,
reading to 0.01 mm

Features:
- reading to 0.01 mm
- screw slider locking
- mm/inch conversion
- zero setting at any position
- square depth rod up to 300 mm
- in hard plastic case

UNI EN ISO 13385-1DIN 862CE

A Max mm	L mm	B mm	£		
150	235	40	120.00	1	016510211
200	285	50	211.00	1	016510212
300	400	60	242.50	1	016510213

1651DGTB/IP

digital vernier,
reading to 0.01 mm,
degree of protection IP67

- reading to 0.01 mm
- screw slider locking
- mm/inch conversion
- automatic power on by moving the vernier along its rod
- zero setting at any position
- HOLD function
- absolute and incremental measurement modes

Degree of protection IP67 provides total protection against dust and liquids, maintaining the functional characteristics of the vernier, e.g. when it is totally immersed.



UNI EN ISO 13385-1 DIN 862CE

A Max mm	L mm	B mm	£		
150	235	40	210.00	1	016510711

270x115x35 mm - 450 g

1652

analogue vernier,
analogue reading to 0.02 mm

UNI EN ISO 13385-1DIN 862

	£		
1652	188.00	1	016520016

1654

workshop verniers,
reading to 0.02 mm

UNI EN ISO 13385-1DIN 862

A max mm	L mm	£		
200	330	430.00	1	016540020
300	410	556.00	1	016540030

1654DGT

digital vernier,
reading to 0.01 mm
reading to 0.0005"



UNI EN ISO 13385-1DIN 862CE

	£		
1654DGT	760.00	1	016540111

1656

depth gauge, reading to 0.02 mm



UNI EN ISO 13385-2DIN 862

A max mm	L mm	£		
200	260	186.50	1	016560020
300	360	263.00	1	016560030

1657DGT/2

digital depth gauge
reading to 0.01 mm
reading to 0,0005"

UNI EN ISO 13385-2DIN 862CE

	A max mm	L mm	£		
1657DGT/2	200	270	363.00	1	016570002

1658/...

outside micrometers,
reading to 0.01 mm

DIN 863/II

	A mm	£		
1658/25	0÷25	102.00	1	016580025
1658/50	25÷50	111.50	1	016580050
1658/75	50÷75	125.50	1	016580075
1658/100	75÷100	153.50	1	016580100

1658/C4

assortment of 4 micrometers
item 1658

DIN 863

	£		
1658/C4	433.00	1	016580001

1658/25	0÷25 mm
1658/50	25÷50 mm
1658/75	50÷75 mm
1658/100	75÷100 mm

365x245x35 mm - 2,5 kg

1658DGTB

IP65 digital outside micrometers, reading to 0.001 mm

- reading to 0.001 mm
- hardened steel calipers
- lever slider locking
- mm/inch conversion
- zero setting at any position
- absolute and incremental measurement modes
- supplied with a calibration wrench

DIN 863CE

	£		
1658DGTB 25	322.00	1	016580525
1658DGTB 50	384.00	1	016580550

1658SP/1
base for micrometer

	£		
1658SP/1	67.50	1	016580910

1659
thickness gauge with dial indicator,
reading to 0.01 mm

C=dial field

	C mm	£		
1659	0÷10	288.00	1	016590001

1662/1 - 1662/2
dial indicator, reading to 0.01 mm

C=dial field

DIN 878

	C mm	£		
1662/1	0÷5	130.00	1	016620001
1662/2	0÷10	158.50	1	016620010

1662DGT/A
digital dial indicator,
reading to 0.01 mm

C = Dial field

CE

	C mm	£		
1662DGT/A	0-12,5	261.00	1	016620311

1662AN
adjustable stylus dial indicator,
reading to 0.01 mm

C=Dial field

DIN 2270

	C mm	£		
1662AN	0÷0,8	198.50	1	016620200

1662SP0
magnetic base

	£		
1662SP0	65.00	1	016620800

1662SP2
magnetic base, rotating

	£		
1662SP2	177.00	1	016620910

1666
precision squares
made from stainless steel ground
and lapped

DIN 875/0

L mm	L1 mm	£		
100	70	93.50	1	016660210
150	100	136.50	1	016660215
200	130	165.00	1	016660220
250	165	210.00	1	016660225
300	200	267.00	1	016660230

1666A
flanged precision squares
made from stainless steel ground
and lapped

DIN 875/0

L mm	L1 mm	£		
100	70	130.00	1	016660110
150	100	181.00	1	016660115
200	130	261.00	1	016660120
250	170	292.00	1	016660125
300	200	326.00	1	016660130

1668
squares
made from normalized,
ground steel

DIN 875/2

L mm	L1 mm	£		
100	70	40.00	2	016680210
150	100	54.00	2	016680215
200	130	67.50	2	016680220
250	165	102.00	1	016680225
300	174	123.00	1	016680230

1668A
flanged precision squares
made from normalised, ground steel

DIN 875/2

L mm	L1 mm	£		
100	70	45.00	2	016680110
150	100	69.00	2	016680115
200	130	87.00	2	016680120
250	165	124.50	1	016680125
300	176	147.00	1	016680130

1670
squares
made from ground steel

L mm	L1 mm	£		
100	70	21.40	3	016700010
150	100	22.70	3	016700015
200	130	24.50	3	016700020
250	160	27.50	3	016700025
300	175	31.00	3	016700030
400	230	45.00	2	016700040
500	280	51.00	2	016700050
600	330	60.50	2	016700060
800	420	88.50	1	016700080
1000	500	104.00	1	016700099

1670A
flanged precision squares
made from ground steel

L mm	L1 mm	£		
100	70	27.00	3	016700110
150	100	30.50	3	016700115
200	130	36.00	3	016700120
250	165	42.50	3	016700125
300	175	53.50	3	016700130
400	230	69.00	2	016700140
500	280	88.50	2	016700150
600	330	112.00	2	016700160
800	420	135.00	1	016700180
1000	500	163.00	1	016700199

1672
mitre square, adjustable sliding blade,
base and blade made from steel



A mm	£		
300	75.00	2	016720030

1672A
mitre square, adjustable,
sliding blade, aluminium base,
blades made from chrome-plated steel



A mm	£		
200	39.50	3	016720120
300	45.00	3	016720130

1674A
carpenter's squares blades
made from stainless steel,
with aluminium bases, double metric scale



L mm	L1 mm	£		
300	169	34.00	2	016740130
400	214	43.00	2	016740140

1674C
carpenter's combination squares
with steel blades and surface levels
- **Double mm scale**
- **Surface level**

L mm	£		
300	22.20	2	016740230

1676
protractors made from stainless steel



A ~	A mm	L1 mm	G mm	£		
120	120	80	1°	56.50	2	016760012
150	165	120	1°	64.00	2	016760015
200	210	150	1°	78.00	2	016760020
300	310	200	1°	104.00	1	016760030

1678/C3
bevel protractor
made from stainless steel

	L Max mm	D mm	£		
1678/C3	300	70	430.00	1	016780030

1679
universal gauge with contact-roll,
made from stainless steel,
reading to 0.1 mm



L mm	A Max mm	£		
235	200	116.00	1	016790020

1679/PR
spare tip for universal gauge 1679

	£		
1679/PR	15.90	1	016790021

1680
trammels, hardened steel body and tips



L mm	A Max mm	£		
660	500	432.00	1	016800050

1680A
inside callipers

L mm	A Max mm	£		
150	144	27.50	2	016800115
200	200	32.00	2	016800120
250	245	40.00	1	016800125
300	300	48.00	1	016800130

1680B
outside callipers

L mm	A Max mm	£		
150	155	27.50	2	016800215
200	190	32.00	2	016800220
250	235	40.00	1	016800225
300	280	48.00	1	016800230

1680C
precision dividers, hardened steel straight tips

L mm	A Max mm	£		
150	138	27.50	2	016800315
200	190	32.00	2	016800320
250	235	40.00	1	016800325
300	280	48.00	1	016800330

1682
flexible graduated rules made from stainless steel

L mm	H mm	mm	£		
150	13	0,5	4.50	5	016820015
200	13	0,5	5.40	5	016820020
250	13	0,5	5.85	5	016820025
300	13	0,5	7.55	5	016820030
500	13	0,5	17.30	2	016820050
1000	13	0,5	42.50	2	016820100

1683
semi-rigid graduated rules made from stainless steel



L mm	H mm	mm	£		
300	30	1	13.30	5	016830030
500	30	1	22.00	2	016830050
1000	30	1	54.50	2	016830100
1500	30	1	132.00	1	016830150

1685/C7
assortment of 7 measuring and marking tools

	£		
1685/C7	395.00	1	016850110

1650	160 mm
1658/25	0÷25 mm
1670	100 mm
1680C	150 mm
1682	150 mm
1688BC	165 mm
1688BC/R	

320x210x37 mm - 1,2 kg

1687A
engineer's precision scriber, tip bent at 90°, with handle

	L mm	L1 mm	£		
1687A	153	80	7.70	1	016870120

1687AC
engineer's precision scriber, short tip bent at 90°, with handle

	L mm	L1 mm	£		
1687AC	153	80	7.70	1	016870125

1687D
engineer's precision scriber, straight tip, with handle

	L mm	L1 mm	£		
1687D	153	80	7.70	1	016870110

1687U
engineer's precision scriber, hook tip, with handle

	L mm	L1 mm	£		
1687U	153	80	7.70	1	016870115

1687/S4
set of 4 engineer's precision scribers, with handles

	£		
1687/S4 1687A-1687AC 1687D-1687U	31.00	1	016870150

1688
engineer's scriber
made from hardened steel

	L mm	Ø mm	£		
1688	250	2	11.70	5	016880020

1688A
engineer's scriber
made from hardened steel

	L mm	Ø mm	£		
1688A	200	4	23.20	5	016880120

1688PC
engineer's scriber
made of chrome-plated, hardened steel

	L mm	Ø mm	£		
1688PC	150	1	52.50	1	016880300

1688PC/R
spare tip for item 1688PC

	£		
1688PC/R	11.10	1	016880310

1688M
carpenter's pencil

	L mm	£		
1688M	180	1.32	50	016880880

1690F
folding ruler made of fibreglass
precision class III

CE

	L m	S mm	£		
1690F/2	2	17	17.60	5	016900220

1690L
folding ruler made of birch
precision class III

CE



	L m	S mm	£		
1690L/2	2	17	18.30	5	016900200

1691BM
measuring tapes
shock-resistant bimaterial ABS casings,
steel tapes,
precision class: II

CE

	L m	S mm	£		
1691BM/5	5	25	12.90	1	016910205
1691BM/8	8	32	25.00	1	016910208
1691BM/10	10	32	32.00	1	016910210

1691MG
measuring tapes with fixed magnets,
shock-resistant ABS casings,
steel tapes,
precision class: II

CE

	L m	S mm	£		
1691MG/5	5	25	14.40	1	016910405
1691MG/8	8	25	23.60	1	016910408
1691MG/10	10	25	28.50	1	016910410

1692
measuring tapes,
shock-resistant bi-material ABS casings,
steel tapes,
precision class II

CE

	L m	S mm	£		
1692/2	2	16	7.70	5	016920052
1692/3	3	16	8.20	5	016920053
1692/5	5	19	11.70	5	016920055
1692/8	8	25	22.80	5	016920058

1693
laser distance meter,
20 m

MEASUREMENTS:
- **single distance measurement**
- **continuous measurement or minimal measurement**

Auto off feature
Battery life: up to 4,000 measurements

CE
IP54

Technical Data:
- Measurement range: 0.05 ÷ 20m (0.2ft÷ 66ft)
- Scale selection: m, in, ft
- Measurement accuracy: ±1.5 mm (± 0.06 in)
- Laser class: 2
- Battery life: AAA 2 x 1.5V

	H mm	L mm	S mm	£		
1693 20	100	36	23	185.50	1	016930020

1693L
laser distance meter, multipurpose,
40 m,
with positioning levels

MEASUREMENTS:
- **single distance measurement**
- **continuous measurement or minimal measurement**

FUNCTIONS:
- **addition/subtraction**
- **area measurement**
- **volume measurement**
- **variable indirect measurement (Pythagorean measurement)**
- **tilt measurement**

auto power off
battery life: up to 5,000 measurements
soft cloth case (included)

CE
IP54

Technical data:
- Measurement range: 0.05 ÷ 40 m (0.2in ÷ 131f)
- Scale selection: m, in, ft
- Measurement accuracy: ±1.5 mm (± 0.06 in)
- Laser class: 2
- Max. storage: 99 units
- Batteries: AAA 2 x 1.5V

	H mm	L mm	S mm	£		
1693L 40	115	50	25	225.00	1	016930040

1693M

laser distance meter, multipurpose, 80 m

MEASUREMENTS:
- single distance measurement
- continuous measurement or minimal measurement

FUNCTIONS:
- addition/subtraction
- area measurement
- volume measurement
- indirect measurement (Pythagorean measurement)
- tilt measurement

Auto off feature
Soft cloth case (included)
Battery life: up to 4,000 measurements

Technical data:
- Measurement range: 0.05 ÷ 80 m (0.2 in ÷ 229f)
- Scale selection: m, in, ft
- Measurement accuracy: ±1.5 mm (± 0.06 in)
- Laser class: 2
- Max. storage: 99 units
- Batteries: AAA 2 x 1.5V

	H mm	L mm	S mm	£		
1693M 80	115	48	29	**287.00**	1	016930080

1694/L

measuring tapes shock-resistant ABS casings, PVC-coated fibreglass tapes, precision class III

	L m	S mm	£		
1694L10	10	13	**17.90**	1	016940110
1694L20	20	13	**21.90**	1	016940120

1694A/L

measuring tapes with handles, shock-resistant ABS casings, PVC-coated fibreglass tapes, precision class III

	L m	S mm	£		
1694A/L30	30	13	**42.50**	1	016940230
1694A/L50	50	13	**55.00**	1	016940250

1694B/L

measuring tape with handle, aluminium casing, varnished steel tape, precision class II

	L m	S mm	£		
1694B/L50	50	12,5	**58.00**	1	016940350

1695XS

pocket spirit level with magnetic V-shaped base
made from profiled aluminium
2 unbreakable vials
accuracy: 1mm/m

L mm	H mm	S mm	£		
70	48,5	20	**19.90**	5	016950250

1696

spirit levels made from anodized profile aluminium, with 2 unbreakable vials, accuracy: 1 mm/m

L mm	H mm	S mm	£		
200	50	19	**32.00**	2	016960002
400	50	19	**37.00**	2	016960004
500	50	19	**40.50**	2	016960005
600	50	19	**44.00**	2	016960006
800	50	19	**59.50**	2	016960008
1000	50	19	**64.00**	2	016960010

1696A

spirit levels made from die-cast aluminium, with 1 ground base and 2 unbreakable vials, accuracy: 1 mm/m

L mm	H mm	S mm	£		
300	43	23	**44.00**	2	016960103
400	43	23	**47.00**	2	016960104
500	43	23	**51.50**	2	016960105
600	43	23	**57.00**	2	016960106
1000	43	23	**115.00**	1	016960110

1696B

spirit levels with magnetic bases made from anodized profiled aluminium, 2 unbreakable vials accuracy: 1 mm/m

L mm	H mm	S mm	£		
200	49	22	**51.00**	2	016960202
300	49	22	**52.50**	2	016960203
400	49	22	**54.00**	2	016960204
500	49	22	**62.00**	2	016960205
600	49	22	**65.00**	2	016960206

1696D

spirit levels made of die-cast aluminium with handles,
4 ground bases and 3 unbreakable vials,
accuracy: 1 mm/m

L mm	H mm	S mm	£		
300	47	25	39.50	2	016960353
400	47	25	45.00	2	016960354
500	47	25	49.00	2	016960355
600	47	25	55.50	2	016960356

1696S

levelling staffs made from aluminium, with 2 unbreakable vials



L mm	H mm	S mm	£		
1500	90	25	140.50	1	016960415
2000	90	25	165.00	1	016960420
2500	90	25	208.00	1	016960425
3000	90	25	238.50	1	016960430

1697

cross laser level,
30 metres, green beam,
with magnetic base and wall-mount bracket,
in case

TECHNICAL SPECIFICATIONS:
- self-levelling cross
- self-levelling function can be switched off for manual use
- laser diode 515 Nm, class 2
- working range: 30 m
- accuracy: ± 1 mm at 5 m
- self-levelling range: 3° ± 0.5°

- body made of ABS and nonslip rubber
- 1/4" female drive
- 2xAA batteries
- battery life: 4 hours

BASE:
- 1 magnetic base for individual and combined use, 1/4" male drive
- 1 adjustable tightening bracket for several wood and metal profiles (for use in combination with magnetic base)
- quick horizontal and vertical alignment at a 90° angle

CE IP55

H mm	L mm	S mm	£		
82	57	89,5	361.00	1	016970030

320x230x90 mm

1699L

precision surface level made from die-cast iron with ground prismatic base, 2 unbreakable vials,
accuracy: 0.05 mm/m

DIN 877

	L mm	A mm	£		
1699L	200	49	421.00	1	016990002

1699L/1

precision surface level made from die-cast iron with ground prismatic base, 2 unbreakable vials,
accuracy: 0.02 mm/m

DIN 877

	L mm	A mm	£		
1699L/1	200	49	492.00	1	016990005

1699Q

precision square levels made from die-cast iron with 2 prismatic bases and 2 ground flat bases, 2 unbreakable vials,
accuracy: 0.05 mm/m

DIN 877

L mm	A mm	£		
150	40	635.00	1	016990015
200	48	773.00	1	016990020

1700N

masonry points

L mm	S mm	£		
250	16	22.00	5	017000005
300	16	25.00	5	017000006

1700N/PM

masonry points
with hand guards

L mm	S mm	£		
250	16	31.00	2	017000105
300	16	34.50	2	017000106

1701N

masonry chisels

L mm	A mm	S mm	£		
250	23	16	22.70	5	017010001
300	23	16	25.00	5	017010003

1701N/PM

masonry chisels
with hand guards

L mm	A mm	S mm	£		
250	23	16	30.50	2	017010101
300	23	16	34.50	2	017010103

1701PMR
hand guards for items 1700N and 1701N

D mm	L mm	£		
16	115	14.40	1	017010206

1701NE/...
electrician's chisels

	SxL mm	£		
1701NE3	10x200	12.70	5	017010406
1701NE4	10x250	13.50	5	017010409

1702N
extra-wide chisels

A mm	SxH mm	£		
50	13x23	31.00	2	017020005
70	13x23	31.50	2	017020007

1702N/PM
extra-wide chisels
with hand guards

A mm	SxH mm	£		
50	13x23	38.00	2	017020105
70	13x23	39.50	2	017020107

We recommend frequent cooling of the tool while regrinding it.

1702PMR
hand guard for item 1702N

L mm	£		
115	11.30	1	017020200

1704
carpenter's wrenching bars, with bent edges



L mm	6 mm			£		
500	16	35	28	38.00	2	017040050
600	16	34	26	44.00	2	017040060
800	18	38	29	63.50	2	017040080

1704A
crow bars with hardened and tempered open and pointed edges



L mm	Ø mm	mm	£		
1500	25	45	125.00	1	017040110
2000	25	55	158.50	1	017040120

1704C
crow bars with closed and pointed edges

L mm	8 min-MAX mm	mm	£		
1200	21-31	39	128.50	1	017040210
1400	31-37	42	153.00	1	017040212
1600	25-37	42	188.00	1	017040215

1705
chalk line reel made from aluminium

	L m	£		
1705	30	27.00	4	017050001

1705PT
chalk powder

- container with dispenser
- blue

g	£		
250	15.70	5	017050025

1706DGT
digital depth gauge for tyre threads

	£		
1706DGT	44.00	1	017060011

1707
screw pitch gauge

For ISO 60° metric and Whitworth 55° threads

P (ISO)	W	£		
0,25÷6	62÷4x1"	23.40	5	017070001

1707A/1 - 2 - 3
radius gauges,
concave and convex steel blades

	R mm	L mm	n	£		
1707A/1	1,0÷7,0	70	34	37.00	2	017070007
1707A/2	7,5÷15	85	32	39.50	2	017070015
1707A/3	15,5÷25	85	30	39.50	2	017070025

1708/8 - 13 - 20
metric feeler gauges

	£		
1708/8 S = 0,05÷0,50 mm	**8.35**	5	017080008
1708/13 S = 0,05÷1,00 mm	**10.30**	5	017080013
1708/20 S = 0,05÷1,00 mm	**15.90**	5	017080020

1709/10 - 1709/18
nut splitters

	L mm	A max mm	£		
1709/10	82,5	17 (M10)	**55.00**	1	017090010
1709/18	107,8	24 (M16)	**59.50**	1	017090018

1710
hydraulic nut splitters

C min mm	C max mm	£		
7(M4)	22(M14)	**299.00**	1	017100001

1712E/1 - 2 - 3
flexible magnetic pick up tools

F = magnetic power

	L mm	D mm	F kg	£		
1712E/1	420	7,5	0,5	**38.00**	2	017120011
1712E/2	530	15	1,8	**51.50**	2	017120012
1712E/3	532	19	3,0	**67.50**	2	017120013

1712TF
telescopic magnet with flexible head

- **With washer jet cleaner**

F= magnetic force

L mm	D mm	F kg	£		
150÷590	11	1	**27.50**	1	017120600

1713M
flexible pickup tools



L mm	D mm	£		
500	7	**53.50**	2	017130011
1000	7	**95.00**	1	017130015

1713M/K7
kit of 7 inspection tools
for parts with 1/4" hexagon drive

kit contents:
- **1 telescopic handle, length 185-660 mm**
- **1 rectangular inspection mirror, 65x43 mm**
- **1 round inspection mirror, Ø 52 mm**
- **1 magnet, Ø 16.3 mm**
- **1 ultra-bright LED light**
- **1 flexible pickup tool (item 1713M)**
- **1 magnetic tote tray made from stainless steel**
- **3 LR44 cell batteries**

	£		
1713M/K7	**181.50**	1	017130100

297x165x52 mm - 0,8 kg

1714
inspection mirror made from plastic

L mm	D mm	£		
1714	155	25	**4.30**	5	017140001

1715
telescopic joint inspection mirror
chrome-plated metal body

L mm	D mm	£		
1715	180÷540	30	**40.50**	1	017150001

1715FL/A
square flexible inspection mirror



L mm	A mm	B mm	£		
1715FL/A	600	53	90	**51.50**	1	017150110

1715R/FL
kit of 2 inspection mirrors for items 1715FL/A and 1715FL/B

	£		
1715R/FL	**12.90**	1	017150151

1715FL/B
rectangular flexible inspection mirror
with light



L mm	A mm	B mm	£		
1715FL/B	553	53	90	**62.50**	1	017150115

1715B/R5L
kit of 5 spare light bulbs for item 1715FL/B

	£		
1715B/R5L	**11.40**	1	017150152

1715I
telescopic joint inspection mirror
with 5x magnification function

- **Nonslip PVC handle**
- **Inspection mirror and handle made from stainless steel**

L mm	D mm	£		
1715I	250÷720	55	**36.00**	1	017150020

1715L
telescopic joint inspection mirror with LED light

- **Body made from stainless steel**
- **Pocket-size, with clip**
- **Supplied with 3 L736F-type batteries**



L mm	D mm	£		
1715L	265÷765	50	**56.50**	1	017150005

1716A
angled bit for general use



L mm	L1 mm	■ mm	£		
1716A	240	125	6	**13.80**	3	017160040

1716P
packing scraper

	L mm	L1 mm	● mm	£		
1716P	250	125	6	17.70	3	017160020

1716R
round bit reamer

	L mm	L1 mm	Ø mm	£		
1716R	215	100	6	13.30	5	017160001

1716U
hook bit for general use

	L mm	L1 mm	Ø mm	£		
1716U	195	80	6	13.50	3	017160025

1717A
scrapers, two cutting edges

L mm	L1 mm	L2 mm	£		
150	70	260	25.00	2	017170015
200	75	310	26.00	2	017170020
250	100	360	29.00	2	017170025

1717B
scrapers, three cutting edges

L mm	L1 mm	L2 mm	£		
150	75	260	22.10	2	017170115
200	85	310	25.00	2	017170120
250	100	360	27.50	2	017170125

1717C
flat scrapers, varnished

L mm	S mm	L1 mm	£		
150	18	270	21.30	2	017170215
200	20	320	25.00	2	017170220
250	25	370	28.00	2	017170225

1717D
flat scraper, front cut

	L mm	S mm	L1 mm	£		
1717D 150	150	23	240	27.50	2	017170320

1717T
triangular blade scrapers, complete with 2 blades

	L mm	£		
1717T	310	13.50	1	017170610

1717T RT
spare triangular blades

	L mm	£		
1717T RT	65	2.90	1	017170660

1717T RS
spare shaped blades

	£		
1717T RS	2.90	1	017170661

1717V
paint scrapers, blades can be used on several sides

	L mm	A mm	£		
1717V 38	200	38	9.15	1	017170703
1717V 65	285	65	19.80	1	017170706

1717V R
spare blades for item 1717V

	L mm	£		
1717V R38	38	2.90	1	017170753
1717V R65	65	4.30	1	017170756

CUTS OF ENGINEER'S FILES

Rough



Second-cut

Smooth

1718D...Q
rough square files, without handles

Q ■

	L mm	L "	£		
1718D6/Q	150	6	12.00	5	017180121
1718D8/Q	200	8	14.70	5	017180131
1718D10/Q	250	10	20.00	5	017180141

1718A...Q
second-cut square files, without handles

Q ■

	L mm	L "	£		
1718A6/Q	150	6	12.70	5	017180021
1718A8/Q	200	8	15.50	5	017180031
1718A10/Q	250	10	20.60	5	017180041

1718D...T
rough triangular files, without handles

T ▲

	L mm	L "	£		
1718D6/T	150	6	14.70	5	017180123
1718D8/T	200	8	18.40	5	017180133
1718D10/T	250	10	24.40	5	017180143

1718A...T
second-cut triangular files, without handles

T ▲

	L mm	L "	£		
1718A6/T	150	6	15.50	5	017180023
1718A8/T	200	8	18.50	5	017180033
1718A10/T	250	10	24.40	5	017180043

1718D...P
rough flat files, without handles

P ▮

	L mm	L "	£		
1718D6/P	150	6	11.70	5	017180125
1718D8/P	200	8	13.50	5	017180135
1718D10/P	250	10	18.50	5	017180145

1718A...P
second-cut flat files, without handles

P ▮

	L mm	L "	£		
1718A6/P	150	6	12.00	5	017180025
1718A8/P	200	8	14.10	5	017180035
1718A10/P	250	10	20.00	5	017180045

1718D...M
rough half-round files, without handles

M ◗

	L mm	L "	£		
1718D6/M	150	6	16.10	5	017180127
1718D8/M	200	8	20.00	5	017180137
1718D10/M	250	10	25.00	5	017180147

1718A...M
rough half-round files, without handles

M ◗

	L mm	L "	£		
1718A6/M	150	6	16.90	5	017180027
1718A8/M	200	8	20.60	5	017180037
1718A10/M	250	10	26.00	5	017180047

1718D...R
rough round files, without handles

R ●

	L mm	L "	£		
1718D6/R	150	6	11.70	5	017180129
1718D8/R	200	8	13.60	5	017180139
1718D10/R	250	10	17.70	5	017180149

1718A...R
second-cut round files, without handles

R ●

	L mm	L "	£		
1718A6/R	150	6	12.00	5	017180029
1718A8/R	200	8	14.10	5	017180039
1718A10/R	250	10	19.10	5	017180049

1718D...S5
set of 5 rough files, without handles

■ Q
▲ T
▮ P
◗ M
● R

	L mm	L "	£		
1718D6/S5	150	6	66.00	1	017180130
1718D8/S5	200	8	80.00	1	017180140
1718D10/S5	250	10	105.50	1	017180150

1718A...S5
set of 5 second-cut files, without handles

■ Q
▲ T
▮ P
◗ M
● R

	L mm	L "	£		
1718A6/S5	150	6	69.00	1	017180030
1718A8/S5	200	8	83.00	1	017180040
1718A10/S5	250	10	110.00	1	017180050

1719BMD...Q
rough square files, with handles

Q ■

	L mm	L "	£		
1719BMD6/Q	150	6	13.80	5	017190191
1719BMD8/Q	200	8	13.80	5	017190221
1719BMD10/Q	250	10	22.60	5	017190241
1719BMD12/Q	300	12	31.50	3	017190325

1719BMA...Q
second-cut square files, with handles

Q ■

	L mm	L "	£		
1719BMA6/Q	150	6	16.70	5	017190021
1719BMA8/Q	200	8	20.00	5	017190052
1719BMA10/Q	250	10	26.50	5	017190071
1719BMA12/Q	300	12	33.50	3	017190311

1719BMX...Q
smooth square files, with handles

Q ■

	L mm	L "	£		
1719BMX6/Q	150	6	18.40	5	017190022
1719BMX8/Q	200	8	22.00	5	017190053
1719BMX10/Q	250	10	29.00	5	017190072

1719BMD...T
rough triangular files, with handles

T ▲

	L mm	L "	£		
1719BMD6/T	150	6	16.30	5	017190193
1719BMD8/T	200	8	17.40	5	017190223
1719BMD10/T	250	10	27.50	5	017190243
1719BMD12/T	300	12	39.50	3	017190326

1719BMA...T
second-cut triangular files, with handles

T ▲

	L mm	L "	£		
1719BMA6/T	150	6	20.40	5	017190023
1719BMA8/T	200	8	24.40	5	017190054
1719BMA10/T	250	10	32.50	5	017190073
1719BMA12/T	300	12	40.50	3	017190313

1719BMX...T
smooth triangular files, with handles

T ▲

	L mm	L "	£		
1719BMX6/T	150	6	21.30	5	017190024
1719BMX8/T	200	8	27.50	5	017190055
1719BMX10/T	250	10	36.00	5	017190074

1719BMD...P
rough flat files, with handles

	L mm	L "	£		
1719BMD6/P	150	6	13.30	5	017190195
1719BMD8/P	200	8	12.80	5	017190225
1719BMD10/P	250	10	21.60	5	017190245
1719BMD12/P	300	12	31.00	3	017190327

1719BMA...P
second-cut flat files, with handles

	L mm	L "	£		
1719BMA6/P	150	6	17.60	5	017190025
1719BMA8/P	200	8	20.00	5	017190056
1719BMA10/P	250	10	26.00	5	017190075
1719BMA12/P	300	12	32.50	3	017190315

1719BMX...P
smooth flat files, with handles

	L mm	L "	£		
1719BMX6/P	150	6	19.10	5	017190026
1719BMX8/P	200	8	21.30	5	017190057
1719BMX10/P	250	10	29.00	5	017190076

1719BMD...M
rough half-round files, with handles

	L mm	L "	£		
1719BMD6/M	150	6	17.60	5	017190197
1719BMD8/M	200	8	18.00	5	017190227
1719BMD10/M	250	10	27.50	5	017190247
1719BMD12/M	300	12	40.00	3	017190328

1719BMA...M
second-cut half-round files, with handles

	L mm	L "	£		
1719BMA6/M	150	6	22.00	5	017190027
1719BMA8/M	200	8	25.00	5	017190058
1719BMA10/M	250	10	32.50	5	017190077
1719BMA12/M	300	12	45.00	3	017190317

1719BMX...M
smooth half-round files, with handles

	L mm	L "	£		
1719BMX6/M	150	6	25.00	5	017190028
1719BMX8/M	200	8	30.50	5	017190059
1719BMX10/M	250	10	37.50	5	017190078

1719BMD...R
rough round files, with handles

	L mm	L "	£		
1719BMD6/R	150	6	13.40	5	017190199
1719BMD8/R	200	8	12.80	5	017190229
1719BMD10/R	250	10	20.50	5	017190249
1719BMD12/R	300	12	28.50	3	017190329

1719BMA...R
second-cut round files, with handles

	L mm	L "	£		
1719BMA6/R	150	6	17.60	5	017190029
1719BMA8/R	200	8	18.50	5	017190060
1719BMA10/R	250	10	25.00	5	017190079
1719BMA12/R	300	12	31.50	3	017190319

1719BMX...R
smooth round files, with handles

	L mm	L "	£		
1719BMX6/R	150	6	19.10	5	017190031
1719BMX8/R	200	8	21.30	5	017190061
1719BMX10/R	250	10	28.00	5	017190081

1719BMA...B5
set of 5 second-cut files, with handles, in wallet

	L mm	L "	£		
1719BMA8/B5	200	8	108.00	1	017190297
1719BMA10/B5	250	10	142.50	1	017190298

1719BMD...B5
set of 5 rough files, with handles, in wallet

	L mm	L "	£		
1719BMD8/B5	200	8	75.00	1	017190303
1719BMD10/B5	250	10	119.50	1	017190305

1719BMD...S5
set of 5 rough files, with handles

	L mm	L "	£		
1719BMD6/S5	150	6	74.50	1	017190200
1719BMD8/S5	200	8	75.00	1	017190230
1719BMD10/S5	250	10	119.50	1	017190250
1719BMD12/S5	300	12	170.50	1	017190363

1719BMA...S5
set of 5 second-cut files, with handles

	L mm	L "	£		
1719BMA6/S5	150	6	94.50	1	017190030
1719BMA8/S5	200	8	108.00	1	017190070
1719BMA10/S5	250	10	142.50	1	017190080
1719BMA12/S5	300	12	183.00	1	017190361

1719BMX...S5
set of 5 smooth files, with handles

	L mm	L "	£		
1719BMX6/S5	150	6	103.00	1	017190032
1719BMX8/S5	200	8	122.50	1	017190069
1719BMX10/S5	250	10	159.50	1	017190082

1719BMB/P

universal cut flat files,
plastic handles



L mm	L "	£		
250	10	37.50	5	017190152
300	12	45.50	5	017190153

1719BMC

half-round and flat files,
plastic handles



UNI 5569 - UNI 5568

	L mm	L "	£		
1719BMC/M 250	250	10	24.90	6	017190252
1719BMC/M 300	300	12	31.00	4	017190253
1719BMC/P 250	250	10	20.00	6	017190262
1719BMC/P 300	300	12	25.00	4	017190263

1719BM/RL

flat rasp/file
1 second-cut rasp side,
1 rough file side
plastic handle

	L mm	L "	£		
1719BM/RL	200	8	19.10	5	017190360

1719BM/RR

round rasp,
plastic handle

	L mm	L "	£		
1719BM/RR	200	8	20.00	5	017190351

1719BM/RG

half-round cabinet rasp,
plastic handle

		£		
200	8	19.00	5	017190353

1719BM/RP

flat rasp,
plastic handle

		£		
200	8	19.50	5	017190352

1719BMR/B3

set of 3 second-cut rasps,
with handles,
in hanging wallet

L mm	L "	£		
200	8	58.50	1	017190358

1719BMR

handles for files

	L mm	A mm	£		
1719BMR/0	95	25	5.10	10	017190950
1719BMR/0B	110	29	5.10	10	017190955
1719BMR/1	110	29	5.10	10	017190951
1719BMR/1B	110	29	5.10	10	017190953
1719BMR/2	123	31	5.10	10	017190952
1719BMR/2B	123	31	5.10	10	017190954

	mm	"	
1719BMR/0	100/150	4/6	▲❙◗
1719BMR/0B	100/150	6/8	■●
1719BMR/1	150/200	6/8	▲❙◗
1719BMR/1B	150/200	6/8	■●
1719BMR/2	250/300	10/12	▲❙◗
1719BMR/2B	250/300	10/12	■●

1720/...

second cut needle files,
shaft Ø 3 mm



UNI 5569 UNI 5670

	L mm	£		
1720T	160	9.65	5	017200004
1720P	160	9.65	5	017200006
1720M	160	9.65	5	017200008
1720Q	160	9.65	5	017200009
1720R	160	9.65	5	017200010
1720C	160	9.65	5	017200012
1720B	160	9.65	5	017200005
1720ML	160	9.65	5	017200007
1720BT	160	9.65	5	017200011
1720F	160	9.65	5	017200013
1720PP	160	9.65	5	017200014
1720RM	160	9.65	5	017200015

	£		
1720/S3	29.00	1	017200000

1720/B

set of 6 needle files in plastic wallet

	£		
1720/B6	61.00	1	017200002
1720/B12	116.00	1	017200003

1720D/...

diamond needle files
grit D126

	L mm	£		
1720D/T	160	62.00	2	017200104
1720D/P	160	62.00	2	017200106
1720D/M	160	62.00	2	017200108
1720D/Q	160	62.00	2	017200109
1720D/R	160	62.00	2	017200110
1720D/C	160	62.00	2	017200112

	£		
1720D/B6	375.00	1	017200120

1721/B6

set of 6 files for ignition contacts in plastic wallet

	£		
1721/B6	30.50	1	017210010

1723

spring puller

	L mm	£		
1723	210	19.10	5	017230001

1725

hacksaw frame

	L mm	L1 mm	£		
1725	420	300	27.50	4	017250001

1725CR

mini hacksaw frame

	L mm	L1 mm	£		
1725CR	250	150	15.10	5	017250010

1726

hacksaw frame, blade attachment system in the handle



	L mm	L1 mm	£		
1726	440	300	36.00	4	017260001

1726BM

hacksaw frame with quick release blade attachment system



	L mm	L1 mm	£		
1726BM	400	300	68.00	1	017260050

1727

hacksaw frame, heavy series



	L mm	L1 mm	£		
1727	515	300	27.50	4	017270001

1727BM

hacksaw frame, one hand grip

	L mm	L1 mm	£		
1727BM	315	300	32.50	5	017270020

1728...

blades for hacksaw frames

	£		
1728LA	1.56	100	017280001
1725CR			
1725MQ			
1728BM	4.20	100	017280010
1725-1726			
1727-1727M			
1728CO	6.10	50	017280030
1725-1726			
1727-1727M			

1729CG

plasterboard saw

	L mm	L1 mm	£		
1729CG	310	160	30.50	2	017290200

1729DM 450

wood rip saw

medium toothing, 12 teeth/inch

	L mm	L1 mm	£		
1729DM 450	450	400	34.50	4	017290450

1730

universal spatulas, with stainless steel blades and handles

S mm	L mm	L1 mm	£		
38	210	85	7.00	2	017300038
63	220	95	8.60	2	017300063
75	220	95	9.65	2	017300075
100	220	95	10.70	2	017300100

1730M

mixer spatulas, with stainless steel blades and handles

L1 mm	L mm	S mm	£		
150	245	27	10.20	2	017300215
200	330	28	19.40	2	017300220
250	365	36	24.50	2	017300225

1730V 38

glazier's spatula, knife blade made from stainless steel

S mm	L mm	L1 mm	£		
38	225	100	7.00	2	017300338

1736A

file brush
stainless steel wires,
wire Ø: 0.5 mm

	L mm	£		
1736A	240	12.90	10	017360010

1737
brush, corrugated brass wires,
wire Ø: 0.2 mm

	L mm	£		
1737	145	4.20	10	017370001

1737NX
brake shoe cleaning brush, brassed steel wires,
wire Ø: 0.3 mm

	L mm	£		
1737NX	270	7.20	5	017370010

1737AC
steel wire brush,
5 rows,
wire Ø: 0.3 mm

	L mm	£		
1737AC	275	6.80	5	017370020

1737B
pairs of vehicle battery lug
and post cleaner steel brushes,
steel wire
wire Ø: 0.3 mm

	£		
1737B	16.40	1	017370050

1738
bristle brush

	L mm	H mm	£		
1738	210	30	10.60	10	017380001

1739C
lazy tongs riveter,
supplied with 5 interchangeable nozzles

Ø mm	3,2	4	4,8	5	6	6,4
Aluminium	•	•	•	•	•	•
Stainless steel	•	•	•	•		

	L max mm	£		
1739C	810	147.00	1	017390152

1740AN
heavy-duty riveting pliers,
supplied with 5 interchangeable nozzles
• complete with rivet tank

Ø mm	3,2	4	4,8	5	6	6,4
Aluminium	•	•	•	•	•	•
Stainless steel	•	•	•	•		

	L mm	£		
1740AN	530	134.00	1	017400103

1740B
compact heavy-duty riveting pliers,
supplied with 5 interchangeable nozzles

Features:
• Ultracompact, extremely sturdy
• 3 jaws: improved rivet grip
• Safety nail container included

Ø mm	2,4	3	3,2	3,2	4,8
aluminium	•	•	•	•	•
steel	•	•	•	•	•
stainless steel	•	•	•	•	•

	L mm	£		
1740B 280	280	91.50	1	017400280

Ø mm	2,4	3,2	4,0	4,8	6,4
aluminium	•	•	•	•	•
steel	•	•	•	•	•
stainless steel	•	•	•	•	•

	L mm	£		
1740B 330	330	100.00	1	017400330

1741B
riveting pliers supplied
with 4 interchangeable nozzles

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Stainless steel	•	•	•		

	£		
1741B	54.50	1	017410000

1741B/C5
riveting pliers item 1741B with assortment of 700 aluminium rivets

	£		
1741B/C5	191.50	1	017410025

	Ø mm	L mm	n.
1741RV2,9K	3,0	6	200
1741RV3,2K	3,2	8	200
1741RV3,8K	4,0	10	100
1741RV4K	4,0	12	100
1741RV4,8K	4,8	12	100

415x155x60 mm - 3,1 Kg

1741BP

riveting pliers supplied
with 4 interchangeable nozzles

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Stainless steel	•	•	•	•	•

	£		
1741BP	**93.50**	1	017410350

1741U

ultra compact riveting pliers with adjustable force
with 4 interchangeable nozzles
3 legs: enhanced rivet hold

Ø mm	2,4	3	3,2	4	4,8
Aluminium	•	•	•	•	•
Steel	•	•	•	•	
Stainless steel	•	•	•	•	

	£		
1741U	**60.00**	1	017410450

1741RV...K

aluminium rivets



	£		
1741RV 2,9K ØxL = 3x6 mm	**22.80**	1	017410191
1741RV 3,2K ØxL = 3,2x8 mm	**23.40**	1	017410192
1741RV 3,8K ØxL = 4x10 mm	**32.00**	1	017410193
1741RV 4K ØxL = 4x12 mm	**33.50**	1	017410194
1741RV 4,8K ØxL = 4,8x12 mm	**43.00**	1	017410195

The prices shown are for 500 pieces

1742N

riveting pliers for threaded inserts,
supplied with 4 interchangeable heads and 4 pins (1x M3;M4;M5;M6)

	£		
1742N	**151.50**	1	017420002

	Ø mm	L mm
3	5	11
4	6	11
5	7	13
6	9	17

1742N/KR

kit of 4 spare pins for item 1742N

	£		
M3	**65.00**	1	017420063
M4	**65.00**	1	017420064
M5	**65.00**	1	017420065
M6	**65.00**	1	017420066

1742R-AL/M...

aluminium threaded rivets for items
1742-1742A-1946KF

	£		
1742R-AL M3 ØxL = 5x10 mm M = 3	**5.90**	1	017420023
1742R-AL M4 ØxL = 6x12 mm M = 4	**6.20**	1	017420024
1742R-AL M5 ØxL = 7x13 mm M = 5	**6.65**	1	017420025
1742R-AL M6 ØxL = 9x15 mm M = 6	**8.35**	1	017420026

The prices shown are for 20 pieces

1742R-A/M...

steel threaded rivets for items
1742-1742A-1946KF



	£		
1742R-A M3 ØxL = 5x11 mm M = 3	**5.90**	1	017420013
1742R-A M4 ØxL = 6x11 mm M = 4	**6.60**	1	017420014
1742R-A M5 ØxL = 7x13 mm M = 5	**6.90**	1	017420015
1742R-A M6 ØxL = 9x17 mm M = 6	**8.05**	1	017420016
• **1742R-A M8** ØxL=11x17 mm M=8	**6.50**	1	017420018
• **1742R-A M10** ØxL=13x24 mm M=10	**9.65**	1	017420020
• **1742R-A M12** ØxL=12x24 mm M=12	**9.85**	1	017420022

The prices shown are for 20 pieces
• The prices shown are for 10 pieces

1742N/C4

riveting pliers 1742N with assortment of 400 steel threaded inserts

	£		
1742N/C4	**364.00**	1	017420006

	M	Ø mm	n.
1742R-A/M3	3	5	100
1742R-A/M4	4	6	100
1742R-A/M5	5	7	100
1742R-A/M6	6	9	100

415x155x60 mm - 2,9 kg

1742AN

heavy-duty riveting pliers for threaded inserts, supplied with 7 interchangeable nozzles

	£		
1742AN	**479.00**	1	017420101

M	Ø mm	L mm
5	7	13
6	9	17
8	11	17
10	13	24

1742AN/KR

kit of 4 spare pins for item 1742AN

		£		
1742AN/KR M3	M3	**44.00**	1	017420153
1742AN/KR M4	M4	**44.00**	1	017420154
1742AN/KR M5	M5	**44.00**	1	017420155
1742AN/KR M6	M6	**44.00**	1	017420156
1742AN/KR M8	M8	**44.00**	1	017420158
1742AN/KR M10	M10	**44.00**	1	017420160
1742AN/KR M12	M12	**44.00**	1	017420162

1742AN/C

heavy-duty riveting pliers 1742AN with assortment of 80 steel threaded inserts

	£		
1742AN/C	**557.00**	1	017420106

	M	Ø mm	n.
1742R-A/M5	5	7	20
1742R-A/M6	6	9	20
1742R-A/M8	8	11	10
1742R-A/M10	10	13	10

420x240x80 mm - 2,5 kg

1749

bonding gun varnished metal sheet

	L min mm	£		
1749	340	**16.90**	2	017490001

1749A

bonding gun, professional model aluminium tube

	L min mm	£		
1749A	360	**53.50**	1	017490010

1749A/RB

spare spouts for item 1749A

	£		
1749A/RB	**1.31**	1	017490051

1749A/RT

front screw plugs for item 1749A

	£		
1749A/RT	**3.10**	1	017490052

1749AC

high thrust gun for chemical binders

	L min mm	£		
1749AC	360	**49.00**	1	017490005

1750

lever operated grease guns

Can be used with cartridges 1750CG or loose grease

1 g, 550 bar Max

1750CG cc	cc	L mm	£		
400	500	380	**49.50**	1	017500500
600	750	450	**64.00**	1	017500750

1750R/1 - 1750R/2

spare flexible hose made from nylon

	L mm	£		
1750R/1	310	**8.80**	2	017500030
1750R/2	410	**10.30**	2	017500040

1750RC

curved rigid hose

	L mm	M mm	£		
1750RC	150	10x1	**7.70**	2	017500050

1750RT

4-jaw grease fitting “Hydraulic” type

	M mm	£		
1750RT	10x1	**5.85**	5	017500110

1750RP/1 - 1750RP/2

heads for flat nozzles



	Ø mm	M mm	£		
1750RP/1	16	10x1	**16.30**	2	017500115
1750RP/2	22	10x1	**37.00**	2	017500120

1750CG

grease cartridges for item 1750

cc	£		
400	**20.10**	18	017500140
600	**25.00**	18	017500160

1750KG10

lever-operated grease gun, 10 kg, with high-pressure hose, 2 m

complete with swivel fitting, to avoid choking hose
die-cast aluminium pump body with check valve

3 different pressure levels available:
-4 g at 275 bar
-7 g at 206 bar
-9 g at 137 bar

	£	
1750KG10	270.00	1 017500100

1750TA

high-pressure, self-locking 6-pin grease nozzle

Once positioned, it remains on axis and connected to nipple; it does not have to be held like common nozzles
Easy to disconnect, even when with pressurized nozzle
Thread M10x1: suitable for all types of grease guns: electric, pneumatic, manual etc.
Deformation-free up to 550 bar

	£	
1750TA	65.00	1 017500111

1750TLA

high-pressure, self-locking 6-pin grease nozzle, long version

· Once positioned, it remains on axis and connected to nipple
· Easy to disconnect, even with pressurized nozzle
· Thread M10x1: suitable for all types of grease guns: electric, pneumatic, manual etc.
· Deformation-free up to 550 bar

	£	
1750TLA	87.00	1 017500112

1750M

mini grease gun

- **With micro nozzle**
- **Particularly suitable for pneumatic tools**

	cc	D mm	L mm	£		
1750M	100	43	145	25.50	1	017500025

1750M3

mini grease gun, with 3 nozzles

- **fitted with three interchangeable nozzles: 0.7 - 1.0 - 1.4 mm**
- **particularly suitable for lubricating pneumatic tools**
- **can be used with loose grease**
- **suitable for use of grease up to grade NLGI 2**

	cc	Ø mm	L mm	£		
1750M3	85	42	160	37.50	1	017500003

1751CR

metal pressure oil cans, rigid spouts

cc	D mm	L mm	£		
200	62	140	17.90	4	017510202
300	75	140	19.30	4	017510203
500	85	140	20.50	4	017510205
700	100	140	22.40	2	017510207
1000	100	140	24.40	2	017510210

1751N

metal pressure oil cans, flexible spouts

cc	D mm	L mm	£		
200	62	140	19.80	4	017510020
300	75	140	21.80	4	017510030
500	85	140	23.00	4	017510050
700	100	140	27.50	2	017510075
1000	100	140	29.00	2	017510100

1752

plastic pressure cans, rigid spouts

cc	D mm	L mm	£		
200	67	140	13.30	4	017520002
300	77	140	14.10	4	017520003
500	95	140	15.00	4	017520005

1754

plastic pressure oil cans flexible plastic spouts

cc	D mm	L mm	£		
150	60	130	11.00	5	017540015
250	65	130	12.70	5	017540025

1755C

plastic oil cans,
curved spouts

cc	L mm	A mm	£		
125	110	46	5.10	5	017550112
250	110	60	6.95	5	017550125
500	110	74	7.90	4	017550150

1756

pen oiler

suitable for use with mineral oils

cc	L mm	£		
5	140	28.50	2	017560001

1756B

pen oiler

- **with non-slip knurl**
- **operating temperature: -10 °C - +60 °C**
- **minimum density of SAE 10 oil**

cc	L mm	£		
500	280	26.50	2	017560220

1756C

suction gun, 200 ml,
made from polypropylene

- **also suitable for braking system fluid**
- **double EPDM gasket**
- **operating temperature: +0 °C ÷ +50 °C**
- **usable minimum oil density; ISO 150, SAE 90 (gearbox oil), SAE 40 (engine oil)**

	£		
1756C	45.00	1	017560502

1756D

suction gun, 1500 ml,
made of polypropylene

- **Double NBR gasket**
- **Operating temperature: +0 - +50 °C**
- **NOT suitable for fuel**



	£		
1756D	102.00	1	017560515

1756E

siphon syringe, compatible with petrol

	£		
1756E	47.50	1	017560610

1756G

diesel oil gun
capacity: 1.5 l

Can be used to:
- **fill diesel oil filters**
- **fill Cerina tank**

Kit contents:
- 2 pipes with female quick couplings for connecting diesel oil pipes
- 2 male quick couplings, made of metal
- 1 cone-shaped adapter for rubber pipes

	£		
1756G	176.50	1	017560615

1756C-2OR

O-rings (pair) for suction guns 1756C

	£		
1756C-2OR	5.35	1	017560503

1756D-2OR

O-rings (pair) for suction guns 1756D

	£		
1756D-2OR	10.30	1	017560516

1757

battery fillers

cc	D mm	£		
250	60	4.80	4	017570002
500	75	5.50	4	017570004
1000	90	7.85	2	017570006

1757A

battery filler

cc	£		
2000	59.50	1	017570020

1758

self-adapting funnel

particularly useful for cars with no depth in inlet plugs

	£		
1758	75.00	1	017580020

1758ADB-D

non-return funnel for AdBlue®,
with straight coupling

	l Max	£		
1758 ADB-D	1	49.50	1	017580050

1758ADB-45°

non-return funnel for AdBlue®, with 45° coupling

	l Max	£		
1758 ADB-45	1	55.00	1	017580060

1758A

non-return funnel with quick coupling, Ø 38 mm

For Volkswagen group cars

	£		
1758A	115.00	1	017580010

1758B

non-return funnel with quick couplings

Particularly suitable for VAG cars

	£		
1758B	51.00	1	017580030

1758B-1,6

non-return funnel, 1600 ml, with quick couplings

quick couplings for VAG group vehicles

	H1 mm	H2 mm	Ø mm	£		
1758B-1,6	125	100	155	51.00	1	017580033

1758B-RNT

non-return quick coupling for funnel item 1758B - 1758B-1,6

for Renault 1.5 dCi engine

	£		
1758B-RNT	37.00	1	017580035

1758B/K5

kit of non-return quick coupling adapters, for funnel 1758B - 1758B-1,6

Kit contents:
- **1 adapter for 1.5 dCi Renault, Dacia, Nissan engines**
- **1 adapter for 1.5/1.6 dCi Renault, Dacia, Nissan engines**
- **1 adapter for 3.0 BMW diesel engines**
- **1 adapter for 1.5/2.0 petrol engines, VAG group**
- **1 connecting adapter for funnel, with tap**

	£		
1758B/K5	139.00	1	017580040

1758RD

coolant funnel with quick couplings

	H mm	Ø mm	£		
	248	172	131.00	1	017580070

1758S

wall-mounted support for funnels 1758 and quick couplings

	£		
1758S	98.00	1	017580080

1758LG

formable, rubber-covered aluminium foil, for canalizing liquids

	L mm	H mm	£		
	365	168	63.50	1	017580006

1758M

funnel

	L mm	£		
1758M	350	19.10	1	017580000

1758R
liquid containers

Convenient, removable, flexible spout

	lt	£		
1758R 1	1	11.60	1	017580201
1758R 2	2	13.90	1	017580202
1758R 3	3	26.00	1	017580203
1758R 5	5	32.00	1	017580205

1758VT
cylinder head testing kit

Quickly indicates whether expansion tank contains any carbon dioxide.

	£		
1758VT	254.00	1	017580100

290x190x50 mm - 1kg

1758VT/L
contrast liquid for testing cylinder heads

	£		
1758VT/L	64.00	1	017580101

1759
optical analyzer for coolant, battery, windscreen and AdBlue® fluids
Supplied in a hard case

Automatic temperature compensation
Battery acid: measurement range:
1.1÷1.3 kg/l
Propylene coolant: -25 °C ÷ -50 °C
Ethylene coolant: -25 °C ÷ -50 °C
Windscreen fluid: -25 °C ÷ -40 °C
AdBlue: Urea percent measurement: 30% ÷ 45%

	£		
1759	219.50	1	017590251

1759A
antifreeze densimeter, glass body

	L mm	£		
1759A	340	88.50	1	017590001

1759B
acid densimeter, glass body

	L mm	£		
1759B	280	56.50	1	017590005

1759HD/3
cooling system seal testing and circuit filling tools

• Make it possible to check circuit (pipes, joints, pumps, radiators) for leaks under pressure and quickly fill circuit, avoiding air bubble formation

	£		
1759HD/3	748.00	1	017590063

600x500x140 mm - 6,5 kg

1759HD/RR
cooling system filling tool

	£		
1759HD/RR	230.50	1	017590064

450x310x110 mm - 2,2 kg

1759LR

cooling system washing tool

based on the use of compressed air, high water pressure allows for effective cleaning system washing

- **supplied with 6 system connection adapters**
- **operating lever with position locking for continuous use**
- **supplied with a water quick coupling**

	L mm	£		
1759LR	402	**601.00**	1	017590070

390X330X100

1759HD/TRUCK

truck cooling system testing and sealing tool

	£		
1759HD/TRUCK	**569.00**	1	017590065

440x330x100 mm - 3 kg

1759TT

kit of 4 pairs of turbo circuit testing caps, for use with tyre inflators

	£		
1759TT	**290.00**	1	017590300

400x160x100 mm - 1,8 kg

CERTIFICATION SERVICE FOR ELECTRONIC INSTRUMENTS

Certification of such electronic measuring instruments as Multimeters, Amperometric Clamps, **Tachometers** and **Thermometers** is essential in the sectors or fields of application where precise, unambiguous, recognizable measurements are required.

For infrared thermometers, a 4-point calibration report (minimum, maximum and two intermediate points) with ENAC traceability is issued.

On request, Beta Utensili S.p.A. provides the certification service. To receive this service, please contact your dealer.

1760DGT

digital automotive multimeter

Technical Data:
- **RPM (tachometer):**
For 2 and 4 cylinder engines
RPM4 600 - 4000 RPM
RPM4 600 - 12000 RPM (x10 RPM)
RPM2/DIS 300 - 4000 RPM
RPM2/DIS 300 - 6000 RPM (x10 RPM)
- **Dwell angle:** 4-8 CYL
- **DC voltage:** 400mV-4/40/400/1000V
- **AC voltage:** 4/40/400/700V
- **DC current:** 40/400mA-4/20A
- **AC current:** 40/400mA-4/20A
- **Resistance:** 400Ω-4/40/400kΩ-4/40MΩ
- **Capacity:** 40/400nF-4/40/100µF
- **Frequency:** 5/50/500Hz-50/500-10MHz
- **Duty cycle:** 0.1 % - 99.9%
- **Pulse amplitude:** 1 - 10ms
- **Diode test:** Test current 0.3mA
- **Continuity:** <150Ω - Test current <0.3mA
- **Display:** High-contrast, backlit 4-digit LCD
- **Overvoltage:** Category II 1000V
- **Auto power off:** 30 minutes
- **Power supply:** 1 9V battery (included)
- **Inductive clamp (included)**
- **2 tips (included)**
- **Soft cloth case (included)**
- **Operating manual**

	£		
1760DGT	**337.00**	1	017600005

1760DGT/2

digital automotive multimeter, portable, with 2-channel oscilloscope and waveform generator

Kit Contents:
- Multimeter tips
- 2 BNC crocodile clips for oscilloscope
- Tip probe for oscilloscope (1X and 10X)
- Battery charger
- Nylon sheath

Technical data:
- Display: 2.8" colour TFT
- Resolution: 320 x 240 pixels
- Power supply: 100V-240V AC, 50Hz-60Hz; DC INPUT 5V DC-2A
- Battery: 2 x 2600 mAh
- Dimensions: 199 x 98 x 40 mm
- Weight: 624g

Multimeter Specifications:
- Test: Voltage, Current, Resistance, Capacity, Diodes and On-Off
- Max. voltage: 600V AC-DC
- Max. current: 10A AC-DC
- Max. resistance: 40MOHM
- Max. capacity: 100uF

Oscilloscope Specifications:
Horizontal
- Bandwidth: 40MHz
- Sampling frequency range: 250MSa/s (single channel) - 125MSa/s (double channel)
- SEC/DIV range: 5ns/div ÷ 500s/div 1,2,5 sequence

Vertical
- VOLTS/DIV range: 10mV/div÷10V/divat BNC input
- Selectable analogue, bandwidth limit, typical: 20MHz
- Low frequency response (-3db): ≤10Hz a BNC
- DC Gain Accuracy: ± 3% for Normal or Medium acquisition mode, 10V/div ÷ 10 mV/div

Trigger
- Type: Edge
- Mode: Auto, Normal, Single
- Slope: Rising, Falling, Rising, & Falling
- Source: CH1, CH2

Input
- Coupling: DC, AC or GND
- Supported probe attenuation factors: 1X, 10X, 100X, 1000X

Arbitrary waveform generator
- Waveform frequency: Sine (1Hz÷25MHz), Square (1Hz÷10MHz), Ramp (1Hz÷1MHz), EXP (1Hz÷5MHz)
- Width: 2.5Vpp (50Ω) - 5Vpp (high impedance)
- Output impedance: 50Ω

	£		
1760DGT/2	**1063.00**	1	017600008

1760B

digital multimeter

SPECIFICATIONS
DC voltage: 200 mV-2/20/200/1000V
AC voltage: 2-20/200/700V
DC current: 2/20/200 mA-20 A
AC current: 2/200 mA- 20 A
Resistance: 200Ω - 2/20/200 kΩ - 2/20 MΩ
Capacity: 2/20/200 nF - 2/200 µF
Temperature: -20° + 1000°C/ -4 °F ~ +2000°F
Frequency: 20kHz
Power supply: 1 9V battery (included)

	£		
1760B	**218.50**	1	017600012

1760/OHM

multimeter/megohmmeter for high voltage insulation testing.
TRUE RMS indicator

CAT. IV 600V
CAT. III 1000V

Measuring range	**Base accuracy**	
AC/DC voltage:	50mV - 1000V	±0.06% - ±0.1% rdg
AC/DC current:	0.01µA - 10A	±0.5% - ±1% rdg
Resistance:	0.01Ω - 50MΩ	±0.2% - ±2% rdg
Meg OHM: current 1mA	0.01 - 5000MΩ	±4% rdg. max
Capacity:	5nF - 10mF	±1.5% - ±3% rdg
Frequency:	50Hz - 100 MHz	±0.02% - ±0.1% rdg
Temperature:	-50 °C - +1350 °C	±0.5% rdg
Diode test:	3V dc	
Continuity test:	<30 Ω	

	£		
1760/OHM	**1188.00**	1	017600025

1760/RMS

industrial digital multimeter
accurate and sturdy, in a 6-mm co-moulded shell, with antislip, shockproof outer rubber part

EN61010-1
EN61326-1

Technical Features:

Measuring range	Base accuracy
AC/DC voltage	110mV – 600V ±0.8% - ±2% rdg
AC/DC current	110µA – 10A ±1.5% - ±2% rdg
Resistance	110Ω – 40MΩ ±1.2% - ±2.5% rdg
Capacity	11nF – 40mF ±5% - ±10% rdg (up to 11mF)
Frequency	1100Hz – 110 MHz ±1.2% - ±1.5% rdg
Temperature	-32°C – +1000°C ±3% - ±5% rdg
Diode test, 3V DC ±10%	rdg
Continuity test	<30 Ω -

	£		
1760/RMS	**394.00**	1	017600020

1760S

compact digital multimeter

TRUE RMS (effective value) reading

Measurable parameters:
DC voltage: 200 mV-2/20/200/600V
AC voltage: 100/600V
DC current: 200 mA-10 A
AC current: 0,01-10 A
Resistance: 200Ω - 2/20/200 kΩ - 2 MΩ
Diode test: 0.4 ÷ 0.7
Power supply: 2 1.5V batteries, type AAA

	£		
1760S	**121.00**	1	017600022

153x75x42 mm

1760PA/80

AC/DC amperometric clamp, 80A

Designed to measure low current leakage or absorption values on vehicles

- Range: 1mA-80A AC/DC
- Torch function with white LED
- Backlit LCD display
- Zero setting function
- Hold function
- Auto power off
- Power supply: 2 1.5V AAA-type batteries

	£		
1760PA/80	**317.00**	1	017600002

1760PA/AC

amperometric clamp and digital multi-meter

A: AC
V: AC/DC

SPECIFICATIONS
DC voltage 400 mV - 4/40/400/600 V
AC voltage 400 mV - 4/40/400/600 V
AC current 40/400/1000 A
Resistance 400Ω - 4/40/400 kΩ - 4/40 MΩ
Frequency 5/50/500 Hz - 5/50/500 kHz - 5/10 MHz
Capacity 40/400 nF - 4/40/100 µF
Temperature - 20 °C ÷ 1000 °C / -4 °F ÷ 1832 °F
Power supply: 1 9V battery (included)

	L			
	mm	£		
1760PA/AC	190	**235.00**	1	017600050

1760PA/AC-DC

amperometric clamp and digital multimeter

A: AC/DC
V: AC/DC

A: AC/DC
V: AC/DC

Specifications:
- DC voltage: 0.1mV ÷ 600V
- AC voltage: 0.1mV ÷ 600V
- AC current: 0.01A ÷ 1000A
- DC current: 0.01A ÷ 1000A
- Resistance: 0.1Ω ÷ 40MΩ
- Capacity: 0.001nF ÷ 40 µF
- Frequency: 0.001kHz ÷ 4kHz
- Temperature: -40°C ÷ 1000 °C
-40°F ÷ 1832°F

	£		
1760PA/AC-DC	**430.00**	1	017600000

1760PA/AC-DC2000

amperometric clamp with digital multimeter and data connection

TRUE RMS function in AC range

A: AC/DC
V: AC/DC

Measurable parameters:
- DC voltage: 0.1mV ÷ 1000V
- AC voltage: 0.1mV ÷ 1000V
- AC current: 0.01A ÷ 2000A
- DC current: 0.01A ÷ 2000A
- Resistance: 0.1Ω ÷ 60MΩ
- Capacity: 1nF ÷ 6000 µF
- Frequency: 10kHz ÷ 20kHz
- Temperature: -20 °C ÷ 1000 °C -4 °F ÷ 1832 °F
- Power supply: 3 1.5V batteries, type AA (included)
- Data connection (version 4.0)

H	L	P			
mm	mm	mm	£		
300	110	43	**953.00**	1	017600003

380x280x100 mm - 1,78 kg

1760DGT-R3

spare leads for digital multimeters and amperometric clamps

	£		
1760DGT-R3	**31.50**	1	017600603

1760/RSE

signal detector

Allows power supply of parts to be tested, including common rail electro-injectors, petrol/LPG electro-injectors, piezoelectric injectors, flow regulating solenoid valves, EGR solenoid valves and coils

Performing **diagnosis of individual parts of electric system** only requires probe to be brought near part being tested.
In systems with electromechanical/electronic parts controlled by a control unit, this tool makes it possible to check whether:
- Control unit is being supplied with power and is performing its control function
- Cables connecting control unit to part is efficient
- Part being tested has not being disconnected
- Part has not short-circuited
- Part is operating electronically

	£		
1760/RSE	**692.00**	1	017600170

1760/TC2

combination contact/non-contact digital tachometer

TECHNICAL DATA
- For measuring:
  - non-contact rotational speed (rpm)
  - contact rotational (rpm)
  and linear surface speed (m/min or ft/min).
- 5-digit LCD display.
- Scale:
  - non-contact speed 2.5÷99,999 rpm
  - contact speed 0.5÷19,999 rpm
  - linear surface speed 0.05÷1,999.9 m/min.
- Frequency: 0.8 sec.
- Power supply: 4 1.5V batteries (included), AA size, or 6V power supply unit (not included).
- Supplied with the following:
  - adaptor for contact tip measurement;
  - male (contact) rubber tip (2 pcs.);
  - female (contact) rubber tip (1 pcs.);
  - linear measurement tape (1 pcs.);
  - reflecting tapes;
  - instruction manual;
  - plastic case.

	L mm	H mm	£		
1760/TC2	230	74	314.00	1	017600161

1760R/TC2

set of reflecting tapes for item 1760/TC2

	£		
1760R/TC2	23.80	1	017600561

1760K

non-contact AC voltage detector with LED mini-torch

Testing range: 200-1000Vac 50/60Hz
CAT III-1000V
Requires 2 AAA batteries (included)

CAT III-1000V

	£		
1760K	42.00	1	017600140

1760PT

combination voltage and continuity tester, 12-690V AC/DC

Functions:
- **continuity**
- **phase rotation**
- **mains testing**
- **LED torch**

IP64
CATIV - 600V ;
CATIII - 1000V

	£		
1760PT	214.00	1	017600150

1760/IR500

digital infrared thermometer with dual laser aiming system

not suitable for measuring body temperature

Technical Data:
- Temperature range: -50 ÷ 500 °C (-22 ÷ +932 °F)
- Display resolution: 0.1 °C (0,1 °F)
- Emissivity: 0.1 ÷ 1 adjustable
- Accuracy: -50 °C ÷ +20 °C (+/- 3 °C); 20 ÷ 500 °C (+/-2% or 2 °C)
- Optical resolution (D:S): 12:1
- Auto power off: ca. 10 seconds
- Operating temperature: 0 °C ÷ 50 °C
- Storage temperature: -20 °C ÷ 60 °C
- Power supply: 1 9V battery

	£		
1760/IR500	229.50	1	017600350

1760/IR1000

digital infrared thermometer with dual laser aiming system

not suitable for measuring body temperature

TECHNICAL DATA
Temperature range: -50 °C ÷ ^1000 °C (-58 °F ÷ +1832 °F)
Display resolution: 0.1 °C (0.1 °F)
Emissivity: 0.1 ÷ 1 adjustable
Accuracy: -50 °C ÷ 20 °C (+/- 3.5 °C); 20 °C ÷ 300 °C (+/-1% or 1 °C); 300 °C ÷ 1000 °C (+/-1.5%)
Optical resolution (D:S): 20:1
Operating temperature: 0 °C ÷ 50 °C
Storage temperature: -10 °C ÷ 60 °C
Power supply: 2 1.5V (AAA type batteries)

	£		
1760/IR1000	381.00	1	017600400

1760/IR1600

digital infrared thermometer with laser aiming system

not suitable for measuring body temperature

TECHNICAL DATA
Range: da -50 °C to +1600 °C / -58 °F to +2912 °F
Scale selection: °C/°F
Accuracy: ±1.5% or ±2 °C to 20 °C
Laser power: <1mW
Response: 1sec
Emissivity: 0.10-1.0 adjustable
Distance ratio: (D:S) 50:1
Operating temperature: 0 °C ÷ 50 °C / 32 °F ÷ 122 °F
Operating humidity: 10% to 90% RH
Backlit LCD display
Data storage function
Auto power off
Power supply: 1 9V battery (included)
Hard case with aluminium tripod
Operating manual

	mm	mm	£		
1760/IR1600	200	115	1049.00	1	017600461

1760LX
portable digital lux meter

EN61010-1
EN61326-1

Technical details:
Measurement range Basic accuracy
Lux measuring range: 0-200000 ±3%
FC measuring range: 0-20000 ±3%
Power supply: 1 x 9V

	L mm	£		
1760LX	165	**126.50**	1	017600820

1760TMC
infrared thermal camera

compact thermal camera for contactless temperature measurement, suitable for applications in building, mechanical, electric installation and heating industries

LCD TFT display, 2", 240x320
sensor, 32x32 pixels
acquisition frequency 7Hz
thermal sensitivity <347mK
automatic acquisition of hot and cold spots
camera for acquisition of images in BMP format (max. 100 images)
adjustable emissivity
power supply: 3 alkaline AAA batteries
USB interface
IP54
temperature range: -20 °C ÷ +600 °C
infrared band: 6.5÷14µm
visible/infrared image fusion: 0.5; 1; 2m
alarm function, selecting acceptable maximum and minimum temperatures

		£		
1760TMC 600		**1250.00**	1	017600710

1760WM
digital anemometer with fan sensor

EN61010-1
EN61326-1

Technical details:
Measuring range Basic accuracy
m/s air velocity range: 0.4-30 ±2%
k/n air velocity range: 1.4-108 ±2%
ft/m air velocity range: 80-5900 ±2%
mil/h air velocity range: 0.8-58 ±2%
CFM airflow range: 0-99990 ±0-9.999 ft2
CMM airflow range: 0-99990 ±0-9.999 m2
CMS airflow range: 0-99990 ±0-9.999 m2

	L mm	£		
1760WM	170	**102.50**	1	017600800

1761
wire twisting pliers
with automatic return

L mm	£		
255	**84.00**	1	017610101

1761RS/1
reversible wire twisting pliers
with automatic return

L mm	£		
220	**155.50**	1	017610130

1762
revolving punch pliers

Ø mm	L mm	£		
2-2,5-3 3,5-4-4,5	210	**34.00**	2	017620001

1763
car upholstery clip pliers

	£		
1763	**51.50**	1	017630001

1763G/S500
500 car upholstery clips

	£		
1763G/S500	**91.00**	1	017630105

1764/K5
manual riveter for plastic rivets

supplied with rivets in 4 sizes

kit contents:
- **10 rivets Ø 5x17.2 mm**
- **10 rivets Ø 5x15.8 mm**
- **10 rivets Ø 6.3x25.2 mm**
- **10 rivets Ø 6.6x17.2 mm**

	£		
1764/K5	**75.00**	1	017640001

1764/K5-R
pack of 20 plastic rivets
for item 1764/K5

		£		
1764/K5-R1	5X17,2	**16.80**	1	017640003
1764/K5-R2	5X15,8	**16.80**	1	017640004
1764/K5-R3	6,3X25,2	**16.80**	1	017640005
1764/K5-R4	6,6X17,2	**16.80**	1	017640006

1765/C24
cases with 24 tools
for pulling out car radios

	£		
1765/C24	238.00	1	017650001

1766
double suction lifter

max kg	£		
50	165.00	2	017660001

1766A
single suction cup

max kg	£		
30	38.50	2	017660005

1766/8
assortment of 8 tools
for car glass windows

	£		
1766/8	608.00	1	017660100

1766ER
window trim removal tool
with handle

Allows window trims to be easily removed, with no risk of damage

	£		
1766ER	27.00	1	017660501

1766ER/VW
low-profile window trim removal tool

particularly suitable for VAG group window trims with reduced grip space



L mm	H mm	£		
215	4	15.60	1	017660510

1766L
lever for glass windows

	£		
1766L	67.50	1	017660015

1766LI
lever for inserting car glass window cutting cable

sharp edges for cutting bonds

	£		
1766LI	21.20	1	017660016

1766I
handle for steel cable item 1766G



	£		
1766I	67.00	2	017660020

1766G
steel cable for car windows

Square section

	£		
50 m	54.50	1	017660025

1766T
steel cable for glass windows

triangular section

	£		
50 m	61.00	1	017660026

1767A
telescopic rod

• designed to support bonnets and tailgates with decompressed pistons.
• can be used to keep pedals from moving.

	L mm	£		
1767A	640 ÷ 1090	97.00	1	017670000

1767B
pedal and steering wheel locking kit

the trigger adjustment mechanism ensures accurate settings when keeping the vehicle accelerated

	£		
1767B	204.50	1	017670100

490x285x95 mm - 2,4 kg

1767PMC
magnetic tool holder, round

	£		
1767PMC	26.00	1	017670020

1767PMR
magnetic tool holder, rectangular



	£		
1767PMR	64.00	1	017670010

1768
aluminium footboard

surface coated with non-slip material
maximum carrying capacity: 200 kg

	L mm	L1 mm	H mm	£		
1768	960	300	475	242.50	1	017680010

1770
extra flat utility knife, 9 mm snap-off blade

	L mm	A mm	£		
1770	140	9	20.50	10	017700001

1770A
utility knife 9 mm with automatic blade locking mechanism, 3 blades

	L mm	A mm	£		
1770A	135	9	9.65	10	017700025

1770RL
9 mm snap-off blades 10 pieces for utility knives 1770, 1770BM and 1770A

	£		
1770RL	6.40	5	017700010

1770BM
utility knife, 9 mm, 6 blades

	L mm	A mm	£		
1770BM	140	9	18.30	10	017700050

1771
utility knife, 18 mm, supplied with 3 blades

	£		
1771	12.30	10	017710000

1771BM
utility knife, 18 mm, 6 spare blades

	L mm	A mm	£		
1771BM	170	18	28.50	10	017710050

1771HD
utility knife, 18 mm, supplied with 6 blades
•automatic blade change
•screw blade locking system

	L mm	A mm	£		
1771HD	190	18	30.50	5	017710100

1771RL
18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD

	£		
1771RL	8.05	5	017710010

1772M
safety utility knife with retractable blade, supplied with 3 blades

blade retracts through an automatic spring mechanism
• die-cast alloy body
• staple remover built into handle

	L mm	A mm	£		
1772M	170	18	26.50	5	017720040

1772R
utility knife with retractable trapezoidal blade, supplied with 5 blades

	L mm	A mm	£		
1772R	125	18	24.40	5	017720006

1772H
safety utility knife with retractable blade, supplied with 2 blades

	L mm	A mm	£		
1772H	170	18	25.00	5	017720029

1772RL/2
10 long trapezoidal spare blades, in box, for utility knives, 1772H, 1772M, 1772R, 1774,1777BMT, 1777T



	£		
1772RL/2	6.10	5	017720017

1773A
utility knife, 25 mm

	L mm	A mm	£		
1773A	180	25	16.70	10	017730000

1773RL
25 mm blades (10 pieces) for utility knife 1773A

	£		
1773RL	18.90	5	017730015

1773S
safety utility knife with round blade

- main blade Ø 28 mm
- secondary blade for cutting films
- hanging hook

	L mm	A mm	£		
190	28	9.90	1	017730100

1773S/RL
3 round blades, Ø 28 mm for utility knife 1773S

	£		
1773S/RL	4.40	5	017730110

1774
multi-function scraper with blade guard

	L mm	L1 mm	£		
1774	155	60	5.70	5	017740001

1774A
multifunction scraper, bi-material handle

	L mm	A mm	£		
1774A	300	40	20.00	1	017740011

1774A/RL
10 blades for scrapers 1774A and 1774S



	£		
1774A/RL	7.70	1	017740511

1774S
sticker removal scrapers

	A mm	L mm	£		
1774S	40	100	8.90	2	017740021

1777BM
foldaway knife with wire stripping notch, stainless steel blade

	L mm	L1 mm	A mm	£		
1777BM	190	80	16	15.90	5	017770100

1777T
foldaway knife with trapezoidal blade, aluminium handle, 5 spare blades

	L mm	A mm	L1 mm	£		
1777T	160	19	65	32.00	5	017770030

1777BMT
foldaway knife with trapezoidal blade
4 adjustable blade depths
4; 9.5; 15.5; 21.5 mm
supplied with 3 blades

NOT AVAILABLE IN UK, IRELAND, USA

	L mm	L1 mm	A mm		
1777BMT	170	80	19	5	017770050

1778AN
foldaway knife,
stainless steel blade,
lightweight anodized aluminium handle
• in case

	L mm	A mm	L1 mm	£		
1778AN	204	26	84	44.00	5	017780065

1778AX

foldaway knife,
stainless steel serrated blade,
aluminium handle,
serration pattern for easier opening
• in case

	L mm	A mm	L1 mm	£		
1778AX	189	26	80	**56.00**	5	017780026

1778BS

foldaway knife
with double safety lock,
stainless steel serrated blade,
carbon look finish

• **in wallet**

	L mm	A mm	L1 mm	£		
1778BS	**200**	29	85	**41.00**	10	017780035

1778CM

camouflage foldaway knife,
hardened steel blade,
in case

	L mm	A mm	L1 mm	£		
1778CM	195	24	80	**39.50**	5	017780099

1778M7

foldaway knife,
stainless steel mini blade,
handle with fibreglass inserts
• in case

	L mm	A mm	L1 mm	£		
1778M7	163	24	68	**38.00**	5	017780015

1778P

foldaway knife,
stainless steel and aluminium blade and handle,
with push button opening mechanism
• in case

	L mm	A mm	L1 mm	£		
1778P	193	29	72	**48.50**	5	017780088

1778SCL

foldaway knife with soft carbon look finish,
hardened steel blade,
in case

	L mm	A mm	L1 mm	£		
1778SCL	180	22	78	**36.00**	5	017780089

1778SOS

car service knife
with window breaking hammer
and seat belt cutter features
in case

	L mm	A mm	L1 mm	£		
1778SOS	205	25	85	**39.50**	5	017780080

1778V18

foldaway knife,
aluminium handle
• in case

	L mm	A mm	L1 mm	£		
1778V18	195	25	85	**39.50**	5	017780018

1778X

knives for nautical maintenance, stainless steel blades, aluminium handles
in case

	L mm	L1 mm	A mm	£		
1778X	185	85	25	**31.50**	2	017780050

1778MT – MULTITOOL

BETA's multipurpose tool stands out from similar commercially available tools with BETA's typical hallmarks: pliers synonymous with matchless quality, sophisticated materials and state-of-the-art technology. The **11 bits**, which come in the most popular geometries in the market, make this item ideal for any work environments and conditions, e.g. camping, nautical industry, hunting and DIY.

PRO WILD
MULTITOOL

22 FUNCTIONS



11 bits + socket

Ruler 100 mm / 4"

1778MT

multi-tools
complete with bits and sheath
9 tools
22 functions

L mm	L1 mm	£		
180	115	**126.50**	1	017780055

1781

slim, long blade scissors

	L mm	£		
1781	132	**23.50**	2	017810001

1783

light duty scissors

L mm	£		
215	**15.90**	5	017830021
240	**17.60**	5	017830024

1784

heavy duty scissors

L mm	£		
175	**30.50**	2	017840017
200	**34.50**	2	017840020
250	**47.00**	2	017840025
300	**63.50**	2	017840030

1800/100

lifting airbags (max. lifting force: 100 kg)

- lifting/levelling
- locking doors

A mm	B mm	S mm	£		
160	150	2÷55	**70.50**	3	018000000

LIGHTING

The lighting family comprises a wide range of products designed to satisfy all users' requirements, ranging from inspecting small pipes to lighting large working areas.

FLASHLIGHTS

The new captivating design, the technical improvements and the large choice of sizes allow the most suitable flashlight to be selected on the basis of such criteria as brightness, battery life and performance.

LAMPS AND SPOTLIGHTS

Based on improved LED technology, longer battery life, shorter charging time, painstaking attention to materials and ongoing search for innovative solutions, Beta's work lamps mean an outstanding combination of design, functionality and performance.
A comprehensive range designed to allow professionals to work at their best, in any sector and under any condition.

WIRELESS

Wireless charging

New wireless technology allows the latest spotlights and lamps to be charged through one charging base, item 1839BRW.
The new charging base, 1839BRW, makes it possible to charge the latest spotlights and lamps simultaneously, without necessarily having to use power cords. Furthermore, the pull-out support allows mobile phones to be charged.

CRI - Color Rendering Index
CCT - Correlated Color Temperature

SPOTLIGHTS							
ITEM	LUMEN	BATTERY	RECHARGEABLE TIME	LIFE	IP/IK	CCT	CRI
1837C/2100	500 - 1000 - 2100	LI-Ion 11.1V; 4400 mAh	4.0h	9 - 2.5h	IP65 - IK07	6500K	80+
1837C/4300	1100 - 2100 - 4300	LI-Ion 11.1V; 5200 mAh	4.0h	6 - 1.5h	IP65 - IK07	6500K	80+
1837M	500 - 1000 - 2000	Li-Ion 11.1 V, 5200 mAh	3.5h	2 - 8h	IP65 - IK07	2700-3500-4500-5500-6500K	96+
1838FLASH	360 - 720	Li-Ion 7.4 V; 4000 mAh	4.0h	4 - 8h	IP65	6300K	-
1838POCKET	160 - 400 - 800	Li-Ion 3.7 V; 2600 mAh	4.0h	3 - 9h	IP65	6500K	80+

LAMPS							
ITEM	LUMEN	BATTERY	RECHARGEABLE TIME	LIFE	IP/IK	CCT	CRI
1838/11LED	320	Li-Ion 3.7V; 4200 mAh	4.0h	4h	IP65	6500K	
1838AM	60 - 700 120 (spot)	Li-Ion 3.7V; 2600 mAh	4.0h - USB-C	2.5 - 16h 10h (spot)	IP54 - IK07	6500K	80+ 70+
1838COB	100 - 200 75 (spot)	Li-Ion 3.7V; 1600 mAh	3.0h	3-6h 4h (spot)	IP65	6000K	80+
1838P	80 - 50	Li-Ion 3.7V; 700 mAh	2.5h	4h	IP20	6000K	80+
1838SLIM	100 - 200 180 (back) 80 (spot)	Li-Ion 3.7 V, 700 mAh	2.5h - USB-C	2 - 4h 2h (back) 3h (spot)	IP54 - IK07	6500K	80
1838UV	75 - 150	Li-Ion 3.7V; 1600 mAh	3.0h	3h	IP20	6000K	80
1838SW	250 - 500 - 1000	Li-Ion 3.6V; 3350 mAh	4.5 - 6.5h	3 - 7h	IP65 - IK07	6500K	80+
1838E	500 - 1000 - 2000	Li-Ion 3.6V; 3350 mAh	4.5 - 6.5h	3 - 9h	IP20 - IK07	5500K	80+

HEADLAMPS							
ITEM	LUMEN	BATTERY	RECHARGEABLE TIME	LIFE	IP/IK	CCT	CRI
1836B	125 - 250	Li-Ion 3.8V; 1600 mAh	3.0h	5h	IP65 - IK07	6000K	80+
1836AW	30 - 200 - 400	Li-Ion 3.7V; 1500 mAh	2.5h	4-18h	IP65 - IK07	6500K	80+

FLASH LIGHTS						
ITEM	LUMEN	BATTERY	RECHARGEABLE TIME	LIFE	IP/IK	LIGHTING RANGE
1833XS/1	100	1 x AAA	-	5h	IP66	85m
1833XS/2	200	2 x AAA	-	10h	IP66	112m
1833S	500	2 x AA	-	10h	IP66	140m
1833M	700	3 x AAA	-	7.5h	IP66	170m
1833L	1100	3 x AA	-	8.5h	IP66	330m
1833L/USB	1200	Li-Ion 3.7 V, 2600 mAh	3.0h - USB-C	3.0h	IP66	230m
1833XSW	80 - 250	Li-ion 3.7V 2600 mAh	2.0 h	2.0-8.0h	IP54 –IK07	
1833MW	5 – 30 – 400 - 1000	Li-ion 3.7V; 2600 mAh	4.0 – 6.0 h	2.0-200.0h	IP68 – IK07	
1833XL	1500	3xD	-	22h	IP66	290m
1837F	500	3 x AA	-	14.5h	IP66	125m
1837F/USB	600	Li-Ion 3.7 V, 2900 mAh	4.0h - USB-C	10h	IP66	280m

1833L/USB

rechargeable high-brightness LED torch, made of sturdy anodized aluminium, up to 1,200 lumens

- adjustable focus
- 3 brightness settings
- battery life: 3.0h
- IP66
- lighting range: 230 m
- flat battery indicator (<15%)
- charging via USB-C port
- charger not included

L mm	£		
240	152.00	1	018330054

1833RB-L/USB

spare battery for item 1833L/USB

	£		
1833RB-L/USB	77.00	1	018330975

1833XS/1

LED inspection torch, made of sturdy anodized aluminium

- 100 lumens
- adjustable focus
- battery: 1xAAA (not included)
- IP66
- battery life: 5.0h
- lighting range: 85 m

L mm	£		
92	26.00	3	018330000

1833XS/2

LED inspection torch, made of sturdy anodized aluminium

- 200 lumens
- adjustable focus
- batteries: 2xAAA (not included)
- IP66
- battery life: 10.0h
- lighting range: 112 m

L mm	£		
133	28.00	3	018330001

1833XSW

LED inspection torch, wireless rechargeable

- Two brightness settings: LED SMD, 250 - 80 Lumen
- Rechargeable battery: 3.7V 700 mAh., 2.59 Wh Li-ion
- Two charging modes:
wireless base 1839BRW
power supply with USB-C port
- Charging time:
2h with wireless charging base
2h with power supply
- Battery life: 2-8h
- LED battery level indicator
- Magnets on base and back
- Belt clip
- IP54
- IK07
- USB-C cable included

L mm	£		
145	54.50	1	018330011

1833S

high-brightness LED torch,
made of sturdy anodized aluminium,
up to 500 lumens

- adjustable focus
- 2 brightness settings
- batteries: 2xAA (not included)
- battery life: 10.0h
- IP66
- lighting range: 140 m

L mm	£		
150	47.50	1	018330002

1833M

high-brightness LED torch,
made of sturdy anodized aluminium,
up to 700 lumens

- adjustable focus
- 2 brightness settings
- batteries: 3xAAA (not included)
- flat battery indicator (<15%)
- battery life: 7.5h
- IP66
- lighting range: 170 m

L mm	£		
162	58.50	1	018330003

1833MW

high-brightness LED torch, wireless rechargeable

- Four brightness settings: LED SMD, 1000 - 400 - 30- 5 Lumen
- Rechargeable battery: 3.7V 2600 mAh, 9.62 Wh Li-ion
- Two charging modes:
wireless base 1839BRE
power supply with USB-C port
- Charging time:
6h with wireless charging base
4h with power supply
- Battery life: 2-200h
- 3-LED battery level indicator
- Magnet on back
- IP68
- IK07
- USB-C cable included

L mm	£		
160	100.00	1	018330013

1833L

high-brightness LED torch,
made of sturdy anodized aluminium,
up to 1,100 lumens

- adjustable focus
- 2 brightness settings
- batteries: 3xAA (not included)
- flat battery indicator (<15%)
- battery life: 8.5h
- IP66
- lighting range: 330m

L mm	£		
196	102.00	1	018330004

1833XL

high-brightness LED torch,
made of sturdy anodized aluminium,
up to 1,500 lumens

- adjustable focus
- 2 brightness settings
- batteries: 3xD (not included)
- flat battery indicator (<15%)
- battery life: 22.0h
- IP66
- lighting range: 290 m

L mm	£		
300	126.00	1	018330005

1836AW

rechargeable wireless LED headlamp,
dual brightness

- dual light emission:
front: 3 light intensities, LED COB, 30 - 200 - 400 lumens
head (spotlight): LED COB, 400 lumens
- rechargeable battery: Li-Ion 3.7 V, 1500 mAh, 5.55 Wh
- USB-C port
- supplied with USB-C cable
- charging time:
- 2.5 h with power supply
- 4.5h with wireless charging base
- battery life:
front: 4-18 h
head (spotlight): 4 h
- IP 65
- IK 07

	£		
1836AW	72.00	1	018360051

1836B

rechargeable LED headlamp,
dual brightness, with ON/OFF sensor

- contactless ON/OFF sensor
- complete with USB charging cable / mini jack + charger
- 250 lumens
- battery life: 3-6 h
- IP65

	£		
1836B	191.00	1	018360200

1837F

magnetic, articulated lamp with high-brightness LEDs,
made of sturdy anodized aluminium,
up to 500 lumens

- adjustable focus
- 2 brightness settings
- batteries: 3xAA (not included)
- battery life: 14.5 h
- charge indicator
- IP66

L mm	£		
460	111.00	1	018370050

1837F/USB

rechargeable magnetic, articulated lamp with high-brightness LEDs,
made of sturdy anodized aluminium,
up to 600 lumens

- adjustable focus
- 2 brightness settings
- battery life: 10.0h
- flat battery indicator <15%
- charge with USB-C port
- complete with USB-C cable
- IP66

L mm	£		
460	165.00	1	018370060

1837RB-F/USB

spare battery for item 1837F/USB

	£		
1837RB-F/USB	58.00	1	018370960

1838POCKET

adjustable articulated pocket LED lamp, with dual light beam, wireless rechargeable

- dual light emission:
  main light: LED COB, 3 light intensities: 160 - 400 - 800 lumens
  spot light: LED SMD, 250 lumens
- lighting angle:
  main light: 160°
  spot light: 18°
- rechargeable light 3.7V 2600mAh Li-ion
- 2 charging modes:
  wireless base 1839BRW
  power supply with USB-C port
- charging time:
  4.5 h with wireless charging base
  4 h with power supply
- battery life:
  main light: 3-9h
  spot light: 4.5 h
- 3-LED battery level indicator
- can be rotated 210°
- nonslip rubber body
- magnetic base
- 1 magnet on base
- IP65
- IK07
- complete with USB-C cable

CE IP65 IK07

L mm	I mm	S mm	£		
98	82	39	92.50	1	018380080

1837C

rechargeable LED spotlight for building yards

- 3 brightness settings
- battery charger: input: 100-240V AC - 50/60Hz; output: 15V 1.5A
- charging time: 4 hours
- 3-LED charge indicator
- can rotate up to 180°
- IP65
- IK07

CE IP65 IK07

LxHxl mm	Lm	h	£		
220x225x70	2100	2.5	226.50	1	018370210
	1000	5.0			
	500	9.0			
266x236.6x59	4300	1.5	339.00	1	018370430
	2100	3.0			
	1100	6.0			

1837C/RA2100-4300

power supply for LED spotlights 1837C/2100-4300

	£		
1837C/RA2100-4300	33.50	1	018370970

1837M

rechargeable LED COLOUR MATCH spotlight, for visual colour control,
high colour rendering index (CRI 96+),
up to 2,000 lumens

- 3 brightness settings: 500/1,000/2,000 lumens
- CRI (colour rendering index): 96+
- CCT (correlated colour temperature): 2700K/ 3500K/ 4500K/ 5500K/ 6500K
- battery charger: input: 100-240V AC - 50/60Hz; output: 15V 1.5A
- quick release charge connector
- charging time: 3.5 hours
- battery life: 8/4/2 h
- charge indicator
- button and LED colour temperature indicator
- button and LED brightness indicator
- can rotate up to 180°
- IP65
- IK07

CE IP65 IK07

LxHxl mm	Lm	h	£		
220x225x70	500	8.0	366.00	1	018370450
	1000	4.0			
	2000	2.0			

1837M/RA

	£		
1837M/RA	62.50	1	018370975

1837S

telescoping tripod for worklight

- made of metal
- adjustable height: 70÷155 cm
- compatible with items 1837C and 1838FLASH

h cm	£		
70÷170	69.50	1	018370500

1838FLASH

rechargeable, ultracompact spotlight, designed to offer the best possible solution for each use

ABUNDANT READY LIGHTING: with a maximum lighting capacity of 720 lumens, and running on both battery and cable, it is always ready to use.
CAN BE PLACED ANYWHERE:
-on flat surfaces: with rubber feet on three sides or 1/4" drive for stands (camera-like standard)
-on metal structures: with unscrewable magnet or hook that can be rotated 360 degrees.
COMPACT: no more than 85x100x155 mm in size, it can be easily replaced in tool bag and used in small areas.
STURDY: designed to withstand extremely severe mechanical stress. Guaranteed durability.

CE IP65

	£		
1838FLASH	476.00	1	018380300

1838RB/FLASH

spare battery for item 1838/FLASH

	£		
1838RB/FLASH	119.50	1	018380930

1838/11LED

rechargeable inspection lamp with ultra-high brightness LEDs, lithium polymer battery

- Compact body made of antislip rubber
- Easy-to-replace front glass
- Swinging hook
- With charging station, 110-230Vac
- 320 lumens
- With multidirectional head LED

CE IP65

	£		
1838/11LED	211.00	1	018380111

1838RA/10-11LED

spare power supplies for items 1838/10LED and 1838/11LED

CE

	£		
1838RA/10-11LED	47.50	1	018380903

1838RB/10LED

spare battery for items 1838/10LED and 1838/11LED

	£		
1838RB/10LED	70.50	1	018380902

1838RR/11LED

charging bases for item 1838/11LED

	£		
1838RR/11LED	48.50	1	018380914

1838RV/11LED

spare scratch-proof glass for lamp 1838/11LED

	£		
1838RV/11LED	6.90	2	018380905

1838AM

rechargeable LED inspection lamp, with double light emission, articulated, can be rotated 180°, with swivel magnetic base and hook

- double light emission:
  front: LED COB, 60-700 lumens, can be adjusted with potentiometer
  spot (head): LED SMD, 120 lumens, ON-OFF switch
- rechargeable 3.6V 2600mAh Li-ion battery
- with USB-C port
- supplied with 100-240V / 50-60Hz charger
- charging time: 4h
- battery life:
  front: 2.5-16h
  spot (head): 10h
- 3-LED battery level indicator

- articulated, can be rotated 180° (± 90° compared to axis)
- magnetic base (with neodymium magnet), can be rotated 90°
- swivel base hook

- IP54
- IK07

CE IP54 IK07

	L mm	l mm	S mm	L1 mm	£		
1838AM	405	40	45	175	143.00	1	018380400

1838COB

portable rechargeable LED inspection lamp

- with hanging hook and antislip, shockproof body
- lithium polymer battery
- Swinging hook
- Magnetic base can be rotated 180 degrees
- With charger 100-240Vac / 50-60Hz
- 100/200 lumens; SPOT 75 lumens
- Operating range: 6h / 3h; SPOT 4h
- charging time: 3 hours
- IP65

CE IP65

	£		
1838COB	134.00	1	018380010

1838P

rechargeable inspection pen light, with double light emission: lamp and torch

- Compact body made of non-slip rubber
- 50/80 lumens
- Pocket hook
- Magnetic base can be rotated 180 degrees
- Complete with USB/jack charging cable, 3.5mm
- Life: 2.5 hours
- IP20

CE IP65

	£		
1838P	114.00	1	018380005

1838SLIM

rechargeable, articulated slim 3-LED inspection lamp

- triple light emission
- front: 100/200 lumens/ rear: 180 lumens/ spot (head): 80 lumens
- magnetic base
- charging time: 2.5h
- battery life: 2-4h/ spot 3h
- complete with USB-C cable

CE IP54



	L mm	l mm	S mm	£		
1838SLIM	307	17	29	77.00	1	018380221

1838SW

Articulated LED inspection lamp, with dual light beam and wireless charging

- dual light emission:
  front: LED COB, 3 light intensities: 250 - 500 -1000 lumens
  spot (head): LED SMD, 200 lumens
- rechargeable 3.6V 3.350mAh Li-ion battery
- 2 charging modes: wireless 1839BRW base
  power supply with USB-C port
- charging time: 6.5h with wireless charging base
  4.5h with power supply
- battery life: front: 1.3-5h
  spot (head): 7h
- 3-LED battery level indicator
- base can be rotated 180°
- nonslip rubber body
- double swinging hook
- 3 magnets on back
- 1 magnet on base
- IP65
- IK07
- supplied with a USB-C cable

IP65
IK07

	L mm	l mm	S mm	£		
1838SW	260	53	40	138.50	1	018380142

1838UV

rechargeable UV and white light inspection lamp
ideal for detecting leaks

- Compact body made of antislip rubber
- With charger 100-240Vac / 50-60Hz
- 150 lumens / UV

	£		
1838UV	221.50	1	018380150

1838E

rechargeable under bonnet LED lamp

- triple light emission: 500/1000/2000 lumens
- can be rotated 360°
- length range: 116 ÷ 188 cm
- aluminium body
- nonslip rubber hooks
- USB-C charge
- 2 charging modes:
  charge via lamp USB port
  charge via internal battery USB port
- supplied with battery charger
  input: 100-240V ~ 50/60Hz
  output: DC 5V - 2000 mA

IP20
IK07

	L min mm	L max mm	l mm	£		
1838E	1170	1880	150	246.00	1	018380270

1838E-BT

rechargeable battery with USB-C port for under bonnet lamp item 1838E

- Li-Ion 3,6V
- DC 5V - 2000 mA

CE

	£		
1838E-BT	69.50	1	018380271

1839BRW

wireless charging base,
compatible with 1838POCKET, 1838SW inspection lamps

- two charging positions with magnetic connection, for simultaneous use
- with pull-out support for wireless mobile phone charging
- charging status LED indicator
- max. input: 10W x2
- input: AC 100-240V 50/60Hz
- output: DC 12V 1.5A
  DC 9V 2A
  DC 5V 3A
- USB-C port
- can be hung on wall through: 3 strong magnets on back
  2 screw holes
- IP20
- IK07

IP20
IK07

	L mm	l mm	S mm	£		
1839BRW	101	190	28	136.50	1	018390002

1839/R5

USB-C QC 3.0 cable, replacement for items 1838POCKET, 1839BRW

	£		
1839/R5	11.00	1	018390505

1839/R6

USB Q C3.0 quick charge transformer, replacement for 1838POCKET, 1839BRW

	£		
1839/R6	32.00	1	018390506

1839/R1

transformer with USB output, spare part for items 1833L/USB, 1836B, 1837F/USB, 1838COB, 1838P, 1838S, 1838SLIM, 1838UV, 1838AM, 1838E

CE

	£		
1839/R1	33.00	1	018390501

1839/R2

USB/jack cable 3.5 mm, spare part for items 1836B; 1838P; 1838COB; 1838UV

	£		
1839/R2	12.80	1	018390502

1839/R4

USB/USB-C cable, spare part for items 1833L/USB, 1833F/USB, 1838SLIM, 1838S, 1838AM, 1838E

	£		
1839/R4	10.80	1	018390504

1842LED/BM

lamp with ultra-high brightness LEDs, 100-240 Vac

- 10-m-long cable
- compact body made of antislip rubber
- easy-to-replace front glass
- swinging hook
- 340 lumens
- with multi-directional head LED light

CE IP65

	L mm	£		
1842LED/BM	230	188.00	1	018420301

1842LED/ABM

lamp with ultra-high brightness LEDs, 12-24V AC/DC

- 10-m-long cable
- compact body made of antislip rubber
- easy-to-replace front glass
- swinging hook
- 320 lumens
- with multi-directional head LED light

CE IP65

	L mm	£		
1842LED/ABM	230	181.00	1	018420311

REELS

Beta's new, varied, comprehensive range of reels has been designed and developed with a view to satisfying all professionals' requirements.

- The range of cable reels comprises numerous lengths and types of cables, versions with LED lamps and with SCHUKO sockets and plugs.
- The range of hose reels comprises hoses 8 mm and 10 mm in diameter.

High-resistance spring ensuring remarkable durability and unparalleled smoothness.
Drums made of thick polypropylene, for unique shock resistance.
Rack device causing automatic cable rewind to stop, easy to disable, to allow continuous pulling.
Each reel is fitted with a 180° swivel wall-mount bracket and an additional bracket for quick connection to, and disconnection from, the wall-mount support.

CABLE REELS

A wide range comprising no less than 18 versions, designed to satisfy any working requirements, including the most demanding users'. Lengths ranging from 10 m to 30 m, and sections from 2x1.0 mm² to 5Gx1.5mm², with H05VV-F and H07RN-F cable types.
All the cable reels – up to a cable section of 3Gx2.5mm² - are supplied with thermal protection switches, which are triggered in case of overloading of the electric circuit.

HOSE REELS

347

A selected range, with lengths ranging from 10 m to 15 m, 8 mm and 10 mm in diameter, for use with pneumatic tools.
Since our products are leak-proof, they can also be used with water.

Item		Conductors	Section	Cable type	Length	Drum	Thermal protection	Accessory
1842 15-H05/LED	018420821	2x	1,0 mm²	H05VV-F	15+1 m	Small	YES	LED lamp
1843 15-H05	018430215	2x	1,5 mm²	H05VV-F	15+1 m	Small	YES	
1844 10-H05	018440310	3G	1,5 mm²	H05VV-F	10+1 m	Small	YES	-
1844 15-H05	018440315			H05VV-F	15+1 m	Small	YES	-
1844 15-H07	018440317			H07RN-F	14+1 m	Small	YES	-
1844 30-H05	018440330			H05VV-F	30+2 m	Medium	YES	-
1844 15-H05/SCK	018440316	3G	1,5 mm²	H05VV-F	15+1 m	Small	YES	SCHUKO
1844 15-H07/SCK	018440318			H07RN-F	14+1 m	Small	YES	SCHUKO
1845 12-H05	018450365	3G	2,5 mm²	H05VV-F	12+1 m	Small	YES	
1845 15-H07	018450367			H07RN-F	15+1 m	Medium	YES	
1845 25-H07	018450377			H07RN-F	25+1,5 m	Medium	YES	
1846 10-H05	018460405	4G	1,5 mm²	H05VV-F	10+1 m	Small	NO	
1846 10-H07	018460407			H07RN-F	10+1 m	Small	NO	
1846 15-H05	018460415			H05VV-F	15+1 m	Small	NO	
1847 10-H05	018470420	4G	2,5 mm²	H05VV-F	10+1 m	Medium	NO	
1847 15-H07	018470427			H07RN-F	15+1 m	Medium	NO	
1848 10-H05	018480510	5G	1,5 mm²	H05VV-F	10+1 m	Medium	NO	
1848 15-H07	018480517			H07RN-F	15+1 m	Medium	NO	

1842

automatic cable reel with LED inspection lamp, 100-240Vac

- with 230/12V safety transformer
- H05VV-F 2x1.0 mm² cable
- coiled cable length: 15 m
- 1.5 m incoming cable with SCHUKO type socket
- length of cable out of drum: 1 m
- rack mechanism can be disabled to keep cable pulled
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42 IP65

		L m	£		
1842 15-H05/LED	H05VV-F	15+1	507.00	1	018420821

1846R-LED/BM

spare LED lamps

12-24V - AC-DC

	£		
1846LED/BM R	129.50	1	018460331

1843

automatic cable reel, with 2x1.5 mm² cable

- H05VV-F 2x1,5 mm² cable
- with thermal protection switch
- coiled cable length: 15 m
- cable length out of drum: 1 m
- supplied without incoming cable
- rack mechanism can be disabled to keep cable pulled
- max. power (rolled up): 1300W (230V-20°C)
- max. power (unrolled): 2300W (230V-20°C)
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42

		L m	£		
1843 15-H05	H05VV-F	15+1	305.00	1	018430215

1844

automatic cable reel, with 3Gx1.5 mm² cable

- 3Gx1.5 mm² cable
- with thermal protection switch
- cable length out of drum: 1 m (except for 1844 30-H05, 2 m)
- supplied without incoming cable
- rack mechanism can be disabled to keep cable pulled
- max. power (rolled up): 1500W (230V-20°C)
- max. power (unrolled): 2500W (230V-20°C)
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42

		L m	£		
1844 10-H05	H05VV-F	10+1	305.00	1	018440310
1844 15-H05	H05VV-F	15+1	271.00	1	018440315
1844 15-H07	H07RN-F	14+1	327.00	1	018440317
1844 30-H05	H05VV-F	30+2	607.00	1	018440330

1844SCK

automatic cable reel, with 3Gx1.5 mm² cable and SCHUKO type socket

- 3Gx1.5 mm² cable
- with thermal protection switch
- length of cable out of drum: 1 m
- supplied with 1.5 m incoming cable and SCHUKO type socket
- rack mechanism can be disabled to keep cable pulled
- max. power (rolled up): 1500W (230V-20°C)
- max. power (unrolled): 2500W (230V-20°C)
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42

		L m	£		
1844 15-H05/SCK	H05VV-F	15+1	318.00	1	018440316
1844 15-H07/SCK	H07RN-F	14+1	328.00	1	018440318

1845

automatic cable reel, with 3Gx2.5 mm² cable

- 3Gx2.5 mm² cable
- with thermal protection switch
- cable length out of drum: 1 m (except for 1845 25-H07RN-F, 1.5 m)
- supplied without incoming cable
- rack mechanism can be disabled to keep cable pulled
- max. power (rolled up): 2000W (230V-20°C)
- max. power (unrolled): 3000W (230V-20°C)
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42

		L m	£		
1845 12-H05	H05VV-F	12+1	655.00	1	018450365
1845 15-H07	H07RN-F	15+1	655.00	1	018450367
1845 25-H07	H07RN-F	25+1,5	824.00	1	018450377

1846

automatic cable reel, with 4Gx1.5 mm² cable

- 4Gx1.5 mm² cable
- without thermal protection switch
- cable length out of drum: 1 m
- supplied without incoming cable
- rack mechanism can be disabled to keep cable pulled
- max. power (rolled up): 1400W (400V-20°C)
- max. power (unrolled): 1900W (400V-20°C)
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42

		L m	£		
1846 10-H05	H05VV-F	10+1	351.00	1	018460405
1846 10-H07	H07RN-F	10+1	364.00	1	018460407
1846 15-H05	H05VV-F	15+1	364.00	1	018460415

1847
automatic cable reel, with 4Gx2.5 mm² cable

- 4Gx2.5 mm² cable
- without thermal protection switch
- length of cable out of drum: 1 m
- supplied without incoming cable
- rack mechanism can be disabled to keep cable pulled
- max. power (rolled up): 2000W (400V-20°C)
- max. power (unrolled): 2700W (400V-20°C)
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42

		L m	£		
1847 10-H05	H05VV-F	10+1	377.00	1	018470420
1847 15-H07	H07RN-F	15+1	702.00	1	018470427

1848
automatic cable reel, with 5Gx1.5 mm² cable

- 5Gx1.5 mm² cable
- without thermal protection switch
- length of cable out of drum: 1 m
- supplied without incoming cable
- rack mechanism can be disabled to keep cable pulled
- max. power (rolled up): 1400W (400V-20°C)
- max. power (unrolled): 1900W (400V-20°C)
- supplied with a 180° swivel bracket and an additional quick connection bracket

CE IP42

		L m	£		
1848 10-H05	H05VV-F	10+1	392.00	1	018480510
1848 15-H07	H07RN-F	15+1	749.00	1	018480517

1852R1750
portable induction heater

CE

Heats and loosens bolts, hubs and bearings without using flames. Allows any type of ferromagnetic metal to be heated.

Standard equipment:
- Two front attachable coils, Ø 19 and 26 mm, for loosening nuts
- One flat coil for heating surfaces
- One flexible coil, 800 mm long
- Supplied in plastic case

Technical data:
- Input voltage: 230V AC, 50/60 Hz
- Input current: max. 7,5A
- Power: max. 1.75 kW

Optional Equipment:
- Coils are also available in other sizes

Benefits:
- Time saving: quick, extremely accurate heating
- Fire safety: does not produce flames, maximum operator safety
- Functional: can be used with one hand, and coils can be easily interchanged

Fields of Application:
- Automotive industry
- Industrial maintenance
- Aviation industry
- Naval industry
- Petrochemical industry

	£		
1852R1750	2140.00	1	018520175

480x370x130 mm - 4,5 kg

1852S-CNT
contact coil

	£		
1852S-CNT	153.50	1	018520520

1852S-CC
spoon coil

	£		
1852S-CC	125.50	1	018520521

1852S-KR/CNT
kit of spare parts for contact coil

	£		
1852S-KR/CNT	65.50	1	018520522

1852S-L
side attachable coils

	Ø mm	M	L mm	£		
1852S-L 19	19	M6	220	63.50	1	018520501
1852S-L 20	20	M8	220	63.50	1	018520502
1852S-L 23	23	M10	220	63.50	1	018520503
1852S-L 26	26	M12	220	63.50	1	018520504
1852S-L 32	32	M16	220	63.50	1	018520505
1852S-L 38	38	M20	220	72.50	1	018520506
1852S-L 45	45	M22	220	82.50	1	018520507

1852S-F
front attachable coil

	Ø mm	M	L mm	£		
1852S-F 19	19	M6	220	63.50	1	018520508
1852S-F 20	20	M8	220	63.50	1	018520509
1852S-F 23	23	M10	220	63.50	1	018520510
1852S-F 26	26	M12	220	63.50	1	018520511
1852S-F 32	32	M16	220	63.50	1	018520512
1852S-F 38	38	M20	220	72.50	1	018520513
1852S-F 45	45	M22	220	82.50	1	018520514

1852S-FLESS
flexible coil

	L mm	£		
1852S-FL750	750	47.00	1	018520519
1852S-FLESS	800	120.00	1	018520515
1852S-FL1000	1000	144.00	1	018520517
1852S-FL1500	1500	175.00	1	018520518

1852 S-PIATTE
flat coil

	£		
1852S-PIATTE	72.50	1	018520516

Beta
WELDING
by HELVI

WELDING

INVERTER WELDING MACHINES

Easy-to-use inverter welding machines with excellent welding characteristics for all types of electrodes. With overvoltage and overtemperature control and electrode anti-sticking function. Compact and lightweight, ideal for home maintenance jobs, light carpentry and maintenance jobs.

WELDING MASKS

Beta offers several auto-darkening LCD masks suitable for different types of welding: electrode welding, MIG/MAG, TIG and plasma welding. Protection and comfort are guaranteed by full compliance with all current safety standards.

WELDING ACCESSORIES

A wide range of accessories supporting welding jobs.

GAS TIN WELDING MACHINES

Welding machines and accessories designed for small maintenance jobs and microelectronics jobs. As well as corded welding machines, Beta also offers several butane gas solutions which allow welding jobs to be carried out outdoors and with no electricity.

1808
dual rating soldering iron with steel tips
1824R8

W	V	£		
20/130	230	91.00	1	018080001

1812 150
instant heat soldering iron

W	V	£		
150	230	134.00	1	018120015

1814M
soldering irons
with steel tips

W	V	£		
25	230	70.00	1	018140225
30	230	75.00	1	018140230
40	230	84.00	1	018140240

1820
soldering irons

	£		
1820 30 30W L = 210mm	48.50	1	018200003
1820 60 60W L = 220mm	55.00	1	018200006
1820 80 80W L = 260mm	91.50	1	018200008

1822
high-performance soldering irons

	£		
1822 120 120W LxA = 250x125 mm	147.00	1	018220012
1822 180 180W LxA = 250x125mm	154.00	1	018220018
1822 320 320W LxA = 250x140mm	196.50	1	018220032

1823 60
digital soldering station
supplied with soldering iron

- **Temperature range: 160 °C ÷ 480 °C with ±1% accuracy.**
- **Memory mode designed to save the temperature selected when switching off the station.**
- **3 quick selection keys (200-300-400 °C).**

W	£		
60	563.00	1	018230060

1823R/60
spare soldering iron for item 1823 60

	£		
1823R 60	117.50	1	018230066

1824R
spare tips for soldering irons

	£		
1824R 08 1808	42.00	1	018240100
1824R 12 1812/150	5.90	1	018240301
1824R 14-M25 1814M/25	5.60	1	018240152
1824R 14-M30 1814M/30	5.60	1	018240153
1824R 14-M40 1814M/40	5.60	1	018240154
1824R 20 1820/30	6.75	1	018240302
1824R 60 1820/60	7.45	1	018240303
1824R 80 1820/80	10.10	1	018240304
1824R 120-180 1822/120 -/180	93.50	1	018240305
1824R 320 1822/320	116.00	1	018240307
1824R ST-60 1823-60	15.30	1	018240308

1825B
soldering tin wire with antioxidant

- **1 mm²; 250 g**
- **Sn 99.3%; Cu 0.7%**

	£		
1825B	84.50	1	018250251

1827
gas soldering iron, adjustable

	£		
1827	173.50	1	018270001

1827PC
spare conical tips for item 1827

	£		
1827PC 1,6	32.50	1	018270501
1827PC 3,2	32.50	1	018270502

1827PCL
spare knife tips for item 1827

	£		
1827PCL 2,4	32.50	1	018270503

1827PFL

spare naked flame tips for item 1827

	£		
1827PFL	32.50	1	018270504

1827/K

gas soldering iron with 7 accessories in case with soft polyethylene foam base

Features:
- Power: 30 watts to 125 watts
- Tip temperature can be adjusted between 250 °C and 500 °C
- Gas flow regulator
- Warm-up time: 15 seconds
- Tank contains gas for 120 minutes' non-stop operation
- Clear tank for monitoring gas level
- Can be refilled with butane gas

	£		
1827/K	271.00	1	018270100

1827F

butane gas soldering iron

35 g tank

- **three interchangeable nozzles: 550 °C; 1000 °C; 1300 °C**
- **supplied with a stand in hard case**

	£		
1827F	198.50	1	018270200

1830T

dissoldering pipe with antistatic plastic (PTFE) nozzle

L mm	£		
190	22.00	5	018300021

1860BH/120A

DC-powered inverter welding machine for MMA welding with rutilic, basic and stainless steel electrodes, compact and easy to carry

Arc force, hot start, anti-sticking and thermostatic protection features

Adjustment current:10÷120A
Power supply: 1x230V

Use factor (40 °C) :
25% - 120 A
50% - 80 A
100% - 60 A
Protection: IP22S
Usable electrodes: Ø 1.6 - 3.2mm rutilic, basic, stainless steel, cast iron etc.
Supplied with 16mm² cables

CE

	£		
1860BH/120A	458.00	1	018600121

1860BH/160A

DC-powered inverter welding machine for MMA welding with rutilic, basic and stainless steel electrodes, compact and easy to carry

Arc force, hot start, anti-sticking and thermostatic protection features

Adjustment current: 10÷160A
Power supply: 1x230V

Use factor (40 °C) :
25% - 160 A
60% - 100 A
100% - 80 A
Protection: IP22S
Usable electrodes: Ø 1.6 - 4mm rutilic, basic, stainless steel, cast iron etc.
Supplied with 16mm² cables

CE

	£		
1860BH/160A	591.00	1	018600161

1860BH/200A

DC-powered inverter welding machine for MMA welding with rutilic, basic and stainless steel electrodes, compact and easy to carry

Arc force, hot start, anti-sticking and thermostatic protection features

Adjustment current: 10÷200A
Power supply: 1x230V

Use factor (40 °C) :
25% - 200 A
60% - 130 A
100% - 100 A
Protection: IP22S
Usable electrodes: Ø 1.6 - 4mm rutilic, basic, stainless steel, cast iron etc.
Supplied with 16mm² cables

CE

	£		
1860BH/200A	597.00	1	018600201

1860BH R/CM

spare earth cables for inverter welding machines 1860BH-120/160/200A

	£		
1860BH R/CM	57.00	1	018600612

1860BH R/CS

spare electrode holder cables for inverter welding machines 1860BH-120/160/200A

	£		
1860BH R/CS	70.00	1	018600613

1860BHT/160A

DC-powered inverter welding machine for MMA and TIG electrode steel welding, compact and easy to carry

Arc force, STICK/TIG (lift arc), hot start, anti-sticking and thermostatic protection features

adjustment current: 10÷160 A
power supply: 1x230 V

use factor (40 °C) :
60% - 160 A
100% - 130 A
protection: IP23S
usable electrodes: Ø 1.6 - 4 mm, rutilic, basic, stainless steel.
Supplied with 25 mm² cables

CE

	£		
1860BHT/160A	1151.00	1	018600179

1860BHT R/CM

spare earth cables
for TIG welding machines 1860BHT

	£		
1860BHT R/CM	89.00	1	018600616

1860BHT R/CS

spare welding pliers cables
for TIG welding machines 1860BHT

	£		
1860BHT R/CS	115.00	1	018600617

1860BHT/T

TIG torches
for TIG welding machines 1860BHT
length: 4m
connector: 50 mm2

	£		
1860BHT/T	285.00	1	018600615

1860M

magnetic, quick-adjusting corner welding vices

with swinging jaws,
ideal for locking differently sized parts



	L max mm	£		
1860M	30	121.00	1	018600301

1860DM

magnetic discs for lifting metal sheets

ideal for handling and fixing metal sheets
constant magnetic force over entire disc surface
handles with holes for easier vertical working

	kg max	£		
1860DM 16	16	72.50	1	018600310
1860DM 40	40	102.00	1	018600311

1860PMIG

multipurpose pliers for MIG welding

L mm	L1 mm	£		
215	44	47.50	2	018600350

1860EI

magnetic square, 90°,
for interior and exterior angles
Ideal for locking tubular or flat parts,
18 kg magnetic force,
with bevels for 30° and 60° angles,
with hexagon hole making it easier to separate magnet from metal

	L mm	L1 mm	S mm	£		
1860EI	165	110	35	47.50	1	018600290

1860RG

adjustable magnetic square, 30°÷270°

Ideal for locking tubular or flat parts,
15 kg magnetic force,
supplied with an offset hexagon key wrench for locking angle adjustment mechanism,
supplied with a pin for locking angle adjustment mechanism at 30°-45°-90°/270°-180°
with hexagon hole making it easier to separate magnet from metal

	L mm	S mm	£		
1860RG	155	35	78.00	1	018600255

1860SQ

magnetic square, 45°/90°

ideal for locking tubular or flat parts
25 kg magnetic force
no battery required, ON/OFF effect obtained by tilting interior magnets
easier chip removal with magnets in OFF position

	£		
1860SQ	117.50	1	018600210

7041LCD/4S

auto-darkening LCD mask, for electrode welding; MIG/MAG; TIG and plasma.
4 sensors
with TRUE COLOR filter
solar cell power supply and lithium batteries for outstanding LCD filter life

- Viewing area: 98x80 mm
- Darkening shade range: 5÷8.5/ 9-13, internally adjustable
- UV/IR protection: DIN16
- Light to dark time: 1/25000 s
- Dark to light time: 0.1-2.0s
- Adjustable darkening sensitivity and delay
- Auto on/off
- Grinding feature
- Low battery indicator
- Ergonomic design, lightweight, well-balanced
- With adjustable ring nut

	£		
7041LCD/4S	385.00	1	070410001

7041LCD/4S-VE

scratch-proof lens protector for item 7041LCD/4S

	£		
7041LCD/4S-VE	10.30	2	070410101

7041LCD/4S-VI

inside lens for item 7041LCD/4S

	£		
7041LCD/4S-VI	4.70	2	070410102

7042LCD

Auto-darkening LCD mask, for electrode welding; MIG/MAG; TIG and plasma.
Solar cells power supply and lithium batteries for outstanding LCD filter life

- Viewing area: 98x43 mm
- Darkening shade: DIN 9-13, externally adjustable
- UV/IR protection
- Light to dark time: 1/25000 s
- Dark to light time: 0.25-1s
- Adjustable darkening sensitivity and delay
- Auto on/off
- Grinding feature
- Optimized shape to make it easier to breathe with pulled-down screen

	£		
7042LCD	258.00	1	070420001

7042LCD/RV

scratch-proof lens protector for item 7042LCD, 7043

	£		
7042LCD/RV	4.20	2	070420101

7042LCD/RV-INT

inside lens for item 7042LCD, 7043

	£		
7042LCD/RV-INT	3.70	2	070420102

7043

auto-darkening LCD mask, for electrode welding, MIG/MAG, TIG and plasma, solar cell power supply

- viewing area: 92x43 mm
- darkening shade: DIN 9-13, externally adjustable
- UV/IR protection
- light to dark time: 1/1000 s
- dark to light time: 0.1-1.0 s
- adjustable darkening delay
- auto on/off
- grinding feature
- optimized shape to make it easier to breathe with pulled-down screen

	£		
7043	133.00	1	070430001

VEHICLE REPAIR

Our vehicle repair tools, which are used by the most demanding professionals, are developed and manufactured to meet the world's highest standards, and regularly tested under the most stressful operating conditions.

For over 50 years, we have been proudly working hand in hand with the greatest champions, who help us improve our products non-stop and provide testimony to the highest quality standard.

The vehicle repair tools are found in these sections:

Diagnostics
items 1438 to 1499 items 1758VT to 1760TMC
Engine
items 955 to 989A items 1438 to 1499
Oil and filters
items 1438 to 1499 items 1877 to 1885
Electric system
items 1438 to 1499
Starters
items 1498BC/12 to 1498/40A
Transmission
items 1438 to 1499
Suspension
items 1549 to 1569CP
Brakes
items 1438 to 1499
Wheels
items 955 to 989A
Body work
items 1302 to 1369 items 1763 to 1767A
Other equipment
items 1875LT to 3067
Jacks
items 3029/2T to 3067/70-13T

1875LT

injection/extraction carpet/upholstery cleaner

Ideal for deeply cleaning textile surfaces.
It dispenses pressure sprayed detergent and sucks it up with dirt, leaving surfaces almost dry

Supplied accessories:
- **1 hose complete with ergonomic handle**
- **1 dispenser unit**
- **2 hard extensions**
- **1 small spray extraction nozzle**
- **1 big spray extraction nozzle**
- **6 power cord locknuts**

	£		
1875LT	663.00	1	018750000

1875SP/K3

kit of fabric cleaning brushes

- **1 flat brush Ø 48 mm**
- **1 flat brush Ø 100 mm**
- **1 hemispheric brush Ø 90 mm**
- **1/4" impact socket drive**

ISO 1173 E 6,3

	£		
1875SP/K3	21.40	1	018750010

1877

exhausted oil drain unit, wheeled, with 90 l tank

- **level indicator**
- **big diameter pan with breakwater grate; capacity: 12 l**
- **pneumatic tank emptying through 1.8 m pipe**
- **tool tray**

	£		
1877	1080.00	1	018770008

1877A

exhausted oil drain unit / vacuum cleaner, wheeled, with 90 l tank and pre-chamber

- **level indicator**
- **big diameter pan with breakwater grate; capacity: 12 l**
- **transparent pre-chamber: capacity 9.5 l**
- **1.8 m suction pipe**
- **pneumatic tank emptying through 1.8 m pipe**
- **tool tray**

Standard accessories:
- **1 hard probe, Ø 5x700 mm**
- **1 flexible probe, Ø 5x700 mm**
- **1 hard probe, Ø 6x600 mm**
- **1 flexible probe, Ø 6x700 mm**
- **1 flexible probe, Ø 7x700 mm**
- **1 flexible probe, Ø 8x700 mm**
- **adapters for VW, BMW, CITROËN**

	£		
1877A	1905.00	1	018770080

1877F

exhausted oil drain unit for 1 l bottles

- **fits up to 4 bottles at a time**
- **Supplied with 2 2-l jerrycans**

H	L	P		
mm	mm	mm	£	
405	270	240	129.00	1 018770100

1877P

exhausted oil drain unit, wheeled, with polyethylene tank

- **tank capacity: 40 l**
- **large oil pan made of PP**
- **level indicator**
- **pneumatic drum emptying**

	H min-Max mm	H1 mm	l	£		
1877P	1030-1630	900	40	540.00	1	018770180

1878 2

fluid collection tank

- **maximum capacity: 2 l**
- **particularly suitable for changing oil in scooters**

	l	H mm	£		
1878 2	2	85	20.10	1	018780002

1878 3

oil collection tank, for truck hubs

With oil drip catcher

	l	£		
1878 3	3	28.50	1	018780003

1878 4

fluid collection tank, portable

- **suitable for motorcycles**
- **maximum capacity: 4 l**
- **reduced splashing**

	l	H mm	£		
1878 4	4	100	44.00	1	018780004

1878 8
fluid collection tank

- height suitable for motorcycles
- maximum capacity: 8 l

	l	H mm	£		
1878 8	8	110	22.90	1	018780008

1878 11
fluid collection tank

- Maximum capacity: 11 l
- Fluid drain plug
- Interior wall for preventing fluid leakage during transportation

	l	£		
1878 11	11	48.00	1	018780011

1878 30
fluid collection tank

- Maximum capacity: 30 l
- Splashproof grate
- Fitted with 4 pivoting wheels



	l	£		
1878 30	30	192.00	1	018780030

1879
9.5 l manual/pneumatic operation fluid extractor

	£		
1879 9,5	447.00	1	018790001

1879 6
manual operation fluid extractor, 6 l

	£		
1879 6	333.00	1	018790000

1879R/K4
kit of 4 spare tubes for fluid extractor 1879

	£		
1879R/K4	86.00	1	018790504

1879/FUEL
manual operation fluid extractor, 6 l

- for use with hydrocarbons

	l	£		
1879/FUEL	6	172.00	1	018790010

1880
manual oil barrel pump

- for oil
- do not use with aqueous fluids, acid solvents, Diesel oil, petrol and the like
- complete with barrel connection, telescopic tube and delivery spout
- for use with 60, 100 and 200 l barrels

	gr	£		
1880	240	81.00	1	018800001

1880ADB
rotary AdBlue® pump

- 5 litres supplied every twenty turns
- drum extensions up to 1.20 m
- 1 fine-pitch drum coupling, fine pitch
- 1 coarse-pitch drum coupling

	£		
1880ADB	192.00	1	018800101

1881
pneumatic barrel pump, ratio 3:1

CE

	l/min	£		
1881	18	744.00	1	018810001

1882N
oil gun with flexible head and automatic drip catcher

	£		
1882N	198.00	1	018820110

1883N
digital litre counter for oil

	£		
1883N	305.00	1	018830036

1883NC

male-male nipple, 1/2,
for items 1882N and 1883N

	£		
1883NC	18.00	1	018830135

1884

oil filler tool
for manual and automatic gearboxes and differentials

Complete with 12 adaptors for direct connection

	£		
1884	688.00	1	018840010

AT-101	FORD
AT-102	UNIVERSAL (Bmw, Honda, Nissan...)
AT-103	VW-AUDI
AT-104	VW-AUDI-PORSCHE
AT-105	VW-AUDI-MINI COOPER
AT-106	MERCEDES
AT-107	DSG
AT-108	VW-AUDI CVT
AT-109	VOLVO
AT-110	TOYOTA-LEXUS
AT-111	SKODA
AT-112	VW Passat/Tiguan <2007

1884/C12

case of adapters for item 1884

	£		
1884/C12	253.00	1	018840100

1884N/C8

set of 8 adapters for item 1884

set contents:
- **1 adapter for Infiniti, 7-speed, M8x1.0**
- **1 adapter for Honda, Hyundai, Kia 5x8x200 mm**
- **1 adapter for Skoda M18x1.5**
- **1 adapter for Mini M14x1.5**
- **1 adapter for Nissan M10x1.5**
- **1 adapter for Nissan Juke M12x1.25**
- **1 adapter for GM M12x1.75**
- **1 adapter for VAG group vehicles, 7-gear**

	£		
1884N/C8	169.00	1	018840200

200x145x40 mm - 400 g

1889N

steel handling and storage base for 2 200-l barrels



	£		
1889N	1205.00	1	018890220

1889CF

universal barrel opening wrench

- **1 female hexagon Ø 38 mm**
- **1 4-sector profile Ø 42 mm**
- **1 blade 17x7 mm**

L mm	£		
270	42.50	1	018890010

1885

automatic gearbox maintenance station

Allows entire washing cycle to be safely performed in all automatic transmissions, through a simple, guided procedure. Avoids damage from wear of oil in automatic gearbox, thereby easily and quickly preventing typical malfunctions, including: excessive gearbox noise, jammed gears, abruptly engaged gears, long gear shifting time.

Functional specifications:
- Automatic operation
- Step-by-step guided procedure with integrated database
- Balancing quantity of injected oil with same quantity of exhausted oil, thereby making sure that system always contains proper quantity of oil
- Flow meter for visual inspection of oil quantity
- Printing records of each operation

Automatic specifications:
- Injecting solvent (optional)
- Washing gearbox system
- Emptying oil out of sump
- Emptying oil out of converter
- Injecting oil into converter

Technical specifications:
- Power supply: 220 V 50 Hz
- Backlit oil viewers with 2 white light LEDs
- 2 electronic balances
- Electronic balances, resolution +/- 10 g

Electronic card with backlit graphic display

	£		
1885	12990.00	1	018850010

1885/C1

automatic transmission fittings kit for item 1885

Kit contents:
- 1885/C1-R1 Land Rover Freelander transmission fittings
- 1885/C1-R2 DP0 transmission fitting
- 1885/C1-R3 ZF 9HP transmission fitting
- 1885/C1-R4 ZF 9HP transmission dipstick
- 1885/C1-R5 Mercedes transmission dipstick
- 1885/C1-R6 AISIN TG82 transmission fittings
- 1885/C1-R7 AISIN TG81 transmission fittings
- 1885/C1-R8 Renault-Nissan transmission fittings

	£		
1885/C1	1103.00	1	018850110

1885/C1-R1

Land Rover Freelander transmission fittings for item 1885

lc01430

	£		
1885/C1-R1	98.50	1	018850111

1885/C1-R2

DP0 transmission fitting for item 1885

lc0990

	£		
1885/C1-R2	166.00	1	018850112

1885/C1-R3

ZF 9HP transmission fitting for item 1885

lc0992

	£		
1885/C1-R3	186.00	1	018850113

1885/C1-R4

ZF 9HP transmission dipstick for item 1885

lc0192

	£		
1885/C1-R4	106.00	1	018850114

1885/C1-R5

Mercedes transmission dipstick for item 1885

K-A-M

	£		
1885/C1-R5	175.50	1	018850115

1885/C1-R6

AISIN TG82 transmission fittings for item 1885

lc01820

	£		
1885/C1-R6	187.00	1	018850116

1885/C1-R7

AISIN TG81 transmission fittings for item 1885

lc0150

	£		
1885/C1-R7	187.00	1	018850117

1885/C1-R8

Renault-Nissan transmission fittings for item 1885

lc02150

	£		
1885/C1-R8	187.00	1	018850118

1885/C2

automatic transmission fittings kit for item 1885

Kit contents:
- 1885/C2-R1 Audi 8HP transmission fittings
- 1885/C2-R2 ZF 9HP transmission fittings without exchanger
- 1885/C2-R3 Audi 0KC transmission fitting
- 1885/C2-R4 AG4-ZF 4HP transmission fittings
- 1885/C2-R5 FIAT transmission fittings
- 1885/C2-R6 Audi Q5-Q7 transmission fittings
- 1885/C2-R7 Audi 0B5 transmission fitting

	£		
1885/C2	899.00	1	018850120

1885/C2-R1

Audi 8HP transmission fittings for item 1885

lc0993

	£		
1885/C2-R1	180.50	1	018850121

1885/C2-R2

ZF 9HP transmission fittings without exchanger for item 1885

lc0860

	£		
1885/C2-R2	117.50	1	018850122

1885/C2-R3

Audi 0KC transmission fitting for item 1885

lc02020

	£		
1885/C2-R3	187.00	1	018850123

1885/C2-R4

AG4-ZF 4HP transmission fittings for item 1885

lc0750

	£		
1885/C2-R4	159.00	1	018850124

1885/C2-R5

FIAT transmission fittings for item 1885

lc0061

	£		
1885/C2-R5	69.50	1	018850125

1885/C2-R6

Audi Q5-Q7 transmission fittings for item 1885

lc0680

	£		
1885/C2-R6	175.50	1	018850126

1885/C2-R7

Audi 0B5 transmission fitting for item 1885

Ic01720

	£		
1885/C2-R7	106.00	1	018850127

1885/C3

automatic transmission fittings kit for item 1885

Kit contents:

- 1885/C3-R1 Mercedes DSG transmission fitting
- 1885/C3-R2 POWERSHIFT transmission fitting
- 1885/C3-R3 Toyota IQ transmission fittings
- 1885/C3-R4 Mazda transmission fittings
- 1885/C3-R5 Renault Laguna-Esp transmission fittings
- 1885/C3-R6 Nissan Juke transmission fittings
- 1885/C3-R7 AISIN TF71 FV transmission fittings
- 1885/C3-R8 AISIN TF71 FP transmission fittings
- 1885/C3-R9 AISIN TF71 FO transmission fittings
- 1885/C3-R10 AISIN TF71 FS transmission fittings

	£		
1885/C3	1585.00	1	018850130

1885/C3-R1

Mercedes DSG fitting for item 1885

Ic0191

	£		
1885/C3-R1	187.00	1	018850131

1885/C3-R2

POWERSHIFT transmission fitting for item 1885

Ic0190

	£		
1885/C3-R2	187.00	1	018850132

1885/C3-R3

Toyota IQ transmission fittings for item 1885

Ic0991

	£		
1885/C3-R3	187.00	1	018850133

1885/C3-R4

Mazda transmission fittings for item 1885

Ic02130

	£		
1885/C3-R4	187.00	1	018850134

1885/C3-R5

Renault Laguna-Esp transmission fittings for item 1885

Ic02150

	£		
1885/C3-R5	187.00	1	018850135

1885/C3-R6

Nissan Juke transmission fittings for item 1885

Ic02140

	£		
1885/C3-R6	187.00	1	018850136

1885/C3-R7

AISIN TF71 FV transmission fittings for item 1885

Ic01420

	£		
1885/C3-R7	187.00	1	018850137

1885/C3-R8

AISIN TF71 FP transmission fittings for item 1885

Ic001420/1

	£		
1885/C3-R8	187.00	1	018850138

1885/C3-R9

AISIN TF71 FO transmission fittings for item 1885

Ic001420/2

	£		
1885/C3-R9	187.00	1	018850139

1885/C3-R10

AISIN TF71 FS transmission fittings for item 1885

Ic001420/3

	£		
1885/C3-R10	187.00	1	018850140

1885/XC60

Volvo XC60 transmission fittings for item 1885

	£		
1885/XC60	176.50	1	018850151

1893/134A

automatic charging station for R134a gas air conditioners

Fully automatic model, complete with car/lorry database with gas quantities, compressor oil quantities and types, self-diagnosis software for routine maintenance jobs.
Database can be updated via software.
Machine can be operated in both manual mode (provided it is controlled by a human operator step by step)
and in fully automatic mode (without requiring a human operator).

R134A (250 ml)

FUNCTIONAL SPECIFICATIONS
Automatic operation
Car/lorry database with gas quantities and compressor oil quantities and types
Automatic gas recovery from pipe
Compensation of recharged quantity of gas in pipes
Automatic discharge of noncondensable gases
Automatic reporting of defects and required maintenance jobs
Gauges, ø 80 mm
Digital vacuometer

TECHNICAL SPECIFICATIONS
Gas tank: 15 kg
Vacuum pump: 75 l/min
Electronic balance: 50 kg
Electronic card with backlit display
Recovery rate: 500 rpm
Power supply: 220 V

	£		
1893/134A	9500.00	1	018930001

1893/1234YF

automatic charging station for R1234yf gas air conditioners

Fully automatic model, complete with car/lorry database with gas quantities, compressor oil quantities and types, self-diagnosis software for routine maintenance jobs. Database can be updated via software.
Machine can be operated in both manual mode (provided it is controlled by a human operator step by step)
and in fully automatic mode (without requiring a human operator).

1234YF (250 ml)

FUNCTIONAL SPECIFICATIONS
Automatic operation
Car/lorry database with gas quantities and compressor oil quantities and types
Automatic gas recovery from pipe
Compensation of recharged quantity of gas in pipes
Automatic discharge of noncondensable gases
Automatic reporting of defects and required maintenance jobs
Gauges, ø 80 mm
Digital vacuometer

TECHNICAL SPECIFICATIONS
Gas tank: 15 kg
Vacuum pump: 75 l/min
Electronic balance: 50 kg
Electronic card with backlit display
Recovery rate: 500 rpm
Power supply: 220 V

	£		
1893/1234YF	9900.00	1	018930012

1893TR/134A

R134a gas tracer

	ml	£		
1893TR/134A	250	67.50	1	018930901

1893TR/1234YF

R1234yf gas tracer

	ml	£		
1893TR/1234YF	250	76.50	1	018930902

1893TR/CI

hybrid compressor tracer

	ml	£		
1893TR/CI	250	79.00	1	018930903

1895G

control generator for (petrol and LPG) electro-injectors and solenoid valves

Makes it possible to autonomously test efficiency of such parts as:
- EGR solenoid valves
- electro-injectors of petrol and LPG engines
- solenoid valves for variable-geometry turbine adjustment
- compressors for new-generation air conditioners

Benefits:
• Makes it possible to understand whether part is working mechanically
• Combined with ultrasonic cleaning tanks, it allows more efficient cleaning of parts, electronically controlling part during washing phase
• Essential for air conditioner testing, to check whether compressor and its control valve are efficient

Specifications

Petrol and LPG injector control:
• Number of outlets: 4
• Test duration: 1-60 s
• Operating time: 5-10 ms
• Impulse frequency range: 1-10 Hz

PWM device control:
• Number of outlets: 1
• Test duration: 1-60 min
• Automatic or manual
• Duty cycle adjustment: 10%-85%
• Signal frequency regulation: 120-250 Hz

	£		
1895G	2660.00	1	018950800

1895/S

adjustable support for ultrasonic cleaning tanks 1895

Allows injectors to be correctly placed during washing in ultrasonic cleaning tank



	A mm	B mm	£		
1895S	340	140	158.00	1	018950501

1895 6

ultrasonic cleaning tank, 6 l

with special degas function

Features:
• Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (injectors, carburettors, valves etc.)
• Digital display for temperature and cleaning time selection
• Two cleaning modes: "soft" and "normal"
• For normal cleaning, just use water at a temperature of 50/60 °C
• For more accurate cleaning, add non-foaming detergent specific for ultrasonic tanks
• Using the degas mode speeds up air release throughout the tank, thereby improving ultrasonic cleaning efficiency

Technical Data
• Tank capacity: 6 l
• Drain tap
• Power: 150 W
• Heating power: 300 W
•Temperature range: 0÷80 °C
• Cleaning time range: 0-99 minutes
• Frequency: 40 kHz
• Power supply: 220/230V
• Overall dimensions: 330x180x310 mm
• Tank dimensions: 300x155x150 mm
• Basket dimensions: 250x105x100 mm
• Maximum capacity: 5.5 kg

	Max	£		
1895 6	5,5	1001.00	1	018950060

1895 13

ultrasonic cleaning tank, 13 l

with special degas function

Features:
• Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (injectors, carburettors, valves etc.)
• Digital display for temperature and cleaning time selection
• Two cleaning modes: "soft" and "normal"
• For normal cleaning, just use water at a temperature of 50/60 °C
• For more accurate cleaning, add non-foaming detergent specific for ultrasonic tanks
• Using the degas mode speeds up air release throughout the tank, thereby improving ultrasonic cleaning efficiency

Technical Data:
• Tank capacity: 13 l
• Drain tap
• Power: 300 W
• Heating power: 400 W
• Temperature range: 0÷80 °C
• Cleaning time range: 0-99 minutes
• Frequency: 40 kHz
• Power supply: 220/230V
• Overall dimensions: 350x325x320 mm
• Tank dimensions: 325x235x145 mm
• Basket dimensions: 257x185x100 mm
• Maximum capacity: 12 kg

	Max	£		
1895 13	12	1520.00	1	018950130

1895 27

ultrasonic cleaning tank, 27 l

with special degas function

Features:
• Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (carburettors, valves etc.)
• Digital display for temperature and cleaning time selection
• Two cleaning modes: "soft" and "normal"
• For normal cleaning, just use water at a temperature of 50/60 °C
• For more accurate cleaning, add non-foaming detergent solutions specific for ultrasonic tanks
• Using the degas mode speeds up air release throughout the tank, thereby improving ultrasonic cleaning efficiency

Technical Data:
• Tank capacity: 27 l
• Drain tap
• Power: 500 W
• Heating power: 500 W
• Temperature range: 0÷80 °C
•Cleaning time range: 0-99 minutes
• Frequency: 40 kHz
• Power supply: 220/230V
• Dimensions: 530x330x380 mm

	Max	£		
1895 27	25	**2155.00**	1	018950270

1895/RC

rack for ultrasonic tanks 1895

	L mm	L1 mm	A mm	£		
1895/RC6	250	105	100	**65.00**	1	018950506
1895/RC13	257	185	100	**103.50**	1	018950513
1895/RC27	450	250	150	**169.50**	1	018950527

9881U

9881U 1 (1-2)	567
9881U 1 (3)	567

9882R

9882R 1 (1-2)	567
9882R 1 (3)	567

1897

professional bench sander

Particularly recommended for surface finishing jobs on several materials (metal, plastic, glass, ceramic, wood etc.). The cabin is made from properly reinforced sheet steel which results in unparalleled sturdiness and firmness. The cabin is equipped with the following:
- loading door with magnet closure
- perforated sheet metal top
- standard connection for vacuum cleaners, ø 36 mm
- protective polycarbonate viewing window, 6 mm
- LED lamp
- pneumatic circuit (compressed air inlet)
- sanding gun with trigger operation

TECHNICAL DATA
Useful dimensions of cabin: 600x520x320 mm
Overall dimensions: 660x530x500 mm
Weight: 38 kg
Worktop: perforated sheet metal
Lighting: LED
Air consumption: 340 l/min at 7 atm
Power supply: 220 V - 50 Hz

	£		
1897	**5300.00**	1	018970066

1897/CRB

corundum for sander 1897 in 25 kg bag

	£		
1897CRB	**268.00**	1	018970101

1897/G

garnet for sander 1897 in 25 kg bag

	£		
1897G	**215.00**	1	018970104

1897/MV

glass microspheres for sander 1897 in 25 kg bag

	£		
1897MV	**353.00**	1	018970103

1898/K40

Eco friendly, heated manual cleaning tank

• Using the bio-active liquid included, oil and residue can be effectively removed from mechanical parts without the need for aggressive chemicals
• The bio-active liquid converts the oil and other residue into carbon dioxide and water which can be re-used again and again
• no need for specialist waste collection and disposal
• suitable for both metal and plastic parts

Equipment:
• Long bristle brush and connecting pipe
• Right-hand and left-hand operation function
• Perforated stainless steel grid
• Wheels with brakes
• Card with display operating temperature and low level alert

Accessories Included:
• 2 20 l cans of environmentally friendly liquid detergent and 2 packs of bacteria
• 2 packs of bio-active liquid

Technical data:
• Max. pump capacity: 10 li/min
• Tank capacity: 40 l
• Operating temperature: +5 °C ÷ +40°C
• Dimensions: 900 x 1000 x 750 mm
• Weight: 50 kg (when empty)

Attention:
Countries where product 1898/K40 is allowed to be distributed: Austria, Belgium, France, Hungary, Italy, Netherlands, Poland, Portugal, Spain, United Kingdom.

	£		
1898/K40	**6340.00**	1	018980004

ATTENTION
Countries where product 1898/K40 is allowed to be distributed: Austria, Belgium, France (from 2021), Hungary, Italy, Netherlands, Poland, Portugal, Spain, United Kingdom.

1898/B

bottle of bacteria, 300 ml for part cleaning tank 1898/K40

	£		
1898/B	**131.50**	1	018980904

CAUTION:
Countries where item 1898/B is allowed to be distributed: Austria, Belgium, France, Italy, Netherlands, Poland, Portugal, United Kingdom, Spain, Hungary

1898/D

tank of environmentally friendly detergent liquid,
20 l, for part cleaning tank 1898/K40

	£		
1898/D	261.00	1	018980920

CAUTION:
Countries where item 1898/D is allowed to be distributed: Austria, Belgium, France, Italy, Netherlands, Poland, Portugal, United Kingdom, Spain, Hungary

1898/M

pressure sprayer
with 1,5 l tank

- adjustable nozzle with straight jet and mist spray
- graduated scale 0.5 l - 1 l - 1.5 l
- locking lever for continuous jet
- not for use with hydrocarbons

H mm	l	£		
340	1,5	20.50	1	018980930

1898/S

hand pressure pump
with 5 l tank

- stainless steel nozzle
- locking lever for continuous jet
- adjustable nozzle with straight jet and mist spray
- shoulder strap for ease of transport
- nozzle hook-up handle
- 1.2-m-long hose
- not for use with hydrocarbons

H mm	l	£		
415	5	35.50	1	018980932

1899A

DPF/FAP® system cleaning machine

Special detergents can be used to periodically clean and restore DPF and FAP® systems damaged by soot and ash deposits.

Supplied with:
- 1 2-m-long feed pipe
- 1 quick coupler + hose nozzle for differential sensor hoses
- 1 niplex M18x1.5 with hose nozzle for direct connection to lambda probe
- 1 extension hose
- 1 DPF/FAP® spray nozzle
- 1 magnetic pipe support
- 1 DPF/FAP® pipe with adjustment cable gland plus niplex M14/16/18 mm for connecting lambda probes

Technical specifications:
- Operating voltage: 12 V
- Power supply cord length: 3.9 m
- Tank capacity: 1 l

	£		
1899A	1740.00	1	018990010

1899SI

2-in-1 machine for cleaning injectors and intake manifold

special detergents can be used to periodically clean the injectors and the intake manifold in diesel and petrol engines, removing carbonaceous deposits and combustion residues

Specifications:
- Operating voltage: 12 V
- 2 service hoses with quick couplers
- 2 tanks (capacity: 1 l each)

	£		
1899SI	6700.00	1	018990030

2080/VG

ABS organizer tool case with swivel trays

- **With upper small parts organizer (145 mm in diameter) and 4 swivel trays:**
  - **1 tray 305 mm in diameter**
  - **3 trays 445 mm in diameter**
- **Supplied complete with 12 partitions for use in 3 larger swivel trays, to obtain up to 8 compartments per level**

	£		
2080/VG	192.50	1	020800100

445x445x550 mm - 3,4 kg

2250-O

heavy duty swivel creeper seat with tray

	£		
2250-O	141.50	1	022500011

2252

seat with castors

	£		
2252-G	214.00	1	022520002

2252KR4

spare seat castors 2252

	£		
2252KR4	80.00	1	022520900

2258N-O

heavy-duty creeper with tool chest

	£		
2258N-O	263.00	1	022580021

2258RR

spare castor for heavy-duty creeper 2258N

	£		
2258RR	12.10	1	022580111

2254A

car covers, for outdoor use, water-repellent and UV-resistant

These covers are ideal for protecting damaged vehicles while waiting to be repaired

Technical specifications
- **exterior finish with UV protection treatment**
- **soft, nonscratch interior finish**
- **6 adjustment strings for making cover fit close to car**
- **2 front door zips to allow access to vehicle without having to remove cover**
- **mirror seats**
- **reflecting**

3 versions:
- Size M recommended for compact cars
- Size L recommended for saloon cars and station wagons
- Size XL recommended for SUVs

	LxPxH mm	£		
/M	4400x1450x1300	206.50	1	022540002
/L	5300x1450x1150	231.00	1	022540000
/X	4700x1450x1580	210.50	1	022540001

2254C

suction cup protector for vehicles' bodies

Made of plastic-coated fabric, with 4 suction cups on top side

	L1 mm	L2 mm	£		
2254C	1150	650	70.00	1	022540200

2254F

car front protector

Allows front part of vehicle to be protected, while leaving openings for headlights and radiator

- Waterproof
- Resistant to oil and grease
- Strap fixing
- Material: 98% polyamide/nylon, 2% polyurethane

	£		
2254F	118.50	1	022540150

2254K

reusable seat, steering wheel and gear knob protector

Suits most car seats, steering wheels and gear knobs

	£		
2254K	40.00	1	022540101

2254SM

creeper mat, made of EVA

Double finish:
- **1 side in soft EVA**
- **1 side in hard carbon look for improved slip performance**

	£		
2254SM	95.50	1	022540033

2254T

kneeling pad

made from non-slip EVA foam

	£		
2254T	36.50	1	022540047

3000L

creeper

- **PVC lining with upholstered foamed rubber designed for remarkable comfort**

	£		
3000L	230.00	1	030000210

3000L/RLS

spare creeper castors

	£		
3000L/RLS	16.50	6	030000212

3002
creeper and seat

- Steel frame
- PVC lining with upholstery
- Easily convertible into a creeper or a seat



	£		
3002	140.50	1	030020001

3002/RLS
6 spare wheels for creeper 3002

	£		
3002/RLS	42.50	1	030020501

3003
creeper
made of shockproof plastic

- Wheel Ø: 76 mm

	£		
3003	102.00	1	030030001

3003/RLS
6 spare wheels for creeper 3003

	£		
3003/RLS	65.50	1	030030501

3003C
creeper made of shockproof plastic

Complete with:
- head and lumbar region with carbon look finish
- upper metal plates for fixing magnetic accessories
- 6 rubber castors, 79 mm in diameter
- Max. capacity: 120 kg
- Weight: 5.5 kg

	£		
3003C	341.00	1	030030100

3003C/RLS
6 spare wheels for creeper 3003C

	£		
3003C/RLS	141.00	1	030030600

3003PRO
creeper made of shockproof plastic

Complete with:
- ergonomic head cushion
- soft back protector
- 2 178 mm double bearing castors for trouble-free use on uneven surfaces and pipes/cables
- 1 castor
- double height adjustment from the ground: 38 or 76 mm
- 2 portable LED lamps (250 lumens) with fixing magnets
- load capacity: 200 kg
- weight: 7.7 kg

C max kg	H min mm	H Max mm	H1 mm	£		
200	170	230	230	484.00	1	030030150

3003PRO/SP
wall-mounted plastic support for creeper 3003PRO

can be mounted to walls, bridge jacks, chests of drawers or other equipment, thereby allowing creeper to be fixed through a quick system with safety closure.



	£		
3003PRO/SP	124.00	1	030030151

3003PRO/PM
magnetic tool holder, round, for creeper item 3003PRO

can be applied to wheel rims of creeper to retain small items during jobs

	£		
3003PRO/PM	12.80	1	030030152

3003PRO/RCR
spare rear wheels for creeper 3003PRO, pair

	£		
3003PRO/RCR	104.50	1	030030650

3003PRO/RRG
spare front castor for creeper 3003PRO

	£		
3003PRO/RRG	32.50	1	030030651

3003PRO/RT
LED inspection lamp with spare magnets for creeper 3003PRO

- 250 lumens
- Batteries: 4xAAA (not included)

	£		
3003PRO/RT	23.40	1	030030652

3004
wheel stop wedge



	H mm	L mm	L1 mm	£		
3004	225	475	200	50.00	1	030040000

VEHICLE REPAIR

Our vehicle repair tools, which are used by the most demanding professionals, are developed and manufactured to meet the world's highest standards, and regularly tested under the most stressful operating conditions.

For over 50 years, we have been proudly working hand in hand with the greatest champions, who help us improve our products non-stop and provide testimony to the highest quality standard.

The vehicle repair tools are found in these sections:

Diagnostics	
	items 1438 to 1499 items 1758VT to 1760TMC
Engine	
	items 955 to 989A items 1438 to 1499
Oil and filters	
	items 1438 to 1499 items 1877 to 1885
Electric system	
	items 1438 to 1499
Starters	
	items 1498BC/12 to 1498/40A
Transmission	
	items 1438 to 1499
Suspension	
	items 1549 to 1569CP
Brakes	
	items 1438 to 1499
Wheels	
	items 955 to 989A
Body work	
	items 1302 to 1369 items 1763 to 1767A
Other equipment	
	items 1875LT to 3067
Jacks	
	items 3029/2T to 3067/70-13T

3006
jack and positioner for tractor and excavator wheels

- max. capacity: 1,500 kg
- min. wheel diameter: 1,000 mm
- max. wheel diameter: 2,200 mm
- max. wheel thickness: 800 mm

CE

	£		
3006	2510.00	1	030060000

3006 R/RGF
spare castor with brake for wheel jack and positioner 3006

	£		
3006 R/RGF	96.50	1	030060501

3006 R/RG
spare castor for wheel jack and positioner 3006

	£		
3006 R/RG	83.00	1	030060502

3007
underbody trolley for vehicles without forecarriage / rear axle

Allows vehicles without forecarriage or rear axle to be easily handled while working
- 4 pivoting wheels, including 2 with brakes, suitable for use in painting furnaces
- 2 sliding supports to fit all chassis
- max. capacity: 800 kg



	A Max mm	£		
3007	110	860.00	1	030070001

3007 R/RGF

spare castor with brake for vehicle underbody trolley 3007

	£		
3007 R/RGF	137.50	1	030070501

3007 R/RG

spare castor for vehicle underbody 3007

	£		
3007 R/RG	121.50	1	030070502

3008N

jack and positioner for single and twin truck wheels

- maximum capacity: 500 kg
- minimum height: 120 mm
- maximum height: 650 mm
- distance between rollers: 429÷670 mm
- hydraulic overloading safety device
- front pivoting wheels

CE

	£		
3008N	4340.00	1	030080110

3009

wheel lifter

Maximum lifting capacity: 550 kg
4 pivoting rollers
Roller width: 200 mm
For wheels up to 240 mm in width

A	B	£		
400÷850 mm	600 mm	565.00	1	030090001

3009R/GR4

4-wheel groups for trolleys 3009 R/GR4

	£		
3009R/GR4	231.50	1	030090501

3010/T...

jack stands, pair

C max kg	H min mm	H max mm	H1 mm	L mm	L1 mm	£		
2000	280	425	245	185	165	135.50	1	030100002
3000	285	430	250	180	195	163.00	1	030100003
6000	400	580	340	245	280	254.00	1	030100006
10000	471	735	420	330	290	387.00	1	030100010

3011/T

hydraulic bottle jacks

CE

C max kg	H min mm	H Max mm	L mm	£		
2000	174	369	90	104.50	1	030110020
3500	170	366	86	122.50	1	030110035
5000	203	467	118	135.00	1	030110050
10000	220	484	114	208.50	1	030110100
15000	230	497	113	263.00	1	030110150
20.000	245	521	115	380.00	1	030110200

3010H

heavy-duty jack stands

C Max kg	H min mm	H Max mm	L mm	L1 mm	£		
15,000	445	631	300	300	437.00	1	030100150
15,000	645	1077	300	300	546.00	1	030100165

3010V

heavy-duty jack stands, screw adjustable

C Max kg	H min mm	H Max mm	L mm	L1 mm	£		
20,000	410	600	330	330	644.00	1	030100200
20,000	665	1090	460	460	824.00	1	030100220

3012
engine brackets

L mm	C max kg	£		
1500	500	426.00	1	030120010
1800	400	585.00	1	030120018

3012C
lower engine bracket

ideal for cars and commercial vehicles

	£		
3012C	1178.00	1	030120255

3012I
lower engine bracket



L mm	H mm	£		
3012I 630÷960	190	930.00	1	030120250

3014
engine stand

	£		
3014	556.00	1	030140010

3014R/GR5
5 spare wheels for engine stand 3014

	£		
3014R/GR5	142.50	1	030140501

3014 SAR
folding engine stand

- **Easy to fold up, for significantly increased compactness**
- **Allows 360° rotation of engine or gear**
- **Provides unparalleled safety and stability during jobs**

Maximum capacity: 450 kg

	£		
3014SAR	1860.00	1	030140360

3014SAR/RR
4 spare wheels for engine stand 3014SAR

	£		
3014SAR/RR	197.50	1	030140370

3014SAR/1
fluid collection tank
for item 3014 SAR



	£		
3014SAR/1	528.00	1	030140361

1020x1010x11 mm

3014SAR/2
clamp for fixing transmission gear on stand item 3014 SAR

	£		
3014SAR/2	536.00	1	030140362

3023
pit and under bridge jack
with screw adjustment

maximum carrying capacity: 400 kg

	H min-Max mm	Ø mm	£		
3023	1350÷2030	300	283.00	1	030230050

3025N
folding hydraulic crane
with dual effect pump

Specifications:

- **Maximum capacity: 1 t**
- **4 loading positions: 300-600-800-1000 kg**
- **With load limiting valve and chrome-plated stand**
- **Controlled descent speed**
- **Nylon wheels**
- **Maximum height: 2420 mm**

A mm	B mm	C mm	D mm	£		
1560	1600	1000	880	2870.00	1	030250110

3025N/PF

barrel handling pliers

maximum capacity: 300 kg

	A mm	B mm	£		
3025N/PF	550÷640	70	**605.00**	1	030250111

3026 0,3

hydraulic pit and under bridge jack

H min mm	H Max mm	L mm	L1 mm	Ø mm	£		
1120	1970	450	450	25	**1093.00**	1	030260003

3026/R0,3

4 spare swivel wheels for hydraulic jack 3026 0,3

	£		
3026/R 0,3	**224.00**	1	030260903

3026 0,5

hydraulic pit and under bridge jack

Maximum capacity: 500 kg



H min mm	H Max mm	L mm	L1 mm	Ø mm	£		
1140	1990	600	550	30	**1178.00**	1	030260005

3026/R0,5

4 spare swivel wheels for hydraulic jack 3026 0,5

	£		
3026/R 0,5	**308.00**	1	030260905

3026 1,0

hydraulic pit and under bridge jack

Maximum capacity: 1 t



H min mm	H Max mm	L mm	L1 mm	Ø mm	£		
1140	1990	650	550	35	**1585.00**	1	030260010

3026/R 1,0

4 spare swivel wheels for hydraulic jack item 3026 1,0

	£		
3026/R 1,0	**446.00**	1	030260910

3026/S

swivel transmission gear support with reduction bushes for jacks item 3026

Maximum capacity: 500 kg

	£		
3026/S	**937.00**	1	030260501

3026/SP

universal transmission support

Allows one operator to disassemble and reassemble any transmissions of cars, commercial vehicles and off-roaders quickly and safely.

	£		
3026/SP	**1016.00**	1	030260505

3026/SA

wheel hub support for pit jacks

- **for use for maintenance jobs relating to hubs, and during shock absorber replacement jobs**
- **can be adapted to hydraulic pit jacks items 3026 0,3 and 3026 0,5**

	Ø mm	£		
3026/SA	30,4	**199.50**	1	030260510

3026/SAM

shock absorber support for pit jacks

- **for use for supporting shock absorber when suspension arm is removed**
- **shock absorber bracket, max. diameter 80 mm, plus adapter for max. diameters 60 mm**
- **can be adapted to hydraulic pit jacks items 3026 0.3 and 3026 0.5**

	£		
3026/SAM	**256.00**	1	030260515

3027N 10

hydraulic bench press with moving piston

- maximum capacity: 10 t
- manual 2-speed pump
- moving piston
- automatic piston return
- set of V-shaped prisms included
- chrome-plated stand

	£		
3027N 10	2400.00	1	030270101

3027N 20

hydraulic press with moving piston

- maximum capacity: 20 t
- manual 2-speed pump
- moving piston
- chrome-plated stand
- automatic piston return
- hydraulic overloading safety device
- gauge
- set of V-shaped prisms included

	£		
3027N 20	3030.00	1	030270102

3027N 30

hydraulic press with moving piston and hoist

- Maximum capacity: 30 t
- Manual 2-speed pump
- Moving piston
- Chrome-plated stand
- Automatic piston return
- Hydraulic overloading safety device
- Gauge
- Steel rope hoist for lifting worktop

	£		
3027N 30	5490.00	1	030270103

3027N 50

hydraulic press with moving piston and hoist

- maximum capacity: 50 t
- manual 2-speed pump
- moving piston
- chrome-plated stand
- automatic piston return
- hydraulic overloading safety device
- gauge
- set of V-shaped prisms
- steel rope hoist for lifting worktop

	£		
3027N 50	8240.00	1	030270105

3027N 100

motorized electro-hydraulic press with moving piston and hoist

- maximum capacity: 100 t
- three-phase motor: 230-400 V
- frequency: 50 Hz
- electric motor power: 3 kW
- two-speed electro-hydraulic pump
- operated by a three-position lever distributor: feed-neutral-return
- moving piston
- piston Ø: 100 mm
- worktop lifting by means of a steel rope hoist
- power cord with 4-pole industrial plug (380V)
- motor oil included



	£		
3027N 100	32650.00	1	030270110

3027N/KP

set of pin punches and plate for press 3027N

		£		
3027N/KP10-20	302 7N10-20	417.00	1	030270511
3027N/KP30	3027N 30	714.00	1	030270531
3027N/KP50	3027N 50	912.00	1	030270541
3027N/KP100	3027N 100	1440.00	1	030270552

3027N/KPP

pedal control for hydraulic presses 3027N

	£		
3027N/KPP10	446.00	1	030270560
3027N/KPP50	380.00	1	030270565

3027/PR

press supporting tool for removal/insertion of hubs, bearings and silent blocks

Universal system which allows user to mount/dismount hubs, bearings and silent blocks into/from their housings by operating under a press, through a supporting base and its accessories.
Tool can adapt to irregular geometric shapes of hubs/king pins on which operator must work.

Technical Data:
- Working range: min. 130 mm - max. 186 mm
- Dimensions: 300 x 300 mm
- Weight: 13 kg
- Max. load-bearing capacity: 20 t

	£		
3027/PR	964.00	1	030270400

3028 15

hydraulic bench press with moving piston

maximum capacity: 15 t
vertical top adjustment
sliding piston

A mm	B mm	C mm	D mm	£		
1010	565	480	80÷370	1320.00	1	030280015

3028SP/15

protective screen
for press 3028 15

	£		
3028SP/15	191.00	1	030280016

3028 20

hydraulic press with moving piston

maximum capacity: 20 t
vertically adjustable top
sliding piston



A mm	B mm	C mm	D mm	£		
850	540	1830	1602	2660.00	1	030280020

3028SP/20

protective screen
for presses 3028 20

	£		
3028SP/20	214.00	1	030280021

3028 30

hydraulic press with moving piston

maximum capacity: 30 t
vertically adjustable top
sliding piston



A mm	B mm	C mm	D mm	£		
850	540	1850	1650	3230.00	1	030280030

3028SP/30

protective screen
for presses 3028 30

	£		
3028SP/30	214.00	1	030280031

3028 50

hydraulic press with moving piston and hoist

maximum capacity: 50 t
vertical top adjustment through hoist
sliding piston



A mm	B mm	C mm	E mm	£		
1100	750	1850	820	4970.00	1	030280050

3028SP/50

protective screen
for presses 3028 50

	£		
3028SP/50	226.50	1	030280051

3028/KP

kit of pin punches and plate
for presses 3028

	£		
3028/KP	182.00	1	030280055

3029/2T

lowered hydraulic jack, 2 t, with 4 wheels

- Quick approach pedal
- Steel frame and nylon wheels
- Minimum height: 75 mm

	£		
3029/2T	561.00	1	030290020

3029L/2T

long, lowered jack, 2 t

Makes it possible to work on vehicles with reduced height from the ground and internal lifting point
- Controlled descent speed
- Quick approach pedal
- Nylon wheels

	£		
3029L/2T	635.00	1	030290120

3029/2T-L/RP

spare 85-mm rubber plate for items 3029/2T and 3029L/2T

	£		
3029/2T-L/RP	21.60	1	030290502

3029/2T-L/R6

spare rear wheel for items 3029/2T, 3029L/2T, 3030H/2T, 3033E/3T

	£		
3029/2T-L/R6	71.50	1	030290506

3029/2T-L/R5

spare front wheel for jacks item 3029/2T and item 3029L/2T

	£		
3029/2T-L/R5	67.50	1	030290505

3030/2T

lowered car jack, 2 t with 6 wheels

- dual front tilting wheels made of plastic material (PTFE)
- car jack can be easily handled on uneven, irregular floors
- maximum capacity: 2 tons

	£		
3030/2T	1045.00	1	030300020

43 kg

3030/2T-R5

front wheel with pin for jack 3030 2T

	£		
3030 2T/R5	40.00	1	030300505

3030/2T-R6

spare rear wheel for item 3030/2T

	£		
3030 2T/R6	64.00	1	030300506

3030/2TRP

spare 85-mm rubber plate for item 3030/2T

	£		
3030/2TRP	6.65	5	030300501

3030H/2T

high-lift hydraulic jack, 2 t, with 6 wheels

makes it possible to work on vehicles that are high from the ground and have a long shock absorber travel • controlled descent speed
- quick approach pedal
- nylon wheels

H min-Max mm	L mm	L1 mm	£		
85÷780	1010	300	986.00	1	030300220

3033/3T

hydraulic jack, 3t long version
- For use on commercial vehicles
- Maximum capacity: 3 t
- Polyamide wheels

	£		
3033/3T	1640.00	1	030330030

3033E/3T

hydraulic jack,
3 t

- **controlled descent speed**
- **nylon wheels**

CE

	H min-Max mm	L mm	L1 mm	£		
3033E/3T	95÷515	700	370	**586.00**	1	030330130

3033S 3T/R2

spare front wheel
for jack 3033E/3T

	£		
3033S 3T/R2	**61.00**	1	030330532

3035

tyre trolley

-2 castors Ø 260 mm
-2 castors Ø 125 mm
-Maximum carrying capacity: 200 kg
-Forks can be adjusted in 2 positions:
first position: maximum opening 880 mm
second position: maximum opening 980 mm
-Can be used as a top by locking position horizontally

	£		
3035	**1445.00**	1	030350100

3036

wheel handling base

Non-marking rubber castors

	£		
3036	**176.50**	1	030360063

3061/2T

air hydraulic jack, 2 tons - 2 stages

CE

Fitted with:
- high-resistance three-layer diaphragm and internal telescopic guide
- end-of-stroke stop and overloading safety valve
- can also be used on auto lifts

TECHNICAL DATA
capacity: 2 t
weight: 14 kg
power supply pressure: 8-10 bar
height: min.132 - max. 326 mm

	£		
3061/2T	**1415.00**	1	030610020

3061/2T-P50

50-mm extension for item 3061/2T

	£		
3061/2T P50	**107.50**	1	030610021

3061/2T-P100

100-mm extension for item 3061/2T

	£		
3061/2T P100	**141.50**	1	030610022

3065/20-10T

air hydraulic jack, 20-10 t,
with case

Portable and lightweight, ideal for road assistance operations



• Supplied with two extensions, 75 and 60 mm long

TECHNICAL DATA
capacity: 20-10 t
weight: 23 kg
power supply pressure: 8-10 bar
air consumption: 400 nl/min

	£		
3065/20-10T	**3770.00**	1	030650100

3065/40-20T

air hydraulic jack, 40/20 tons



• suitable for use on heavy vehicles
• functional and easy to handle, for transportation on mobile repair shops as well
• automatic piston return
• two descent valves with under load speed control

TECHNICAL DATA
capacity: 40/20 tons
weight: 39 kg
power supply pressure: 8-10 bar
air consumption: 400 l/min

	£		
3065/40-20T	**4540.00**	1	030650200

3067/60-15T

air hydraulic jack, 60-30-15 t

With a minimum height of no more than 120 mm, it is particularly suitable for use on buses, coaches and public means of transport



• Automatic piston return
• Two descent valves with under load speed control
• supplied with two extensions, 70 and 120 mm long

TECHNICAL DATA
capacity: 60-30-15 t
weight: 56 kg
power supply pressure: 8-10 bar
air consumption: 600 l/min

	£		
3067/60-15T	**6330.00**	1	030670120

3067/70-13T

air hydraulic jack, 70-43-23-13 t



Long version, suitable for use on lorries, articulated vehicles, buses and coaches, and agricultural machines
• automatic piston return
• two descent valves with under load speed control

TECHNICAL DATA
capacity: 70-43-23-13 tons
weight: 74 kg
power supply pressure: 8-10 bar
air consumption: 600 l/min

	£		
3067/70-13T	**8460.00**	1	030670130

3068

manual pallet jack
with low forks

Technical data:
• maximum capacity: 2500 kg
• overall length: 1200 mm
• fork length: 800 mm
• fork width: 540 mm
• individual fork width: 160 mm
• lever height: 1230 mm
• max. lifting height: 115 mm

	£		
3068	**1092.00**	1	030680000

3069

manual pallet jack

Technical data:
• maximum capacity: 2500 kg
• overall length: 1550 mm
• fork length: 1150 mm
• fork width: 540 mm
• individual fork width: 160 mm
• lever height: 1230 mm
• max. lifting height: 115 mm
• pallet storage corridor: 800x1200 lengthwise: 1805 mm
• turning radius: 1347 mm

	£		
3069	**1027.00**	1	030690000

MOTORCYCLE TOOLS

Beta's family of motorcycle repair tools comprises purpose-designed products for the motorcycle industry.
Our products are regularly updated, their quality being highly appreciated by the engineers and mechanics of the best racing teams in the Road Racing World Championship Grand Prix, Superbike World Championship, Motocross World Championship and World Enduro Championship.

3040C

rear motorcycle stand, adjustable

- Matt black lacquer
- 4 thermoplastic rubber wheels
- Includes V-shaped sliders, pair
- Includes L-shaped sliders, pair

	£		
3040C	117.50	1	030400002

3040C/S1

V-shaped sliders, pair, for item 3040C

	£		
3040C/S1	17.40	1	030400503

3040C/S2

rubber L-shaped sliders, pair, for item 3040C

	£		
3040C/S2	22.90	1	030400504

3041C

front motorcycle stand, adjustable

- Matt black lacquer
- 4 thermoplastic rubber wheels
- Includes roller sliders, pair
- Includes cone-shaped sliders, pair

	£		
3041C	104.00	1	030410002

3041C/12

roller sliders, pair, for item 3041C

	£		
3041C/12	23.60	1	030410512

3041C/16

cone-shaped sliders,
for item 3041C

	£		
3041C/16	15.90	1	030410516

3042C

front stand
for motorcycle steering pin

- **Matt black lacquer**
- **4 thermoplastic rubber wheels**
- **Includes 8-pin kit Ø 13 - 15 - 15.5 - 17 - 19 - 20 - 21 - 27**

	£		
3042C	183.50	1	030420002

3043C

motorcycle stand
with left single arm

- **Matt black lacquer**
- **4 thermoplastic rubber wheels**
- **Optional pin**

	£		
3043C	137.50	1	030430002

3043C/ 41÷47

pin
for item 3043C

	Ø mm	£		
3043C/41 Ducati	21,5 ÷ 25,5	30.50	1	030430551
3043C/42 KTM - Triumph	27,5	30.50	1	030430552
3043C/43 MV	42,5	33.50	1	030430553
3043C/44 Ducati	40,5	33.50	1	030430554
3043C/45 Honda	28,5	30.50	1	030430555
3043C/47 BMW	53,5	38.50	1	030430557

3047C

pedal stand for
cross/enduro motorcycles

	£		
3047C	86.00	1	030470002

3048C

Steel racing cross stand



	£		
3048C	86.00	1	030480002

3050/CC

chock cradle centre stand
for Custom, Enduro, Cross, Scooter
motorcycles

includes adjustable support kit

	£		
3050/CC	222.00	1	030500012

3050/600

electro-hydraulic motorcycle jack,
600 kg





Technical specifications:

- Electrical, mechanical and hydraulic safety devices
- Capacity: 600 kg
- Integrated electro-hydraulic unit: 230V - 50 Hz
- Hydraulic pump
- Controlled downward speed
- Safety fuses for protection in case of cable cuts
- Control push button panel
- CE-certified, TÜV-approved

	L mm	L mm	H min mm	H Max mm	£		
3050/O	975	2100	185	1110	7490.00	1	030500201
3050/G	975	2100	185	1110	7490.00	1	030500202
3050/R	975	2100	185	1110	7490.00	1	030500203

3050/KA

widening kit for jack item 3050/600



	A mm	B mm	£		
3050/KA-O	107,5	2100	1615.00	1	030500221
3050/KA-G	107,5	2100	1615.00	1	030500222
3050/KA-R	107,5	2100	1615.00	1	030500223

3050/MS

wheel clamp for jack item 3050/600

allows motorcycle front wheel to be locked to bridge

	£		
3050/MS	964.00	1	030500032

3050/MV

mechanical screw wheel clamp
for jack 3050/600

	£		
3050/MV	1555.00	1	030500034

3050/LA

non-slip sheet metal top
for jack item 3050/600



	£		
3050/LA	163.00	1	030500062

9562T1

garage mat, 100X80 cm

particularly suitable for use under motorcycle tyre levers BETA 3071 and 3071B
• easy to clean, anti-skid rubber coated bottom

	L cm	H cm	£		
9562T1	100	80	115.50	1	095620150

9562T3

garage mat , 300x160 cm

- particularly suitable for use under motorcycle jacks

- protects floor from oil and petrol leaks, environmentally friendly
- easy to clean, anti-skid, rubber-coated bottom

	L cm	H cm	£		
9562T3	300	160	524.00	1	095620300

3054

moving base for central stand or motorcycle rear wheel
with extension for side stand

	max kg	£		
3054	500	388.00	1	030540000

3055M

automatic van clamp

Allows motorcycle front wheel to be fixed

	£		
3055M	147.50	1	030550002

3057

aluminium ramp for loading/unloading motorcycles



	£		
3057	282.00	1	030570001

3070B

manual static balancer

- Allows wheel balancing both in the workshop and on racing tracks
- Equipped with rolling bearings, rabbet level and adjustable feet for unparalleled precision
- Comes with 2 hub cones

	£		
3070B	180.50	1	030700100

3070B/...

balancing rod
for balancer 3070B

	Ø1	Ø2	L	£		
3070B/10	30	10	410	31.00	1	030700101
3070B/12	30	12	415	37.00	1	030700102
3070B/14	40	14	415	44.50	1	030700103

3070BE/K

electronic hand-spin wheel balancer, portable

balancing system with hand-spin microprocessor (without motor),
for balancing iron or alloy car and motorcycle wheels

Features:
• Compact and easy to carry, for use in garages, trucks or track pits
• Can be mounted to a workbench or a wall
• Software includes all unbalance correction programmes, reading of positions with adhesive weights (ALUS), weights hidden behind spokes (SPLIT) and unbalance optimization
• Can be used with swivel support BETA 3070BE/S (optional)

Accessories supplied with wheel balancer:
• Flexible graduated ruler
• Ring nut with handwheel and 3 cones Ø 45 ÷ 110 mm

Technical data:
• Power supply: 115-230V AC o 12-24V DC
• Max. absorbed power: 0.15 kW
• Balancing speed: 100 rpm
• Measurement uncertainty: 1 g
• Rim width: 1.5" ÷ 20" (40 ÷ 510 mm)
• Max. weight wheel: 75 kg

	£		
3070BE/K	4200.00	1	030700250

3070BE/S

swivel support for portable electronic wheel balancer item 3070BE

allows wheel balancer to be fixed to a wall or a workbench, thereby resulting in reduced installation space

	L mm	L1 mm	£		
3070BE/S	514	280	1590.00	1	030700201

3070BE/F

universal motorcycle flange, Ø 40 mm, for item 3070BE

for use on wheels with central through-holes, Ø 15 ÷ 35 mm, and on flanged wheels with truing up to Ø 68 mm

	£		
3070BE/F	2175.00	1	030700202

3070BE/B

kit of 8 motorcycle wheel truing sockets for item 3070BE

Designed to work on following diameters:
28 - 25 - 22 - 20 - 19.05 - 17 - 16 - 15

	£		
3070BE/B	2425.00	1	030700203

3071A

manual tyre lever for cross and enduro motorcycles

Allows easy and quick tyre removal in racing fields; based on sturdy, wide frame made of galvanized steel, it provides firmness during tyre removal. Can be installed on BETA 3071RS bracket, for increased convenience
Features:
• Ergonomic rubber handle, for easy, safe lever hold
• With rubber retainer for locking rod during transportation
• Can be used to install cross and enduro tyres, 17" ÷ 21".



	L mm	H mm	P mm	Ø mm	£		
3071A	570	400	850	440	667.00	1	030710000

3071B

manual tyre lever for mini bikes and mini dirt bikes

Allows easy and quick tyre removal in racing fields; based on sturdy, wide frame made of galvanized steel, it provides firmness during tyre removal. Can be installed on BETA 3071RS bracket, for increased convenience
Features:
• Ergonomic rubber handle, for easy, safe lever hold
• Can be used to install most mini bike and mini dirty bike tyres.



	L mm	H mm	P mm	Ø mm	£		
3071B	570	330	650	340	623.00	1	030710010

3071RS

bracket for BETA 3071A and 3071B tyre levers

Used to elevate BETA 3071A and 3071B tyre levers, making tyre removal easier; frame made from galvanized steel, with square base for increased firmness.
• With 4 fixing hooks



	L mm	H mm	P mm	£		
3071RS	670	275	670	290.00	1	030710020

962C

tyre levers, pair, for cross and enduro motorcycles, mini bikes and mini dirty bikes

for use in combination with BETA 3071A and 3071B

	L mm	A mm	£		
962C	420	30	153.50	1	009620020

3072N

workbench rear motorcycle shock absorber dismantler, manual

Allows totally safe motorcycle rear shock absorber dismantling; based on its adjustable arms, it suits most rear shock absorbers; alternatively, it can be used with the supplied plate.
- optional locking rings

Features
• Suitable for use on most motorcycle rear shock absorbers
• Vertically adjustable in 8 positions
• 3 adjustable arms with vertically adjustable retainers
• shock absorber locking plate
• with pantograph jack
• with rubber feet
• with shock absorber lock pin

Technical data
Jack extension: max. 130 mm
Arm extension: max. 55 mm
Retainer extension: max. 18 mm
Thrust: max. 1 t

	L mm	H mm	P mm	£		
3072N	390	785	390	1505.00	1	030720010

3073

universal fork oil seal driver fitting tool

for fork tube diameters 35 ÷ 48 mm

	£		
3073	118.50	1	030730001

30740

electronic Ohlins fork cap wrench

12"



	H mm	Ø mm	£		
3074O	70,5	50,5	138.00	1	030740001

3074O/S

Sachs fork wrench
for DUCATI Multistrada

12"



	H mm	Ø mm	£		
3074O/S	75	65	156.00	1	030740002

3074O/M

Marzocchi fork wrench
for DUCATI 1199 and Hypermotard



	H mm	Ø mm	£		
3074O/M	69	55	135.50	1	030740003

3074O/2

Octagonal Ohlins fork wrench for DUCATI motorcycles

	H mm	Ø mm	£		
3074O/2	45	65	143.00	1	030740004

3075A

hexagon socket
for wheel hub nuts

12"

	⌀ mm	Ø mm	L mm	£		
3075A 28	28	38	30	37.50	1	030750028
3075A 30	30	40	30	40.00	1	030750030

3075B

bi-hex socket
for wheel hub nuts

12"



	⌀ mm	Ø mm	L mm	£		
3075B 55	55	70,7	25	98.50	1	030750155

3075MV

bi-hex socket for MV AGUSTA wheel hub nuts

12"



	⌀ mm	Ø mm	L mm	£		
3075MV 56	56	70,7	30	109.50	1	030750156

3075/CM

multiple hexagon socket
for wheel pins

	£		
3075/CM	54.00	1	030750212
12-14-17-19-22-24 mm			

3075/K10

set with a universal wrench with
interchangeable head
and 10 bits, for tightening wheel spokes

Sizes: 5.2 - 5.4 - 5.6 - 5.8 - 6.0 - 6.2 - 6.4 - 6.6 - 6.8 - 7.0

	£		
3075/K10	74.50	1	030750410

3079/21

cable oiler

**Allows proper lubrication
of clutch cables and gas control,
for increased sheath smoothness and cable duration.**

	£		
3079/21	10.80	1	030790021

3080/C15

chain opening and riveting kit

ø 3-4-5 mm and Regina kit

	£		
3080/C15	450.00	1	030800015

420x185x60 mm

3080R/CS3

kit with 3 spare pin punches for chain tool
3080/C15

ø 3-4-5 mm

	£		
3080R/CS3	67.50	1	030800503

3081

portable chain tool

**Sturdy and foldable, easily fitting into enduro tool bags.
Suitable for chain sizes 415, 420, 428, 520, 525, 530, 532**

	£		
3081	59.50	1	030810010

3085

tool for retracting brake pistons

Suitable for motorcycle and scooter brake callipers

	£		
3085	135.50	1	030850010

3091
flywheel pullers
with internal thread

	M	£		
3091/10	24x1,5	27.00	1	030910010
3091/20	26x1,0	28.00	1	030910020
3091/25	27x1,0	29.00	1	030910025
3091/30	28x1,0	30.50	1	030910030
3091/40	30x1,0	38.50	1	030910040
3091/45	30x1,5	38.50	1	030910045
3091/50	32x1,5	43.00	1	030910050
3091/60	33x1,5	45.50	1	030910060
3091/70	35x1,0	62.50	1	030910070
3091/75	35x1,5	62.50	1	030910075
3091/80	38x1,5	69.50	1	030910080

3092
flywheel pullers
with external thread

	M	£		
3092/10	18x1,5	13.90	1	030920010
3092/20	19x1,0	15.80	1	030920020
3092/25	27x1,0	17.80	1	030920025
3092/30	27x1,25/20x1	18.00	1	030920030
3092/35	22-26x1,5	18.00	1	030920035
3092/40	25x1,5/22x1	18.00	1	030920040
3092/50	26-28x1,0	18.00	1	030920050
3092/60	28x1,5	15.80	1	030920060

3093/E
tool for locking flywheel, clutch bell and pulleys

	£		
3093/E	48.00	1	030930100

3093/U
multiple flywheel puller

	£		
3093/U	47.50	1	030930050
M10x1.25R			
M14x1.5R			
M16x1.5R			
M18x1.5R			
M24x1.0R			
M27x1.0L			

3094PA
OFFROAD motorcycle breakdown service panel

Metal frame; legs can be folded into frame; recommended for tool arrangement in racing fields
available in 3 colours:
- **3094PA-O Orange**
- **3094PA-G Grey**
- **3094PA-R Red**

Optional accessories:
- **paper roll holder 3200 PR**
- **magnetic universal bottle holder 2499PF/M**

	L mm	H mm	H1 mm	£		
3094PA-O	750	1555	900	693.00	1	030940101
3094PA-G	750	1555	900	693.00	1	030940102
3094PA-R	750	1555	900	693.00	1	030940103

3095
workbench stand for motorcycle engines

adjustable mounting brackets, for convenient, effortless workbench jobs on motorcycle engines

	H mm	P mm	L mm	L1 mm	£		
3095	360	460	640	460	785.00	1	030950001

3099E
outdoor motorcycle cover, water and dust resistant

protects paint from scratches, dust and sunlight

Available Sizes:
Size "M" recommended for sports and naked motorcycles and mid-size scooters
Size "L" recommended for maxi enduro and crossover motorcycles

		£		
3099E/M	M	111.00	1	030990102
3099E/L	L	137.00	1	030990103

3099T
indoor motorcycle cover, made from stretch fabric

protects paint from scratches, dust and sunlight

Available Sizes:
Size "M" recommended for sports and naked motorcycles and mid-size scooters
Size "L" recommended for maxi enduro and crossover motorcycles
Size "XL" recommended for super touring motorcycles

		£		
3099T/M	M	97.00	1	030990202
3099T/L	L	118.50	1	030990203
3099T/XL	XL	143.00	1	030990204

BICYCLE TOOLS

Beta has always been involved with cycling. This section, focused on bicycle tools developed for cycling professionals, deals with an accurate selection of products designed for bicycle and e-bike maintenance.

Tour de France 2020 e 2021

UAE TEAM Emirates | Beta supplier

Partnership 2023



Official contributor of Eolo KOMETA cycling

eolo KOMETA CYCLING TEAM

Partnership 2023

3910

E-Bike lift

- Maximum carrying capacity: 40 kg
- Maximum height of central movement support: 135 cm
- Built-in wheel truing stand
- Innovative thru-axle locking system
- Supplied with adapter sockets for most forks
- Supplied with fork connection adapter without thru-axle
- Fully foldable and transportable
- Lift weight: 48kg

CE



	£		
3910	4750.00	1	039100010

3912TP

TOP workshop workbench for bicycle maintenance

- With support for central movement, with safety pin
- Tool drawer with ball bearing slides (490x365x90 mm)
- Built-in wheel truing stand
- Innovative thru-axle locking system

	£		
3912TP	2025.00	1	039120050

3912PP

PRO workshop workbench for bicycle maintenance

- With support for central movement, with safety pin
- Built-in wheel truing stand
- Innovative thru-axle locking system

	£		
3912PP	1078.00	1	039120150

3912TP/A

adapter socket for thru-axle forks

For workbenches 3912TP, 3912PP and 3910

L mm	Ø mm	Ø1 mm	£		
39	30	5	27.00	1	039120052

3912TP/C

universal adapter socket for thru-axle forks, hexagon socket tightening

For workbenches 3912TP, 3912PP and 3910

L mm	Ø mm	£		
29	30	27.00	1	039120054

3912TP/FOX

adapter sockets for FOX® forks

For workbenches 3912TP, 3912PP and 3910

L mm	£		
38	27.00	1	039120058

3912TP/QRE

adapter pin for forks without thru-axles

For workbenches 3912TP, 3912PP and 3910

L mm	£		
108	44.00	1	039120064

3912TP/ROAD

adapter socket for road forks

For workbenches 3912TP, 3912PP and 3910

L mm	Ø mm	£		
33	35	29.00	1	039120060

3912TP/RS

adapter socket for ROCKSHOX® thru-axle forks

For workbenches 3912TP, 3912PP and 3910

L mm	Ø mm	£		
35	30	27.00	1	039120056

3912TP/ST

adapter socket for SUNTOUR forks

For workbenches 3912TP, 3912PP and 3910

L mm	Ø mm	Ø1 mm	£		
31	30	18	29.00	1	039120062

3916MMP

workshop single-sided clamp for bicycle maintenance

- **Clamp can be rotated 360°, with floating jaws and micrometric adjustment**
- **Carrying capacity: 25 kg**
- **Plastic tool tray**

	£		
3916MMP	1023.00	1	039160150

3918MML

single-sided clamp, lightweight, foldable

- **Clamp can be rotated 360°**
- **Carrying capacity: 15 kg**
- **Maximum clamp height: 150 cm**

	£		
3918MML	369.00	1	039180010

3921

derailleur hanger alignment gauge



L mm	A mm	A1 mm	£		
440	115	165	148.50	1	039210010

3923

blade guide tool for cutting airfoil shaped seatposts up to 80 mm and tubes 1" ÷ 1.1/2"

L mm	A1 max mm	Ø max mm	£		
160	80	45	70.00	1	039230010

3927

handlebar clamp

	L mm	£		
3927	365	37.00	1	039270010

3932U

professional chain tool compatible with chains from 5 to 11 speeds

L mm	L1 mm	£		
164	115	69.50	1	039320011

3935

chain wear indicator

L mm	£		
120	8.20	1	039350010

3937

missing link pliers

L mm	£		
170	22.20	1	039370010

3948

crank extractor



mm	L mm	Ø mm	● mm	£		
14	79	20	15	18.70	1	039480015

3952

simple cone wrench

mm	L mm	£		
13	205	31.50	2	039520013
14	205	31.50	2	039520014
15	205	31.50	2	039520015
16	205	31.50	2	039520016
17	205	31.50	2	039520017
18	205	31.50	2	039520018
19	205	31.50	2	039520019
20	205	32.50	1	039520020
21	205	32.50	1	039520021
22	205	32.50	1	039520022
24	205	32.50	1	039520024

	£		
3952/S7 13-14-15-16 17-18-19 mm	220.50	1	039520207
3952/S11 13-14-15-16 17-18-19-20-21-22-24 mm	350.00	1	039520211

3953

pedal wrench

mm	L mm	£		
15	401	48.50	1	039530015

3955

open end wrenches for universal headsets

mm	L mm	£		
30x32	292	47.00	1	039550108
32x36	319	51.00	1	039550114

3961 3,2

spoke wrench, black, 3.2 mm

□ mm	£		
3,2	12.10	1	039610032

3961 3,3
spoke wrench, green, 3.3 mm

□ mm	£		
3,3	12.10	1	039610033

3961 3,5
spoke wrench, red, 3.5 mm

□ mm	£		
3,5	12.10	1	039610035

3961U
professional spoke wrench, 3.2 - 4.0 mm

□ mm	£		
3,2 - 4,0	20.10	1	039610100

3962SH
double spoke wrench for Shimano

L mm	A1 mm	A2 mm	£		
132	4,3	4,4	18.90	1	039620010

3962MV
double spoke wrench for Mavic

L mm	A1 mm	A2 mm	£		
135	4,3	8,4	19.70	1	039620020

3963P
special wrench for flat spokes

L mm	£		
129	10.40	1	039630010

3964
special nipple driver

L mm	L1 mm	£		
170	89	26.00	1	039640010

3965
wheel alignment gauge, ø 20" ÷ 29"

L mm	£		
680	95.50	1	039650010

3965C
professional wheel truing stand

- For ø 20" ÷ 29"
- Through axle hub adapter, 10 ÷ 20mm

L mm	L1 mm	A mm	£		
500	380	285	569.00	1	039650110

3967
sprocket removal wrench with chain whip

- Caters for up to 11 speed cassettes
- 2PVC handle
- Also suitable for fixed wheels

L mm	£		
289	84.50	1	039670010

3969
tyre lever

L mm	A mm	£		
200	15,6	11.60	1	039690010

3969K3
kit with 3 tyre levers, made of plastic

L mm	£		
113	6.50	1	039690130

3971
wrench for Shimano plastic bolts

- Suitable for Shimano Hollowtech II cranksets

N°	⬢ mm	£		
8	8	16.60	1	039710010

3972
bottom bracket removal wrench

- Suitable for Shimano® Hollowtech II, Campagnolo® Ultra-torque, FSA®, SRAM®

L mm	£		
252	22.20	1	039720010

3973PF
Press-Fit bearing removal tool

- Suitable for inside Ø 24 mm and 30 mm

L mm	£		
240	34.50	1	039730001

3973/1
16-notch bottom bracket removal socket

- Suitable for Shimano® XTR BB93, Dura-Ace® BB9000

1/2"

Ø mm	⬢ mm	L mm	£		
39	24	34	28.00	1	039730010

3973/2
16-notch bottom bracket removal socket

• Suitable for Shimano® BBR60 (Ultegra® 11 speeds)

1/2"

Ø mm	⬣ mm	L mm	£		
41	24	35	28.00	1	039730020

3973/3
16-notch bottom bracket removal socket

• Suitable for Shimano® Hollowtech II, Campagnolo® Ultra-torque, FSA®, SRAM®

1/2"



Ø int. mm	⬣ mm	L mm	£		
46	24	53,5	28.00	1	039730030

3973/4
20-notch bottom bracket removal socket with central pin, nickel-plated

• Suitable for Shimano and ISIS

1/2"

Ø mm	L mm	⬣ mm	£		
31,5	55	24	17.40	1	039730040

3975
steering and bearing cap press

• suitable for assembly of steering caps 1", 1.1/8", 1.1/4", 1.1/2" and 2"
NB: Not to be used with "zero stack" caps

L mm	Ø mm	£		
360	16x1	371.00	1	039750010

3984/1
BMX freewheel removal wrench, 2 grafts



Ø mm	L mm	⬣ mm	£		
35	25,5	24	15.10	1	039840010

3984/2
Shimano freewheel removal wrench

Ø mm	L mm	⬣ mm	£		
22,8	26	24	8.35	1	039840020

3984/3
Shimano freewheel removal wrench, cassette with guide pin

1/2"



Ø mm	L mm	L1 mm	£		
23,5	65	25	15.70	1	039840030

3984/4
Campagnolo freewheel removal wrench, with guide pin

Ø mm	L mm	L1 mm	⬣ mm	£		
23	51	13	24	18.80	1	039840040

3984/5
freewheel removal wrench, 2 grafts

1/2"

Ø mm	L mm	⬣ mm	£		
18,5	38	21	14.40	1	039840050

3984/6
freewheel removal wrench, 4 grafts

1/2"

Ø mm	L mm	⬣ mm	£		
19,5	36	21	14.40	1	039840060

3991
lever for pushing back disc brake pads

L mm	A mm	α	£		
222	36	7°	49.50	1	039910010

3992
disc brake straightener

L mm			A1 mm	£		
234	4	55	2,2	28.50	1	039920010

2115PI/BIKE-HOME

2115PI/BIKE-HOME 361

M400

M400 543
MV400 543

M401

M401 543
MV401 543

MM400

MM400 548
MMV400 548

MM401

MM401 548
MMV401 548



INSULATED TOOLS

Beta Utensili's insulated tools are meant to guarantee installation and electrical maintenance men's safety.
All of the insulated tools make it possible to work on systems up to 1000V on alternating current and up to 1500V on direct current.
To provide the highest quality and performance standards and verify fitness and compliance with EN 60900, each tool is subjected to the following stringent tests: handle resistance to slipping and flame propagation, and high voltage test (10000V).
For assortments and thermoformed trays, see relevant sections.

All of Beta's insulated tools are built in accordance with the specifications of EN60900 and are approved by the best European certification institutions

Istituto Italiano del Marchio di Qualità - I

Verband der Elektrotechnik
Elektronik Informationstechnik - D

⩓1000 V

SAFETY TESTS: tested at 10,000 V to work on 1,000 V electrical installations.
Beta's high-insulation tools are tested piece by piece at 10 kV, with a view to providing unparalleled quality for working instruments which are required to ensure ultra-high safety standards:
they make it possible to work at voltages up to 1,000 V a.c. (1,500 V d.c.).

SAFETY STANDARDS:
Although extremely stringent tests are performed during production, before using a tool, the operator must always check the insulating handle for tears, modifications or damage. Keeping the dielectric properties unchanged in time is closely connected with the mechanical, chemical or thermal stress the tool may be subjected to. In case the insulator should get damaged, the tool cannot be considered safe for use in live installations. Always wear protective goggles and insulated gloves.

TESTS PERFORMED DURING PRODUCTION

100% visual test:
All the surface finishes of the tools must be free from externally visible defects

Crash test:
After 2 hours at -25 °C, the tool is hit three times (by such a specific weight as provided for by the standard); the insulating handle must not show any signs of damage.

Penetration test:
A weight of 2 kg is applied to the tool handle at +70 °C for two hours. Later a voltage of 5 kV is applied to the area that is subjected to mechanical pressure for 3 minutes. No signs of current passing through must be shown.

Mechanical test:
The tools must satisfy such mechanical performance requirements as provided for in the relevant ISO standards

Flame propagation test:
A flame is directed towards the tool for 10 seconds; during the next 20 seconds, the flame must not exceed a height of 120 mm.

Dimensional test:
All the dimensions of the tools must comply with the design specifications.

Electrical insulation test:
Following immersion in water for 24 hours, the tool is subjected to a voltage of 10 kV for 3 minutes. Current dissipation must not exceed such values as provided for by the standard.

Adhesion test:
after 168 hours at +70 °C, the tool is subjected to a load of 500 N to check that the handle does not slip off.



Marking indelibility test:
Following the friction test with isopropyl alcohol, markings must remain legible.

52MQ
single open end wrenches

EN 60900

mm	L mm	£		
6	90	38.50	1	000520106
7	96	38.50	1	000520107
8	100	38.50	1	000520108
9	108	38.50	1	000520109
10	110	38.50	1	000520110
11	120	38.50	1	000520111
12	132	44.00	1	000520112
13	140	44.00	1	000520113
14	146	46.00	1	000520114
15	166	47.50	1	000520115
16	156	47.50	1	000520116
17	168	48.00	1	000520117
18	170	48.00	1	000520118
19	176	49.50	1	000520119
21	190	54.50	1	000520121
22	200	55.50	1	000520122
24	225	61.00	1	000520124
27	210	81.00	1	000520127
30	240	85.50	1	000520130
32	240	86.50	1	000520132

89MQ
single ring wrenches

EN 60900

○ mm	L mm	£		
6	150	48.50	1	000890106
7	155	48.50	1	000890107
8	155	48.50	1	000890108
9	160	48.50	1	000890109
10	170	54.00	1	000890110
11	180	54.50	1	000890111
12	190	59.50	1	000890112
13	195	60.50	1	000890113
14	200	64.00	1	000890114
15	210	64.00	1	000890115
16	216	69.00	1	000890116
17	218	69.00	1	000890117
18	236	72.50	1	000890118
19	240	72.50	1	000890119
21	250	83.00	1	000890121
22	255	83.00	1	000890122
24	280	92.50	1	000890124
27	300	100.00	1	000890127
30	320	117.50	1	000890130
32	340	119.00	1	000890132

110MQ
adjustable wrench with scale

EN 60900

L mm	A max	£		
200	28	115.00	1	001100520
250	30	139.50	1	001100525
300	30	182.00	1	001100530

606MQ/50

click-type torque wrench
with reversible ratchet

12"

1000 V

EN 60900
UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	A mm	L mm	g
5÷50	0,5÷5	4÷40	90	375	1130

	£		
606MQ/50	**1109.00**	1	006060705

850MQ

magnetic bit holder, insulated,
with bimaterial handle

14

1000 V

IMQ CSV
EN 60900

L mm	L1 mm	D mm	£		
233	125	12.5	**32.50**	1	008500910

910MQ/B

bi-hex sockets

38"

1000 V

EN 60900

mm	L mm	Ø1 mm	Ø mm	£		
6	45	14	24	**34.50**	1	009100616
7	45	15	24	**34.50**	1	009100617
8	45	16	24	**34.50**	1	009100618
9	45	17	24	**34.50**	1	009100619
10	45	19	24	**34.50**	1	009100620
11	45	20	24	**34.50**	1	009100621
12	45	24	24	**34.50**	1	009100622
13	45	24	24	**34.50**	1	009100623
14	45	25	24	**34.50**	1	009100624
15	45	27	24	**37.00**	1	009100625
16	45	27,5	24	**37.00**	1	009100626
17	45	30	24	**37.50**	1	009100627
18	45	31	24	**37.50**	1	009100628
19	45	32	24	**37.50**	1	009100629

910MQ/PE

socket drivers for hexagon screws

38"

1000 V

EN 60900

mm	Ø mm	L mm	£		
4	24	100	**47.50**	1	009100604
5	24,5	100	**47.50**	1	009100605
6	25,0	100	**47.50**	1	009100606
8	25,0	100	**47.50**	1	009100608
10	25,5	100	**48.50**	1	009100610

910MQ/TX

socket drivers
for Torx® head screws

38"

1000 V

EN 60900

	Ø mm	L mm	L1 mm	£		
T15	23	116	61	**58.00**	1	009100641
T20	24,5	116	65	**58.00**	1	009100642
T25	24,5	116	65	**58.00**	1	009100643
T27	24,5	116	65	**58.00**	1	009100644
T30	24,5	116	65	**59.50**	1	009100645
T40	24,5	116	65	**60.00**	1	009100646

910MQ/XZN

socket drivers
with XZN® profile

38"

1000 V

EN 60900

	Ø mm	L mm	L1 mm	£		
M8	24	106	57	**56.00**	1	009100658
M10	24	106	57	**57.00**	1	009100660

910MQ/PT

preset extensions
with 3/8" female drive

38"

1000 V

EN 60900

Nm	L mm	L1 mm	£		
12	80	35,5	**311.00**	1	009100801

910MQ/21

3/8" drive extension

38"

1000 V

EN 60900

L mm	Ø mm	£		
140	13,4	**69.00**	1	009100804

910MQ/22

3/8" drive extension

38"

1000 V

EN 60900

L mm	Ø mm	£		
265	13,4	**77.50**	1	009100805

910MQ/T

3/8" drive, T-handle

38"

1000 V

EN 60900

L mm	L1 mm	£		
200	165	**80.00**	1	009100807

910MQ/55

3/8" drive reversible ratchet

38"

1000 V

EN 60900

L mm	D mm	A mm	£		
203	41	67	**221.50**	1	009100808

910MQ/C16

8 bi-hex sockets,
4 hexagon socket drivers
and 4 accessories

38"

1000 V

EN 60900

	£		
910MQ/C16	**998.00**	1	009100917

- **910MQ/B** 8 - 10 - 11 -12 - 13 - 14 - 17 - 19 mm
- **910MQ/PE** 4 - 5 - 6 - 8 mm
- **910MQ/21** 125 mm
- **910MQ/22** 250 mm
- **910MQ/T**
- **910MQ/55**

914MQ/A

hexagon hand sockets,
3/8" female drive,
made from special polyamide-based technopolymers

Specially designed for batteries of hybrid and electric cars

For use with torque wrench

EN 60900

mm	Ø mm	L mm	Ø1 mm	£		
8	17,5	45	20	**21.40**	2	009140008
10	20,5	45	20	**21.40**	2	009140010
13	24	45	20	**21.40**	2	009140013
17	30	45	22	**21.40**	2	009140017

EN 60900

	£		
914MQ-A/S4 8-10-13-17 mm	**85.50**	1	009140054

920MQ/A

hexagon sockets

EN 60900

mm	Ø mm	L mm	Ø1 mm	£		
8	21,5	57	27,5	**34.50**	1	009200238
9	21.5	57	27,5	**34.50**	1	009200239
10	21,5	57	27,5	**34.50**	1	009200240
11	21,5	57	27,5	**34.50**	1	009200241
12	23,0	57	27,5	**34.50**	1	009200242
13	23,0	57	27,5	**34.50**	1	009200243
14	23,0	57	27,5	**37.50**	1	009200244
16	23,0	57	27,5	**38.00**	1	009200246
17	30,0	57	27,5	**38.00**	1	009200247
18	32,0	57	27,5	**38.50**	1	009200248
19	32,2	57	27,5	**38.50**	1	009200249
20	32,0	57	27,5	**40.50**	1	009200250
21	34,0	57	27,5	**40.50**	1	009200251
22	36,0	57	27,5	**43.00**	1	009200252
24	39,0	57	27,5	**45.00**	1	009200254
27	42,0	57	27,5	**45.00**	1	009200257
30	44,0	57	27,5	**46.00**	1	009200260
32	48,0	57	27,5	**47.50**	1	009200262

920MQ/PE

socket drivers for hexagon screws

EN 60900

	Ø mm	L mm	L1 mm	£		
★4	28,5	94,50	10,5	**66.00**	1	009200264
★5	28,5	94,5	10,5	**66.00**	1	009200265
★6	28,5	94,5	10,5	**66.00**	1	009200266
★8	28,5	94,5	10,5	**66.00**	1	009200268
10	28,5	94,5	10,5	**67.50**	1	009200267
12	28,5	94,5	10,5	**67.50**	1	009200269

920MQ/21

1/2" square drive extension bar

EN 60900

L mm	Ø mm	£		
135	28	**71.00**	1	009200804

920MQ/22

1/2" square drive extension bar

EN 60900

L mm	Ø mm	£		
264	30	**81.50**	1	009200805

920MQ/T

1/2" square drive, T-handle



EN 60900

L mm	L1 mm	£		
200	163	**86.00**	1	009200807

920MQ/55A

1/2" square drive reversible ratchet with socket locking system

EN 60900

L mm	D mm	A mm	£		
240	50	89	**340.00**	1	009200809

920MQ/C16

9 hexagon sockets,
3 socket drivers for hexagon screws
and 4 accessories

EN 60900

	£		
920MQ/C16	**1195.00**	1	009200917

920MQ/A	8 - 10 - 12 - 13 - 14 - 17 - 19 - 22 - 24 mm
920MQ/PE	5 - 6 - 8 mm
920MQ/21	135 mm
920MQ/22	264 mm
920MQ/55A	
920MQ/T	

420x280x60 mm - 5,2 kg

943MQ

hexagon nut spinners with handles



EN 60900

mm	L mm	L1 mm	D mm	£		
5,5	233	125	12,2	**22.60**	1	009430235
6	233	125	12,5	**22.60**	1	009430236
7	240	125	14,3	**23.80**	1	009430237
8	240	125	15,3	**23.80**	1	009430238
10	252	125	17,3	**24.60**	1	009430240
13	252	125	21,3	**26.00**	1	009430243

	£		
943MQ/S6 5,5-6-7-8-10-13 mm	**143.50**	1	009430250

951MQ

T-handle wrenches with hexagon male ends

EN 60900

mm	L mm	L1 mm	£		
3	120	105	**58.00**	1	009510703
*** 4**	165	105	**59.50**	1	009510704
*** 5**	170	105	**59.50**	1	009510705
*** 6**	168	105	**59.50**	1	009510706
*** 8**	165	105	**59.50**	1	009510708
10	200	105	**66.00**	1	009510710

993MQ
bent knurled point spring tweezers

1000 V

EN 60900

L mm	£		
147	52.50	1	009930040

994MQ
straight knurled point spring tweezers

1000 V

EN 60900

L mm	£		
145	51.00	1	009940040

1010MQ
long round nose pliers

1000 V

EN 60900

L mm	L1 mm	£		
160	51,5	60.50	1	010100096

1048MQ
slip joint pliers, boxed joint

• **Chrome-plated finish**



1000 V

EN60900

L mm	A max mm	L1 mm	£		
250	48	39	85.50	1	010480315

1082MQ
diagonal cutting nippers

1000 V

EN 60900

L mm	L1 mm	mm	£		
140	20	1,6	65.00	1	010820094
160	22	1,6	70.00	1	010820096

1084MQ
heavy duty diagonal cutting nippers

1000 V

EN 60900

L mm	L1 mm	mm	£		
200	26	2,0	88.50	1	010840100

1088MQ
end cutting nippers



1000 V

EN 60900

L mm	L1 mm	mm	£		
160	7	1,6	78.50	1	010880096

1128MQ
electrician's scissors, stainless steel blades, with microteeth

1000 V

IEC60900

L mm	L1 mm	£		
145	45	72.50	1	011280101

1132MQ
cable cutter with insulated handles for copper and aluminium cables

1000 V

EN 60900

L mm	mm	£		
230	18	103.00	1	011320193

1142MQ
wire stripping pliers

1000 V

EN 60900

L mm	mm²	£		
160	0,5÷6	67.00	1	011420096

1150MQ
combination pliers, bright chrome-plated

1000 V

EN 60900

L mm	L1 mm	mm	£		
160	37	1,6	60.00	1	011500496
180	39	1,8	61.00	1	011500498
200	43	2,0	63.50	1	011500500
220	46	2,0	68.00	1	011500502

1162MQ
extra long flat nose pliers

1000 V

EN 60900

L mm	L1 mm	mm	£		
160	56	1,6	59.50	1	011620096
200	76	1,6	62.00	1	011620100

1164MQ
extra-long bent flat nose pliers



1000 V

EN 60900

L mm	L1 mm	mm	£		
160	54	1,6	60.50	1	011640096
200	76	1,6	64.00	1	011640100

1166MQ
extra long needle nose pliers

1000 V

EN 60900

L mm	L1 mm	mm	£		
160	56	1,6	59.50	1	011660096
200	76	1,6	62.00	1	011660100

1168MQ
extra long bent needle nose pliers

1000 V

EN 60900

L mm	L1 mm	mm	£		
160	50	1,6	60.50	1	011680096
200	70	1,6	64.00	1	011680100

1169MQ/D2

1000 V

		£		
1169MQ/D2		131.00	1	011690152
1150MQ	180 mm			
1082MQ	160 mm			

1272MQF
screwdrivers for cross head Phillips® screws

Slim



1000 V

EN60900

PHxDxL mm	L1 mm	£		
1x4,5x80	187	15.90	3	012720609
2x6x100	218	17.60	3	012720618

1272MQ
screwdrivers
for cross head Phillips® screws

1000 V

EN 60900

PHxDxL mm	L1 mm	£		
0x3x60	160	13.90	3	012720703
1x4,5x80	187	15.80	3	012720709
2x6x100	218	18.10	3	012720718
3x8x150	276	23.30	2	012720724
4x10x200	326	26.50	2	012720727

		£		
1272MQ/S5		97.50	1	012720751
PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 PH4x10x200 mm				

1273MQF/D...
set of 6 slim screwdrivers

1000 V

		£		
1273MQF/D4		65.00	1	012730604
1272MQF	1x4,5x80-2x6x100 mm			
1274MQF	0,6x3,5x100-1x5,5x125 mm			

		£		
1273MQF/D6		100.00	1	012730606
1272MQF	1x4,5x80-2x6x100 mm			
1274MQF	0,6x3,5x100-1x4,5x100 1x5,5x125-1,2x6,5x150 mm			

1273MQ/D6
set of 6 screwdrivers

1000 V

		£		
1273MQ/D6		93.00	1	012730851
1274MQ	0,5x3x100 -0,8x4x100 1,0x5,5x125 mm			
1272MQ	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm			

1274MQF
screwdrivers for headless slotted screws

Slim



1000 V

EN60900

SxDxL mm	L1 mm	£		
0,6x3,5x100	200	14.70	3	012740603
1x4,5x100	205	15.80	3	012740606
1x5,5x125	232	16.70	3	012740609
1,2x6,5x150	268	19.10	3	012740612

1274MQ
screwdrivers for headless slotted screws



1000 V

EN 60900

SxDxL mm	L1 mm	£		
0,4x2,5x75	175	12.70	3	012740700
0,5x3x100	200	13.40	3	012740703
0,8x4x100	207	15.00	3	012740706
1x5,5x125	232	16.60	3	012740709
1,2x6,5x150	268	20.40	3	012740712
1,2x8x175	301	23.30	2	012740715
1,6x10x200	326	26.50	2	012740718



		£		
1274MQ/S6		115.00	1	012740751
0,5x3x100-0,8x4x100 1x5,5x125-1,2x6,5x150 1,2x8x175-1,6x10x200 mm				

1275MQ/C
screwdrivers for combined cross head PH + slotted head screws

slim



1000 V

EN60900

	£		
PH1+LPP	15.10	2	012750409
PH2+LPP	16.60	2	012750418

1276MQ/C

screwdrivers for combined cross head PZ + slotted head screws

slim



EN 60900

	£		
PZ1+LPP	15.10	2	012760409
PZ2+LPP	16.60	2	012760418

1279MQ/F

screwdrivers for cross head Pozidriv®-Supadriv® screws

slim



EN60900

pz	L mm	L1 mm	£		
1	80	187	14.30	3	012790409
2	100	218	15.30	3	012790418

1279MQ

screwdrivers for cross head Pozidriv®-Supadriv® screws

EN 60900

PZ	L mm	L1 mm	£		
0	60	160	14.60	3	012790703
1	80	187	17.30	3	012790709
2	100	218	18.10	3	012790718
3	150	276	23.20	2	012790724

	£		
1279MQ/S4 PZ 0-1-2-3	73.00	1	012790751

1725MQ

mini-hacksaw frame

EN 60900

	L mm	H mm	£		
1725MQ	260	85	125.50	1	017250030

1777MQ/C

cable stripping knife, insulated

- **for multicore cables**

EN 60900

	L mm	£		
1777MQ/C	190	47.50	1	017770026

1777MQ/U

cable stripping knife, insulated

EN 60900

	L mm	£		
1777MQ/U	190	38.00	1	017770011

1777RL/U

4 spare blades for utility knife 1777MQ/U

	£		
1777RL/U	37.50	1	017770021

1995MQ/T

insulating mat



VDE 0303
EN 60243

	LxSxH mm	£		
1995MQ/T	1000x1000	366.00	1	019950030

1995MQ/G1 - G2

insulating gloves in latex

EN 60903

	Gr.	L mm	£		
1995MQ/G1	9	410	155.00	1	019950010
1995MQ/G2	10	410	155.00	1	019950013

1996MQ/T

insulating cloth

500x500mm



DIN EN 61112

	S mm	£		
1996MQ/T0,5	1.0	127.00	1	019960005

1996MQ/GM

composite insulating gloves

EN60903
EN388

EN 60903
EN 61482

	Gr.	L mm	£		
1996MQ/GM 9	9	410	219.00	1	019960109
1996MQ/GM 10	10	410	219.00	1	019960110

1996SVG

pneumatic tester for insulated gloves

mandatory testing in accordance with EN90603

	£		
1996SVG	513.00	1	019960133

2115P L-MQ32

2115PL-MQ32	362

2029EM

2029EM	355

5989 VEM

5989 VEM	517

TETHERED TOOLS

Beta H-SAFE

The H-SAFE tool range by Beta comprises over 200 coded items, for which a holding system has been individually designed to withstand extremely severe mechanical stress, as synonymous with unparalleled safety.

Operating comfort is also crucial: tools with a double active part, including combination wrench item 42, are tied with a cable which runs along the entire body of the tool; whereas twisting tools, including screwdrivers, are tied with freely rotating rings preventing the string from getting twisted.



The H-SAFE holding system has been designed, tested and manufactured in Beta's factories Eith the H-SAFE system by Beta, tools are always within reach, comfortably and safely

35HS

flat chisels, ribbed type

with H-SAFE tethered system

L mm	A mm	£		
200	23,0	61.00	1	000354004
250	28,5	80.00	1	000354005

42HS

combination wrenches, open and offset ring ends

with H-SAFE tethered system

DIN 3113 UNI-ISO 7738

mm	L mm	£		
6x6	95	32.50	1	000424506
7x7	105	32.50	1	000424507
8x8	116	32.50	1	000424508
9x9	127	32.50	1	000424509
10x10	137	33.50	1	000424510
11x11	148	34.50	1	000424511
12x12	158	34.50	1	000424512
13x13	169	34.50	1	000424513
14x14	180	36.50	1	000424514
15x15	190	36.50	1	000424515
16x16	201	37.50	1	000424516
17x17	212	38.50	1	000424517
18x18	222	40.00	1	000424518
19x19	233	42.50	1	000424519
20x20	243	45.00	1	000424520
21x21	254	46.00	1	000424521
22x22	264	46.00	1	000424522
23x23	275	47.50	1	000424523
24x24	285	48.50	1	000424524
25x25	296	49.50	1	000424525
26x26	307	51.50	1	000424526
27x27	317	57.00	1	000424527
28x28	328	57.00	1	000424528
29x29	338	60.00	1	000424529
30x30	349	62.50	1	000424530
32x32	370	69.00	1	000424532
34x34	391	123.00	1	000424534
36x36	412	129.50	1	000424536

42HS/AS

combination wrenches, open and offset ring ends

with H-SAFE tethered system

"	L mm	£		
1/4x1/4	95	33.50	1	000424106
5/16x5/16	116	33.50	1	000424108
3/8x3/8	137	34.50	1	000424110
7/16x7/16	148	34.50	1	000424111
1/2x1/2	169	36.50	1	000424113
9/16x9/16	180	36.50	1	000424114
5/8x5/8	201	38.00	1	000424116
11/16x11/16	212	42.50	1	000424117

"	L mm	£		
3/4x3/4	233	44.00	1	000424119
13/16x13/16	254	47.50	1	000424121
7/8x7/8	264	48.50	1	000424122
15/16x15/16	285	51.50	1	000424124
1x1	296	53.50	1	000424125
1.1/16x1.1/16	317	60.00	1	000424127
1.1/8x1.1/8	338	62.50	1	000424129
1.1/4x1.1/4	370	71.00	1	000424132
1.5/16x1.5/16	391	110.00	1	000424133

55HS

double open end wrenches

with H-SAFE tethered system

UNI-ISO 10102 DIN 3110

mm	L mm	£		
• 6x7	120	23.00	1	000554012
• 8x9	140	23.90	1	000554021
• 10x11	155	25.50	1	000554030
• 12x13	170	25.50	1	000554042
• 14x15	185	27.50	1	000554054
• 16x17	202	29.50	1	000554060
• 18x19	220	30.50	1	000554066
• 20x22	236	31.50	1	000554075
• 21x23	245	34.00	1	000554078
22x24	245	36.00	1	000554081
24x27	262	40.50	1	000554090
• 30x32	297	48.50	1	000554108
34x36	325	114.50	1	000554117

91HS-C

heavy duty offset ring wrenches

with H-SAFE tethered system

mm	Ø mm	£		
36	54	137.50	1	000914036
41	62	158.00	1	000914041
46	69	177.50	1	000914046

91HS

heavy duty offset ring wrenches
with H-SAFE tethered system

mm	Ø mm	£		
36	54	264.00	1	000914236
41	62	285.00	1	000914241
46	69	329.00	1	000914246

92HS

tubes for item 91
with H-SAFE tethered system

L mm	91 mm	Ø mm	£		
610	32÷41	22	127.00	1	000924020
760	46÷55	25	152.00	1	000924030

93HS

double-ended offset ring wrench for scaffolding bolts
with H-SAFE tethered system

mm	L mm	£		
21x22	310	86.50	1	000934021

96TBP-HS

ball head offset hexagon key wrenches with high torque handles and
H-SAFE tethered system



O mm	L mm	L1 mm	Ø mm	£		
2,5	153	55	4	32.50	1	000964685
3	153	55	4	33.50	1	000964686
4	179	70	5	34.50	1	000964687
5	200	84	6	34.50	1	000964688
6	221	103	7	37.50	1	000964689
8	255	117	10	45.00	1	000964690
10	285	132	12	48.50	1	000964692

96THS

offset hexagon key wrenches, with high torque handles

with H-SAFE tethered system



mm	L mm	L1 mm	£		
2,5	153	55	32.50	1	000964935
3	153	55	33.50	1	000964936
4	179	70	34.50	1	000964938
5	200	84	34.50	1	000964940
6	221	103	37.50	1	000964941
8	255	117	45.00	1	000964943
10	285	132	48.50	1	000964945

96THS-AS

offset hexagon key wrenches,
with high torque handles
with H-SAFE tethered system



"	L mm	L1 mm	Ø mm	£		
5/32	200	84	6	37.50	1	000964673
3/16	200	84	6	37.50	1	000964674
7/32	221	103	7	38.50	1	000964675
1/4	236	106	8	45.00	1	000964676
5/16	255	117	10	47.50	1	000964678
3/8	285	132	12	56.00	1	000964680

97TTXHS

offset key wrenches with handles for Torx(R) head screws
with H-SAFE tethered system



O	L mm	L1 mm	£		
T10	179	70	36.50	1	000974710
T15	179	70	36.50	1	000974715
T20	179	70	36.50	1	000974720
T25	179	70	37.50	1	000974725
T30	200	84	37.50	1	000974730
T40	221	103	42.50	1	000974740
T45	236	106	45.00	1	000974745
T50	255	117	48.50	1	000974750

111E-HS

adjustable wrenches with scales, chrome-plated

with H-SAFE tethered system

- **Right-hand rotation of pin**
- **Mm/inch scale**

DIN 3117 ISO 6787

L mm	L "	A max mm	£		
200	8	29	56.50	1	001114120
250	10	34	62.50	1	001114125
300	12	40	75.50	1	001114130
380	15	45	139.00	1	001114138
450	18	54	220.00	1	001114145

142HS

reversible ratcheting combination wrenches with H-SAFE tethered system

mm	L mm	£		
8x8	136	44.00	1	001424008
9x9	143	44.00	1	001424009
10x10	159	45.00	1	001424010
11x11	168	46.00	1	001424011
12x12	174	46.00	1	001424012
13x13	180	47.50	1	001424013
14x14	190	48.50	1	001424014
15x15	200	49.50	1	001424015
16x16	216	51.50	1	001424016
17x17	233	53.50	1	001424017
18x18	239	57.00	1	001424018
19x19	248	58.50	1	001424019
21x21	285	66.00	1	001424021
22x22	285	67.50	1	001424022
24x24	325	77.50	1	001424024
27x27	355	99.50	1	001424027
30x30	420	117.50	1	001424030
* 32x32	420	119.00	1	001424032

*** Straight model without inverter**

360HS

pipe wrenches, Stillson pattern

with H-SAFE tethered system

L mm	Ø max "	£		
250	1" gas	62.50	1	003604025
350	1"1/2 gas	80.00	1	003604035
450	2" gas	101.00	1	003604045
600	2"1/2 gas	144.00	1	003604060

LC system, two-ball retaining system. Socket is only released through button

666HS

ZERO-RESET click-type torque wrenches with reversible ratchets, for right-hand tightening, torque accuracy: ± 3%

with H-SAFE tethered system

• Does not require releasing tension

ISO 6789

Nm	■	D mm	A mm	L mm	LC system	g		
10÷50	3/8	30	33	342	-	680	0,25	
					£			
666HS/5					**347.00**		1	006664705
20÷100	3/8	30	33	385	-	760	0,25	
666HS/10					**349.00**		1	006664710
40÷200	1/2	42	43	471	*	1020	0,5	
666HS/20LC					**399.00**		1	006664721
60÷300	1/2	42	43	600	*	1270	1,0	
666HS/30LC					**453.00**		1	006664731

900E-HS/55

reversible ratchets with H-SAFE tethered system

DIN 3122 - UNI-ISO 3315

L mm	Ø mm	A mm	■	£		
125	25	18	1/4	64.00	1	009004880

910E-HS/55

reversible ratchets with H-SAFE tethered system

DIN 3122 - UNI-ISO 3315

L mm	Ø mm	A mm	■	£		
200	30	33	3/8	69.50	1	009104880

920E-HS/55LC

reversible ratchets "Locking System"

with H-SAFE tethered system



DIN 3122 - UNI-ISO 3315

L mm	Ø mm	A mm	■	£		
275	40	43	1/2	116.00	1	009204860

932HS

double ended hexagon / bi-hex offset socket wrenches, bright chrome-plated with H-SAFE tethered system



NF E 74.303

mm	Ø mm	L mm	£		
6x6	11,5	110	30.50	1	009324006
7x7	12,5	116	30.50	1	009324007
8x8	13,0	120	32.50	1	009324008
9x9	14,0	125	32.50	1	009324009
10x10	16,5	133	32.50	1	009324010
11x11	17,5	143	33.50	1	009324011
12x12	19,0	148	33.50	1	009324012
13x13	19,5	154	34.50	1	009324013
14x14	21,5	167	36.50	1	009324014
15x15	22,5	182	38.50	1	009324015
16x16	24,5	193	40.00	1	009324016
17x17	26,0	198	42.50	1	009324017
18x18	26,5	215	42.50	1	009324018
19x19	29,0	220	44.00	1	009324019

1032HS

internal circlip pliers, straight pattern PVC-coated handles with H-SAFE tethered system

UNI 7914 DIN 5256

L mm	⊙ Ø mm	Ø1 mm	A mm	£		
140x1,3	12÷25	1,3	20	48.50	1	010324014
180	19÷60	1,9	21	51.50	1	010324017

1034HS

internal circlip pliers, bent pattern,90°
PVC-coated handles
with H-SAFE tethered system

UNI 7914 DIN 5256

L mm	⊙ Ø mm	Ø1 mm	A mm	£		
170	19÷60	1,9	21	56.00	1	010344017

1036HS

external circlip pliers, straight pattern PVC-coated handles
with H-SAFE tethered system

UNI 7915 DIN 5254

L mm	● Ø mm	Ø1 mm	A mm	£		
140x1,3	10÷25	1,3	20	51.50	1	010364014
175	19÷60	1,9	21	53.50	1	010364017

1038HS

external circlip pliers, bent pattern, 90°
PVC-coated handles
with H-SAFE tethered system

UNI 7915 DIN 5254

L mm	● Ø mm	Ø1 mm	A mm	£		
175	19÷60	-	21	57.00	1	010384017

1048BM-HS

slip joint pliers, boxed joint, bimaterial handles
with H-SAFE tethered system

· new 9-position model



ISO 8976

L mm	A max mm	L1 mm	g	£		
250	48	39	460	85.50	1	010484215

1052HS

adjustable self-locking pliers,
concave jaws
with H-SAFE tethered system



L mm	A mm	A1 max mm	S mm	£		
240	72	42	10,0	66.00	1	010524024

1082BM-HS

diagonal cutting nippers,
bi-material handles
with H-SAFE tethered system

UNI/ISO 5749

L mm	L1 mm	mm	A mm	£		
160	22	1,6	28,0	69.00	1	010824036

1088BM-HS

heavy duty end cutting nippers,
bi-material handles
with H-SAFE tethered system



UNI/ISO 5748

L mm	L1 mm	mm	A mm	£		
160	9	1,6	28,0	75.50	1	010884036
200	11	2,0	36,0	88.00	1	010884040

1128BAX-HS

Double-acting electricians' scissors,with milling profiles in DLC-coated stainless steel
with H-SAFE tethered system

Double-acting cutting: a special cam on the fulcrum allows the blades to run lengthwise, which results in increased cutting power while closing the blades.

Profile and mill: designed to enlarge holes on plastic, from 13 mm to 25 mm.

DLC coating: DLC (diamond-like carbon) is an innovative carbon-based coating: the high hardness and low coefficient of friction arise from the simultaneous presence of carbon on the surface in the form of graphite, and diamond.

- **High blade surface hardness (resistance to abrasion and wear)**
- **Low coefficient of friction (smoothness and anti-adherence)**
- **Anti-loose eccentric pin**
- **Large handles with pipe throttling grooves**
- **With articulated plastic case**

L mm	L1 mm	mm²	£		
150	50	50	64.00	1	011284088

1132BM-HS

cable cutters for insulated copper and aluminium cables, bi-material handles with H-SAFE tethered system

UNI 8791

L ~	mm	A mm	B mm	£		
230	18	37	12,5	**95.00**	1	011324143

1150BM-HS

combination pliers bright chrome-plated, bi-material handles with H-SAFE tethered system

ISO 5746

L mm	L1 mm	mm	A mm	£		
160	42	1,6	22,0	**62.50**	1	011504146
180	46	1,8	25,0	**65.50**	1	011504148
200	50	2,0	27,0	**69.50**	1	011504150

1166BM-HS

extra long needle knurled nose pliers, bi-material handles with H-SAFE tethered system

ISO 5745

L mm	L1 mm	mm	A mm	£		
200	76	1,6	22,0	**71.00**	1	011664040

1168BM-HS

extra long bent needle knurled nose pliers, bi-material handles

ISO 5745

L mm	L1 mm	mm	A mm	£		
200	70	1,6	22,0	**74.50**	1	011684040

1290HS

screwdrivers for slotted head screws H-SAFE



ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,4x2,5x75	171	2,5	**23.00**	1	012904006
0,5x3x100	196	3,0	**23.80**	1	012904012
0,6x3,5x100	196	3,5	**25.50**	1	012904021
0,8x4x100	196	4,0	**24.80**	1	012904030
0,8x4x150	246	4,0	**26.50**	1	012904036
1x5,5x150	259	5,0	**29.50**	1	012904042
1,2x6,5x150	270	6,0	**31.50**	1	012904051
1,2x8x150	282	7,0	**34.50**	1	012904057
1,6x10x200	332	8,0	**41.00**	1	012904066

1292HS

screwdrivers for cross head Phillips® screws with H-SAFE tethered system

UNI/ISO 8764

PHxDxL mm	L1 mm	£		
0x3x100	196	**28.00**	1	012924006
1x4,5x120	229	**30.50**	1	012924012
2x6x150	270	**33.50**	1	012924021
3x8x150	282	**37.00**	1	012924024

1294HS

screwdrivers for headless slotted screws

with H-SAFE tethered system

SxDxL mm	L1 mm	£		
0,5x2,5x60	156	**26.50**	1	012944003
0,6x3x75	171	**28.00**	1	012944006
0,8x4x100	196	**28.00**	1	012944012
1x5x125	234	**32.50**	1	012944018

1299HS

screwdrivers for cross head Pozidriv(R)-Supadriv(R) screws with H-SAFE tethered system

UNI/ISO 8764

PZ	L mm	L1 mm	£		
0	60	156	**28.00**	1	012994000
1	80	189	**30.50**	1	012994003
2	100	220	**34.50**	1	012994006
3	150	282	**38.50**	1	012994009

1370T-HS

mechanic's hammers fibre shaft with H-SAFE tethered system

g	A mm	L mm	L1 mm	£		
300	23	300	105	**48.50**	1	013704630
500	27	320	118	**56.00**	1	013704650
1000	36	360	135	**66.00**	1	013704700

1370FT-HS
riveting hammers, fibre shafts

with H-SAFE tethered system

A mm	L mm	L1 mm	B mm	£		
28	280	86	22	**66.00**	1	013704528
30	280	92	24	**69.00**	1	013704530
36	300	104	29	**82.50**	1	013704536

1390HS
soft face hammers, wooden shafts
with H-SAFE tethered system

UNI 7784

D mm	L mm	L1 mm	£		
35	310	95	**70.00**	1	013904035
45	320	107	**95.00**	1	013904045

1392HS
dead-blow hammers, with interchangeable plastic faces, steel shafts
with H-SAFE tethered system

D mm	L mm	L1 mm	£		
35	305	115	**93.50**	1	013924035
40	310	125	**102.00**	1	013924040
50	325	135	**117.50**	1	013924050
60	385	155	**166.00**	1	013924060

1602A-HS
crimping pliers for insulated terminals, standard model
with H-SAFE tethered system



mm²	L mm	A mm	B mm	£		
0÷6	220	42	4	**88.00**	1	016024005

1682HS
flexible graduated rules
made from stainless steel
with H-SAFE tethered system



L mm	H mm	mm	£		
200	13	0,5	**25.50**	1	016824020
300	13	0,5	**28.00**	1	016824030

1692HS
measuring tapes,shock-resistant bi-material ABS casings,
steel tapes,
precision class II

with H-SAFE tethered system

CE

L m	S mm	£		
3	16	**30.50**	1	016924053
5	19	**33.50**	1	016924055

1708HS/20
metric feeler gauges
with H-SAFE tethered system

S mm	S	L mm	£		
0,05÷1,0	0,002÷0,040	105	**34.50**	1	017084020

1727HS
hacksaw frame, heavy series
with H-SAFE tethered system



L mm	L1 mm	£		
515	300	**51.50**	1	017274001

1743HS
fitting tool for nylon ties
with H-SAFE tethered system



L mm	A mm	B mm	£		
195	85	17	**69.00**	1	017434001

1750HS
lever operated grease guns
with H-SAFE tethered system

1 g, 550 bar Max

cc	L mm	£		
500	380	**82.50**	1	017504500

1760BHS
digital multimeter
with H-SAFE tethered system

CE

SPECIFICATIONS
DC voltage: 200 mV-2/20/200/1000V
AC voltage: 2-20/200/700V
DC current: 2/20/200 mA-20 A
AC current: 2/200 mA- 20 A
Resistance: 200Ω - 2/20/200 kΩ - 2/20 MΩ
Capacity: 2/20/200 nF - 2/200 µF
Temperature: -20° + 1000°C/ -4 °F ~ +2000°F
Frequency: 20kHz
Power supply: 1 9V battery (included)

	£		
1760BHS	**310.00**	1	017604012

1772H-HS

safety utility knife with retractable blade, supplied with 2 blades
with H-SAFE tethered system

	L mm	A mm	£		
1772H-HS	170	18	38.50	1	017724029

1778SOS-HS

car service knife
with window breaking hammer and seat belt cutter features
in case
with H-SAFE tethered system

	L mm	A mm	L1 mm	£		
1778SOS-HS	205	25	85	58.50	1	017784080

8871

safety belt with metal double closure buckle.
To connect H-SAFE tools

	L cm min-max	£		
8871 70	70-100	195.50	1	088710070
8871 100	100-135	207.00	1	088710100

8872A

fixed loop

- For belt item 8871

	£		
8872A 50	33.00	1	088720050

8872AS

strap loop

- For belt item 8871

	D mm	£		
8872AS 25	25	30.50	1	088720525

8873

tool bag
with self-locking

- For belt item 8871

	£		
8873 230	160.00	1	088730230

8877

cushioned hook-up lace

- MAX 2.7 kg

	L cm min÷max	DxL mm	£		
8877 80	70-110	40x80	39.50	1	088770080

8877M

cushioned hook-up lace

- With anti-winding joint
- MAX 2.7 kg

	L cm min÷max	DxL mm	£		
8877M 20-140	20-140	30x60	74.50	1	088770510

8879

strap wristband

- MAX 2.7 kg

	D mm	£		
8879	30	47.00	1	088790025

8880

hard hook-up lace

- With anti-winding joint

	L Cm	D mm	£		
8880 30	30	10	36.00	1	088800030

8883

tool bag

- Made of anti-abrasion nylon 840
- MAX 20 kg
- Snap link for stopping zip at top
- 6 tool retaining strings
- Interior pocket

	DxH cm	£		
8883	30x40	403.00	1	088830030

STAINLESS STEEL TOOLS

Stainless steel is an alloy steel with a high chromium content.
Chromium forms a surface oxide film which protects metal and immediately reforms in case of chemical or mechanical damage.

We at **Beta Utensili** have relied on this unique characteristic to develop the **Beta Inox** tools, which are the name for high resistance to corrosion as well as remarkable **hygiene** and l**ow bacterial retentiveness**. Indeed, stainless steel tools **get less dirty and are cleaned better** than those made from other materials, and can be **autoclaved at 121 °C.**

The **Beta Inox** tools can be used in **critical environments** – that is, in areas where absolutely no contamination is permitted.

Fields of application:
- Nuclear applications
- Pharmaceutical production - class C
- Biotechnological and biomedical laboratories
- Food industry.

The **Beta Inox** tools avoid ferrous contamination, thus preventing improper **rust formation**. Whenever any tools made of ordinary carbon steel are used on stainless steel screws, nuts or surfaces, a few iron particles may come off the tools, which results in aesthetic problems (**iron moulds**). If neglected, these trigger localized corrosion. Using stainless steel tools will completely prevent polluting particles from spreading.

STAINLESS STEEL + NO STAINLESS STEEL= RUST

STAINLESS STEEL + STAINLESS STEEL= NO RUST

Fields of application:
- Shipyards
- Building
- Offshore applications
- Solar systems
- Car industry

Mechanical characteristics
Beta's tools are made of magnetic **steel AISI 420**. Its outstanding mechanical characteristics translate into tools whose performance far exceeds the standards and is comparable to that of Beta's other tools.
These tools share the same ergonomic properties and design as Beta's other tools, which have been known to, and appreciated by, professional users for over 80 years.
The containers are made of **steel AISI 304**, which can boast remarkable cold formability properties and even higher corrosion resistance.

Recyclability
Stainless steel is **100% recyclable.**
This is also a major plus.

Mark for stainless steel products
Released by Centro Inox – Italian Stainless Steel Development Association
– for products made of stainless steel.

34INOX
flat chisels,
made of stainless steel

L mm	A mm	Ø mm	£		
160	18	18	57.00	1	000340318
200	20	20	84.00	1	000340320

39INOX
wedges,
made of stainless steel

L mm	A mm	S mm	£		
100	50	10	37.50	1	000390310
150	50	13	71.00	1	000390315
200	40	40	212.50	1	000390320

42INOX
combination wrenches
made of stainless steel

DIN 3113 - UNI ISO 7738

mm	L mm	£		
6x6	95	18.90	2	000420306
7x7	105	21.10	2	000420307
8x8	116	22.60	2	000420308
9x9	127	23.20	2	000420309
10x10	137	24.20	2	000420310
11x11	148	25.50	2	000420311
12x12	158	26.50	2	000420312
13x13	169	29.00	2	000420313
14x14	180	30.50	2	000420314
15x15	190	31.00	2	000420315
16x16	201	32.00	2	000420316
17x17	212	33.50	2	000420317
18x18	222	38.00	2	000420318
19x19	233	39.50	2	000420319
21x21	254	51.50	1	000420321
22x22	264	53.50	1	000420322
24x24	285	59.50	1	000420324
27x27	290	156.00	1	000420327
30x30	320	190.50	1	000420330
32x32	340	218.00	1	000420332
36x36	360	316.00	1	000420336
38x38	430	323.00	1	000420338
41x41	430	372.00	1	000420341
46x46	480	430.00	1	000420343
50x50	520	463.00	1	000420345
55x55	560	506.00	1	000420347
60x60	595	603.00	1	000420350

	£		
42INOX/S11 6-8-10-11-12-13- 14-15-16-17-19 mm	313.00	1	000420391

	£		
42INOX/SC9 8-10-11-12-13-14-15-17-19 mm	275.00	1	000420387
42INOX/SCV9	15.20	1	000420303

42INOX-AS
combination wrenches,
made of stainless steel

"	L mm	£		
1/4x1/4	95	24.90	1	000420356
5/16x5/16	116	27.50	1	000420358
3/8x3/8	137	32.00	1	000420360
7/16x7/16	148	33.00	1	000420361
1/2x1/2	169	36.00	1	000420363
9/16x9/16	180	37.00	1	000420364
5/8x5/8	201	38.00	1	000420366
11/16x11/16	212	44.00	1	000420367
3/4x3/4	233	49.00	1	000420369
13/16x13/16	254	59.50	1	000420371
7/8x7/8	264	60.50	1	000420372
15/16x15/16	285	69.50	1	000420373

	£		
42INOX-AS/S9 1/4-5/16-3/8-7/16-1/2 9/16-5/8-11/16-3/4	321.00	1	000420396

96BPINOX
ball head offset hexagon key wrenches,
made of stainless steel

mm	L mm	L1 mm	g	£		
2	91	22	4	7.80	4	000961441
2,5	91	22	6	8.35	4	000961442
3	101	24	11	8.90	4	000961443
4	112	29	19	9.15	4	000961444
5	131	33	32	10.10	4	000961445
6	154	36	51	11.20	4	000961446
7	164	40	65	14.30	2	000961447
8	175	44	116	16.80	2	000961448
10	197	51	189	21.10	2	000961450

	£		
96BPINOX/B6 2,5-3-4-5-6-8 mm	73.50	1	000961455
96BPINOX/B9 2-2,5-3-4-5- 6-7-8-10 mm	117.00	1	000961456
96BPINOX/BV	9.15	1	000961459

96BPINOX-AS
ball head offset hexagon key wrenches,
made of stainless steel

"	L mm	L1 mm	g	£		
5/64	91	22	5,5	8.15	4	000961989
3/32	91	22	5,3	8.30	4	000961990
7/64	101	24	10,5	8.80	4	000961991
1/8	101	24	10,7	9.15	4	000961992
9/64	112	29	18,7	9.50	4	000961993
5/32	112	29	18,7	9.65	4	000961994
3/16	131	33	31,5	12.80	2	000961995
7/32	154	36	50,0	13.50	2	000961996
1/4	164	40	70,0	14.30	2	000961997
5/16	175	44	115,0	18.90	2	000961998
3/8	197	51	186,5	22.60	2	000961999

	£		
96BPINOX-AS/B8 5/64-3/32-1/8-5/32- 3/16-7/32-1/4-5/16	104.00	1	000962000
96BPINOX/BV	9.15	1	000961459

96TINOX

offset hexagon key wrenches,
with high-torque handles,
made of stainless steel



mm	L mm	L1 mm	£		
2,5	153	55	13.60	2	000961935
3	153	55	14.40	2	000961936
4	179	70	16.60	2	000961938
5	200	84	18.90	2	000961940
6	221	95	22.60	2	000961941
7	236	106	24.30	2	000961942
8	255	117	28.50	2	000961943
10	285	132	37.00	2	000961944

	£		
96TINOX/S5 2,5-3-4-5-6 mm	86.00	1	000961952
96TINOX/S8 2,5-3-4-5- 6-7-8-10 mm	176.00	1	000961954

96TINOX-AS

offset hexagon key wrenches,
with high torque handles,
made of stainless steel



"	L mm	L1 mm	Ø mm	£		
3/32	153	55	3	14.30	2	000961861
7/64	153	55	4	15.80	2	000961862
1/8	179	70	4	18.10	2	000961863
9/64	179	70	5	18.10	2	000961864
5/32	200	84	6	22.60	2	000961865
3/16	200	84	6	23.20	2	000961866
7/32	221	103	7	24.20	2	000961867
1/4	236	106	8	25.50	2	000961868
5/16	255	117	10	34.00	2	000961869
3/8	285	132	12	37.50	2	000961870

	£		
96TINOX-AS/S7 3/32-1/8-5/32-3/16- 7/32-1/4-5/16	162.00	1	000961877

111INOX

adjustable wrenches,
made of stainless steel

DIN 3117 - ISO 6787

L mm	L "	A max mm	A1 mm	£		
150	6	18	45	119.00	1	001110315
200	8	24	58	153.50	1	001110320
250	10	30	70	187.50	1	001110325

362INOX

heavy-duty pipe wrenches,
made of stainless steel

L mm	Ø max mm	£		
300	58	285.00	1	003620430

920INOX-A

hexagon hand sockets,
made of stainless steel

DIN 3124 - UNI ISO 2725

mm	Ø mm	A mm	L mm	£		
8	15	10	40	38.50	2	009203008
9	16	10	40	42.50	2	009203009
10	17	10	40	44.50	2	009203010
11	18	11	40	47.50	2	009203011
12	19	11	40	49.50	2	009203012
13	20	11	40	53.50	2	009203013
14	21	11	40	55.50	2	009203014
15	23	11	40	58.50	2	009203015
16	24	11	40	60.50	2	009203016
17	25	11	40	62.00	2	009203017
18	26	13	42	65.50	2	009203018
19	28	13	42	69.00	2	009203019
20	29	13	42	71.50	1	009203020
21	30	13	43	73.00	1	009203021
22	31	15	43	75.00	1	009203022
24	34	15	43	86.50	1	009203024
27	38	18	46	106.50	1	009203027
30	42	20	46	125.50	1	009203030
32	44	20	46	138.00	1	009203032

920/55INOX

1/2" drive reversible ratchet,
72 teeth,
made of stainless steel

L mm	Ø mm	A mm	£		
264	40	43	299.00	1	009203882

920/R55INOX

	£		
920/R55 INOX	119.00	1	009203879

1048INOX

slip joint pliers, boxed joints,
made of stainless steel
• **7-position model**



L mm	A max mm	L1 mm	£		
250	33	33	201.00	1	010480325

1082INOX

diagonal cutting nippers,
made of stainless steel

L mm	L1 mm	mm	£		
150	20,0	1,6	144.00	1	010820350

1150INOX

heavy-duty combination pliers,
made of stainless steel

decentralized pin
open joint

L mm	L1 mm	£		
180	39	142.50	1	011500518

1153INOX
adjustable pliers, two positions,
made of stainless steel

L mm	L1 mm	£		
150	26	141.50	1	011530315

1290INOX
screwdrivers for slotted head screws
made of stainless steel



ISO 2380

SxAxL mm	L1 mm	Ø mm	£		
0,4x2,5x50	146	2.5	10.10	4	012900403
0,5x3x75	171	3.0	10.30	4	012900409
0,8x4x100	196	4.0	10.60	4	012900430
1,0x5,5x150	259	5.0	12.30	4	012900442
1,2x6,5x150	270	6.0	13.60	4	012900451

1292INOX
screwdrivers for cross head Phillips® screws,
made of stainless steel

ISO 8764

PHxDxL mm	L1 mm	£		
0x3x60	156	8.55	4	012920403
1x4,5x80	189	10.60	4	012920409
2x6x100	220	12.00	4	012920418

1293INOX/D8
screwdriver set
made of stainless steel

		£		
1293INOX/D8		88.00	1	012930408
1290INOX	0,4x2,5x50-0,5x3x75 0,8x4x100-1,0x5,5x150 1,2x6,5x150 mm			
1292INOX	PH0x60-PH1x80 PH2x100 mm			

1370INOX
engineer's hammer,
made of stainless steel

g	A mm	L mm	L1 mm	£		
500	25	240	101	128.50	1	013700375

1377INOX
ball pein hammers,
round heads,
for coppersmiths and tinsmiths,
made of stainless steel

g	L mm	L1 mm	£		
230	220	82	81.00	1	013770623
340	220	90	114.50	1	013770634

1730INOX
universal spatula,
made from stainless steel

A mm	L mm	£		
50	200	76.50	1	017300450

C20TSS
five-section cantilever tool box, made of AISI
304 stainless steel

	£		
C20TSS	351.00	1	021203001

: 450x200x210 mm - 4kg

T23

T23	549
TV23	549

T99

T99	552
TV99	552

T228

T228	556
TV180	555-556

C04TSS-7

mobile roller cab with seven drawers, made entirely of stainless steel, Non-marking wheels

Main features:
• Seven drawers (570 x 410 mm) with ball bearing slides;
6 drawers, 83 mm high;
1 drawer, 170 mm high;
• 4 castors Ø 125 mm
2 fixed and 2 steering (two with brakes);
• Front centralized lock;
• Frame made entirely of stainless steel AISI 304
• Castors, supports, ball bearings, drawer interiors and guides made of stainless steel
• Drawer handles made of aluminium

63 kg

700 kg



h	max
83 mm	25 kg
170 mm	30 kg





	£		
C04TSS/7	3740.00	1	024003077

SPARK-PROOF TOOLS

Copper-Berillium Cu-Be

The **Beta** spark-proof tools are specially designed for safe operations in environments subject to potential risk of explosion, in the presence of flammable liquids or gases, or for any applications that require using perfectly antimagnetic, corrosion-resistant tools.

The Beta sparkproof tools are certified by the Federal Institute for Materials Research and Testing, BAM, under European Directive 99/92/EC.

WARNING!
Risk of explosion in **ACETYLENE** environment

The mechanical characteristics of sparkproof tools differ from those of normal steel tools. Sparkproof tools should be used with extreme caution, avoiding overloads.

CLASSIFICATION OF AREAS SUBJECT TO EXPLOSION RISK		
ATEX	MEDIUM-LOW	EXTREMELY LOW
GAS	**ZONE 1** An area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is likely to occur in normal operation.	**ZONE 2** An area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is not likely to occur in normal operation but, if it does occur, will persist for a short period only.
POLVERI	**ZONE 21** An area in which an explosive atmosphere in the form of a cloud of combustible dust in air is likely to occur in normal operation occasionally.	**ZONE 22** An area in which an explosive atmosphere in the form of a cloud of combustible dust in air is not likely to occur in normal operation but, if it does occur, will persist for a short period only.

30BA
sparkproof drift punches

Ø mm	L mm	S mm	£		
5	150	15	92.00	1	000300806
8	150	17	113.50	1	000300808
10	150	19	138.00	1	000300810

31BA
sparkproof pin punches

Ø mm	L mm	£		
3	110	34.50	1	000310853
4	110	77.50	1	000310854
6	115	117.50	1	000310856
8	120	139.00	1	000310858

31BA/C
sparkproof drift punches

Ø mm	Ø1 mm	L mm	£		
★6	12	150	49.50	1	000310876
★7	13	150	58.00	1	000310877
★12	18	175	125.00	1	000310882
★13	29	255	391.00	1	000310883

32BA
sparkproof centre punch

● mm	L mm	£		
14	150	119.00	1	000320811

34BA
sparkproof flat chisels

L mm	A mm	£		
200	22	172.00	1	000340801
250	24	278.00	1	000340803
300	25	375.00	1	000340802

39BA
sparkproof wedges

L mm	A mm	£		
150	40	71.50	1	000390801
230	40	255.00	1	000390802
250	40	415.00	1	000390803

42BA
sparkproof combination wrenches, open bi-hex ring ends

mm	L mm	£		
6x6	105	78.00	1	000420806
7x7	105	86.50	1	000420807
8x8	120	95.50	1	000420808
9x9	120	109.50	1	000420809
10x10	135	120.00	1	000420810
11x11	135	126.50	1	000420811
12x12	150	139.00	1	000420812
13x13	150	141.50	1	000420813
14x14	175	147.50	1	000420814
15x15	175	158.00	1	000420815
16x16	195	163.00	1	000420816
17x17	200	165.00	1	000420817
18x18	215	175.50	1	000420818
19x19	220	177.50	1	000420819
20x20	230	187.50	1	000420820
21x21	240	208.00	1	000420821
22x22	250	210.00	1	000420822
24x24	268	247.50	1	000420824
26x26	290	279.00	1	000420826
27x27	290	347.00	1	000420827
28x28	290	399.00	1	000420828
30x30	313	424.00	1	000420830
32x32	333	476.00	1	000420832
34x34	360	512.00	1	000420834
35X35	360	601.00	1	000420835
36x36	355	638.00	1	000420836
38x38	430	700.00	1	000420838
41x41	430	814.00	1	000420841
46x46	480	965.00	1	000420846
50x50	520	1032.00	1	000420850
55x55	560	1129.00	1	000420855
60x60	580	1220.00	1	000420860
★65x65	595	1380.00	1	000420865
★70x70	630	1535.00	1	000420870

42BA-AS
sparkproof combination wrenches, open bi-hex ring ends

"	L mm	£		
9/32x9/32	120	78.50	1	000420946
5/16x5/16	120	78.50	1	000420947
11/32x11/32	135	99.50	1	000420948
3/8x3/8	128	120.00	1	000420950
7/16x7/16	135	141.50	1	000420951
15/32x15/32	140	153.50	1	000420949
1/2x1/2	140	157.50	1	000420953
9/16x9/16	163	166.00	1	000420954
★19/32x19/32	195	199.00	1	000420955
5/8x5/8	177	202.50	1	000420956
11/16x11/16	195	218.00	1	000420957
3/4x3/4	215	223.00	1	000420959
13/16x13/16	230	255.00	1	000420961
7/8x7/8	235	263.00	1	000420962
15/16x15/16	256	292.00	1	000420964
★31/32x31/32	265	314.00	1	000420963
1x1	266	316.00	1	000420965
1.1/16x1.1/16	283	356.00	1	000420967
1.1/8x1.1/8	297	471.00	1	000420969
1.3/16x1.3/16	308	512.00	1	000420970
1.1/4x1.1/4	324	603.00	1	000420973
★1.7/16x1.7/16	360	660.00	1	000420976

55BA
sparkproof double open end wrenches

mm	L mm	£		
6x7	90	56.00	1	000550801
8x9	100	58.00	1	000550802
8x10	100	58.50	1	000550795
9x11	110	61.00	1	000550797
10x11	120	67.00	1	000550803
12x13	130	87.00	1	000550804
★12x14	130	101.00	1	000550846
13x14	133	98.00	1	000550799
14x15	145	104.50	1	000550805
14x17	150	109.50	1	000550806
16x17	165	113.50	1	000550807
17x19	170	154.00	1	000550847
18x19	170	158.00	1	000550809
★19x22	185	179.00	1	000550810
20x22	185	182.00	1	000550811
21x23	210	190.50	1	000550813
22x24	210	228.50	1	000550815
24x26	230	273.00	1	000550817
24x27	230	288.00	1	000550818
25x28	230	315.00	1	000550819
27x29	246	377.00	1	000550820
30x32	265	436.00	1	000550822
36x38	320	578.00	1	000550826
36x41	335	616.00	1	000550828
41x46	355	771.00	1	000550829
★46x50	370	888.00	1	000550830
★50x55	385	949.00	1	000550831
★55x60	415	1185.00	1	000550832

55BA-AS
sparkproof double open end wrenches

"	L mm	£		
3/8x7/16	110	73.00	1	000550853
1/2x9/16	130	87.00	1	000550854
5/8x11/16	160	132.00	1	000550857
3/4x13/16	180	165.00	1	000550859
7/8x15/16	210	231.50	1	000550865
1x1.1/16	230	308.00	1	000550868
1.1/8x1.3/16	245	413.00	1	000550870
1.1/4x1.5/16	255	477.00	1	000550872

58BA
sparkproof open end slogging wrenches

mm	L mm	£		
17	125	141.50	1	000580817
19	125	147.50	1	000580819
22	135	148.50	1	000580822
24	150	161.50	1	000580824
27	165	190.50	1	000580827
30	180	242.50	1	000580830
32	190	279.00	1	000580832
★34	200	323.00	1	000580834
36	210	328.00	1	000580836
38	220	351.00	1	000580838
41	230	415.00	1	000580841
46	240	490.00	1	000580846
50	255	547.00	1	000580850
★55	305	715.00	1	000580855
★60	315	862.00	1	000580860
★65	335	1037.00	1	000580865
★70	370	1255.00	1	000580870
★75	375	1460.00	1	000580875
★80	400	1725.00	1	000580880
★85	400	1755.00	1	000580885
★90	445	2090.00	1	000580890
★95	445	2350.00	1	000580895
★100	485	2730.00	1	000580900
★110	513	3330.00	1	000580901

58BA-AS
sparkproof double open end slogging wrenches

mm	L mm	A mm	S mm	£		
★11/16	125	40,5	11,0	137.50	1	000580904
★3/4	125	40,5	11,0	140.50	1	000580905
★7/8	135	46,2	12,0	144.00	1	000580906
★15/16	150	50,3	12,0	164.00	1	000580907
★31/32	150	50,3	12,0	182.00	1	000580954
★1	175	56,9	15,0	180.50	1	000580908
★1.1/8	190	64,0	15,5	245.50	1	000580909
★1.1/4	190	64,0	15,5	287.00	1	000580910
★1.7/16	210	75,0	18,5	329.00	1	000580912
★1.1/2	220	82,0	18,5	377.00	1	000580913
★1.5/8	230	86,8	18,5	415.00	1	000580914
★1.3/4	250	98,0	20,	519.00	1	000580970

78BA
sparkproof bi-hex ring slogging wrenches

mm	L mm	£		
17	145	137.50	1	000780817
19	145	150.00	1	000780819
22	165	153.00	1	000780822
24	140	196.50	1	000780824
27	155	230.50	1	000780827
30	165	266.00	1	000780830
32	180	284.00	1	000780832
34	192	308.00	1	000780834
36	208	329.00	1	000780836
38	215	393.00	1	000780838
41	225	484.00	1	000780841
46	245	547.00	1	000780846
50	250	638.00	1	000780850

mm	L mm	£		
55	265	749.00	1	000780855
60	275	806.00	1	000780860
65	295	848.00	1	000780865
70	310	941.00	1	000780870
75	325	1066.00	1	000780875
80	340	1156.00	1	000780880
★85	355	1330.00	1	000780885
★90	380	1575.00	1	000780890
★95	390	1805.00	1	000780895
★100	410	2090.00	1	000780900
★105	420	2265.00	1	000780903
★110	445	2510.00	1	000780901
★120	480	3230.00	1	000780902

78BA-AS

sparkproof bi-hex ring slogging wrenches

"	L mm	£		
11/16	145	139.00	1	000780908
3/4	145	142.50	1	000780909
7/8	155	169.50	1	000780935
15/16	165	186.50	1	000780936
★31/32	165	198.00	1	000780937
1	175	221.50	1	000780938
★1.1/16	175	236.50	1	000780939
1.1/8	180	262.00	1	000780940
1.3/16	185	265.00	1	000780941
1.1/4	177	301.00	1	000780910
★1.5/16	200	301.00	1	000780954
★1.3/8	205	337.00	1	000780911
1.7/16	208	420.00	1	000780912
★1.1/2	215	427.00	1	000780913
★1.9/16	225	477.00	1	000780947
★1.11/16	225	506.00	1	000780962
1.5/8	225	498.00	1	000780914
★1.3/4	235	523.00	1	000780963
1.13/16	243	554.00	1	000780916
1.7/8	235	575.00	1	000780915
2	254	652.00	1	000780918
2.3/16	264	765.00	1	000780920
2.3/8	275	838.00	1	000780922
★2.9/16	286	859.00	1	000780924
★2.15/16	311	1077.00	1	000780926
★3.1/8	325	1205.00	1	000780928
★3.1/2	355	1495.00	1	000780930

89BA

spark-proof single ring wrenches

mm	L mm	£		
10	200	169.50	1	000890810
11	210	176.50	1	000890811
12	220	184.50	1	000890812
13	230	186.50	1	000890813
14	240	188.50	1	000890814
16	260	204.00	1	000890816
17	270	212.50	1	000890817
18	280	238.50	1	000890818
19	300	241.50	1	000890819
20	310	290.00	1	000890820
22	330	293.00	1	000890822
24	350	320.00	1	000890824
27	370	402.00	1	000890827
30	400	447.00	1	000890830
32	420	473.00	1	000890832

90BA

sparkproof double ended offset ring wrenches

mm	L mm	£		
6x7	122	56.50	1	000900801
8x9	128	72.50	1	000900802
10x11	155	82.50	1	000900803
12x13	175	94.00	1	000900806
12X14	180	95.00	1	000900807
14x15	200	109.00	1	000900808
14x17	220	123.00	1	000900809
16x17	230	140.50	1	000900811
16x18	235	141.50	1	000900812
17X19	250	142.50	1	000900814
18x19	265	161.50	1	000900815
19x22	280	164.00	1	000900817
20x22	295	187.50	1	000900818
21x23	298	196.50	1	000900820
22x24	315	245.50	1	000900821
24x26	333	314.00	1	000900822
24x27	340	316.00	1	000900823
30x32	395	464.00	1	000900824
34x36	410	638.00	1	000900826
★36x41	450	905.00	1	000900828
★41x46	470	1129.00	1	000900829
★46x50	490	1275.00	1	000900830

91BA

sparkproof heavy duty offset ring wrenches

mm	Ø mm	£		
24	38	370.00	1	000910824
27	42	415.00	1	000910827
30	48	436.00	1	000910830
32	49	498.00	1	000910832
36	54	526.00	1	000910836
41	62	603.00	1	000910841
★46	69	826.00	1	000910846
★50	75	840.00	1	000910850
★55	82	898.00	1	000910855

92BA

sparkproof tubes for item 91BA

	L mm	91BA mm	Ø mm	£		
92BA/1	460	24÷30	25	439.00	1	000920810
92BA/2	610	32÷41	28	568.00	1	000920820
★92BA/3	760	46÷55	32	760.00	1	000920830

93BA

ratcheting double-ended offset ring wrench for scaffolding bolts, sparkproof

mm	L mm	£		
21x22	345	919.00	1	000930821

95BA

double ended flat ring wrenches, sparkproof

mm	L mm	£		
7x9	115	58.50	1	000950801
8x10	115	60.50	1	000950802
10x11	140	73.00	1	000950804
10x12	140	78.50	1	000950805
12x14	145	92.00	1	000950806
14x17	165	119.00	1	000950807
★16x18	170	153.00	1	000950809
★17x19	185	123.00	1	000950808
★18x19	185	165.00	1	000950810
★19x22	200	192.00	1	000950812
★21x23	230	231.50	1	000950815
★24x27	255	286.00	1	000950817
★30x32	295	417.00	1	000950820

96BA

sparkproof offset hexagon key wrenches

mm	L mm	L1 mm	£		
1,5	50	17	104.50	1	000960760
2	50	16	107.50	1	000960762
2,5	56	20	111.00	1	000960761
3	63	21	113.50	1	000960763
4	69	25	115.50	1	000960764
5	78	29	117.50	1	000960765
6	88	33	121.50	1	000960766
7	93	34	127.00	1	000960767
8	97	36	132.00	1	000960768
9	104	37	140.50	1	000960769
10	110	39	144.00	1	000960770
11	118	42	150.00	1	000960771
12	122	44	164.50	1	000960772
14	150	58	185.50	1	000960774
15	156	60	194.00	1	000960775
16	162	63	213.50	1	000960776
17	168	65	224.00	1	000960777
19	177	72	252.00	1	000960779
22	186	77	295.00	1	000960802
24	192	82	340.00	1	000960804

96BA/BP

ball head offset hexagon key wrenches, sparkproof

mm	L mm	L1 mm	£		
1,5	50	16	102.50	1	000961800
2	50	16	104.50	1	000961801
2,5	63	20	115.50	1	000961802
3	60	20	120.00	1	000961803
3,5	70	25	122.50	1	000961799
4	66	25	127.00	1	000961804
5	75	28	130.00	1	000961805
6	84	32	135.00	1	000961806
8	92	36	144.00	1	000961808
10	102	40	158.00	1	000961810
12	113	45	185.50	1	000961812

96BAF-AS

sparkproof offset hexagon key wrenches

mm	L mm	L1 mm	£		
★1/16	59	25	84.50	1	000962831
★5/64	59	25	87.00	1	000962832
★3/32	59	25	92.00	1	000962833
★7/64	59	25	96.50	1	000962834
★1/8	59	25	101.00	1	000962835
★9/64	64	29	106.00	1	000962836
★5/32	65	30	111.00	1	000962837
★3/16	79	31	119.00	1	000962838
★7/32	85	37	121.50	1	000962839
★1/4	85	37	127.00	1	000962840
9/32	88	38	130.00	1	000962841
★5/16	92	44	138.00	1	000962842
11/32	100	44	136.50	1	000962843
★3/8	110	45	148.50	1	000962844
★7/16	119	48	160.50	1	000962845
★1/2	140	55	199.00	1	000962846
★9/16	150	58	199.00	1	000962847

99BA

sparkproof hook wrenches with square noses, for ring nuts UNI/ISO 2982, 2983

mm	A mm	£		
32-75	4,0	295.00	1	000990803
50-120	4,5	463.00	1	000990805
115-170	4,5	771.00	1	000990811

110BA

sparkproof adjustable wrenches

L mm	A max	£		
100	13	218.00	1	001100810
150	18	241.50	1	001100815
200	24	286.00	1	001100820
250	30	345.00	1	001100825
300	36	481.00	1	001100830
375	46	681.00	1	001100837
★450	55	933.00	1	001100845
★600	65	1585.00	1	001100860

330BA

sparkproof pipe cutters for gas pipes



	Ø max	L mm	£		
330BA/2	50 mm 2"	375	1078.00	1	003300802

330BA/2R

spare pin and knife for gas pipe cutter 330BA, sparkproof

	£		
330BA /2-R	101.00	1	003300822

363BA

sparkproof heavy duty pipe wrenches

L mm	Ø max	Ø max mm	£		
150	1/2" gas	20	374.00	1	003630815
200	1" gas	30	393.00	1	003630820
250	1"1/2 gas	49	430.00	1	003630825
300	2" gas	60	537.00	1	003630830
350	2" gas	60	684.00	1	003630835
450	2"1/2 gas	76	1016.00	1	003630845
600	3" gas	90	1480.00	1	003630860

378BA

sparkproof pipe wrench, Swedish pattern, made from copper/beryllium alloy

L mm	Ø max "	£		
430	1" 1/2 gas	1002.00	1	003780800
530	2" gas	1275.00	1	003780801

386BA

sparkproof heavy duty reversible chain pipe wrenches



L mm	Ø max mm	L1 mm	£		
600	100	470	1760.00	1	003860806
900	200	750	2960.00	1	003860809

911BA

bi-hex hand sockets, spark-proof

3/8"

mm	L mm		£		
6	28		58.00	1	009110806
7	28		63.50	1	009110807
8	28		66.00	1	009110808
9	28		71.00	1	009110809
10	32		96.50	1	009110810
11	32		103.00	1	009110811
12	32		108.50	1	009110812
13	32		114.00	1	009110813
14	32		119.00	1	009110814
15	32		120.00	1	009110815
16	32		126.50	1	009110816
17	32		132.00	1	009110817
18	32		133.00	1	009110818
19	32	32	139.00	1	009110819

911BA/16

adaptor, 3/8" female and 1/2" male drives, spark-proof

3/8"

L mm	□	■	£		
34	3/8	1/2	121.50	1	009110836

911BA/20

extension bar, 3/8" male and female drives, spark-proof

3/8"

L mm	£		
75	100.50	1	009110840

911BA/55

3/8" push-through drive ratchet, spark-proof

3/8"



L mm	D mm	A mm	£		
200	45	16.5	212.50	1	009110882

921BA
sparkproof bi-hex sockets

1/2"



mm	Ø mm	L mm	£		
8	15,0	40	102.50	1	009210808
9	16,0	40	111.00	1	009210809
10	17,5	40	123.00	1	009210810
11	18,0	40	125.00	1	009210811
12	18,5	40	135.00	1	009210812
13	20,0	40	142.50	1	009210813
14	21,0	40	146.00	1	009210814
15	21,5	40	150.00	1	009210815
16	24,0	40	158.00	1	009210816
17	25,0	40	166.00	1	009210817
18	25,0	40	172.00	1	009210818
19	28,0	42	179.00	1	009210819
20	29,0	42	195.50	1	009210820
21	30,0	43	196.50	1	009210821
22	30,5	43	207.00	1	009210822
24	34,0	43	235.00	1	009210824
25	36,0	43	256.00	1	009210825
26	37,5	43	273.00	1	009210826
27	37,5	45	285.00	1	009210827
28	38,9	46	303.00	1	009210828
30	41,5	46	344.00	1	009210830
32	43,5	46	381.00	1	009210832

921BA-AS
sparkproof bi-hex sockets

1/2"

"	Ø mm	L mm	£		
5/16	24,0	40	115.50	1	009210958
3/8	24,0	40	123.00	1	009210960
7/16	24,0	40	135.00	1	009210961
1/2	24,0	40	140.50	1	009210963
9/16	24,0	40	152.50	1	009210964
5/8	25,0	40	176.50	1	009210966
11/16	25,5	40	179.00	1	009210967
3/4	28,0	42	192.50	1	009210969
13/16	30,0	43	202.50	1	009210971
7/8	31,5	43	221.50	1	009210972
15/16	34,0	43	234.50	1	009210974
1	36,0	43	263.00	1	009210975
1.1/16	38,0	46	284.00	1	009210977
1.1/4	42,0	46	372.00	1	009210982
1.7/16	50,5	50	460.00	1	009210986

921BA/15
adaptor,
1/2" female and 3/8" male drives,
spark-proof

1/2"

L mm	□	■	£		
34	1/2	3/8	109.50	1	009210839

921BA/16
adaptor, 1/2" female and 3/4" male drives, sparkproof

1/2"

L mm	□	■	£		
34	1/2	3/4	136.00	1	009210840

921BA/21 - 921BA/22
sparkproof 1/2" wobble extension bars

1/2"

	L mm	Ø mm	£		
921BA/21	125	30	175.50	1	009210842
921BA/22	250	31	246.50	1	009210844

921BA/25
sparkproof 1/2" drive universal joint

1/2"

L mm	Ø mm	□	■	£		
80	25	1/2	1/2	202.50	1	009210845

921BA/42
sparkproof 1/2" drive sliding T handle

1/2"



L mm	£		
250	320.00	1	009210846

921BA/50
sparkproof 1/2" drive
push-through square ratchet

1/2"

L mm	D mm	A mm	£		
250	45	16,5	268.00	1	009210850

921BA/R50
sparkproof
spare set

1/2"

■	£		
1/2"	80.50	1	009210851

926BA
sparkproof bi-hex hand sockets

3/4"



mm	Ø mm	L mm	£		
22	40	55	210.00	1	009260822
24	40	55	245.50	1	009260824
26	40	55	285.00	1	009260826
27	40	55	306.00	1	009260827
28	41	55	337.00	1	009260828
30	43	60	355.00	1	009260830
32	45	60	393.00	1	009260832
34	48	60	430.00	1	009260834
36	50	60	455.00	1	009260836
38	53	60	486.00	1	009260838
41	57	65	537.00	1	009260841
46	63	65	638.00	1	009260846
50	68	70	697.00	1	009260850

926BA/15
adaptor, 3/4" female and 1/2" male drives, sparkproof

3/4"

L mm	□	■	£		
55	3/4	1/2	136.00	1	009260861

926BA/22
sparkproof 3/4" drive extension bars

3/4"

	L mm	Ø mm	£		
926BA/22	200	38	351.00	1	009260872

926BA/42
sparkproof 3/4" drive slide T-handle

3/4"



L mm	£		
400	575.00	1	009260876

926BA/50
sparkproof 3/4" push-through drive ratchet

L mm	D mm	A mm	£		
300	61	22	512.00	1	009260880

926BA/R50
sparkproof
spare set

■	£		
3/4"	168.00	1	009260881

937BA
hexagon socket wrenches, sparkproof

mm	L mm	A mm	£		
13	240	45	150.00	1	009370813
17	260	51	218.00	1	009370817
19	270	55	225.00	1	009370819
22	278	59	288.00	1	009370822
24	286	63	316.00	1	009370824
27	294	69	330.00	1	009370827
30	302	75	366.00	1	009370830
32	310	81	397.00	1	009370832
★36	330	85	463.00	1	009370836
★41	350	90	560.00	1	009370841

951BA
T-handle wrenches with hexagon male ends, sparkproof



mm	L mm	L1 mm	£		
4	100	90	218.00	1	009510904
5	100	90	224.00	1	009510905
6	100	90	238.50	1	009510906

961BA
sparkproof scrapers

L mm	A mm	£		
250	39	210.00	1	009610802
350	55	316.00	1	009610806

963BA
sparkproof pry bars with pointed and flat bent ends

L mm	A mm	£		
500	24	551.00	1	009630801
★800	24	873.00	1	009630803
★1000	30	1805.00	1	009630805

964BA
sparkproof wrench bungs

L mm	£		
385	508.00	1	009640801

964BA/L
universal shears for barrels, sparkproof
For opening edged metal barrels

L mm	£		
★964BA/L 510	3030.00	1	009640821

965BA
safety valve wrenches, sparkproof

A mm	A1 mm	L mm	£		
30	44	200	251.00	1	009650830
32	50	300	343.00	1	009650832
35	47	250	282.00	1	009650835
40	50	300	326.00	1	009650840
45	58	350	420.00	1	009650845
48	62	375	442.00	1	009650848
50	67	400	483.00	1	009650850
55	73	450	575.00	1	009650855
60	79	500	617.00	1	009650860
★65	82	550	706.00	1	009650865
★70	85	600	777.00	1	009650870

966BA
sparkproof safety valve wrench



L mm	L1 mm	Ø min÷max mm	£		
350	40	50÷150	515.00	1	009660801

966BA/V
sparkproof safety valve wrenches



L mm	L1 mm	Ø min÷max mm	£		
370	36	125÷250	524.00	1	009660812
430	48	250÷400	745.00	1	009660814

1032BA
sparkproof internal circlip pliers, straight pattern,
PVC-coated handles

L mm	⊙ mm	£		
200	40÷100	293.00	1	010320820

1036BA
sparkproof external circlip pliers, straight pattern,
PVC-coated handles

L mm	● mm	£		
200	40÷100	293.00	1	010360820

1046BA
sparkproof slip joint pliers



L mm	A max mm	£		
250	32	463.00	1	010460801
★300	52	589.00	1	010460803

1052BA
adjustable self-locking pliers, concave jaws, sparkproof



L mm	A1 max mm	£		
225	40,0	407.00	1	010520824

1082BA
sparkproof diagonal cutting nippers



L mm	L1 mm	£		
160	22	308.00	1	010820801

1100BA
bolt cutters, spark-proof

L mm	£		
600	1820.00	1	011000860

1137BA
blasting pliers

L mm	L1 mm	£		
185	30	631.00	1	011370801

1137BA/RC
spare blade for item 1137BA

	£		
1137BA/RC	121.50	1	011370851

1150BA
sparkproof combination pliers

L mm	L1 mm	£		
200	40	374.00	1	011500820

1162BA
sparkproof extra-long flat knurled nose pliers



L mm	L1 mm	£		
150	54	308.00	1	011620815

1166BA
sparkproof extra-long needle knurled nose pliers

L mm	L1 mm	£		
150	54	308.00	1	011660815

1270BA
sparkproof screwdrivers for slotted head screws

AxL mm	L1 mm	£		
3x75	178	48.50	1	012700803
4x100	209	60.00	1	012700804
5x150	250	77.50	1	012700805
6x150	270	82.50	1	012700806
10x250	382	123.00	1	012700810
8x200	312	88.00	1	012700808

1272BA
sparkproof screwdrivers for cross head Phillips® screws

PHxDxL mm	L1 mm	£		
1x5x100	209	67.00	1	012720801
2x6x150	270	87.00	1	012720802
3x8x200	332	101.00	1	012720803

1277BA
screwdrivers for Torx® head screws, sparkproof

	L mm	L1 mm	Ø mm	£		
T10	75	184	5	62.00	1	012770810
T15	75	184	5	65.00	1	012770815
T20	100	209	6	87.00	1	012770820
T25	125	209	6	92.50	1	012770825
T30	150	270	6	103.50	1	012770830
T40	200	332	8	123.00	1	012770840

1370BA
sparkproof engineer's hammers, wooden shafts

g	A mm	L mm	L1 mm	£		
500	30	310	108	199.00	1	013700805
1000	35	340	137	361.00	1	013700810

1370BA/MR

spare shafts for item 1370BA

	£		
1370BA/MR 500 1370BA/500	**34.00**	1	013700865
1370BA/MR 1000 1370BA/1000	**43.00**	1	013700870

1370BA/PL

sparkproof engineer's hammers, fibre shafts

g	A mm	L mm	L1 mm	£		
500	30	310	108	**199.00**	1	013700815
1000	35	340	137	**361.00**	1	013700820

1375BA/PL

sparkproof ball pein and claw hammer, wooden shaft

g	L mm	L1 mm	Ø mm	£		
680	321	125	30	**255.00**	1	013750800

1377BA

sparkproof ball pein hammer, round head, for coppersmiths and tinsmiths

g	L1 mm	L mm	£		
340	90	280	**128.50**	1	013770834

1377BA/PL

sparkproof ball pein hammer, round head, for coppersmiths and tinsmiths

g	L1 mm	L mm	£		
340	90	280	**128.50**	1	013770884

1379BA

sparkproof scraping hammer, wooden shaft

g	L1 mm	L mm	£		
500	142	315	**262.00**	1	013790850

1380BA

sparkproof lump hammers, wooden shafts

g	L1 mm	L mm	£		
1000	100	400	**399.00**	1	013800810
1500	118	400	**525.00**	1	013800815
2000	126	400	**699.00**	1	013800820

1380BA/MR

spare shafts for item 1380BA

	£		
1380BA/MR 1000 1380BA/1000	**38.50**	1	013800860
1380BA/MR 1500 1380BA/1500	**40.00**	1	013800865
1380BA/MR 2000 1380BA/2000	**43.00**	1	013800870

1380BA/PL

sparkproof mason club hammers, fibre shafts

g	L1 mm	L mm	£		
500	80	310	**218.00**	1	013800955
1000	94	350	**406.00**	1	013800960
1500	115	400	**547.00**	1	013800965
2000	125,5	400	**729.00**	1	013800970

1381BA

sparkproof sledge hammers, wooden shafts

g	L1 mm	L mm	£		
5000	179	900	**1615.00**	1	013810850
★**8000**	190	900	**2690.00**	1	013810858

1381BA/MR

spare shaft for item 1381BA

	£		
1381BA/MR 5000 1381BA/5000	**71.00**	1	013810870
★**1381BA/MR 8000** 1381BA/8000	**77.50**	1	013810878

1381BA/PL

sparkproof sledge hammers, fibre shafts

g	L1 mm	L mm	£		
5000	172	900	**1475.00**	1	013810885
8000	204	900	**2590.00**	1	013810888

1390BA

spark-proof soft face hammer

Ø mm	L mm	L1 mm	£		
★**52**	370	130	**347.00**	1	013900805

1390BA/R

spare nylon faces for item 1390BA

D mm	£		
52	**67.00**	4	013900885

1602BA
sparkproof crimping pliers for insulated terminals, lightweight series



mm²	L mm	£		
0.75÷6	200	398.00	1	016020801

1701BA
sparkproof hexagon chisels

L mm	A mm	S mm	£		
150	12	10	77.50	1	017010810
200	16	14	120.00	1	017010814
250	18	14	139.00	1	017010815
350	19	17	397.00	1	017010817

1703BA/A
sparkproof axe

L mm	L1 mm	A mm	£		
340	145	82	328.00	1	017030082

1703BA/P
sparkproof pick

A mm	L mm	L1 mm	£		
56	1050	410	933.00	1	017030150

1703BA/PL
sparkproof shovel

A mm	L1 mm	L mm	£		
240	420	990	785.00	1	017030200

1717BA
sparkproof rigid spatulas

A mm	£		
60	165.00	1	017170801
80	182.00	1	017170803

1717BA/1
sparkproof wall scraper

A mm	L mm	£		
100	220	330.00	1	017170805

1719BA8
sparkproof files, 8"

	L mm	£		
1719BA8/P	200	234.00	1	017190801
1719BA8/M	200	238.50	1	017190805
1719BA8/R	200	245.50	1	017190810
1719BA8/T	200	223.00	1	017190815
1719BA8/Q	200	223.00	1	017190820

1719BA12
sparkproof files, 12"

	L mm	£		
1719BA12/P	300	399.00	1	017190831

1727BA
sparkproof hacksaw and blade

L mm	L1 mm	£		
500	300	664.00	1	017270801

1728BA
spark-proof blades for hacksaw frames, made from copper-beryllium alloy

L mm	£		
300	120.00	1	017280801

1737BA
brush with sparkproof wires

L mm	A mm	£		
294	29	89.00	1	017370801

1758BA
sparkproof funnel

Ø mm	H mm	£		
160	150	123.00	1	017580815

1776BA
sparkproof knife



L1 mm	L mm	£		
145	250	204.00	1	017760801

1784BA
sparkproof scissors

L mm	£		
225	370.00	1	017840822

POWER TOOLS

Reliable, durable working instruments, capable of satisfying every professional's requirements.

Beta's family of power tools comprises

BATTERY TOOLS

CORDED TOOLS

Beta POWERTOOLS

BATTERY TOOLS

3-YEAR WARRANTY

The new range of battery tools includes 12V and 20V high-performance machines.

The **12V line** includes the impact drill and the impact wrench with bit chuck, must-have tools designed to make everyday work easier, based on performance, lightweightedness and compactness.

Whereas the **20V line** comprises battery tools synonymous with **high performance, construction quality and durability.**

We at Beta relied on these hallmarks to develop a comprehensive line of battery tools, ranging from the high-torque impact drill to the impact wrench with 1/2" square drive.

All of Beta's new power tools are equipped with brushless motors and first-rate interior mechanisms, for significantly improved performance and durability of the tool.

The impact wrench with a maximum unscrewing torque of **1200 Nm** is no doubt the flagship power tool of the new range, an ideal work partner for anybody who needs unparalleled power and performance.
Our 20V lithium ion batteries are available with capacities up to 6Ah and can be used on all the tools of the range.

Frame the QR code for further information on free 3-year warranty extension.

1972/K12V-10

ultracompact drill, 12V

- ultracompact: no more than 170 mm in length; ultralightweight: no more than 1.1 kg, with battery, and perfectly balanced
- double mechanical speed with steel gears and 20-position clutch
- torque up to 30 Nm and 1300 rpm (400 rpm in 1st gear); drills diameters up to 10 mm in steel and 20 mm in wood
- 2Ah batteries and charge indicator on drill body
- ergonomic nonslip handle
- front LED
- 10-mm autochuck
- belt clip (right/left side)
- selector switch, screwing-unscrewing-locking modes (for transportation)
- supplied in a hard case with 2 lithium ion batteries (2 Ah) and quick charger (50 min)

	£		
1972/K12V-10	**288.00**	1	019720112

316x254x96 mm - 2,3 kg

1982/K12V

reversible impact wrench, 12V,
ideal for jobs in small areas, provides high torque (80 Nm), one-handed operation

- ultracompact: no more than 160 mm in length; ultralightweight: no more than 1 kg, with battery, and perfectly balanced
- 1/4" hexagon drive with locknut
- belt clip (right/left side)
- front LED
- selector switch, screwing-unscrewing-locking modes (for transportation)
- ergonomic nonslip handle
- gearcase made entirely of metal
- 2Ah batteries with charge indicator on impact wrench body
- supplied in a hard case with 2 lithium ion batteries (2 Ah) and quick charger (50 min)

	£		
1982/K12V	**288.00**	1	019820112

316x254x96 mm - 2,3 kg

1972/K12V-COMBO

12V kit of ultracompact drill + 1/4" HEX reversible impact wrench

Case contents:
- 1 12V ultracompact drill, with 10-mm autochuck
- 1 12V reversible impact wrench, with 1/4" hexagon drive
- 2 2Ah lithium ion batteries
- 1 quick battery charger

	£		
1972/K12V-COMBO	**488.00**	1	019720010

310x295x100 mm - 3 kg

1972/12V-10

ultracompact drill, 12V (machine body)

• Ultracompact - no more than 170 mm in length; ultralightweight - no more than 1.1 kg, with battery, and perfectly balanced
• 10-mm metal auto-chuck
• Torque up to 30 Nm and 1300 rpm (400 rpm in 1st gear); drills diameters up to 10 mm in steel and 20 mm in wood
• Double mechanical speed with steel gears (0-400/1300 rpm)
• 20-position torque adjustment
• Selector switch, screwing-unscrewing-locking modes (for transportation)
• Front LED
• Ergonomic nonslip handle
• Belt clip (right/left side)

790 g

	£		
1972/12V-10	142.00	1	019720113

1982/12V

reversible impact wrench, 12V (machine body)

Ideal for working in small spaces, it develops high torque (80 Nm); designed for single-hand use

- ultracompact - no more than 160 mm in length; ultralightweight - no more than 1 kg, with battery, and perfectly balanced
- 1/4" hexagon drive, with locknut
- belt clip (right/left side)
- front LED
- selector switch, screwing-unscrewing-locking modes (for transportation)
- ergonomic nonslip handle
- gear case made entirely from metal

800 g

	£		
1982/12V	151.00	1	019820113

1994BL 12V-2AH

2Ah lithium ion battery for tools, 12V

Main features
• Battery voltage: 12V
• Battery capacity: 2Ah
• Energy capacity: 24Wh
• Battery type: Li-ion

170 g

	£		
1994BL 12V-2AH	64.00	1	019940015

1994CB 12V

quick battery charger, 12V, 110V-240V

Main features:
• LED charge level indicator
• Rated input voltage: 110V-240V ~ 50/60Hz
• Output voltage: 12.6V
• Charging current: 2A
• Rated input power: 35W
• 2Ah battery charging time: 50 min

260 g

	£		
1994CB 12V	64.00	1	019940123

1972/K20V-13BMC

impact drill kit, 20V, BRUSHLESS

CE

• Digital brushless motor
Significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button

• 3 operating modes: drilling, screwing and impact drilling
• Compact: no more than 210 mm in length
• Ergonomic nonslip handle
• Selector switch, screwing-unscrewing-locking modes (for transportation)
• Gear case made entirely from metal
• Built-in LED light for working in poor visibility conditions
• Belt clip (right/left side)
• Additional side handle for high-torque operation
• Supplied in a hard case with 2 lithium ion batteries (4 Ah) and quick charger

Main features:
• Max. torque: 80 Nm
• 20-position torque adjustment
• 13-mm metal auto-chuck
• Double mechanical speed with steel gears (0-450/1650 rpm)
• Max. drilling diameter in wood: 55 mm
• Max. drilling diameter in metal: 13 mm
• Max. drilling diameter in masonry: 13 mm

	£		
1972/K20V-13BMC	**743.00**	1	019720020

490x370x125 mm - 5,5 kg

1972/20V-13BMC

impact drill, 20V, BRUSHLESS (machine body)

CE

• Digital brushless motor
Significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button

• 3 operating modes: drilling, screwing and impact drilling
• Compact: no more than 210 mm in length
• Ergonomic nonslip handle
• Selector switch, screwing-unscrewing-locking modes (for transportation)
• Gear case made entirely from metal
• Built-in LED light for working in poor visibility conditions
• Belt clip (right/left side)
• Additional side handle for high-torque operation
• Supplied in a hard case, without batteries and charger

Main features:
• Max. torque: 80 Nm
• 20-position torque adjustment
• 13-mm metal auto-chuck
• Double mechanical speed with steel gears (0-450/1600 rpm)
• Max. drilling diameter in wood: 55 mm
• Max. drilling diameter in metal: 13 mm
• Max. drilling diameter in masonry: 13 mm

	£		
1972/20V-13BMC	**306.00**	1	019720019

490x370x125 mm - 3,6 kg

1984/K600

reversible impact wrench, 20 V, brushless, 1/2" drive - 600 Nm

• Digital BRUSHLESS motor
Remarkably enhanced performance, including: increased power, reduced energy consumption, extended useful motor life, improved power proportioning from push button
• Gearcase made entirely of metal
• Ergonomic nonslip handle
• 1/2" square male drive with bush retaining ring
• Reversible
• Right-/left-hand rotation with safety button (for transportation)
• Built-in LED light for poor visibility conditions
• LED battery charge level indicator
• Belt clip (right/left side)

Tightening
Three different torque and RPM settings can be selected (low - medium - high):
1: 200Nm; 1000 RPM
2: 350Nm; 1500 RPM
3: 550Nm; 1800 RPM

Untightening
1: 600 Nm: impact wrench applies maximum torque in continuous mode (free unscrewing)
2: 600 Nm - Self-stop function: impact wrench applies maximum torque until nut is fully unscrewed and then stops automatically (one-shot unscrewing)

Supplied in handy hard case complete with 2 lithium ion batteries (4 Ah) and quick charger.

	£		
1984/K600	**856.00**	1	019840060

490x370x125 mm - 6,3 kg

1984 20V/600BMC

reversible impact wrench, 20V, BRUSHLESS, with 1/2" drive - 600 Nm (machine body)

• 3 different torque settings and rpms in screwing mode
• Up to 600 Nm unscrewing torque

• Digital BRUSHLESS motor
Significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button
• 1/2" male square drive with bush retaining ring
• Gear case made entirely from metal
• Ergonomic nonslip handle
• Selector switch, screwing-unscrewing-locking modes (for transportation)
• Built-in LED light for working in poor visibility conditions
• Belt clip (right/left side)
• Supplied in a hard case, without batteries and charger

Tightening
3 torque settings and rpms (low - medium - height) available):
1: 200 Nm; 1000 rpm
2: 350 Nm; 1500 rpm
3: 550 Nm; 1800 rpm

Untightening
1: 600 Nm: impact wrench applies maximum torque non-stop (free unscrewing)
2: 600 Nm - Autostop: impact wrench applies maximum torque until nut is fully unscrewed, and then stops automatically (single impact unscrewing)

	£		
1984 20V/600BMC	**419.00**	1	019840907

490x370x125 mm - 4,4 kg

1984/K1200

reversible impact wrench, 20 V, brushless, 1/2" drive - 1000 Nm

• Digital BRUSHLESS motor
Remarkably enhanced performance, including: increased power, reduced energy consumption, extended useful motor life, improved power proportioning from push button
• Gearcase made entirely of metal
• Ergonomic nonslip handle
• 1/2" square male drive with bush retaining ring
• Reversible
• Right-/left-hand rotation with safety button (for transportation)
• Built-in LED light for poor visibility conditions
• LED battery charge level indicator
• Belt clip (right/left side)

Tightening
Three different torque and RPM settings can be selected (low - medium - high):
1: 300 Nm; 900 RPM
2: 500 Nm; 1600 RPM
3: 680 Nm; 1900 RPM

Untightening
1: 1000 Nm: impact wrench applies maximum torque in continuous mode (free unscrewing)
2: 1000 Nm - Self-stop function: impact wrench applies maximum torque until nut is fully unscrewed and then stops automatically (one-shot unscrewing)

Supplied in handy hard case complete with 2 lithium ion batteries (6 Ah) and quick charger.

	£		
1984/K1200	**1034.00**	1	019840120

490x370x125 mm - 7 kg

1984 20V/1200BMC

reversible impact wrench, 20V, BRUSHLESS, with 1/2" drive - 1200 Nm (machine body)

Ideal for applications requiring high torque.

• 3 different torque settings and rpms in screwing mode
• Up to 1200 Nm unscrewing torque
• Up to 1700 Nm peak torque

• Digital BRUSHLESS motor
Significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button
• 1/2" male square drive with bush retaining ring
• Gear case made entirely from metal
• Ergonomic nonslip handle
• Selector switch, screwing-unscrewing-locking modes (for transportation)
• Built-in LED light for working in poor visibility conditions
• Belt clip (right/left side)
• Supplied in a hard case, without batteries and charger

Tightening
3 torque settings and rpms (low - medium - height) available:
1: 350 Nm; 800 rpm
2: 600 Nm; 1400 rpm
3: 900 Nm; 1600 rpm

Untightening
1: 1200 Nm: impact wrench applies maximum torque non-stop (free unscrewing)
2: 1200 Nm - Autostop: impact wrench applies maximum torque until nut is fully unscrewed, and then stops automatically (single impact unscrewing)

	£		
1984 20V/1200BMC	**488.00**	1	019840911

490x370x125 mm - 4,7 kg

1986/K20V-125

angle grinder kit, 20V, BRUSHLESS

Digital BRUSHLESS motor
Significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button

Main features
- Protection against accidental restart
- Additional handle, can be placed on both sides
- Tool-less disc cover (quick release)
- Spindle lock device for quick disc changes
- Lock on/off slide switch
- Air vents protected against dust infiltration and providing optimal cooling
- Supplied in a hard case with 2 4 Ah lithium ion batteries and a quick charger

Technical data
- Disc diameter (not included): 125/115 mm
- Free speed: 8.000 rpm
- Tool spindle thread: M14
- Tangle-free cable length: 4 m

	£		
1986/K20V-125	**743.00**	1	019860015

490x370x125 mm - 5,6 kg

1986/20V-125BMC

angle grinder, 20V BRUSHLESS, (machine body)

Digital BRUSHLESS motor
Significantly improved performance: increased power, reduced energy consumption, extended motor service life, improved power supply from button

Main features
- Protection against accidental restart
- Additional handle, can be placed on both sides
- Tool-less disc cover (quick release)
- Spindle lock device for quick disc changes
- Lock on/off slide switch
- Air vents protected against dust infiltration and providing optimal cooling
- Supplied in a hard case, without batteries and charger

Technical data
- Disc diameter (not included): 125/115 mm
- Free speed: 8.000 rpm
- Tool spindle thread: M14
- Tangle-free cable length: 4 m

	£		
1986/20V-125BMC	**306.00**	1	019860025

490x370x125 mm - 3,8 kg

1994B 20V-2AH

2Ah lithium ion battery for tools, 20V

Premium lithium ion technology
With button and 3 coloured LED charge level indicators

Main features
• Battery voltage: 20V
• Battery capacity: 2Ah
• Energy capacity: 40Wh
• Battery type: Li-ion

410 g

AVAILABLE FROM MAY

CE

	£		
1994B 20V-2AH	86.00	1	019940022

1994B 20V-4AH

4Ah lithium ion battery for tools, 20V

Premium lithium ion technology
With button and 3 coloured LED charge level indicators

Main features
• Battery voltage: 20V
• Battery capacity: 4Ah
• Energy capacity: 80Wh
• Battery type: Li-ion

660 g

AVAILABLE FROM MAY

CE

	£		
1994B 20V-4AH	143.00	1	019940044

1994B 20V-6AH

6Ah lithium ion battery for tools, 20V

Premium lithium ion technology
With button and 3 coloured LED charge level indicators

Main features
• Battery voltage: 20V
• Battery capacity: 6Ah
• Energy capacity: 120Wh
• Battery type: Li-ion

900 g

AVAILABLE FROM MAY

CE

	£		
1994B 20V-6AH	198.00	1	019940066

1994C 20V

quick battery charger, 20V, 110V-240V

Main features:
• LED charge level indicator
• Rated input voltage: 110V-240V ~ 50/60Hz
• Output voltage: 20V
• Charging current: 6A
• Rated input power: 145W

20V 2Ah battery charging time: 45 min
20V 4Ah battery charging time: 90 min
20V 6Ah battery charging time: 120 min

570 g

AVAILABLE FROM MAY

CE

	£		
1994C 20V	151.00	1	019940140

1989RCB

construction site radio, 20V

CE

Multifunctional audio entertainment: digital (DAB; Bluetooth) and conventional FM radio
Suitable for use at construction sites or for leisure

Sturdy radio with compact, modern, design, degree of protection IP54
Powerful stereo sound provided by two powerful 16W side loudspeakers
Built-in alarm function
Complete with carrying handle and shockproof corner protection
With AUX connection and protected USB connector for phone connection and charge
Can be used with Beta's 20V batteries (optional) or power supply cord (included).

Main features:
- FM radio frequency range: 87.5 – 108 MHz
- DAB radio frequency range: 174 – 240 MHz
- Number of FM and DAB stored stations: 20
- Loudspeaker power: 16 W
- Rated voltage of battery (optional): 20 V
- Radio dimensions: 180 x 205 x 305 mm
- Radio weight (without battery): 3.2 kg

AVAILABLE FROM MAY

BT v5.3 | 20V | 16W | 100-240V~ 50/60Hz

	£		
1989RCB	442.00	1	019890020

C9PT

technical fabric bag for battery tools

Perfect for conveniently carrying Beta's power tools

Made from super durable technical fabric
Dual top handle for a safe, balanced hold

AVAILABLE FROM MAY

	£		
C9PT	46.50	1	021090001

400x210x290 mm - 2,4 kg



The range of corded tools comprises **angle grinders, (impact and hammer) drills, solid and fluid vacuum cleaners, heat and hot glue guns.**

In particular, Beta's angle grinders (with powers of 750W to 2400W) are proving increasingly successful based on the following construction characteristics:

- **Outstanding performance:**
  - Powerful, resin-bonded, wear-resistant, durable motor
  - Air vents providing optimal cooling, protected against dust infiltration
- **Unparalleled safety for operators:**
  - Spindle lock device for quick disc changes
  - Protection against accidental activation
  - Smooth start, for limiting large initial inrush of current on start-up
- **Unique comfort and ease of handling:**
  - Non-slip ergonomic handle for improved grip
  - Lowered head that allows working in confined spaces

Tangle-free cable no less than 4 metres in length for increased ease of movement

Additional handle that can be mounted on both sides.

1956 115-750W

angle grinder for discs Ø 115 mm

CE

Ideal for cutting, grinding and roughing jobs

Powerful motor (750 W)
Nonslip ergonomic handle for increased comfort and safety
Lowered head that allows working in confined spaces
Extremely lightweight (weighs no more than 1.8 kg)

Main features
- Protection against accidental activation
- Additional handle that can be mounted on both sides
- Tool-less disc cover (quick release)
- Spindle lock device for quick disc changes
- Lock-on/off slide switch
- Air vents protected against dust infiltration and providing optimal cooling performance
- Service wrench included

1,8 kg

	£		
1956 115-750W	106.00	1	019560011

1956 125-1400W

angle grinder for discs Ø 125 mm

Ideal for cutting, grinding and roughing jobs

Powerful motor (1400 W) - Variable speed
Nonslip ergonomic handle for increased comfort and safety
Lowered head that allows working in confined spaces

Main features
- Protection against accidental activation
- Additional anti-vibration handle that can be mounted on both sides
- Tool-less disc cover (quick release)
- Spindle lock device for quick disc changes
- Lock-on/off slide switch
- Air vents protected against dust infiltration and providing optimal cooling performance
- Service wrench included

2,5 kg

	£		
1956 125-1400W	205.50	1	019560125

1956 230-2400W

angle grinder for discs Ø 230 mm

Ideal for complex shearing, grinding and filing jobs

Powerful motor (2400 W)
Nonslip ergonomic handle for increased comfort and safety

Main features
- Protection against accidental activation
- Soft-start function for a smooth start and limiting large initial inrush of current on start-up
- Additional anti-vibration handle that can be mounted on both sides
- Screw disc cover
- Spindle lock device for quick disc changes
- Lock-on/off slide switch
- Air vents protected against dust infiltration and providing optimal cooling performance
- Service wrench included

5,8 kg

	£		
1956 230-2400W	277.00	1	019560230

1966/910W

impact drill, 910W

Ideal for drilling in different materials, including wood, metal, plastic, masonry and concrete

Powerful 910W motor
Linear, compact design with ergonomic, non-slip handle

Metal auto-chuck, 13 mm
Reversible variable speed
Gear case made entirely from metal
Switch lock for improved comfort of use
Main features:
• Max. drilling diameter in wood: 32 mm
• Max. drilling diameter in metal: 13 mm
• Max. drilling diameter in masonry: 13 mm
• No-load speed: 0-2800 rpm
• Tangle-free power supply cord length: 4 m

Supplied accessories:
• Metal auto-chuck, 13 mm
• Additional side handle that can be rotated 360°
• Depth rod

AVAILABLE FROM MAY

	£		
1966/910W	**169.00**	1	019660091

420x320x120 mm - 4,3 kg

1967/800W

SDS-PLUS hammer drill, 800W

Ideal for drilling, hammering and chiselling in masonry, concrete, tiles, wood and metal

Powerful 800W motor for heavy-duty applications
Professional, lightweight and powerful
Ergonomic, compact design, for working in small/confined spaces

Main features

3 operating modes + Vario-Lock function:
• drill function
• hammer function
• chisel function
• vario-lock function: can be locked in 36 chiselling positions, to obtain an optimal work angle

• Max. drilling diameter in wood: 30 mm
• Max. drilling diameter in metal: 13 mm
• Max. drilling diameter in concrete: 26 mm

Reversible
Safety clutch
Stroke power: 3.2 J
No-load speed: 0-1350 rpm
Number of strokes: 0-5700 strokes/min
Tangle-free power supply cord length: 4 m

Supplied accessories:
• 13-mm chuck with SDS-PLUS adapter
• Additional side handle that can be rotated 360°
• Depth rod
• 3 masonry drill bits, Ø 8-10-12 mm, length 150 mm
• 1 flat chisel, 14x250 mm
• 1 point chisel, 14x250 mm

AVAILABLE FROM MAY

	£		
1967/800W	**243.50**	1	019670080

420x300x115 mm - 5,2 kg

1850D
3-speed heat gun

- Pos. I 250 l/min 50 °C
- Pos. II 250 l/min 400 °C
- Pos. III 500 l/min 550 °C

	L mm	H mm	£		
1850D	255	210	170.00	1	018500018

1850E
adjustable electronic heat gun

- Pos. I 250-500 l/min 50 °C
- Pos. II 250-500 l/min 50-650 °C

• digital display
• temperature and flow rate adjustment buttons
• 4 preset programmes and other customizable programmes

- Prog 1 150 °C ca. 400 l/min
- Prog 2 200 °C ca. 400 l/min
- Prog 3 300 °C ca. 450 l/min
- Prog 4 400 °C ca. 500 l/min

	L mm	H mm	£		
1850E	255	210	355.00	1	018500020

1851VK
hot glue gun with 12 thermofusible glue sticks in case

• power: 80 W
• for stick glue, ø 11 mm and 12 mm

	£		
1851VK	74.00	1	018510058

320x250x50 mm

1851VK-12C
12 thermofusible glue sticks Ø 11 mm

	£		
1851VK-12C	18.10	1	018510062

1851VK-12V
12 thermofusible glue sticks for painted surfaces
Ø 11 mm

	£		
1851VK-12V	16.90	1	018510072

1870
solid and fluid vacuum cleaner, 20 l

• single-stage by-pass motor
• voltage: 220/240 V
• frequency: 50/60 Hz
• max. power: 1200 W
• airflow rate: 58 l/sec.
• max. suction power: 190 mbar
• max. drum capacity: 20 l, made of antistatic PP
• acoustic emissions: <70 dB(A)
• cable length: 5 m
• trolley for accessories

STANDARD ACCESSORIES, Ø 36 mm
• 1 corrugated hose with ergonomic handle
• 2 hard extension tubes
• 1 multiuse brush for floors and fluids
• 1 flat nozzle

FILTERING SYSTEMS
• 1 surface filter cartridge 1900 cm2 - 12 µm nom.
• 1 anti-foam filter PPI 45/PPI 30

IPX4

	£		
1870	343.00	1	018700020

1870I
solid and fluid vacuum cleaner, 20 l, stainless steel drum

• single-stage by-pass motor
• voltage: 220/240 V
• frequency: 50/60 Hz
• max. power: 1200 W
• airflow rate: 58 l/sec.
• max. suction pressure: 190 mbar
• max. drum capacity: 20 l, made of stainless steel
• acoustic emissions: <70 dB(A)
• cable length: 5 m

STANDARD ACCESSORIES Ø 36 mm
• 1 corrugated hose with ergonomic handle and vent
• 2 hard extension tubes
• 1 multiuse brush for floors and fluids
• 1 flat nozzle
• 1 paper bag

FILTERING SYSTEMS
• 1 surface air filter cartridge 1900 cm² - 12 µm nom.
• 1 anti-foam filter PPI 45/PPI 30

IPX4

	£		
1870I	338.00	1	018700220

1872L

solid and fluid vacuum cleaner, 35 l
"L" class certified

- two-stage by-pass motor
- voltage: 220/240 V
- frequency: 50/60 Hz
- max. power: 1100 W
- airflow rate: 55 l/sec.
- max. suction power: 220 mbar
- max. drum capacity: 35 l, made of antistatic PE-HD
- acoustic emissions: <70 dB(A)
- cable length: 6 m

STANDARD ACCESSORIES, Ø 36 mm

- 1 corrugated hose with ergonomic handle
- 2 plastic extension tubes
- 1 combined brush frame
- 1 section with fluid collection hoses
- 1 flat nozzle

FILTERING SYSTEMS

- 1 disposable fabric bag; filtration class: "L"
- 1 filter cartridge; IFA class: "L"
- 1 anti-foam filter PPI 45/PPI 30
- 2 post-filters made of PP-laminated PET

IPX4

	£		
1872L 35	762.00	1	018720135

1873

solid and vacuum cleaner, 30 l,
stainless steel drum

- two-stage by-pass motor • voltage: 220/240 V
- frequency: 50/60 Hz • max. power: 1100 W
- airflow rate: 55l/sec.
- max. suction pressure: 220 mbar
- max. drum capacity: 30 l, made of stainless steel
- acoustic emissions: <61 dB(A)
- cable length: 6 m • trolley for accessories

STANDARD ACCESSORIES, Ø 45 mm

- 1 corrugated hose with ergonomic handle
- 2 stainless steel extension tubes
- 1 industrial brush frame
- 1 industrial section for carpets
- 1 industrial section with fluid collection hoses
- 1 flat nozzle

FILTERING SYSTEMS

- 1 filter paper bag
- 1 surface filter cartridge 1900 cm2, 12 µm nom.
- 1 anti-foam filter PPI 45/PPI 30

	£		
1873 30	949.00	1	018730030

1874

solid and fluid vacuum cleaner, 50 l,
stainless steel drum

- two-stage by-pass motor
- voltage: 220/240 V • frequency: 50/60 Hz
- max. power: 1350 W • airflow rate: 55 l/sec.
- max. suction pressure: 240 mbar
- max. drum capacity: 50 l, made of stainless steel
- acoustic emissions: <63 dB(A)
- cable length: 6 m • trolley for accessories

STANDARD ACCESSORIES, Ø 45 mm

- 1 corrugated hose with ergonomic handle
- 2 stainless steel extension tubes
- 1 industrial brush frame
- 1 industrial section for carpets
- 1 industrial section with fluid collection hoses
- 1 flat nozzle

FILTERING SYSTEMS

- 1 filter paper bag
- 1 surface filter cartridge 5200 cm2, 12 µm nom.
- 1 anti-foam filter PPI 45/PPI 30

	£		
1874 50	1200.00	1	018740050

1870-20/5S

5 horizontal paper bags for item
1870-1870I-1875LT

	£		
1870 20/5S	62.00	1	018700021

1870-72 /FC

cartridge filter 1900 cm² 12 - µm nom.
for items 1870 - 1870I - 1873 - 1875LT

	£		
1870/FC	53.00	1	018700026

1870-72/FL

fluid vacuum cleaning filter
for items 1870 - 1870I - 1872L - 1873 - 1874 -
1875LT

	£		
1870 72/FL	19.50	1	018700027

1872L 35/FC

cartridge filter, "L" class,
for item 1872L

	£		
1872L 35/FC	64.00	1	018720144

1872L 35/5S

5 disposable fabric bags, "L" class
for item 1872L- 1873

	£		
1872L 35/5S	97.50	1	018720136

1873-30/5S

5 vertical paper bags for item 1873

	£		
1873 30/5S	62.00	1	018730031

1874-50/5S

5 vertical bags for item 1874

	£		
1874 50/5S	78.50	1	018740051

1874-50/FC

cartridge filter 5200 cm² - 12 µm nom.
for item 1874

	£		
1874 50/FC	63.50	1	018740056

PNEUMATIC TOOLS

For over 20 years Beta Utensili has supplemented its products with a comprehensive range of pneumatic tools and accessories developed for the automotive and industrial maintenance markets: impact wrenches, ratchets, drills, grinders, sanders and many more items.

During this period close co-operation with professional users has been key to ongoing growth. It is on the basis of such growth that Beta's pneumatic tools can boast an excellent reliability/performance ratio.
In order to satisfy market requirements in the best possible way, Beta Utensili repairs the pneumatic tools in its Quality Department.
This process has allowed the company to improve its know-how to a significant extent and become increasingly responsive to the customer base.



www.beta-tools.com

GUIDE TO CHOOSING PNEUMATIC TOOLS

IMPACT WRENCHES

■	BETA ITEM	N °.	MATERIAL	max. Nm	db (A) LpA	db (A) LpW	l/min.	kg	MECHANISM	m/s²
3/8"		1924F	Aluminium	**108**	93,6	104,6	59	0,5	Double hammer	6,85
3/8"		1924B	Aluminium	**353**	91	95	80	1,5	Pin clutch	7,9
3/8"		1924CD	Composite material	**410**	91,7	102,7	79	1,3	Double hammer	6,2
3/8"		1924XM	Composite material	**515**	91,7	102,7	122	1,3	Single hammer	6,2
1/2"		1927AN	Aluminium	**244**	89,4	100,4	190	2,1	Single hammer	8,63
1/2"		1927G	Aluminium	**325**	92,2	103,2	113	1,2	Single hammer	9,96
1/2"		1927B	Aluminium	**705**	98,0	109,0	133	2,1	Pin clutch	14,08
1/2"		1927XM	Aluminium	**770**	102	113	122	1,3	Single hammer	7,5
1/2"		1927CD	Composite material	**1.020**	95,5	106,5	130	2,3	Double hammer	7,2
1/2"		1927P	Composite material	**1.750**	95,1	106,1	290	2,0	Double hammer	6,7
3/4"		1928XM	Aluminium	**1.600**	91,8	102,8	175	2,9	Double hammer	12,96
3/4"		1928DA	Aluminium	**1.695**	96	99,5	300	4,3	Double hammer	3,6
3/4"		1928DAL	Aluminium	**1.695**	96	99,5	300	4,8	Double hammer	3,6
3/4"		1928CD	Composite material	**1.800**	97,5	108,5	215	3,5	Double hammer	11,4
3/4"		1928P	Composite material	**2.100**	96,2	107,2	221	3,7	Double hammer	7,6
1"		1930CD	Composite material	**2.445**	95,6	97,1	410	7,1	Double hammer	3,6
1"		1930PA	Aluminium	**2.445**	96,0	97,1	410	9,6	Double hammer	7,2
1"		1930A	Aluminium	**2.445**	103,3	114,3	460	9,5	Double hammer	67
1"		1930LH	Aluminium	**2.441**	97,1	108,1	282	7,1	Double hammer	17,4
1"		1930LA	Aluminium	**2.445**	95,6	97,1	460	10,6	Double hammer	3,6

GUIDE TO CHOOSING PNEUMATIC TOOLS

■	BETA ITEM	N°	MATERIAL	max. Nm	db (A) LpA	db (A) LpW	l/min.	kg	MECHANISM	m/s²
1"		1930HLA	Aluminium	**3.661**	99	101	460	16,4	Double hammer	16,4
1½"		1930ZL	Aluminium	**4.068**	102,4	113,4	480	15	Double hammer	69.6

AIR IMPACT RATCHETS

■	BETA ITEM	N°	max. Nm	db (A) LpA	db (A) LpW	l/min.	kg	m/s²
1/4"		1921B1	**24**	96	85	90	0,4	2.6
1/4"		1921M1	**27**	84	88	96	0,6	1.8
1/4"		1922P1	**68**	90,6	101,6	88	0,6	8.61
3/8"		1921M2	**27**	84	88	96	0,6	1.8
3/8"		1922P2	**68**	90,6	101,6	88	0,6	8.61
1/2"		1921N3	**68**	80	87	140	1,2	2.6
1/2"		1922P3	**136**	94,9	105,9	113	1,5	18.28

GRINDERS

	BETA ITEM	N°	POWER	db (A) LpA	db (A) LpW	l/min.	kg	m/s²
		1933	**0,20 kW**	80,0	87,0	230	0,38	4,53
		1933L	**0,20 kW**	80,0	87,0	270	0,67	1,15
		1933AN90	**0,20 kW**	80,0	87,0	230	0,51	1,24
		1933I	**0,38 kW**	80,0	87,0	260	0,67	4,53
		1933IL	**0,38 kW**	79,0	97,0	113	1,4	1,6
		1933IH	**0,75 kW**	88,1	99,1	370	0,8	2,6
		1933ILH	**0,75 kW**	85,7	96,7	370	1,2	1,4
		1933AN90-H	**0,75 kW**	85,6	96,6	370	1,1	6,7
		1934MAV	**0,04 kW**	71	76	115	0,2	2,5
		1934MAV70	**0,08 kW**	80	87	115	0,2	4

1921B1
baby reversible air ratchet

1/4"

Free speed	**350 rpm**
Max. torque	24 Nm
Bolt capacity	**Cl 8.8 M7⬢11 mm**
Bolt capacity	Cl 12.9 M6⬢10 mm
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	68 l/min
Weight	**0,4 kg**

■ "	kg	£		
1/4		288.00	1	019210001

1921M1
compact reversible air ratchet

• Knob speed regulator

1/4"

Free speed	**200 rpm**
Max. torque	27 Nm
Bolt capacity	**Cl 8.8 M7⬢11 mm**
Bolt capacity	Cl 12.9 M6⬢10 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	96 l/min
Weight	**0.6 kg**

■ "	kg	£		
1/4	0,6	251.00	1	019210005

1921M2
compact reversible air ratchet

• Knob speed regulator

3/8"

Free speed	**200 rpm**
Max. torque	27 Nm
Bolt capacity	**Cl 8.8 M7⬢11 mm**
Bolt capacity	Cl 12.9 M6⬢10 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	96 l/min
Weight	**0.6 kg**

■ "	kg	£		
3/8	0,6	251.00	1	019210015

1921N3
reversible air ratchet

• Knob speed regulator

1/2"

Free speed	**150 rpm**
Max. torque	68 Nm
Bolt capacity	**Cl 8.8 M10⬢16 mm**
Bolt capacity	Cl 12.9 M8⬢13 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	140 l/min
Weight	**1.2 kg**

■ "	kg	£		
1/2	1,2	251.00	1	019210025

1922P1
reversible air impact ratchet

• "Double rocking dog" impulse device

1/4"

Free speed	**700 rpm**
Maximum torque	68 Nm
Bolt capacity	**Cl 8.8 M10⬢16 mm**
Bolt capacity	Cl 12.9 M8⬢13 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	88 l/min
Weight	**0.6 kg**

■ "	kg	£		
1/4	0,6	341.00	1	019220006

1922P2
reversible air impact ratchet

• "Double rocking dog" impulse device

3/8"

Free speed	**700 rpm**
Maximum torque	68 Nm
Bolt capacity	**Cl 8.8 M10⬢16 mm**
Bolt capacity	Cl 12.9 M8⬢13 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	88 l/min
Weight	**0.6 kg**

■ "	kg	£		
3/8	0,6	341.00	1	019220010

1922P3
reversible air impact ratchet

• "Double rocking dog" impulse device

1/2"

Free speed	**600 rpm**
Maximum torque	136 Nm
Bolt capacity	**Cl 8.8 M12⬢18 mm**
Bolt capacity	Cl 12.9 M10⬢16 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	113 l/min
Weight	**1.5 kg**

■ "	kg	£		
1/2	1,5	557.00	1	019220013

1924F
butterfly compact reversible impact wrench

• "Double rocking dog" impulse device

3/8"

Free speed	**12,000 rpm**
Maximum torque	108 Nm
Bolt capacity	**Cl 8.8 M12⬢18 mm**
Bolt capacity	Cl 12.9 M10⬢16 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	59 l/min
Weight	**0.5 kg**

■ "	kg	£		
3/8	0,5	300.00	1	019240025

1924B
compact reversible impact wrench

• **"Pin Clutch" impulse device**

Free speed	**10,000 rpm**
Max. torque	353 Nm
Bolt capacity	**Cl 8.8 M16⬢24 mm**
Bolt capacity	Cl 12.9 M14⬢21 mm
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	80 l/min
Weight	**1,5 kg**

■ "	kg	£		
3/8	1,5	**350.00**	1	019240021

1924XM
compact reversible impact wrench

• **Single hammer impulse device**

Free speed	**9,000 rpm/min**
Max. torque	515 Nm
Bolt capacity	**Cl 8.8 M16⬢24 mm**
Bolt capacity	Cl 12.9 M14⬢21 mm
Air inlet	**1/4" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	122 l/min
Weight	**1.3 kg**

■ "	kg	£		
3/8	1,3	**370.00**	1	019240030

1927B
reversible impact wrench

• **"Pin Clutch" impulse device**

Free speed	**7,000 rpm**
Max. torque	705 Nm
Bolt capacity	**Cl 8.8 M22⬢34 mm**
Bolt capacity	Cl 12.9 M18⬢27 mm
Air inlet	**1/4" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	133 l/min
Weight	**2.1 kg**

■ "	kg	£		
1/2	2,1	**254.00**	1	019270022

1924CD
reversible impact wrench,
made from composite material

• **Double hammer impulse device**

Free speed	**10,000 rpm**
Max. torque	410 Nm
Bolt capacity	**Cl 8.8 M16⬢24 mm**
Bolt capacity	Cl 12.9 M14⬢21 mm
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	79 l/min
Weight	**1,3 kg**

■ "	kg	£		
3/8	1,3	**502.00**	1	019240007

1927B/K5
reversible impact wrench, made from aluminium, supplied with 5 impact sockets, in case

◎ **720** 15-17-19-21-22 mm

Free speed	**7,000 rpm**
Max. torque	705 Nm
Bolt capacity	**Cl 8.8 M22⬢34 mm**
Bolt capacity	Cl 12.9 M18⬢27 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	133 l/min
Weight	**2.1 kg**

■ "	kg	£		
1/2	3,5	**327.00**	1	019270122

350x305x86 mm

1927CD

reversible impact wrench, made from composite material

• **Double hammer impulse device**

Free speed	**7,000 rpm**
Max. torque	1.020 Nm
Bolt capacity	**CI 8.8 M22●34 mm**
Bolt capacity	CI 12.9 M18●27 mm
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	130 l/min
Weight	**1,9 kg**

■ "	kg	£		
1/2	2,3	**508.00**	1	019270007

1927P

reversible impact wrench, made from composite material

• **Double hammer impulse device**

Free speed	**7,500 rpm**
Max. torque	1.750 Nm
Bolt capacity	**CI 8.8 M24●36 mm**
Bolt capacity	CI 12.9 M20●30 mm
Air inlet	**1/4" GAS**
Operating pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	290 l/min
Weight	**2 kg**

■ "	kg	£		
1/2	2,0	**602.00**	1	019270008

1927XM

compact reversible impact wrench

• **Single hammer impulse device**

Free speed	**10,000 rpm**
Max. torque	770 Nm
Bolt capacity	**CI 8.8 M22●34 mm**
Bolt capacity	CI 12.9 M18●27 mm
Air inlet	**1/4" GAS**
Operating pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	122 l/min
Weight	**1.3 kg**

■ "	kg	£		
1/2	1,3	**380.00**	1	019270030

1927CD/K3

assortment of one reversible impact wrench and three impact sockets

• **Double hammer impulse device**

○ **720LC**17-19-21 mm

Free speed	**7,000 rpm**
Max. torque	1,020 Nm
Bolt capacity	**CI 8.8 M22●34 mm**
Bolt capacity	CI 12.9 M18●27 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bars
Internal hose size (Ø)	**10 mm**
Mean air consumption	130 l/min
Weight	**1.9 kg**

■ "	kg	£		
1/2	4	**598.00**	1	019270107

350x305x86 mm

1927P/K3

reversible impact wrench, made from composite material, supplied with 3 impact sockets

○ **720LC**17-19-21 mm

Free speed	**7,500 rpm**
Max. torque	1.750 Nm
Bolt capacity	**CI 8.8 M24●36 mm**
Bolt capacity	CI 12.9 M20●30 mm
Air inlet	**1/4" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	290 l/min
Weight	**2.9 kg**

■ "	kg	£		
1/2	4	**624.00**	1	019270118

350x305x86 mm

1927XM/K5

Assortment of one compact reversible impact wrench and five impact sockets

• **Single hammer impulse device**

○ **720** 17-19-21-22-24 mm

Free speed	**10,000 rpm**
Max. torque	770 Nm
Bolt capacity	**CI 8.8 M22●34 mm**
Bolt capacity	CI 12.9 M18●27 mm
Air inlet	**1/4" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	122 l/min
Weight	**1.3 kg**

■ "	kg	£		
1/2	2,8	**455.00**	1	019270129

307x206x86 mm

1927AN

Angle reversible impact wrench

• **Single hammer impulse device**

1/2"

Max. torque	**244 Nm**
Bolt capacity	244 Nm
Bolt capacity	**CI 8.8 M14⬢21 mm**
Air inlet	CI 12.9 M12⬢19 mm
Operating pressure	**1/4" GAS**
Internal hose size (Ø)	6,2 bar
Mean air consumption	**10 mm**
Weight	2.1 kg
Peso	**2,1 kg**

■ "	kg	£		
1/2	2,1	723.00	1	019270012

1927G

compact reversible impact wrench

• **Single hammer impulse device**

1/2"

Free speed	**8500 rpm**
Max. torque	325 Nm
Bolt capacity	**CI 8.8 M16⬢24 mm**
Bolt capacity	CI 12.9 M14⬢21 mm
Air inlet	**1/4" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	113 l/min
Weight	**1.2 kg**

■ "	kg	£		
1/2	1,2	546.00	1	019270050

1927SP-AM

magnetic support for pneumatic impact wrench

• **Fitted with two high-powered magnets with protective rubber tops**
• **Can accommodate 1 1/2" impact wrench, 4 sockets and 1 torque wrench**
• **Capacity: 10 kg**

g	£		
400	79.00	1	019270000

1928DA

reversible impact wrench

• **Double hammer impulse device**

3/4"

Free speed	**5,000 rpm**
Max. torque	1.695 Nm
Bolt capacity	**CI 8.8 M30⬢46 mm**
Bolt capacity	CI 12.9 M27⬢41 mm
Air inlet	**3/8" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	240 l/min
Weight	**4,3 kg**

■ "	kg	£		
3/4	4,3	949.00	1	019280022

1928DAL

reversible impact wrench

• **Double hammer impulse device**

3/4"

Free speed	**5,000 rpm**
Max. torque	1.695 Nm
Bolt capacity	**CI 8.8 M27⬢41 mm**
Bolt capacity	CI 12.9 M24⬢36 mm
Air inlet	**3/8" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	240 l/min
Weight	**4,8 kg**

■ "	kg	£		
3/4	4,8	1053.00	1	019280023

1928K4

assortment of one reversible impact wrench and four impact sockets, long series

• **"Pin Clutch" impulse device**

3/4"

728L 27-30-32-36 mm

Free speed	**4,000 rpm**
Max. torque	1.493 Nm
Bolt capacity	**CI 8.8 M27⬢41 mm**
Bolt capacity	CI 12.9 M24⬢36 mm
Air inlet	**3/8" GAS BSP**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	260 l/min
Impact wrench weight	**5,2 kg**

■ "	kg	£		
3/4	9,3	965.00	1	019280104

410x330x106 mm

1928XM

compact reversible impact wrench

• **Double hammer impulse device**
• **Amazingly compact and powerful**
• **One-hand reverse button**
• **Three power adjustable screwing positions**
• **Exhaust through handle**

3/4"

Free speed	**4,800 rpm**
Max. torque	1,600 Nm
Bolt capacity	**CI 8.8 M27⬢41 mm**
Bolt capacity	CI 12.9 M24⬢36 mm
Air inlet	**3/8" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	175 l/min
Weight	**2.9 kg**

■ "	kg	£		
3/4	2,9	787.00	1	019280030

1928CD

reversible impact wrench,
made from composite material

• **Double hammer impulse device**

Free speed	**4.500 rpm**
Max. torque	1.800 Nm
Bolt capacity	**CI 8.8 M27●41 mm**
Bolt capacity	CI 12.9 M24●36 mm
Air inlet	**3/8" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	215 l/min
Weight	**3,5 kg**

■ "	kg	£		
3/4	3,5	1265.00	1	019280007

1928P

reversible impact wrench, made from composite material

• **Double hammer impulse device**

Free speed	**5,000 rpm**
Max. torque	2,100 Nm
Bolt capacity	**CI 8.8 M30●46 mm**
Bolt capacity	CI 12.9 M27●41 mm
Air inlet	**3/8" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	221 l/min
Weight	**3.7 kg**

■ "	kg	£		
3/4	3,7	1310.00	1	019280006

1930LH

reversible impact wrench

• **Double hammer impulse device**



Free speed	**6,000 rpm**
Max. torque	2,441 Nm
Bolt capacity	**CI 8.8 M36●55 mm**
Bolt capacity	CI 12.9 M30●46 mm
Air inlet	**1/2" GAS**
Operating pressure	6.2 bar
Internal hose size (Ø)	**13 mm**
Mean air consumption	280 l/min
Weight	**7.1 kg**

■ "	kg	£		
1	7,1	1520.00	1	019300030

1930CD

reversible impact wrench,
made from composite material

• **Double hammer impulse device**

Free speed	**4,000 rpm**
Max. torque	2.445 Nm
Bolt capacity	**CI 8.8 M36●55 mm**
Bolt capacity	CI 12.9 M30●46 mm
Air inlet	**1/2" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**13 mm**
Mean air consumption	320 l/min
Weight	**7,1 kg**

■ "	kg	£		
1	7,1	1580.00	1	019300022

1930PA

reversible impact wrench

• **Double hammer impulse device**

Free speed	**3,500 rpm**
Max. torque	2.445 Nm
Bolt capacity	**CI 8.8 M36●55 mm**
Bolt capacity	CI 12.9 M30●46 mm
Air inlet	**1/2" GAS**
Operating pressure	6,2 bar
Internal hose size (Ø)	**13 mm**
Mean air consumption	350 l/min
Weight	**9.6 kg**

■ "	kg	£		
1	9,6	1340.00	1	019300032

1930LA

reversible impact wrench

• **Double hammer impulse device**

Free speed	**4,000 rpm**
Max. torque	2.445 Nm
Bolt capacity	**Cl 8.8 M36⬢55 mm**
Bolt capacity	Cl 12.9 M30⬢46 mm
Air inlet	**1/2" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**13 mm**
Mean air consumption	460 l/min
Weight	**10,6 kg**

■ "	kg	£		
1	10,6	**1680.00**	1	019300037

1930HLA

reversible impact wrench

• **Double hammer impulse device**

Free speed	**3,000 rpm**
Max. torque	3.661 Nm
Bolt capacity	**Cl 8.8 M42⬢65 mm**
Bolt capacity	Cl 12.9 M33⬢50 mm
Air inlet	**1/2" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**13 mm**
Mean air consumption	460 l/min
Weight	**16,4 kg**

■ "	kg	£		
1	16,4	**2430.00**	1	019300040

1931CD6

reversible drill,
made from composite material

Free speed	**2,600 rpm**
Chuck capacity	1÷6 mm
Power	**0,23 kW**
Spindle thread	3/8" - 24UNF
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	130 l/min
Weight	**0,6 kg**

kg	£		
0,6	**306.00**	1	019310006

1930A

reversible impact wrench

• **Double hammer impulse device**

Free speed	**4,000 rpm**
Max. torque	2.445 Nm
Bolt capacity	**Cl 8.8 M36⬢55 mm**
Bolt capacity	Cl 12.9 M30⬢46 mm
Air inlet	**1/2" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**13 mm**
Mean air consumption	460 l/min
Weight	**9.5 kg**

■ "	kg	£		
1	9,5	**1405.00**	1	019300036

1930ZL

reversible impact wrench

• **Double hammer impulse device**

Free speed	**3,000 rpm**
Max. torque	4.068 Nm
Bolt capacity	**Cl 8.8 M42⬢65 mm**
Bolt capacity	Cl 12.9 M36⬢55 mm
Air inlet	**1/2" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**13 mm**
Mean air consumption	480 l/min
Weight	**15 kg**

■ "	kg	£		
1 1/2	15	**3150.00**	1	019300070

1931CD10

reversible drill,
made from composite material

Free speed	**1,800 rpm**
Chuck capacity	1÷10 mm
Power	**0,38 kW**
Spindle thread	3/8" - 24UNF
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	170 l/min
Weight	**1 kg**

kg	£		
1,0	**285.00**	1	019310010

1931CD13
reversible drill,
made from composite material

Free speed	**800 rpm**
Chuck capacity	1,0÷13 mm
Power	**0,38 kW**
Spindle thread	1/2" - 20UNC
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	170 l/min
Weight	**1,3 kg**

kg	£		
1,3	406.00	1	019310013

1932B10
reversible drill

Free speed	**1,800 rpm**
Chuck capacity	1÷10 mm
Power	**0,44 kW**
Spindle thread	3/8" - 24UNF
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	160 l/min
Weight	**1,2 kg**

kg	£		
1,2	186.50	1	019320040

1932B13
reversible drill

Free speed	**400 rpm**
Chuck capacity	1,5÷13 mm
Power	**0,34 kW**
Spindle thread	1/2" - 20UNC
Air inlet	**1/4" GAS**
Operating pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	180 l/min
Weight	**1,6 kg**

kg	£		
1,6	328.00	1	019320004

1931AN10
reversible angle drill

Free speed	**1,400 rpm**
Chuck capacity	1÷10 mm
Power	**0,38 kW**
Spindle thread	3/8" - 24UNF
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	150 l/min
Weight	**1,1 kg**

kg	£		
1,1	311.00	1	019310030

1932RS13
reversible drill

Free speed	**750 rpm**
Chuck capacity	1,5÷13 mm
Power	**0,55 kW**
Spindle thread	3/8" - 24UNF
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	160 l/min
Weight	**1,4 kg**

kg	£		
1,4	254.00	1	019320043

1933IH
high-power die grinder

- **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**20,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0.75 kW**
Air inlet	1/4" GAS
Working pressure	**6.2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**370 l/min**
Weight	800 g

g	£		
800	246.50	1	019330006

1933ILH
high-power long spindle die grinder

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**20,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0.75 kW**
Air inlet	1/4" GAS
Working pressure	**6.2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**370 l/min**
Weight	1.2 kg

kg	£		
1,2	466.00	1	019330011

1933I
die grinder

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**20,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0,38 kW**
Air inlet	1/4" GAS
Working pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**260 l/min**
Weight	670 g

g	£		
670	181.00	1	019330005

1933AN90
angle grinder

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**20,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0,20 kW**
Air inlet	1/4" GAS
Working pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**230 l/min**
Weight	510 g

g	£		
510	209.00	1	019330020

1933AN90-H
high-power angle grinder

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**15,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0.75 kW**
Air inlet	1/4" GAS
Working pressure	**6.2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**370 l/min**
Weight	1.1 kg

kg	£		
1,1	466.00	1	019330021

1933L
long spindle die grinder

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**25,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0,20 kW**
Air inlet	1/4" GAS
Working pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**270 l/min**
Weight	670 g

g	£		
670	209.00	1	019330015

1934BV
low-speed tyre buffer

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**3,700 rpm**
Chuck capacity	3 - 6 mm
Power	**0,37 kW**
Air inlet	1/4" GAS
Operating pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**113 l/min**
Weight	0.84 kg

g	£		
840	245.50	1	019340000

1933
die grinder

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**25,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0,20 kW**
Air inlet	1/4" GAS
Working pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**230 l/min**
Weight	380 g

g	£		
380	166.00	1	019330001

1933IL
long spindle die grinder

• **Collect chuck, Ø 3 mm and 6 mm**

Free speed	**20,000 rpm**
Chuck capacity	3 - 6 mm
Power	**0,38 kW**
Air inlet	1/4" GAS
Working pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**113 l/min**
Weight	1,4 kg

kg	£		
1,4	279.00	1	019330010

1934MAV
micro die grinder

Free speed	**56,000 rpm**
Chuck capacity	3 mm
Power	**0,04 kW**
Air inlet	1/4" GAS BSPT
Operating pressure	**6,2 bar**
Internal hose size (Ø)	4,5 mm
Mean air consumption	**115 l/min**
Weight	0.2 kg

g	£		
205	218.00	1	019340010

1934MAV70
high-speed micro die grinder

Free speed	**70,000 rpm**
Chuck capacity	3 mm
Power	**0,08 kW**
Air inlet	1/4" GAS BSPT
Operating pressure	**6,2 bar**
Internal hose size (Ø)	4,5 mm
Mean air consumption	**115 l/min**
Weight	0.21 kg

g	£		
210	403.00	1	019340030

1935F
reversible air screwdriver

Free speed	**800 rpm**
Torque range	4-16 Nm
Screw capacity	**6-9 M**
Bit holder	⬢ 1/4"
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	150 l/min
Weight	**1,3 kg**

kg	£		
1,3	285.00	1	019350045

1936/4A
angle grinder

Free speed	**11,000 rpm**
Grinding disc size	115 mm
Power	**0,66 kW**
Spindle thread	M14
Air inlet	**1/4" GAS**
Operating pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	390 l/min
Weight	**1.77 kg**

kg	£		
1,8	515.00	1	019360024

1936/5A
angle grinder

Free speed	**10,000 rpm**
Grinding disc size	125 mm
Power	**0,66 kW**
Spindle thread	M14
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Ø internal hose size	**10 mm**
Mean air consumption	390 l/min
Weight	**1,9 kg**

kg	£		
1,9	501.00	1	019360025

1936/7A
angle grinder

Free speed	**7600 giri/min**
Grinding disc size	180 mm
Power	**1,3 kW**
Spindle thread	M14
Air inlet	**3/8" GAS**
Working pressure	6,2 bar
Ø internal hose size	**13 mm**
Mean air consumption	906 l/min
Weight	**2,7 kg**

kg	£		
2,7	777.00	1	019360027

1937
roto-orbital palm sander, lubrication free, made from composite material

- **Orbit diameter: 5 mm**

Free speed	**12,000 rpm**
Power	0,18 kW
Pad size	**150 mm**
Orbit diameter	5 mm
Spindle thread	**5/16"-24**
Air inlet	1/4" GAS
Operating pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**170 l/min**
Weight	0,86 kg

kg	£		
0,86	635.00	1	019370001

1937R/P
6-hole pad, Ø 150 mm, for item 1937

	£		
1937R/P	65.00	1	019370002

1937KC
mini orbital sander

- **Orbit diameter 4 mm**
- **2 sanding pads (Ø 50 mm and Ø 75 mm)**
- **10 abrasive paper discs (Ø 50 mm), grain 400, 600, 800**
- **10 abrasive paper discs (Ø 75 mm), grain 400, 600, 800**

Free speed	**15000**
Power	0.25
Pad size	**50 - 75**
Spindle thread	M6 x 1.0
Air inlet	**1/4" GAS BSPT**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10**
Mean air consumption	79
Polisher weight	**0.64**
Kit weight	1.4

kg	£		
1,4	360.00	1	019370171

1937C...
Abrasive paper discs for item 1937KC

Ø mm	P	£		
50	400	20.60	1	019370175
50	600	20.60	1	019370176
50	800	20.60	1	019370177
75	400	26.50	1	019370178
75	600	26.50	1	019370179
75	800	26.50	1	019370180

*** Prices refer to 10 pieces**

1937KL
mini polisher

- **Sanding pad (Ø 75 mm)**
- **2 polishing sponges (Ø 90 mm) - 1937/KL-DSB, 1937/KL-DSG**
- **Lambswool pad (Ø 90 mm) - 1937/KL-DLA**

Free speed	**3,200 rpm**
Power	0.25 kW
Pad size	**75 mm**
Spindle thread	M6
Air inlet	**1/4" GAS BSPT**
Operating pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	91 l/min
Polisher weight	**0.75 kg**
Kit weight	1.8 kg

kg	£		
1,8	419.00	1	019370161

1937KL-D
accessories for item 1937KL



	Ø mm	£		
1937KL-DLA	90	33.50	1	019370164
1937KL-DSB	90	33.50	1	019370165
1937KL-DSG	90	33.50	1	019370166

1937K...
Pads for items 1937KC and 1937KL

	Ø mm	1937KC	1937KL	£		
1937KC-RP	50	●		38.50	1	019370173
1937KL-RP	75	●	●	46.00	1	019370163

1937M
multi-use sander with 16 accessories

Free speed	**3,500 rpm**
Power	0,34 kW
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	113 l/min
Sander weight	**1,5 kg**
Kit weight	4,5 kg

kg	£		
4,5	1065.00	1	019370011

458x495x116 mm

1937M-01÷11
accessories for item 1937M

	L mm	1937M-	£		
1937M-01	30		38.50	1	019370101
1937M-02	30		38.50	1	019370102
1937M-03	11		33.50	1	019370103
1937M-04	23		33.50	1	019370104
1937M-05	11		33.50	1	019370105
1937M-06	23		33.50	1	019370106
* 1937M-07	16		95.50	1	019370107
1937M-08	13	07	33.50	1	019370108
1937M-09	26	07	33.50	1	019370109
1937M-10	11	03, 05	33.50	1	019370110
1937M-11	23	01, 02, 04, 06	33.50	1	019370111

*** The prices shown are for 6 pieces**

1937N10
pneumatic belt sander

Free speed	**20,000 rpm**
Power	0,37 kW
Belt size	**10x330 mm**
Air inlet	1/4" GAS
Working pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**374 l/min**
Weight	0,9 kg

kg	£		
0,9	**436.00**	1	019370041

1937N10-GR
sand belts for item 1937N10

	P	£		
1937N10-GR60	60	**43.00**	1	019370146
1937N10-GR80	80	**43.00**	1	019370148
1937N10-GR100	100	**43.00**	1	019370150
1937N10-GR120	120	**43.00**	1	019370152

The prices shown are for 10 pieces

1937N20
pneumatic belt sander

Free speed	**16,000 rpm**
Power	0,45 kW
Belt size	**20x520 mm**
Air inlet	1/4" GAS
Working pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Mean air consumption	**400 l/min**
Weight	1,6 kg

kg	£		
1,6	**490.00**	1	019370051

1937N20-GR
sand belts for item 1937N20

	P	£		
1937N20-GR60	60	**56.00**	1	019370156
1937N20-GR80	80	**56.00**	1	019370158
1937N20-GR100	100	**56.00**	1	019370160
1937N20-GR120	120	**56.00**	1	019370162

The prices shown are for 10 pieces

1938
windscreen remover

- **Supplied with 1 57 mm straight blade**

Oscillations/minute	**20,000**
Air inlet	1/4" GAS
Operating pressure	**6,2 bar**
Internal hose size (Ø)	6,5 mm
Mean air consumption	**200 l/min**
Weight	1,0 kg

kg	£		
1,0	**297.00**	1	019380021

1938R/L
blades for windscreen removers



	L mm	£		
1938R/L1	57	**25.50**	1	019380041
1938R/L2	90	**48.50**	1	019380042
1938R/L3	30	**29.00**	1	019380043
1938R/L4	8	**44.00**	1	019380044
1938R/L5	36	**48.50**	1	019380045

1938R/S5
set of 5 blades for item 1938

	£		
1938R/S5	**195.50**	1	019380055

1940
air hammer

- **Supplied with a nonreturn spring and a bayonet retainer for hexagon chisels**

Strokes per minutes	**3,500**
Chisel inlet	⬡ 11 mm
Piston size	**19 mm**
Piston stroke	67 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	240 l/min
Weight	**1.9 kg**

kg	£		
1,9	**199.50**	1	019400001

1940/C6
air hammer with 5 chisels and accessories

- **For cutting sheet metal, bolts and bodies, removing welding slags, rivets, plaster and tiles**
- **Assortment in a convenient ABS tool case, comprised of:**
  - **1 air hammer item 1940**
  - **1 flat chisel item 1940SN**
  - **1 demolition chisel item 1940ST**
  - **1 round-tipped chisel item 1940SD**
  - **1 bevel chisel item 1940SPS**
  - **1 sheet metal cutting chisel 1940SDT**
  - **1 nonreturn spring item 1940MT**
  - **1 bayonet retainer for hexagon chisels**

Strokes per minute	**3.500**
Chisel inlet	⬡ 11 mm
Piston size	**19 mm**
Piston stroke	67 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	240 l/min
Weight	**3.3 kg**

kg	£		
3,3	**366.00**	1	019400000

320x240x90 mm

1940MT
spare retainer spring for item 1940

	£		
1940MT	14.40	5	019400110

1940S...
chisels for air hammers
item 1940

	£		
1940SN	20.60	5	019400020
1940ST	20.60	5	019400021
1940SD	20.60	5	019400022
1940SPS	20.60	5	019400023
1940SDT	20.60	5	019400024

1940/S5
set of 5 chisels for air hammers
item 1940

	£		
1940/S5	93.50	1	019400030

1940E10
air hammer

- **Compatible with chisels with 10-mm hexagon drive**
- **Supplied with a nonreturn spring and a bayonet retainer**

Strokes per minute	**2,900**
Inlet size	⬡ 10 mm
Piston size	**19 mm**
Piston stroke	67 mm
Chisel inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	76 l/min
Weight	**1.7 kg**

kg	£		
1,7	261.00	1	019400010

1940E10/MT
spare retainer spring for item 1940E10

	£		
1940E10/MT	1.85	5	019400112

1940E10/S...
chisels for air hammers 1940E10

	£		
1940E10/SN	13.50	5	019400040
1940E10/ST	13.50	5	019400041
1940E10/SD	13.50	5	019400042
1940E10/SPS	13.50	5	019400043
1940E10/SDT	13.50	5	019400044

1940E10/S5
set of 5 chisels
for air hammers 1940E10

	£		
1940E10/S5	67.50	1	019400050

1942A
air saw

Strokes per minute	**10.000**
Stroke length	10 mm
Air inlet	**1/4" GAS BSP**
Operating pressure	6,2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	75 l/min
Weight	**550 g**

g	£		
550	406.00	1	019420000

1942LR
Bimetal blades
for air saw 1942A

	£		
1942LR	6.65	5	019420032

1944A
axial needle scaler

Strokes per minute	**3.800**
Stroke length	33 mm
N°. of needles	**19**
Needle size (Ø)	3 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	85 l/min
Weight	**2.8 kg**

kg	£		
2,8	418.00	1	019440011

1944N
needle scaler

Strokes per minute	**3800**
Stroke length	33 mm
N°. of needles	**19**
Needle size (Ø)	3 mm
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	85 l/min
Weight	**2.7 kg**

kg	£		
2,7	526.00	1	019440002

1944AR
set of needles
for needle scalers 1944N and 1944A

	Ø mm	n.	£		
1944AR 2	2	29	57.00	1	019440015
1944AR 3	3	19	44.50	1	019440005

1944PA

needle plates for items 1944N and 1944A

	Ø mm	N.	£		
1944PA 2	2	29	62.50	1	019440016
1944PA 3	3	19	47.00	1	019440006

1945S

stapler

- **Uses staples type 80, section 0.95 x 0.65 mm (21-Gauge), length: 4 - 16 mm; width: 12.8 mm**

Magazine capacity	**157 pcs**
Air inlet	1/4" GAS
Working pressure	**4,2 -7 bar**
Internal hose size (Ø)	8 mm
Air consumption (7 bar)	**0.34 l/cycle**
Weight	0.87 kg

kg	£		
0,9	242.50	1	019450000

1945S/G...

staples type 80, section 0.95x0.65 mm (21-Gauge), width 12.8 mm, for item 1945S

	L mm	£		
• 1945S/G 4	4	23.40	1	019450004
1945S/G 6	6	9.00	1	019450006
1945S/G 8	8	10.10	1	019450008
1945S/G 10	10	11.20	1	019450010
1945S/G 12	12	12.70	1	019450012
1945S/G 14	14	13.60	1	019450014
1945S/G 16	16	15.10	1	019450016

Stated prices are for 5,000 pieces
• Stated prices are for 10,000 pieces

1945C

stapler, nailer, combo tool

- **Uses staples type 90, section 1.25 x 1.0 mm (18-Gauge), length: 16 - 40 mm; width: 5.8 mm**
- **Uses round-headed nails type B12, section 1.25 x 1.0 mm (18-Gauge), 1.9-mm head**

Magazine capacity	**100 pcs**
Air inlet	1/4" GAS
Working pressure	**5 - 8 bar**
Internal hose size (Ø)	8 mm
Air consumption (7 bar)	**1.12 l/cycle**
Weight	1.16 kg

kg	£		
1,16	353.00	1	019450200

1945C/G...

staples type 90, section 1.25x1.0 mm (18-Gauge), width 5.8 mm, for item 1945C



	L mm	£		
1945C/G 16	16	18.30	1	019450216
1945C/G 19	19	21.70	1	019450219
1945C/G 22	22	23.80	1	019450222
1945C/G 25	25	28.00	1	019450225
1945C/G 28	28	29.00	1	019450228
1945C/G 32	32	34.00	1	019450232
1945C/G 35	35	37.00	1	019450235
1945C/G 38	38	40.00	1	019450238
1945C/G 40	40	44.50	1	019450240

Stated prices are for 5,000 pieces

1945C/GP...

nails type B12, section 1.25x1.0 mm (18-Gauge), 1.9 mm-head, for item 1945C



	L mm	£		
1945C/GP 15	15	9.50	1	019450255
1945C/GP 16	16	9.85	1	019450256
1945C/GP 20	20	11.90	1	019450260
1945C/GP 25	25	13.60	1	019450265
1945C/GP 30	30	15.80	1	019450270
1945C/GP 32	32	17.10	1	019450272
1945C/GP 35	35	18.50	1	019450275
1945C/GP 38	38	20.40	1	019450278
1945C/GP 40	40	20.60	1	019450280
1945C/GP 45	45	22.90	1	019450285
1945C/GP 50	50	25.00	1	019450290

Stated prices are for 5,000 pieces

1945P

headless pinner

- **Uses pins type B6, Ø 0.64 mm (23-Gauge), length: 12 - 35 mm**

Magazine capacity	**145 pcs**
Air inlet	1/4" GAS
Working pressure	**4 - 7 bar**
Internal hose size (Ø)	8 mm
Air consumption (7 bar)	**0.27 l/cycle**
Weight	0.87 kg

kg	£		
0,87	383.00	1	019450100

1945P/S...

pins type B6, Ø 0.64 mm (23-Gauge), for item 1945P



	L mm	£		
1945P/S 12	12	11.20	1	019450112
1945P/S 15	15	12.10	1	019450115
1945P/S 18	18	13.40	1	019450118
1945P/S 20	20	15.50	1	019450120
1945P/S 21	21	15.70	1	019450121
1945P/S 22	22	15.90	1	019450122
1945P/S 25	25	17.10	1	019450125
1945P/S 30	30	19.70	1	019450130
1945P/S 35	35	22.60	1	019450135

Stated prices are for 10,000 pieces

1946
air riveter

• **Supplied with interchangeable nozzles, 2.4-3.2-4.0-4.8 mm long**

Traction power	**8000 N**
Stroke length	14 mm
Maximum rivet capacity	**Ø aluminium 4,8 mm**
Working pressure	6,2 bars
Air inlet	**6,2 bar**
Internal hose size (Ø)	6 mm
Mean air consumption	**1,2 l/cycles**
Weight	1,5 kg

kg	£		
1,5	230.00	1	019460001

1946C4,8
riveter

• **Automatic suction**
• **Supplied assembled for use with 2.4 - 3.2 - 4.0 - 4.8 mm long steel, stainless steel, aluminium and copper rivets**

Traction power	**8,900 N**
Stroke length	15 mm
Maximum rivet capacity	**Stainless steel Ø 4.8 mm**
Air inlet	1/4" GAS
Operating pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Air consumption	**2.6 l/cycle**
Weight	1.5 kg

kg	£		
1,5	934.00	1	019460006

1946C7,8
riveter

• **Automatic suction**
• **Supplied assembled for use with 4.8 - 5.6 - 6.4 - 7.8 mm long steel, stainless steel, aluminium and copper rivets**

Traction power	**16,900 N**
Stroke length	22.5 mm
Maximum rivet capacity	**Stainless steel Ø 7.8 mm**
Air inlet	1/4" GAS
Operating pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Air consumption	**4.9 l/cycle**
Weight	1.8 kg

kg	£		
1,8	1445.00	1	019460008

1946C/T...
heads for structural rivets

	Ø mm	£		
1946C/T4,8	4,8	**44.50**	1	019460016
1946C/T6,4	6,4	**44.50**	1	019460018

1946KF
air riveter for threaded inserts

• **Supplied assembled for threaded rivets made of steel, stainless steel, aluminium and copper, M4, M5, M6, M8**

Traction power	**14,235 N**
Stroke length	7 mm
Maximum rivet capacity	**Stainless steel Ø, M8**
Air inlet	1/4" GAS
Operating pressure	**6,2 bar**
Internal hose size (Ø)	10 mm
Air consumption	**2.1 l/cycle**
Air riveter weight	2.1 kg
Kit weight	**3.4 kg**

kg	£		
3,4	3210.00	1	019460012

1946KF/M...
spare pins for item 1946KF

	£		
1946KF/M4	**93.50**	1	019460124
1946KF/M5	**93.50**	1	019460125
1946KF/M6	**93.50**	1	019460126
1946KF/M8	**93.50**	1	019460128

1947
bonding gun

• **Pneumatic gun for medium-density silicone, adhesives and bonds**
• **Supports standard cartridges (210 x 50 mm), hard and soft**

Tube size	**210x50 mm**
Cartridge capacity	350 ml
Air inlet	**1/4" GAS**
Working pressure	4.8 bar
Internal hose size (Ø)	**10 mm**
Mean air consumption	120 l/min
Weight	**1,1 kg**

kg	£		
1,1	100.50	1	019470001

1947H
bonding gun

• **Pneumatic gun for extruding silicone and bonds in standard plastic or aluminium**
• **Supports standard cartridges (215/218 x 50/51 mm), hard and soft**
• **Built-in pressure reducing valve**

Tube size	**210x50 mm**
Cartridge capacity	300/310 ml
Air inlet	**1/4" GAS**
Working pressure	4 ÷ 8 bar
Internal hose size (Ø)	**2.5 mm**
Mean air consumption	120 l/min
Weight	**750 g**

g	£		
750	358.00	1	019470011

1947G
grease gun

Die-cast aluminium head
Ergonomic grip for ease of access to tough greasing points
Corrosion-resistant brass valve
Takes 400 g cartridges or bulk grease up to 500 cc
Tube size: 54 (interior) x 260 mm
Air inlet: 1/4" GAS
Operating pressure: 4÷10 bar
Weight:1.9 kg

Tube size: 54 (interior) x 260 mm
Air inlet: 1/4" GAS
Operating pressure: 4÷10 bar
Weight: 1.9 kg

	£		
1947G	**235.00**	1	019470051

1947G2
2-in-1 grease gun

For continuous or non-continuous grease supply
Die-cast aluminium head
Ergonomic handle
Takes 400 g cartridges or bulk grease up to 500 cc

Hose size	**54 (interior) x 276 mm**
Air inlet	1/4" GAS BSP
Operating pressure	**3÷10 bar**
Weight	2,2 kg

	£		
1947G2	**234.00**	1	019470060

1948
engraving pen

• Allows such materials as steel, stainless steel, aluminium, glass, stone and ceramic to be marked

Strokes per minute	**3,500 ÷ 3,800**
Maximum hardness	60 HRC
Air inlet	**1/4" GAS**
Working pressure	6.2 bar
Mean air consumption	**50 l/min**
Weight	150 g

g		£		
150		**337.00**	1	019480001

1948PR
spare tungsten carbide bit for item 1948

• Maximum hardness: 60 HRC

	£		
1948PR	**125.50**	1	019480005

1949XS
progressive blow pen

• Made from light alloy
• Air flow can be adjusted by rotating head



Thread	**1/4" GAS**
Operating pressure	3-8 bar
Maximum operating pressure	**10 bar**
Operating temperature	-20 °C ÷ 70 T38°C
Weight	**20 g**

g		£		
20		**7.90**	25	019490025

1949U5
progressive blow gun with 5 nozzles

• Hard-wearing, shockproof composite material body
• 3 steel nozzles, 100/160/320 mm, scratchproof, protective rubber tips
• 1 "Turbo" nozzle made of fibreglass-reinforced nylon with safety tip
• 1 revolving nozzle, 100 mm, made of fibreglass-reinforced nylon
• With quick fixing system

Threaded brass insert	**1/4" GAS**
Working pressure	10 bar
Maximum working pressure	**15 bar**
Mean air consumption	280 l/min
Working temperature	**-10°C ÷ 85°C**
Weight	93 g

g		£		
93		**48.50**	1	019490030

1949U5/A
steel nozzle, 100 mm, with scratchproof, protective rubber tip, for item 1949U5 - 1949P

	£		
1949U5/A	**9.15**	1	019490131

1949U5/B
steel nozzle, 160 mm, with scratchproof, protective rubber tip, for item 1949U5 - 1949P

	£		
1949U5/B	**9.25**	1	019490132

1949U5/C
steel nozzle, 320 mm, with scratchproof, protective rubber tip, for item 1949U5 - 1949P

	£		
1949U5/C	**11.80**	1	019490133

1949U5/D
revolving nozzle, 100 mm, made of fibreglass reinforced nylon, for item 1949U5 - 1949P

	£		
1949U5/D	**8.55**	1	019490134

1949U5/E

"Turbo" nozzle made of fibreglass-reinforced nylon, with safety tip

	£		
1949U5/E	4.30	1	019490135

1949U5/F

flat, fan-shaped nozzle, made of fibreglass-reinforced nylon, for items 1949U5 and 1949P

	£		
1949U5/F	5.95	1	019490136

1949U5/G

OSHA nozzle, made of fibreglass-reinforced nylon, for items 1949U5 and 1949P

	£		
1949U5/G	4.60	1	019490137

1949BC

progressive blow gun with rubber nozzle

- **Hard-wearing, shockproof composite material body**
- **Replaceable scratchproof rubber nozzle**



Aluminium threaded insert	**1/4" GAS**
Operating pressure	6-8 bar
Maximum operating pressure	**15 bar**
Mean air consumption	87 l/min
Operating temperature	**-20°C ÷ 70°C**
Weight	120 g

g	£		
120	23.50	1	019490022

1949BC/RUL

5 long nozzles with rubber tips, for item 1949BC

	£		
1949BC/RUL	12.20	1	019490123

1949P

progressive mini blow gun

- **Hard-wearing, shockproof composite material body**
- **Quick nozzle fixing system**
- **Airflow can be adjusted through ring nut rotation**

Brass threaded insert	**1/4" GAS**
Working pressure	6÷8 bar
Maximum operating pressure	**15 bar**
Mean air consumption	280 l/min
Operating temperature	**-10 °C ÷ 85 °C**
Weight	70 g

g	£		
70	31.50	1	019490031

1949T

telescopic progressive blow gun

- **Hard-wearing, shockproof composite material body**
- **Telescopic steel swivel tube: 165 mm ÷ 300 mm**

Aluminium threaded insert	**1/4" GAS**
Operating pressure	6÷8 bar
Maximum operating pressure	**15 bar**
Mean air consumption	144 l/min
Operating temperature	**-20°C ÷ 70°C**
Weight	190 g

g	£		
190	32.00	1	019490040

1949F2

progressive blow gun

- **Made from hard-wearing, shockproof, scratchproof, thermally insulated composite plastic material**
- **Special valve and lever allow circuit to be progressively opened, thus optimizing air flow**
- **Tip with safety plastic cone for safe handling when not in use**

Brass threaded insert	**1/4" GAS**
Operating pressure	4-8 bar
Maximum operating pressure	**12 bar**
Operating temperature	-20 °C ÷ 70 °C
Weight	**125 g**

g	£		
125	21.50	1	019490028

1949GPA

tyre inflator

- **shockproof rubber coated body**
- **metal operating lever**
- **operating pressure: 0,5÷12 bar, 7÷174 psi**
- **pressure release feature**
- **pressure measurement feature**
- **pipe length: 58 cm**
- **360° hose rotation**
- **1/4" air inlet**

	bar	psi	£		
1949GPA	0,5÷12	7÷174	144.50	1	019490018

1949DGT/2
digital tyre inflator

- shockproof rubber coated body
- metal operating lever
- operating pressure: 0.5÷12 bar, 7÷174 psi
- 4 units of measurement, bar/psi/kpa/kgf
- backlit LCD display
- resolution: 0.05 bar
- self-power off after 1.5 minutes
- hose length: 58 cm
- 360° hose rotation
- power supply: 2 AAA batteries
- 1/4" air inlet

	bar	psi	£		
1949DGT/2	0,5÷12	7÷174	174.50	1	019490021

1949GPN
tyre inflator,
ABS housing

- CE certified pressure gauge with scale 0.7÷12 bars (graduation: 1/10 bars)
- Two servo-controlled buttons allow accurate, quick tyre inflating (+) and deflating (-)
- Supplied with a calibration certificate
- Fitted with a shockproof, protective shell and an eyelet
- Fitted with a 1/4" GAS threaded coupler
- Swivel air inlet for rubber hose, Ø 7 mm

	bar	g	£		
1949GPN	0,7÷12	810	262.00	1	019490011

1949M
tyre pressure tester

	bar	psi	g	£		
1949M	0÷4	5÷60	280	108.50	1	019490400

1949R
blow gun
for cleaning radiators

the 5 holes that are perpendicular to the handle allow dirt to be removed from radiators

L mm	mm	£		
600	6	97.50	1	019490050

1950BZK
tyre bead seater

- secondary handle with push-button operation helps keep hold of tool during use
- tank capacit6y: 18 l
- operating pressure: 3-8 bar
- tank maximum pressure: 16 bar
- pressure relief valve
- gauge with graduated scale
- plastic inlet preventing rim damage

	£		
1950BZK	421.00	1	019500078

1951
cleaning gun

- For cleaning car upholstery, carpeting, seats and boots

Free speed	
Tank capacity	1 L
Air inlet	**1/4" GAS**
Working pressure	6,2 bar
Internal hose size (Ø)	**8 mm**
Mean air consumption	110 l/min
Weight	**650 g**

g	£		
650	186.50	1	019510051

1951A
suction cleaning gun

- For cleaning car upholstery, carpeting, seats and boots
- For use with suitable detergents
- 1L tank
- Fitted with a tap for dispensing liquid from tank
- Complete with corrugated tube, 1.8 m long

Tank capacity	**1 l**
Air inlet	1/4" GAS
Operating pressure	**6.2 bar**
Internal hose size (Ø)	8 mm
Mean air consumption	**120 l/min**
Weight	800 g

g	£		
800	287.00	1	019510101

1952

professional paint spray gun

- Die-cast aluminium body plated with black chemical nickel
- Nylon cup with drip-catching device, 3/8M BSP thread
- Body thread: 1/4" BSP cylindrical gas thread
- Pressure and airflow regulator
- Jet regulator from round to fan spray pattern
- Paint quantity regulator
- Supplied with service spanner for maintenance operations

	Ø mm	£		
1952 1,2	1,2	202.50	1	019520012
1952 1,5	1,5	202.50	1	019520015
1952 1,8	1,8	202.50	1	019520018
1952 2,0	2,0	202.50	1	019520020

1900S

automatic spring hose reel, shockproof plastic body, for use with air or water

- max. operating pressure: 15 bar
- braided polyurethane hose
- polypropylene frame
- device for automatically fixing hose at required length
- rack mechanism can be disabled to keep hose pulled
- operating temperature range: -5 °C / +50 °C
- supplied with a 180° swivel bracket and an additional quick connection bracket

	D1xD mm	L m	Ø GAS BSP	£		
1900S 8X10	8x12	10	1/4"	231.50	1	019000080

1900M

automatic spring hose reel, shockproof plastic body, for use with air or water

- max. operating pressure: 15 bar
- braided polyurethane hose
- polypropylene frame
- device for automatically fixing hose at required length
- rack mechanism can be disabled to keep hose pulled
- operating temperature range: -5 °C / +50 °C
- supplied with a 180° swivel bracket and an additional quick connection bracket

	D1xD mm	L m	Ø GAS BSP	£		
1900M 8X15	8x12	15	1/4"	396.00	1	019000085
1900M 10X15	10x14	15	3/8"	323.00	1	019000115

1914

polyurethane recoiled hoses, 98 Shore, extandable

- Maximum operating pressure: 12 bar



L m	D1xD mm	Ø GAS BSP	£		
4	5x8	1/4"	37.00	1	019140054
6	5x8	1/4"	43.00	1	019140056
10	5x8	1/4"	55.50	1	019140060

1915B

polyurethane recoil hoses, 95 Shore, extendable up to 9 m

- Maximum operating pressure: 10 bar

D1xD mm	Ø GAS BSP	£		
6,5x10	1/4"	58.00	1	019150011
8x12	1/4"	72.50	1	019150012

1915C

polyurethane recoil hoses, 95 Shore, extandable up to 12 m

- Maximum operating pressure: 10 bar



D1xD mm	Ø GAS BSP	£		
6,5x10	1/4"	72.50	1	019150014
8x12	1/4"	86.50	1	019150015

1915C/L

polyurethane recoil hoses, 95 Shore, extendable up to 15 m

- Maximum operating pressure: 10 bar



D1xD mm	Ø GAS BSP	£		
8x12	1/4"	103.00	1	019150115
11x16	3/8"	171.00	1	019150116

1915D

braided polyurethane hose, 95 Shore, 9 metres long

- Maximum operating pressure: 15 bar

D1xD mm	Ø GAS BSP	£		
8x12	1/4"	69.50	1	019150017

1915E

braided polyurethane hose, 95 Shore, 12 metres long

- Maximum operating pressure: 15 bar

D1xD mm	Ø GAS BSP	£		
8x12	1/4"	90.00	1	019150019
11x16	3/8"	147.50	1	019150020

1915E/XL

braided polyurethane coils, 95 Shore, 50 m long

- **Maximum operating pressure: 15 bar**

D1xD mm	Ø GAS BSP	£		
8x12	1/4"	317.00	1	019150519
11x16	3/8"	536.00	1	019150520

1916I

quick couplings Italian profile male threaded, cylindrical (BSP)

Ø GAS BSP	£		
1/4"	3.75	5	019160001
3/8"	4.35	5	019160002

1916G

quick couplings European profile male threaded, tapered (BSPT)

Ø GAS BSPT	£		
1/4"	3.75	5	019160005
3/8"	4.60	5	019160010
1/2"	5.85	5	019160012

1916GF

quick couplings, Italian profile, female threaded, cylindrical (BSP)

Ø GAS BSP	£		
1/4"	3.95	5	019160055
3/8"	4.60	5	019160060

1916GFE

quick couplings, European profile, female threaded, tapered (BSPT)

Ø GAS BSPT	£		
1/4"	3.90	5	019160075
3/8"	5.30	5	019160082
1/2"	5.65	5	019160084

1916JM

quick couplings, Asian profile, male threaded, tapered (BSPT)

Ø GAS BSPT	£		
1/4"	5.50	1	019160406
3/8"	5.90	1	019160410

1916JF

quick couplings, Asian profile, female threaded, cylindrical (BSP)

Ø GAS BSP	£		
1/4"	6.70	1	019160456
3/8"	7.10	1	019160460

1916P

quick couplings, Italian profile, with sleeve for rubber hose

D1xD mm	£		
6x14	5.30	5	019160256
8x17	5.60	5	019160258
10x19	7.25	5	019160260

1916S

quick couplings, Italian profile, with coil springs



D1xD mm	£		
6x8	5.30	5	019160306
8x10	5.50	5	019160308
10x12	7.00	5	019160310

1917M

universal ball quick couplers, shockproof rubber, male threaded, cylindrical (BSP)

- **Designed for couplings 1916I and 1916G**

Ø GAS BSP	£		
1/4"	16.70	5	019170001
3/8"	16.70	5	019170003
1/2"	17.40	5	019170004

1917F

universal ball quick couplers, shockproof rubber, female threaded, cylindrical (BSP)

- **Matches couplings 1916I and 1916G**

Ø GAS BSP	£		
1/4"	17.40	5	019170005
3/8"	17.40	5	019170010
1/2"	19.60	5	019170014

1917JM

ball quick couplers, Asian profile, male threaded, cylindrical (BSP)

Ø GAS BSP	£		
1/4"	26.00	1	019170406
3/8"	26.00	1	019170410
1/2"	27.50	1	019170412

1917JF

ball quick couplers, Asian profile, female threaded, cylindrical (BSP)

Ø GAS BSP	£		
1/4"	26.00	1	019170456
3/8"	27.50	1	019170460

1917RG

rotary universal coupler

- **Made of aluminium, female threaded, cylindrical (BSP) male threaded, cylindrical (BSP)**
- **Matches all couplings with Italian and European profiles**
- **Rotates freely, even without connected area**

Ø GAS BSP	£		
1/4"	28.50	1	019170252

1917SP
universal ball quick couplers,
with sleeve for rubber hose

D1xD mm	£		
6x14	15.00	5	019170206
8x17	15.40	5	019170208
10x19	18.00	5	019170210

1917ST
universal ball quick couplers,
with coil springs



D1xD mm	£		
6x8	14.30	5	019170306
8x10	14.10	5	019170308
10x12	15.80	5	019170310

1918
hose tail fitting, male threaded

D1 mm	Ø GAS BSP	£		
6	1/8"	3.15	3	019180106
8	1/8"	3.15	3	019180108
6	1/4"	3.40	3	019180116
8	1/4"	3.65	3	019180118
10	1/4"	3.65	3	019180120
10	3/8"	4.05	3	019180130
12	3/8"	4.20	3	019180132
10	1/2"	5.60	3	019180140
12	1/2"	5.70	3	019180142

1918N
connecting nipples
with tapered threads (BSPT)

Ø GAS	Ø1 GAS	£		
1/4"	1/4"	3.65	5	019180300
3/8"	3/8"	4.20	5	019180310
1/2"	1/2"	5.65	5	019180320

1918R
reducing nipples
with tapered threads (BSPT)

Ø GAS	Ø1 GAS	£		
1/4"	3/8"	4.05	5	019180200
3/8"	1/2"	5.60	5	019180210

1919FE1/4
filter-regulator-lubricator

Air in/outlet	**1/4" GAS BSPT**
Pressure gauge inlet	1/8" GAS BSPT
Maximum air capacity	**750 l/min**
Maximum pressure	9,5 bar
Operating pressure	**0,5 - 8,5 bar**
Operating temperature	5 - 60 °C
Filter capacity	**5 micron**
Cup capacity	15 cc air / 25 cc oil
Weight	**700 g**

g	£		
700	167.00	1	019190200

1919RB-FE1/4
set of spare cups for item 1919FE1/4

	£		
1919RB-FE1/4	33.00	1	019190210

1919RF-FE1/4
spare filter for item 1919FE1/4

	£		
1919RF-FE1/4	8.05	1	019190230

1919RM-FE1/4
spare pressure gauge
for item 1919FE1/4

	£		
1919RM-FE	17.70	1	019190220

1919F1/4
filter-regulator-lubricator

Air in/outlet	**1/4" GAS BSPT**
Maximum air capacity	1000 l/min
Maximum pressure	**9,5 bar**
Operating pressure	0,5 - 8,5 bar
Operating temperature	**5 - 60 °C**
Filter capacity	5 microns
Cup capacity	**60 cc air / 90 cc oil**
Weight	1.3 kg

kg	£		
1,3	250.00	1	019190250

1919F3/8
filter-regulator-lubricator

Air in/outlet	**3/8" GAS BSPT**
Maximum air capacity	1350 l/min
Maximum pressure	**9,5 bar**
Operating pressure	0,5 - 8,5 bar
Operating temperature	**5 - 60 °C**
Filter capacity	5 microns
Cup capacity	**60 cc air / 90 cc oil**
Weight	1.3 kg

kg	£		
1,3	250.00	1	019190350

1919F1/2
filter-regulator-lubricator

Air in/outlet	**1/2" GAS BSPT**
Maximum air capacity	2500 l/min
Maximum pressure	**9,5 bar**
Operating pressure	0,5 - 8,5 bar
Operating temperature	**5 - 60 °C**
Filter capacity	5 microns
Cup capacity	**60 cc air / 90 cc oil**
Weight	1.3 kg

kg	£		
1,3	250.00	1	019190450

1919RB-F
set of spare cups for filters
item 1919F - 1/4", 3/8" and 1/2"

	£		
1919RB-F	45.50	1	019190510

1919RF-F
spare filter for filters
item 1919F - 1/4", 3/8" and 1/2"

	£		
1919RF-F	14.00	1	019190530

1919RM-F
spare pressure gauge for filters
item 1919F - 1/4", 3/8" and 1/2"

	£		
1919RM-F	23.80	1	019190520

1919ML
mini lubricators

Ø	L mm	Ø mm	£		
1/4"	63	36	28.00	1	019190030
3/8"	63	36	30.50	1	019190032

1919SC
mini water separator

Ø	L mm	Ø mm	£		
1/4"	80	40	39.50	1	019190035

1919L
ISO 32 lubricating oil

Density 20°C	**875 Kg/m³**
Viscosity 40°C	32 cSt
Flammability COC	**210°C**

cc	£		
500	27.50	5	019190050

CONTAINERS AND ASSORTMENTS

		pieces	TOOL CASES & TROLLEYS									TOOL BAGS & BOXES													TOOL TROLLEYS		
			2009N/BV	2028/VV	2029/VV	2032/TV	2033L/VV	2036/TV	C99	C99V1	C99V3/2C	C4	C5	C5S	C6T	C9MT	C7	C8	C10	C9	C10S	C11	CP15L	C16	CP17	CP17L	C12	C14	CP15	C18	C19	C19L	C20	C20L	C41S	C41H	C42H
5914VU/M	Universal maintenance	109																									496									
5915VU/0	Universal maintenance	35										498																								
5915VU/1	Universal maintenance	45															498	498	498	498								498	498							
5915VU/2	Universal maintenance	49														499												499				499	499			
5915VU/3	Universal maintenance	74														499			499	499				499							499	499	499			
5915VU/4	Universal maintenance	80																														500	500			
5915VU/5	Universal maintenance	111																								500								500	500	500
5915VU/AS	Universal maintenance	68																	501													501	501			
5940SBK	Bicycle and motorcycle repairs	125																																528	528	528
5941VU/M	Universal maintenance	64																																	529	
5980EL/A	Electronic	57		514		514	514																													
5980EL/B	Electronic	98			515		515	515																												
5980ET/A	Electrotechnical	70		512		512																				512										
5980ET/B	Electrotechnical	64			513		513	513																		513										
5980ID/1	Plumbing	24	516									516																								
5980MQ	Electrotechnical	46			513																															
5980U/BIKE	Bicycle and motorcycle repairs	90																						506									506			
5990V1	Universal maintenance	44							505	505																										
5990V3	Car repairs	116							505		505																									

TOOL BAGS AND RUCKSACKS MADE FROM TECHNICAL FABRIC

- **FUNCTIONALITY**
- **STURDINESS**
- **DURABILITY**

These are the three cornerstones of Beta's range of Fabric Containers.
Beta's tool bags and rucksacks are made from sturdy technical fabric, resistant to both abrasion and wear, with reinforced bottoms and seams, translating into reliability and durability.

Each container has special characteristics, designed for different uses and space optimization: zipped pockets, telescopic handles, wheel protectors, reinforced shoulder straps and transparent document bags are but some of the peculiarities of each bag and rucksack.

Painstaking care for detail, variety and special attention to the completely safe transportation of the tools make these products ideal for every working situation.

POLYPROPYLENE TOOL CASES

Beta provides a wide range of technical cases catering to any needs!
Beta's tool cases and trolleys are made from sturdy, thick, shockproof, corrosion-resistant polypropylene designed to withstand heavy-duty use – e.g. at low temperatures.
Choose the product that best fits your working requirements from the classic tool trolley, the wheeled trolley version for easy transport, the versions fitted with TSA locks for totally free travelling and, finally, the aluminium or watertight version.
Most of Beta's tool cases and trolleys are also available in combination with tool assortments satisfying different working needs, depending on the field of application: electronics, hydraulics, boating and maintenance.

2001/B26

fabric wallet with assortment of 26 tools

	£		
2001/B26	**303.00**	1	020010215

55	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
96N/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1128BMX	145 mm
1150	180 mm
1201E	3x75 - 4x100 - 5,5x150 mm
1202E	PH1x80 - PH2x100 mm
1370	300 g
1692	2 m
1770A	9 mm

	£		
2001/BV	**71.00**	1	020010051

2001/BZV

tool case made from durable technical fabric

- **Double upper handle for optimal hold**
- **Large front document pocket with zip closure**
- **Velcro strap at the back, for fixing the tool case to the trolley handle**
- **20 convenient tool compartments (6 pockets and 14 elastic bands)**
- **Hammer loops**
- **Shoulder strap C9/RT can also be included (to be ordered separately)**

	£		
2001/BZV	**60.00**	1	020010151

380x290x60 mm - 675 g

2001/BZ24 MQ

folding tool case with assortment of 24 tools, for electricians

	£		
2001/BZ24 MQ	427.00	1	020010154

		n.
1128BMX		1
1150MQ	180 mm	1
42	8-10-13-17-19 mm	5
1274MQ	3x100 - 4x100 - 5,5x125 mm	3
1272MQ	PH0x60 - PH1x80 - PH2x100 mm	3
96BP/SC9	1,5-2-2,5-3-4-5-6-8-10 mm	9
1253		1
1082MQ	160 mm	1

2001/BZ27 VU

folding tool case with assortment of 27 tools, for universal use

	£		
2001/BZ27 VU	341.00	1	020010157

		n.
1128BMX		1
1150	180 mm	1
42	7-8-10-13-17-19 mm	6
1201E	3x75 - 4x100 - 5,5x150 mm	3
1202E	PH0x60- PH1x80 - PH2x100 mm	3
96/SC9	1,5-2-2,5-3-4-5-6-8-10 mm	9
1370	300 g	1
1048N	250 mm	1
1692/5	5 m	1
1771	18 mm	1

2002/BV6

roll-up tool wallet made of durable polyester, empty

- With 6 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 175 x 240 mm

	£		
2002/BV6	8.80	1	020020000

2002/BVL6

roll-up tool wallet made of durable polyester, empty

- With 6 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 220 x 290 mm

	£		
2002/BVL6	13.50	1	020020010

2002/BV7-ZIP

roll-up tool wallet made of durable polyester, empty

- With 7 convenient, differently sized compartments and small tool pocket with zip closure
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 355 x 220 mm

	£		
2002/BV7-ZIP	21.90	1	020020060

2002/BV8

roll-up tool wallet made of durable polyester, empty

- With 8 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 395 x 360 mm

	£		
2002/BV8	11.30	1	020020020

2002/BV9

roll-up tool wallet made of durable polyester, empty

- With 9 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 325 x 290 mm

	£		
2002/BV9	11.20	1	020020030

2002/BV12

roll-up tool wallet made of durable polyester, empty

- With 12 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 650 x 355 mm

	£		
2002/BV12	19.30	1	020020040

2002/BV13

roll-up tool wallet made of durable polyester, empty

- With 13 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 330 x 190 mm

	£		
2002/BV13	13.00	1	020020050

2002/BV42

roll-up tool wallet made of durable polyester, empty

- With 42 convenient, differently sized tool compartments: 18 elastic bands and 24 pockets, including one pocket with strap flap
- Central handle made of reinforced fabric makes it easy to carry
- Can be hung on wall by means of metal rings
- Reinforcement seams throughout wallet perimeter
- Sturdy closure with double clip buckle
- Dimensions when open: 595 x 535 mm

	£		
2002/BV42	39.00	1	020020070

2005MPU

tool pouch, empty, made from nylon, with belt

- Five large tool pockets
- One front scissors pocket
- Buckle with carabine hook for adhesive tape
- Adjustable belt (70 ÷ 120 cm)

Dimensions: 155x285x80 mm

	£		
2005MPU	25.50	1	020050060

2005MPU/E

tool pouch with assortment of 5 tools

	£		
2005MPU/E	104.00	1	020050065

1128BMX
1150BM 180 mm
1201E 3,5x100 - 4x100 mm
1202E PH1x80 mm

155x285x80 mm

2005PA/D

tool pouch,
empty, made from nylon, with belt

	£		
2005PA/D	75.50	1	020050000

2005PA/E

tool pouch, empty, made from nylon, with belt

- Two large pockets with elastic tool bands
- Two front scissors pockets
- Two convenient side compartments with:
  - left pocket with sturdy metal hook for measuring tapes
  - double right pocket with bag with drawstring and zip closure
- Buckle with carabine hook for adhesive tape
- Adjustable belt (70 ÷ 120 cm)

Dimensions: 260x250x190 mm

	£		
2005PA/E	39.00	1	020050030

2005PA/ET

tool pouch with assortment of 8 tools for electrotechnical maintenance

	£		
2005PA/ET	210.50	1	020050035

1082MQ 160 160 mm
1128BMX
1253
1272MQF PH1x80 - PH2x100
1274MQF 3,5x100 - 4,5x100
1639ESB BMESB1925NE

260x250x190 mm

2005PA/S

tool pouch,
empty, made from nylon, with belt

	£		
2005PA/S	26.00	1	020050020

2009N/BV

leather bag for maintenance

	£		
2009N/BV	314.00	1	020090200

530x220x190 mm

2005PA/U

tool pouch with assortment of 17 tools for universal use

	£		
2005PA/U	**200.00**	1	020050040

96/SC9
111E 200 mm
1048N 250 mm
1128BMX
1201E 4x100 - 5,5x125 mm
1202E PH1x80 - PH2x100 mm
1692/3 3 m

260x250x190 mm

2028/VV

tool case, made of polypropylene

2 tool panels
Interior bottom with removable partitions
Double combination lock

	£		
2028/VV	**310.00**	1	020280010

480x190x400 mm

2028E

tool case with assortments of tools for electronic and electrotechnical maintenance

	£		
2028EL/A (2028/VV+5980EL/A)	**1310.00**	1	020281014
2028ET/A (2028/VV+5980ET/A)	**1470.00**	1	020281018

2029/VV

tool case, made of thick polypropylene, aluminium edged

2 tool panels
Bottom with removable and adjustable partitions
Supplied with shoulder strap
2 keyed locks

	£		
2029/VV	**420.00**	1	020290000

480x227x408 mm

2029E

tool cases with assortments of tools for electronic and electrotechnical maintenance

	£		
2029 BG MQ (2029/VV+5980MQ)	**2600.00**	1	020291257
2029ET/B (2029/VV+5980ET/B)	**1985.00**	1	020291021
2029EL/B (2029/VV+5980EL/B)	**1860.00**	1	020291017

2029EM

tool cases with assortments of maintenance and repair tools for hybrid and electric vehicles

	£		
2029EM	**2630.00**	1	020290300

52MQ 7-8-9-10-11-12-13-14-15-16-17-19-22 mm
910MQ/B 6-7-10-12-13-17-19 mm
910MQ/TX TX25 - TX30 - TX40
910MQ/55
1048MQ 250 mm
1082MQ 160 mm
1128MQ 145 mm
1150MQ 180 mm
1162MQ 160 mm
1272MQ PH1 - PH2
1274MQ 2,5x75 - 3x100 - 4x100 - 5,5x125- 6,5x150 mm
1760PT
1777MQ/U 190 mm
1996MQ/GM GM 10
7109A A1 - A2
7109D D2 - D3

2032/TV

tool trolley, made from plastic

2 tool panels
Tool pocket
Interior bottom with removable partitions

	£		
2032/TV	**553.00**	1	020320110

450x200x400 mm

2032/TE

tool trolley with assortments of tools for electronic and electrotechnical maintenance

	£		
2032TET/A (2032/TV+5980ET/A)	**1710.00**	1	020321328

2033L/VV

wall tool case, made from aluminium, empty

- **Highly shock resistant**
- **Nonscratch finish**
- **Ergonomic handle with rubber grip**
- **Double closure with combination**

- **2 tool panels with elastic bands**
- **Interior bottom with removable partitions**

	£		
2033L/VV	**425.00**	1	020330250

470x203x373 mm

2033L

aluminium tool cases with assortments of tools for electronic and electrotechnical maintenance

	£		
2033LEL/A (2033L/VV+5980EL/A)	**1425.00**	1	020331224
2033LEL/B (2033L/VV+5980EL/B)	**1865.00**	1	020331225
2033LET/B (2033L/VV+5980ET/B)	**1990.00**	1	020331237

2036/TV

tool trolley, made of thick polypropylene, aluminium edged

2 tool panels
Telescopic handle
Ball bearing castors

	£		
2036/TV	**686.00**	1	020360000

480x267x408 mm

2036E

trolley with assortments of tools for electronic and electrotechnical maintenance

	£		
2036TET/B (2036/TV+5980ET/B)	**2255.00**	1	020361223
2036EL/B (2036/TV+5980EL/B)	**2130.00**	1	020361218

2037/TV

tool trolley, made of thick polypropylene, with 4 pivoting castors

Highly shock resistant. Suitable for tool transportation in aircraft.
2 removable tool panels.
Built-in document pocket.
4 removable pivoting castors for horizontal trolley handling.
2 tote-trays included
2 TSA approved locks with keys
Rubber-coated handle

	£		
2037/TV	**878.00**	1	020370000

482x295x478 mm

2038/TV

tool trolley, made of thick polypropylene

- **Highly shock resistant**
- **Aluminium sealing profile**
- **2 TSA approved locks with keys**
- **2 removable tool panels.**
- **Telescopic handle and big ball bearing castors**
- **2 ergonomic rubber-coated handles (including 1 side handle)**
- **Capacious bottom**
- **Document pocket**
- **3 tote drawers**

	£		
2038/TV	**1102.00**	1	020380000

430x375x525 mm

2041UC

Utility Case with assortment of 33 tools

	£		
2041UC	**429.00**	1	020410215

55 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
96/SC9 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
111E 200 mm
1048VN 250 mm
1128BMX 145 mm
1150 180 mm
1201E 2,5x50 - 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
1202E PH0x60 - PH1x80 - PH2x100 mm
1370 300 g
1692 3m
1771 170 mm
1833S 70 Lumen / 140 mm
1639NS-N 25m
1696 200 mm

535x282x87 mm - 4,5 Kg

2051N

assortment of 55 tools
for nautical maintenance
with shockproof polypropylene case

	£		
2051N	**1026.00**	1	020510225

42 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
55AS 3/8x7/16 - 1/2x9/16 - 5/8x11/16"
96/SC9 ⬭1,5÷10 mm
111E 200 mm
920A ◎ 10 - 12 - 13 - 14 - 17 - 19 mm
920AS ◎ 7/16 - 1/2 - 9/16 - 11/16 - 7/8"
920/22 255 mm - □1/2 - ■1/2
920/25 □1/2 - ■1/2
920/42 ■1/2
920/55 ■1/2
956C □1/2 - 16 - 20,8 mm
1048BM 250 mm
1084BM 160 mm
1128BMX 145 mm
1150BM 180 mm
1166BM 160 mm
1201E ◖3x75 - 4x100 - 5,5x150 - 6,5x150 mm
1202E ✪PH1x80 - PH2x100 mm
1390 Ø 35 mm
1490/2 ø max 240 mm
1737 145 mm
1778X
BMN1436 3,6 x 140 mm
BMESB1925NE 25 m

585x393x92 mm - 9 kg

2055HB

"Home Bag" case with assortment of 24 tools

	£		
2055HB	**257.00**	1	020550215

55 6x7 - 8x9 - 10x11 - 12x13 mm
96N/SC9 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1128BMX 145 mm
1150 180 mm
1048VN 250 mm
1201E 3x75 - 4x100 - 5,5x100 mm
1202E PH0x60 - PH1x80 - PH2x100 mm
1370 300 g
1692 3m

373x275x70 mm - 3 Kg

2080/V6

organizer tool case with 6 removable tote-trays and adjustable partitions

	mm	£		
2080/V6	385x320x60	**47.00**	1	020800060

2080/V6-U

removable tote-tray for organizer tool case 2080/V6

	£		
2080/V6-U	**3.40**	1	020800066

90x60x50 mm

2080/D10

set of 10 adjustable partitions for organizer tool case 2080/V6

	£		
2080/D10	**9.00**	1	020800070

2080/V12

organizer tool case with 12 removable tote-trays

	mm	£		
2080/V12	300x145x330	**77.00**	1	020800000

2080/V12-...

removable tote-tray for organizer tool case 2080/V12

	£		
2080/V12-S	**4.20**	3	020800013
95x75x65 mm			
2080/V12-M	**6.45**	2	020800015
145x75x65 mm			
2080/V12-L	**12.00**	1	020800020
295x75x65 mm			

C3

mini tool bag, made from technical fabric

Main features:
- 1 exterior front pocket with zip closure
- 2 side pockets with tote trays
- 1 convenient rear pocket with Velcro closure
- 1 removable interior tool panel, with elastic bands on both sides
- USB interface for charging mobile devices
- Complete with shoulder strap



	£		
C3	**84.00**	1	021030000

230x110x320 mm - 0,890 g

C4 - 2104

tool basket made of technical fabric

Removable internal tool panel
Internal and external pockets and elastic tool holder
Sturdy waterproof base with rubber feet
Supplied with shoulder strap

	£		
C4	**138.00**	1	021040000
2104VU/0 (C4+5915VU/0)	**647.00**	1	021041122

330x260x360 mm - 2,5 kg

C5S

tool rucksack, made of hard-wearing polyester

- Double handle on top centre of rucksack for firm, balanced hold
- Two large front pockets
- Two capacious interior pockets and 2 additional Velcro straps
- Handy roll-up interior bag, composed of 4 tool panels
- Adjustable reinforced shoulder straps
- Maximum carrying capacity: 15 kg

	£		
C5S	**74.50**	1	021050100

310x120x390 mm - 0,9 Kg

C5 - 2105

tool rucksack, made of technical fabric

	£		
C5	**182.50**	1	021050000
2105VU/0 (C5+5915VU/0)	**691.00**	1	021051122

400x200x500 mm - 2,5 Kg

C6T - 2106

tool rucksack, made of technical fabric, with castors

	£		
C6T	**271.00**	1	021060010
2106T/VU0 (C6T+5915VU/0)	**780.00**	1	021061123

360x200x480 mm - 4,5 kg

C7 - 2107

technical fabric tool bag

2 removable interior tool panels
Interior PC pocket
2 exterior front pockets
Interior bottom made of plastic, with removable partitions

	£		
C7	**300.00**	1	021070000
2107VU/2 (C7+5915VU/2)	**823.00**	1	021071112
2107VU/3 (C7+5915VU/3)	**1420.00**	1	021071114

480x165x380 mm - 3,5 kg

C7AT

servicing tool bag made from technical fabric

Main features:
- made from super durable technical fabric
- reinforced base with rubber feet
- dual top handle for a safe, balanced hold
- large front document pocket with zip closure and additional compartment with dual strap + clip closure
- dual side pocket with strap closure
- capacious interior compartment with additional document pocket
- PC and tablet compartment with protective interior padding (PC size up to L=370 mm, H=250 mm)
- front zipper opening on both bag sides for quick access to tools:
  - 29 compartments and 13 elastic tool bands on front side;
  - 33 tool compartments on rear side.
- supplied complete with adjustable padded shoulder strap

	£		
C7AT	**143.00**	1	021070010

470x200x340 mm

C8 - 2108

technical fabric tool trolley

	£		
C8	**316.00**	1	021080000
2108VU/1 (C8+5915VU/1)	**914.00**	1	021081022

470x280x380 mm - 4 kg

C8B

tool trolley made from technical fabric, for electricians

Hard frame
Telescopic carrying handle
4 castors
1 removable interior tool panel
Front pocket with badge holder
Double bottom complete with tote tray
2 exterior side pockets
2 wire puller hooks
Tilting handle for easier access to tools
Can be padlocked (padlock not included)

	£		
C8B	**278.00**	1	021080300

380x250x430 mm - 4,7 kg

C9 - 2109

technical fabric tool bag

- Hard base
- Interior and exterior tool pockets
- Exterior pocket with zip closure for enhanced safety
- Pocket with strap closure for personal belongings
- Double bottom
- Double string for levels
- Shoulder strap for easier transport

	£		
C9	**142.50**	1	021090000
2109VU/1 (C9+5915VU/1)	**740.00**	1	021091022
2109VU/3 (C9+5915VU/3)	**1265.00**	1	021091024

550x280x320 mm - 2,6 kg

C9/RT

shoulder strap for items C4,C7,C9,C10,C10S,C11 and C12

	£		
C9/RT	**18.40**	1	021090900

C9DA

tool bag with large opening

Main features:
- made from super durable technical fabric
- hard plastic base, water-resistant
- reinforced top handle for a safe hold
- dual side pocket with strap closure
- two side tool compartments with large openings, for quick access to and perfect visibility of contents
  - 22 tool pockets and additional compartment with zip closure on front side
  - 14 tool pockets and additional zipped compartment on rear side
- supplied complete with adjustable padded shoulder strap

	£		
C9DA	**115.50**	1	021090005

420x220x310 mm

C9MT

maintenance tool bag

- sturdy PVC cover, waterproof
- reinforcement seams around the entire perimeter
- double clip buckle closure
- double interior handle for a safe, balanced hold
- zipped document pocket

	£		
C9MT	**112.00**	1	021090200

450x180x200 mm

2109MT ID/1

maintenance tool bag with assortment of 24 plumbing tools

	£		
2109MT ID/1 (C9MT+5980ID/1)	**802.00**	1	021091026

111E	250 mm
332	Ø 3÷28 mm
334	Ø 3÷30 mm
342	Ø 0÷42 mm
345SB2	140 mm
376	320-410 mm
1048N	175-250 mm
1128BMX	
1150GBM	180 mm
1201E	3x75-4x100-5,5x150-8x150 mm
1202E	PH1x80-PH2x100
1370	500 g
1690F	2 m
1692/5	5 m
1696	200 mm
1719BMA...M	200 mm
1719BM/RL	200 mm
1725	

C9PT

C9PT	321

C10 - 2110

technical fabric tool box

Hard frame
Double bottom. Bottom can be removed for increased bag capacity
Tilting handle for easier access to tools
Elastic tool bands and interior and exterior pockets
Cover
Tool tray included in double bottom

	£		
C10	**183.50**	1	021100000
2110VU/1 (C10+5915VU/1)	**781.00**	1	021101031
2110VU/3 (C10+5915VU/3)	**1305.00**	1	021101034
2110VU/AS (C10+5915VU/AS)	**1365.00**	1	021101036

520x220x250 mm - 3,3 kg

C10S - 2110S

technical fabric tool box

Hard frame
Double bottom. Bottom can be removed for increased bag capacity
Tilting handle for easier access to tools
Elastic tool bands and interior and exterior pockets
Cover
Tool tray included in double bottom

	£		
C10S	**142.50**	1	021100001
2110SVU/1 (C10S+5915VU/1)	**740.00**	1	021101041
2110SVU/3 (C10S+5915VU/3)	**1265.00**	1	021101044

420x220x250 mm - 2,3 kg

C11 - 2111

technical fabric tool box

	£		
C11	**108.00**	1	021110000
2111VU/1 (C11+5915VU/1)	**706.00**	1	021111031
2111VU/3 (C11+5915VU/3)	**1230.00**	1	021111034

410x230x250 mm - 2 kg

C12 - 2112

technical fabric tool bag

Removable interior tool panel
Elastic tool bands and capacious interior and exterior pockets
Bag opens at front for easier access to tools at workplace
Hard, waterproof base with rubber feet
Can be used with trolley C8

	£		
C12	**247.50**	1	021120000
2112ET/A (C12+5980ET/A)	**1405.00**	1	021121028
2112ET/B (C12+5980ET/B)	**1815.00**	1	021121029
2112VU/5 (C12+5915VU/5)	**1675.00**	1	021121056

500x270x350 mm - 5 kg

C13

tool trunk with castors, made of hard-wearing polypropylene

- **Suitable for outdoor use**
- **Shockproof, resistant to chemical agents**
- **Can be padlocked (padlock not included)**
- **Double closure**
- **Two wheels for horizontal handling of tool trunk**
- **With interior tote tray which can be removed and locked in two positions inside**
- **Name plate**

	£		
C13	**433.00**	1	021130000

806x350x467 mm - 7,2 kg

C14

tool trolley, made of polypropylene, with 4 drawers

- **Injection polypropylene frame for increased shock resistance.**
- **Lid-protected front accommodates 4 pull-out drawers (470x255):**
  1 drawer 30 mm high
  2 drawers 60 mm high
  1 drawer 90 mm high
- **Front centralized lock allows top and front lids to be closed simultaneously.**
- **Two side handles**
- **4 sturdy rear castors**
- **Removable top tray**
- **Tool panel built into lid**
- **3 tote-trays included**
- **Nameplate**
- **Can be closed with TSA lock**

	£		
C14	**1173.00**	1	021140000
2114VU/M (C14+5914VU/M)	**2500.00**	1	021141011

585x390x457 mm - 10 kg

CP15 - 2115

tool box, made from plastic, removable tote-tray and tool trays

- **1 tool tray built into cover**
- **2 removable tool trays with adjustable partitions**
- **1 interior tote-tray with adjustable partitions**

	£		
CP15	**66.00**	1	021150201
2115PVU/1 (CP15+5915VU/1)	**664.00**	1	021151232
2115PVU/2 (CP15+5915VU/2)	**589.00**	1	021151234

445x240x250 mm - 2 kg

CP15L - 2115

tool box, long series, made from plastic, removable tote-tray and tool trays

- **3 tool trays built into cover with adjustable partitions**
- **1 interior tote-tray with adjustable partitions**

	£		
CP15L	**86.00**	1	021150202
2115PL-VU/1 (CP15L+5915VU/1)	**684.00**	1	021151242
2115PL-VU/3 (CP15L+5915VU/3)	**1205.00**	1	021151245

558x277x270 mm - 2,5 kg

2115PI/BIKE-HOME

assortment of 28 tools for bike maintenance and E-bikes, in plastic box

Bicycle repairs

	£		
2115PI/BIKE-HOME	**335.00**	1	021150098

96BP/SC9	
3935	
3969K3	
42	8-9-10-13-14 mm
42SLIM	15 mm
1082G	160 mm
1150G	180 mm
1201E	3x75 - 5,5x150 mm
1202E	PH0x60 - PH2x100 mm
3991	
BMESB1925NE	25 m
BMN1436	3,6 x 140 mm

558x277x270 mm - 4,3 kg

2115P L-MQ32

assortment of 32 insulated tools for hybrid cars, in plastic tool box with soft thermoformed tray

	£		
2115PL-MQ32	1520.00	1	021150332

920MQ/55A
- **89MQ** 10-12 mm
- **850MQ** 1/4"
- **860TX/A10** T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- **920MQ/A** 8-10-12-13-14-17-19 mm
- **920MQ/21** 125mm
- **920MQ/22** 250mm
- **1048MQ250** 250mm
- **1150MQ** 180mm
- **1164MQ160** 160mm
- **1272MQ** 4.5X80-6X100mm
- **1274MQ** 3X100-4X100-5.5X125
- **1995MQ/G2** G2

CP15L

C16 - 2116

tool box, made of plastic,
with interior object compartment, empty

	£		
C16	147.50	1	021160000
2116VU/1 (C16+5915VU/1)	745.00	1	021161102
2116VU/3 (C16+5915VU/3)	1270.00	1	021161105

500x260x260 mm - 2,5 kg

CP17 - CP17L - 2117

tool box,
made of stainless steel and plastic,
removable tote-tray

CP17
500x200x220 mm

CP17L
575x245x265 mm

	£		
CP17	116.50	1	021170500
2117P-VU/1 (CP17+5915VU/1)	714.00	1	021171042
2117P-VU/3 (CP17+5915VU/3)	1240.00	1	021171045
CP17L	169.50	1	021170502
2117L-VU/1 (CP17L+5915VU/1)	767.00	1	021171142
2117PL-VU/3 (CP17L+5915VU/3)	1290.00	1	021171145

C18 - 2118

tool box
made from sheet metal

	£		
C18	50.50	1	021180001
2118VU/1 (C18+5915VU/1)	648.00	1	021181032

450x200x100 mm - 3 kg

C19 - 2119 - C19L - 2119L

three-section cantilever tool box,
made from sheet metal

C19
450x200x160 mm

C19L
550x200x160 mm

	£		
C19	71.00	1	021190001
2119VU/3 (C19+5915VU/3)	1193.00	1	021191025
C19L	87.00	1	021190002
2119L-VU/3 (C19L+5915VU/3)	1210.00	1	021191125

C20 - C20L - 2120

five-section cantilever tool box,
made from sheet metal

C20
450x200x210 mm

C20L
550x200x210 mm

	£		
C20	103.50	1	021200001
2120VU/2 (C20+5915VU/2)	627.00	1	021201061
2120VU/3 (C20+5915VU/3)	1225.00	1	021201063
2120VU/4 (C20+5915VU4)	1405.00	1	021201064
2120VU/AS (C20+5915VU/AS)	1285.00	1	021201068
C20L	108.00	1	021200002
2120L-VU/2 (C20L+5915VU/2)	631.00	1	021201161
2120L-VU/3 (C20L+5915VU/3)	1230.00	1	021201163
2120L-VU/4 (C20L+5915VU/4)	1410.00	1	021201164
2120L-VU/AS (C20L+5915VU/AS)	1290.00	1	021201168

C20TSS

five-section cantilever tool box, made of AISI 304 stainless steel

	£		
C20TSS	**351.00**	1	021203001

: 450x200x210 mm - 4kg

C22B

tool trunk,
made of sheet metal

C22B O
720x320x310 mm

C22BM O
850x360x350 mm

C22BL O
1010x410x400 mm

	£		
C22B-O	**263.00**	1	022000150
C22BM-O	**333.00**	1	022000160
C22BL-O	**433.00**	1	022000170

C22B O: 13 kg
C22BM O: 20 kg
C22BL O: 26 kg

C22W

tool trunk,
made from sheet metal,
lined for enhanced tool protection

C22W-O
690x300x360 mm

C22WL-O
990x300x360 mm

	£		
C22W-O	**306.00**	1	022000269
C22WL-O	**399.00**	1	022000299

C22W O: 15 kg
C22WL O: 28 kg

C22P

tool trunk for building yards, made of sheet metal

built-in, retractable handles
raised shoes for forklift truck handling
double burglar-proof lock closure (not included)

C22PM O
915x540x430 mm

C22PL O
1220x720x615 mm

	£		
C22PM-O	**878.00**	1	022000240
C22PL-O	**1350.00**	1	022000245

C22PM O: 39 kg
C22PL O: 67 kg

C99

Combo is Beta's modular system comprised of **3 different types of sturdy tool cases** for replacing your work equipment tidily and totally safely.
The tool cases can be easily joined to each other by a **simple click**, through the functional side snap-on mechanism.

The system, Beta Combo C99, is compatible with the L-BOXX standard by Sortimo®.

C99

BETA COMBO comprehensive modular system

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.
System comprising:
• Ultracompact folding trolley with telescopic handle C99P (485x520x1095 mm)
• ABS tool case C99V1 (445x358x152 mm)
• ABS tool case C99V2 (445x358x254 mm)
• ABS tool case with 2 portable tote trays C99V3/2C (445x358x322 mm)

	£		
C99	857.00	1	099000010

C99V0

COMBO ABS tool case, with transparent cover

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.
Main features:
• Transparent cover made from sturdy polycarbonate for quick identification of contents
• Outer dimensions: 445x358x118 mm
• Max. interior carrying capacity: 25 kg
• Can be padlocked
• Weight: 2.5 kg



	£		
C99V0	150.00	1	099000202

C99V0-P12

COMBO ABS tool case, with transparent cover

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.
Main features:
• Transparent cover made from sturdy polycarbonate for quick identification of contents
• Particularly suitable for carrying smallwares, including screws, nuts, washers, rivets and dowels
• Supplied complete with kit of 18 tote trays:
2 red trays, 52x52 mm
3 yellow trays, 104x52 mm
2 blue trays, 104x104 mm
1 green tray, 104x156 mm
2 orange trays, 208x52 mm
2 grey trays, 312x71 mm, and 6 adjustable partitions
• Outer dimensions: 445x358x118 mm
• Max. interior carrying capacity: 25 kg
• Can be padlocked
• Weight: 3.2 kg



	£		
C99V0-P12	210.50	1	099000200

C99P12-V0

kit of 18 tote trays for tool cases C99V0

Kit contents:
• 2 red trays, 52x52 mm
• 3 yellow trays, 104x52 mm
• 2 blue trays, 104x104 mm
• 1 green tray, 104x156 mm
• 2 orange trays, 208x52 mm
• 2 grey trays, 312x71 mm, and 6 adjustable partitions

	£		
C99P12-V0	60.50	1	099000499

C99V1

COMBO ABS tool case

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.
Main features:
• Outer dimensions: 445x358x152 mm
• Max. interior carrying capacity: 25 kg
• Can be padlocked
• Weight: 2.2 kg



	£		
C99V1	150.50	1	099000250

C99V2

COMBO ABS tool case

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.
Main features:
• Outer dimensions: 445x358x254 mm
• Max. interior carrying capacity: 25 kg
• Weight: 2.8 kg



	£		
C99V2	169.00	1	099000350

C99V3/2C

COMBO ABS tool case with 2 portable tote trays

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.
Main features:
• Outer dimensions: 445x358x322 mm
• Max. interior carrying capacity: 25 kg
• Supplied with 2 tote trays C99C-V3, empty
• Weight: 5.6 kg



	£		
C99V3/2C	318.00	1	099000450

C99C-V3

COMBO portable tool box

Transparent cover for quick identification of contents
Built-in handle
Outer dimensions: 367x316x72 mm
Weight: 0.9 kg

Can be equipped with:
• 7 compartment thermoformed tote tray C99T-V3
• kit of 17 tote trays item C99P-V3



		£		
C99C-V3		51.00	1	099000496

C99P

COMBO folding tool trolley

Main features:
• Ultracompact folding tool trolley
• Telescopic handle
• Dimensions when open: 485x520x1095 mm
• Dimensions when closed: 485x80x810 mm
• Dimensions of folding base: 485x350 mm
• Two puncture proof wheels, Ø 175

		£		
C99P		219.50	1	099000101

C99PC

cover lining for wall tool cases C99V1 and C99V3/2C

Required in combination with thermoformed trays, to prevent the contents from coming out of the compartments or getting mixed up during transportation.

		£		
C99PC	400x320x20 mm	24.50	1	099000491

C99PP

tool panel for COMBO cases

• with 6 pockets and 11 elastic tool bands
• supplied complete with hooks for fixing panel into case cover

		£		
C99PP		68.00	1	099000489

DISCOVER THE RSC PRODUCT RANGE

RSC22

portable tool chest
with 3 drawers

Main features:
• 3 drawers (588x277 mm)
with ball bearing slides:
1 drawer, 50 mm high
2 drawers, 70 mm high.
• Front centralized lock.
• Retractable side handles for ease of handling.

19 kg

RSC22-O

RSC22-A

RSC22-R

h	max
50 mm	25 kg
70 mm	25 kg





		£		
RSC22-O	RAL 2011	616.00	1	022003001
RSC22-R	RAL 3000	616.00	1	022003003
RSC22-A	RAL 7016	616.00	1	022003007

RSC23

portable tool chest
with 5 drawers

Main features:
• 5 drawers (588x277 mm)
with ball bearing slides:
2 drawers, 50 mm high
3 drawers, 70 mm high.
• Front centralized lock.
• Retractable side handles for ease of handling.

26 kg

RSC23-A

RSC23-R

RSC23-O

h	max
50 mm	25 kg
70 mm	25 kg





		£		
RSC23-O	RAL 2011	750.00	1	023003001
RSC23-R	RAL 3000	750.00	1	023003003
RSC23-A	RAL 7016	750.00	1	023003007

CD23S

Caddy trolley

Main features:
• ABS-coated worktop designed to match tool chests C22S, C23S, C23SC, C23ST
• Removable handle, can be stored underneath chassis.
• Four castors, Ø 100 mm: 2 fixed and 2 steering (one with brake).
• Maximum load capacity: 250 kg.

14 kg

	£		
CD23S	330.00	1	023000610

RSC23C

portable tool chest
with 8 drawers

Main features:
• 8 drawers (588x277 mm) with ball bearing slides:
4 drawers, 50 mm high
3 drawers, 70 mm high
1 drawer, 100 mm high.
• Front centralized lock.
• Retractable side handles for ease of handling.

28 kg

RSC23C-A

RSC23C-R

RCS23C-O

h	max
50 mm	25 kg
70 mm	25 kg





		£		
RSC23C-O	RAL 2011	856.00	1	023003011
RSC23C-R	RAL 3000	856.00	1	023003013
RSC23C-A	RAL 7016	856.00	1	023003017

RSC23T

portable tool chest
with 5 drawers

Main features:
- 5 drawers (588x367 mm) with ball bearing slides: 5 drawers, 70 mm high.
- Front centralized lock.
- Can be fitted with kit of 4 castors and 1 handle (2300ST/KIT)

36 kg

RSC23T-A

RSC23T-B

RSC23T-G

RSC23T-N

RSC23T-R

RSC23T-O

RSC23T-FO

h	max
70 mm	25 kg





		£		
RSC23T-FO	RAL 2011	**883.00**	1	023003020
RSC23T-O	RAL 2011	**883.00**	1	023003021
RSC23T-G	RAL 9006	**883.00**	1	023003022
RSC23T-R	RAL 3000	**883.00**	1	023003023
RSC23T-B	RAL 5015	**883.00**	1	023003026
RSC23T-A	RAL 7016	**883.00**	1	023003027
RSC23T-N	RAL 9005	**883.00**	1	023003029

2300ST/KIT

kit with 4 castors and 1 handle for C23ST

- Four castors, Ø 125 mm: 2 fixed and 2 steering (one with brake).
- Telescopic handle

6,5 kg

	£		
2300ST/KIT	**238.00**	1	023000950





Available colours:

RSC24-		
FO	RAL 2011	RAL 2011
O	RAL 7016	RAL 2011
G	RAL 7016	RAL 9006
R	RAL 7016	RAL 3000
B	RAL 7016	RAL 5015
A	RAL 7016	RAL 7016
N	RAL 9005	RAL 9005



NEW WORKTOP

FIRMER AND STURDIER
MORE CONVENIENT
AND FUNCTIONAL
MORE MODERN

- Drawers with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- New ABS reinforced worktop, designed to support tool chests RSC22, RSC23, RSC23C and RSC23T
- Multi-purpose top with anti-fall edges and eight holes for accommodating screwdrivers
- Front centralized safety lock
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 800 kg

Available models:

- **RSC24/5** (5 drawers)
- **RSC24/6** (6 drawers)
- **RSC24/7** (7 drawers)
- **RSC24/8** (8 drawers)

Available accessories:

2400 RSC24/PF

2400 RSC24/SPC

2400 RSC24/PL

2400 RSC24/PF-A
2400 RSC24/PF-N

2400 RSC24/PD-A
2400 RSC24/PD-N

2400 RSC24/MP

2400 RSC24/PC-A
2400 RSC24/PC-N

RSC24/7

mobile roller cab with 7 drawers

Main features:
• 7 fully removable drawers (588x367 mm), with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high

63 kg

	£		
RSC24/7-FO	1235.00	1	024004070
RSC24/7-O	1235.00	1	024004071
RSC24/7-G	1235.00	1	024004072
RSC24/7-R	1235.00	1	024004073
RSC24/7-B	1235.00	1	024004076
RSC24/7-A	1235.00	1	024004077
RSC24/7-N	1235.00	1	024004079

RSC24/7-O

RSC24/7-FO

RSC24/7-A

RSC24/7-B

RSC24/7-G

RSC24/7-N

RSC24/7-R

h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg

RSC24/5

mobile roller cab with 5 drawers

Main features:
• 5 fully removable drawers (588x367 mm), with ball bearing slides:
2 drawers, 70 mm high
2 drawers, 140 mm high
1 drawer, 280 mm high

60 kg

	£		
RSC24/5-FO	1181.00	1	024004050
RSC24/5-O	1181.00	1	024004051
RSC24/5-G	1181.00	1	024004052
RSC24/5-R	1181.00	1	024004053
RSC24/5-B	1181.00	1	024004056
RSC24/5-A	1181.00	1	024004057
RSC24/5-N	1181.00	1	024004059

RSC24/5-O

RSC24/5-FO
RSC24/5-A
RSC24/5-B
RSC24/5-G
RSC24/5-N
RSC24/5-R

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

RSC24/6

mobile roller cab with 6 drawers

Main features:
• 6 fully removable drawers (588x367 mm), with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high

62 kg

	£		
RSC24/6-FO	1205.00	1	024004060
RSC24/6-O	1205.00	1	024004061
RSC24/6-G	1205.00	1	024004062
RSC24/6-R	1205.00	1	024004063
RSC24/6-B	1205.00	1	024004066
RSC24/6-A	1205.00	1	024004067
RSC24/6-N	1205.00	1	024004069

RSC24/6-O

RSC24/6-FO
RSC24/6-A
RSC24/6-B
RSC24/6-G
RSC24/6-N
RSC24/6-R

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

RSC24/8

mobile roller cab with 8 drawers

Main features:
• 8 fully removable drawers (588x367 mm), with ball bearing slides:
6 drawers, 70 mm high
2 drawers, 140 mm high

66 kg

	£		
RSC24/8-FO	1295.00	1	024004080
RSC24/8-O	1295.00	1	024004081
RSC24/8-G	1295.00	1	024004082
RSC24/8-R	1295.00	1	024004083
RSC24/8-B	1295.00	1	024004086
RSC24/8-A	1295.00	1	024004087
RSC24/8-N	1295.00	1	024004089

RSC24/8-O

RSC24/8-FO
RSC24/8-A
RSC24/8-B
RSC24/8-G
RSC24/8-N
RSC24/8-R

h	max
70 mm	25 kg
140 mm	30 kg

RSC24A/6

mobile roller cab with 6 drawers,
with anti-tilt system

Main features:

• 6 fully removable drawers (588x367 mm), with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high

62 kg

	£		
RSC24A/6-O	1245.00	1	024004161
RSC24A/6-R	1245.00	1	024004163
RSC24A/6-A	1245.00	1	024004167

RSC24A/6-O

RSC24A/6-A

RSC24A/6-R

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

RSC24A/7

mobile roller cab with 7 drawers,
with anti-tilt system

Main features:

• 7 fully removable drawers (588x367 mm), with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.

63 kg

	£		
RSC24A/7-O	1280.00	1	024004171
RSC24A/7-R	1280.00	1	024004173
RSC24A/7-A	1280.00	1	024004177

RSC24A/7-O

RSC24A/7-A

RSC24A/7-R

h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg

RSC24A/8

mobile roller cab with 8 drawers,
with anti-tilt system

Main features:

• 8 fully removable drawers (588x367 mm), with ball bearing slides:
6 drawers, 70 mm high
2 drawers, 140 mm high

66 kg

	£		
RSC24A/8-O	1350.00	1	024004181
RSC24A/8-R	1350.00	1	024004183
RSC24A/8-A	1350.00	1	024004187

RSC24A/8-O

RSC24A/8-A

RSC24A/8-R

h	max
70 mm	25 kg
140 mm	30 kg

MOBILE ROLLER CAB RSC24AXL

LONG VERSION:
each drawer can accommodate up to 6 EVA foam or ABS thermoformed trays

ANTI-TILT SYSTEM: PREVENTS SEVERAL DRAWERS FROM BEING SIMULTANEOUSLY OPENED

- Drawers with ball bearing slides
- New ABS reinforced worktop with anti-fall edges, eight holes for accommodating screwdrivers and 6 tote trays.
- Sturdy nylon front, with built-in label holder
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 1000 kg
- Drawer bases protected by foamed rubber mats
- Integrated side bottle holder
- Front centralized safety lock





Available colours:

0	RAL 7016	RAL 2011
R	RAL 7016	RAL 3000
A	RAL 7016	RAL 7016

Available accessories:

2400 RSC24/PD-A

2400 RSC24/PL

2400 RSC24/PC-A

RSC24AXL/7

mobile roller cab with 7 drawers,
with anti-tilt system,
long model

Main features:
• 7 fully removable drawers (882x367 mm), with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high

RSC24AXL/7-O

RSC24AXL/7-A

RSC24AXL/7-R

h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg

84 kg





	£		
RSC24AXL/7-O	1530.00	1	024004271
RSC24AXL/7-R	1530.00	1	024004273
RSC24AXL/7-A	1530.00	1	024004277

RSC24AXL/8

mobile roller cab with 8 drawers,
with anti-tilt system,
long model

Main features:
• 8 fully removable drawers (882x367 mm), with ball bearing slides:
6 drawers, 70 mm high.
2 drawers, 140 mm high.

88 kg

h	max
70 mm	30 kg
140 mm	35 kg





	£		
RSC24AXL/8-O	1655.00	1	024004281
RSC24AXL/8-R	1655.00	1	024004283
RSC24AXL/8-A	1655.00	1	024004287

RSC24AXL/9

mobile roller cab with 9 drawers,
with anti-tilt system,
long model

Main features:
• 9 fully removable drawers (882x367 mm), with ball bearing slides:
8 drawers, 70 mm high
1 drawer, 140 mm high.

90 kg

h	max
70 mm	30 kg
140 mm	35 kg





	£		
RSC24AXL/9-O	1725.00	1	024004291
RSC24AXL/9-R	1725.00	1	024004293
RSC24AXL/9-A	1725.00	1	024004297

RSC24AXLP/7

mobile roller cab with 7 drawers, with wood worktop
and anti-tilt system,
long model

Main features:
• 7 fully removable drawers (882x367 mm), with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high

• Multi-ply wood worktop with holes for a vice 1599F/100 or 1599GI/100 (to be ordered separately)
• Sturdy nylon front, with built-in label holder
• Drawer bases protected by foamed rubber mats
• 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)
• Front centralized safety lock
• Static load capacity: 1.100 kg
• Built-in side bottle holder (can be applied on both sides)
• Built-in paper roll holder
• Each drawer can accommodate up to 6 EVA foam or ABS thermoformed trays

105 kg

h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg







	£		
RSC24AXLP/7-O	2030.00	1	024004571
RSC24AXLP/7-R	2030.00	1	024004573
RSC24AXLP/7-A	2030.00	1	024004577

2400 RSC24AXLP/CPR

waste bin for roller cab RSC24AXLP/7

5 kg

	£		
2400 RSC24AXLP/CPR	78.00	1	024004993

2400 RSC24AXLP/PF

perforated tool panel with supports, for roller cab RSC24AXLP/7

4,5 kg

	£		
2400 RSC24AXLP/PF	143.00	1	024004992

2400 RSC24AXLP/VL

side tool tray for roller cab RSC24AXLP/7

4 kg

	£		
2400 RSC24AXLP/VL	61.00	1	024004995

2400 RSC24/PC

paper roll holder for mobile roller cab RSC24, RSC24A, RSC24AXL, RSC51

0,3 kg



	£		
2400 RSC24/PC-A	24.80	1	024004903
2400 RSC24/PC-N	24.80	1	024004904

2400 RSC24/PD

document holder for mobile roller cab RSC24, RSC24A, RSC24AXL

1,2 kg



	£		
2400 RSC24/PD-A	54.50	1	024004907
2400 RSC24/PD-N	54.50	1	024004908

2400 RSC24/PF

perforated tool panel with supports, for roller cab RSC24, RSC24A, RSC51

2,3 kg



	£		
2400 RSC24/PF	89.00	1	024004902

2400 RSC24/PF-

bottle holder for mobile roller cab RSC24, RSC24A

0,5 kg

	£		
2400 RSC24/PF-A	29.00	1	024004905
2400 RSC24/PF-N	29.00	1	024004906

2400 RSC24/PL

wood worktop for roller cab RSC24, RSC24A, RSC24AXL, RSC51

4,3 kg

	£		
2400 RSC24/PL	111.50	1	024004901

2400 RSC24/SPC

computer bracket for mobile roller cab RSC24, RSC24A, RSC24AXLP/7, RSC51

- With removable drawer
- Cannot be used with model RSC24AXL

3,1 kg

	£		
2400 RSC24/SPC	213.00	1	024004909

2400 RSC24/MP

folding shelf for items RSC24, RSC24A, RSC24AXLP/7, RSC51

- For use as additional worktop
- Worktop dimensions: 390x440 mm, protected by an anti-oil and anti-petrol rubber mat
- Load capacity: 20 kg

3,4 kg



	£		
2400 RSC24/MP	120.00	1	024004900

2499PF

bottle holder

- **Can match roller cabs C38, C38A**

2,5 kg



	£		
2499PF-O	92.00	1	024990210
2499PF-G	92.00	1	024990219
2499PF-R	92.00	1	024990230

2499PF/M

universal magnetic bottle holder

2,2 kg

	£		
2499PF/M	64.00	1	024990050

2499PC

paper roll holder

- **Matches Tank trolleys C25 and cabs C38.**

2,2 kg



	£		
2499PC	106.00	1	024990090

RSC24L/7

mobile roller cab
with 7 drawers
and side shelves

Main features:
• 7 drawers (588x367 mm)
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.
• Drawer bases protected by foamed rubber mats.
• 4 castors, Ø 125 mm:
2 fixed and 2 steering with brakes.
• Front centralized lock.
• Static load capacity: 1,100 kg.
• Multi-ply wood worktop with holes
for a vice
(1599F/100 - 1599GI/100, to be ordered separately).
• Side compartment with vertically adjustable shelf.
• Built-in paper roll holder.
• Double rear bottle holder.
• Built-in side bottle holder

80 kg

h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg





		£		
RSC24L/7-O	RAL 2011	**1790.00**	1	024004371
RSC24L/7-R	RAL 3000	**1790.00**	1	024004373
RSC24L/7-A	RAL 7016	**1790.00**	1	024004377

RSC24L-CAB

mobile roller cab
with 7 drawers
and tool cabinet

Main features:
• 7 drawers (588x367 mm)
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.
• Drawer bases protected by foamed rubber mats.
• 4 castors, Ø 125 mm:
2 fixed and 2 steering with brakes.
• Front centralized lock.
• Side tool cabinet with lockable door and vertically adjustable interior shelf.
• Static load capacity: 1,100 kg.
• Multi-ply wood worktop with holes
for a vice
(1599F/100, to be ordered separately).
• Built-in paper roll holder.
• Double rear bottle holder.
• Built-in side bottle holder

82 kg

h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg





		£		
RSC24L-CAB/O	RAL 2011	**1830.00**	1	024004471
RSC24L-CAB/R	RAL 3000	**1830.00**	1	024004473
RSC24L-CAB/A	RAL 7016	**1830.00**	1	024004477

C04TSS-7

mobile roller cab with seven drawers, made entirely of stainless steel, Non-marking wheels

Main features:
• Seven drawers (570 x 410 mm) with ball bearing slides;
6 drawers, 83 mm high;
1 drawer, 170 mm high;
• 4 castors Ø 125 mm
2 fixed and 2 steering (two with brakes);
• Front centralized lock;
• Frame made entirely of stainless steel AISI 304
• Castors, supports, ball bearings, drawer interiors and guides made of stainless steel
• Drawer handles made of aluminium

63 kg





h	max
83 mm	25 kg
170 mm	30 kg

	£			
C04TSS/7	3740.00	1	024003077	303

C25

Tank trolley with shelf

Main features:
• Foldaway lid.
• 1 sliding drawer.
• Tool tray protected by foamed rubber mats.
• Shelves protected by oil and fuel proof mats.
• Four castors 100 mm in ø:
2 fixed and 2 swivelling (one with brake).
• Safety lock.
• One more shelf M4 can be added on the opposite side.
• Empty thermoformed tray for 1/2" sockets and accessories (024990104).
• Paper roll holder item 2499PC
can also be included

31,5 kg



	£		
C25	892.00	1	025000001

C27S

folding tool trolley for outdoor jobs

Folding tool trolley. Its unique patented design guarantees an effortless transport.

Features:
- 2 drawers, 588x277 mm, with ball bearing slides, for two-way opening
- Large lower object compartment, 588x277x220 mm
- Sheet metal frame
- 2 fixed castors, Ø 160 mm, and 2 steering castors with brake, Ø 100 mm
- Thermoplastic worktop with 6 built-in tool trays
- Centralized lock
- Can accommodate drawer partitions and MC foam tool trays

20 kg

C27S-O

C27S-G

C27S-R

h	max
70 mm	20 kg





		£		
C27S-O	RAL 2011	883.00	1	027000201
C27S-G	RAL 7016	883.00	1	027000202
C27S-R	RAL 3000	883.00	1	027000203

RSC28

SuperTank trolley with wood worktop
and 10 drawers

Main features:
• 10 drawers (588x367 mm) with ball bearing slides.
• Quick, safe system for opening and closing drawers, with nylon and fibreglass front.
• 5 side drawers:
4 drawers, 70 mm high
1 drawer, 210 mm high.
• 5 front drawers:
4 drawers, 70 mm high
1 drawer, 210 mm high.
• Drawer bases protected by foamed rubber mats.
• 4 high-capacity castors, Ø 150 mm:
2 fixed and 2 steering with brakes.
• 2 centralized safety locks.
• 3 front tool drawers.
• Multi-ply wood worktop with holes
for a vice
(1599F/150 - 1599GI/150, to be ordered separately).
• Built-in tool compartment.
• Side compartment with foldaway door with lock.
• Built-in bottle holders.
• 135-mm-high storage compartment with plastic-covered base.
• Static load capacity: 1,200 kg.

130 kg

1200 kg

RSC28-O

RSC28-A

RSC28-R

h	max
70 mm	25 kg
210 mm	30 kg





	£		
RSC28-O	3290.00	1	028003001
RSC28-R	3290.00	1	028003003
RSC28-A	3290.00	1	028003007

C30M

MaxiTank mobile workbench

Main features:
• 5 front drawers with ball bearing slides:
3 drawers (367x610 mm), 90 mm high
1 drawer (588x610 mm), 90 mm high
1 drawer (588x610 mm), 180 mm high.
• Quick opening system with aluminium front.
• Drawer bases protected by foamed rubber mats.
• Can be fitted with thermoformed trays.
• One hydraulic jack, designed to lift front part effortlessly, thus allowing easy transportation.
• 4 high-capacity castors:
2 steering, front, Ø 150 mm
2 fixed, rear, Ø 170 mm.
• Oil-proof, rubber-coated worktop,
1300x800 mm, with drain hole
for fluid collection in a small tank.
• Storage compartment, 720x250x1300 mm,
with PVC-coated worktop
and front sliding panels.
• Centralized lock for drawers and panels.
• 3 built-in side bottle holders.
• Built-in paper roll holder
• Static load capacity: 1,800 kg.
• Can accommodate a multi-ply wood worktop (3000M/PLM), to be ordered separately
• Can accommodate vice 1599F/150 (to be ordered separately).

1800 kg

200 kg

h	max
90 mm	30 kg
180 mm	35 kg





	£		
C30M	5590.00	1	030000300

3000M/PLM

wood worktop for C30M,
with holes for a vice (1599F/150)

10 kg

1240x740x26 mm

	£		
3000M/PLM	553.00	1	030000350

FUNCTIONAL AND STURDY

- Pull-out drawers
- Front centralized safety lock
- Can accommodate a worktop and drawer partitions, to be ordered separately
- Static load capacity: 1200 kg

Available models:

- **C35/6GM** (6 drawers)
- **C35/7GM** (7 drawers)
- **C35/8GM** (8 drawers)
- **C35/9GM** (9 drawers)

Available accessories:

3500/P-M



C35/6GM

industrial tool chest with 6 drawers

Main features:
• 6 pull-out drawers (600x447 mm):
2 drawers, 75 mm high
1 drawer, 100 mm high
1 drawer, 150 mm high
1 drawer, 200 mm high
1 drawer, 300 mm high
• Front centralized safety lock.
• Can accommodate a worktop and drawer partitions, to be ordered separately

75 kg

h	max
75 mm	70 kg
100 mm	70 kg
150 mm	70 kg
200 mm	70 kg
300 mm	70 kg





	£		
C35/6GM	2150.00	1	035000162

C35/7GM

industrial tool chest with 7 drawers

Main features:
• 7 pull-out drawers (600x447 mm):
2 drawers, 75 mm high
1 drawer, 100 mm high
3 drawers, 150 mm high
1 drawer, 200 mm high
• Front centralized safety lock.
• Can accommodate a worktop and drawer partitions, to be ordered separately

82 kg

h	max
75 mm	70 kg
100 mm	70 kg
150 mm	70 kg
200 mm	70 kg





		£		
C35/7GM		2230.00	1	035000172

C35/8GM

industrial tool chest with 8 drawers

Main features:
• 8 pull-out drawers (600x447 mm):
4 drawers, 75 mm high
1 drawer, 100 mm high
2 drawers, 150 mm high
1 drawer, 200 mm high
• Front centralized safety lock.
• Can accommodate a worktop and drawer partitions, to be ordered separately

86 kg

h	max
75 mm	70 kg
100 mm	70 kg
150 mm	70 kg
200 mm	70 kg





		£		
C35/8GM		2405.00	1	035000182

C35/9GM

industrial tool chest with 9 drawers

Main features:
• 9 pull-out drawers (600x447 mm):
6 drawers, 75 mm high
3 drawers, 150 mm high
• Front centralized safety lock.
• Can accommodate a worktop and drawer partitions, to be ordered separately

91 kg

h	max
75 mm	70 kg
150 mm	70 kg





		£		
C35/9GM		2540.00	1	035000192

3500/P-M

worktop with perimeter edge for tool chest C35



		£		
3500/P-M	700x600 mm	495.00	1	035000505

SOFT BUMPERS

- Drawers with ball bearing slides
- Sturdy multi-purpose worktop
- Quick release system made of aluminium, opening throughout length of drawer
- Tote-trays and holes for accommodating screwdrivers
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 1000 kg
- Corner bumpers throughout height of roller cab, to avoid damaging vehicles in garage
- Drawer bases protected by foamed rubber mats
- Front centralized safety lock
- Built-in side bottle and paper holders, adjustable in several positions

Available models:
- C37/6 (6 drawers)
- C37/7 (7 drawers)
- C37/8 (8 drawers)
- C37A/7 (7 drawers with anti-tilt system)



Available colours:

O	RAL 2011
G	RAL 7016
R	RAL 3000



Available accessories:





C37/7

mobile roller cab
with 7 drawers

Main features:
• 7 drawers (588x367 mm) with ball bearing slides:
5 drawers 75 mm high
1 drawer 150 mm high
1 drawer 225 mm high

C37/7-O

C37/7-G

C37/7-R

71 kg

	£		
C37/7-O	1575.00	1	037000071
C37/7-G	1575.00	1	037000072
C37/7-R	1575.00	1	037000073

h	max
75 mm	30 kg
150 mm	35 kg
225 mm	35 kg

C37/6

mobile roller cab
with 6 drawers

Main features:
• 6 drawers (588x367 mm) with ball bearing slides:
4 drawers 75 mm high
1 drawer 150 mm high
1 drawer 305 mm high

69 kg

	£		
C37/6-O	1530.00	1	037000061
C37/6-G	1530.00	1	037000062
C37/6-R	1530.00	1	037000063

h	max
75 mm	30 kg
150 mm	35 kg
305 mm	40 kg

C37/8

mobile roller cab
with 8 drawers

Main features:
• 8 drawers (588x367 mm) with ball bearing slides:
6 drawers 75 mm high
2 drawers 150 mm high

73 kg

	£		
C37/8-O	1635.00	1	037000081
C37/8-G	1635.00	1	037000082
C37/8-R	1635.00	1	037000083

h	max
75 mm	30 kg
150 mm	35 kg

C37A/7

mobile roller cab
with 7 drawers, with anti-tilt system

Main features:
• 7 drawers (588x367 mm), with ball bearing slides:
5 drawers 75 mm high
1 drawer 150 mm high
1 drawer 225 mm high

71 kg

	£		
C37A/7-O	1690.00	1	037000271
C37A/7-G	1690.00	1	037000272
C37A/7-R	1690.00	1	037000273

h	max
75 mm	30 kg
150 mm	35 kg
225 mm	35 kg

3700/PLA

stainless steel worktop for mobile roller cab item C37

2,8 kg

	£		
3700/PLA	98.50	1	037000100

3700/PLL

wood worktop for tool trolley C27

Can accommodate a vice (1599P/100, to be ordered separately)

3,9 kg

672x396x28 mm

	£		
3700/PLL	119.00	1	037000101

3700/PF

perforated panel with brackets for mobile roller cab item C37

3,2 kg

	£		
3700/PF	88.50	1	037000102

3700/PFL

perforated side panel for mobile roller cab item C37

1,9 kg

	£		
3700/PFL	52.50	1	037000104

3700/PC

computer bracket for mobile roller cab item C37

3,1 kg

	£		
3700/PC	129.50	1	037000103

C38

mobile roller cab
with eleven drawers

Main features:
• Eleven drawers with ball bearing slides:
• 1 drawer 937x410x122 mm
3 drawers 570x410x74 mm
2 drawers 570x410x153 mm
3 drawers 313x410x74 mm
2 drawers 313x410x153 mm.
• Drawer bases protected by foamed rubber mats.
• Static load capacity: 1200 kg.
• 4 high-capacity castors: Ø 125 mm:
2 fixed and 2 steering (both with lever brake).
• Front centralized lock.
• Sheet metal worktop covered by a rubber mat.
• Can be fitted with paper roll holder item 2499PC
and bottle holder item 2499PF.

114 kg

h	max
74 mm	25 kg
153 mm	30 kg





	£		
C38-O	2265.00	1	038000001
C38-G	2265.00	1	038000003
C38-R	2265.00	1	038000002

C38L

side cab with 7 drawers

Main features:
• 7 drawers (410x313 mm), with ball bearing slides:
5 drawers, 74 mm high 2 drawers, 153 mm high.
• Drawer bases protected by foamed rubber mats.
• Front centralized safety lock.
• Antislip aluminium worktop.
• Can be hooked to both sides of roller cab C38.

45 kg

h	max
74 mm	25 kg
153 mm	30 kg



	£		
C38L-O	1094.00	1	038000081
C38L-G	1094.00	1	038000083
C38L-R	1094.00	1	038000082

C38L A

side module with door
and interior shelf

Main features:
• Front lock.
• Vertically adjustable interior shelf.
• Document pocket inside door.
• Nonslip aluminium worktop.
• Can be hooked to both sides of mobile roller cab C38.

18 kg



	£		
C38LA O	455.00	1	038000071
C38LA G	455.00	1	038000073
C38LA R	455.00	1	038000072

C38C

mobile roller cab
with thirty three drawers,
comprising:
• 1 mobile roller cab C38
• 2 side cabs C38L
• 1 cab C38T with top chest

268 kg

C38C-O

C38C-G

C38C-R

h	max
74 mm	25 kg
153 mm	30 kg





	£		
C38C-O	5840.00	1	038000201
C38C-G	5840.00	1	038000203
C38C-R	5840.00	1	038000202

C38T

top cab
with 8 drawers and tool compartment

Main features:
• 8 drawers with ball bearing slides:
3 drawers 570x410x74 mm
1 drawer 570x410x153 mm
3 drawers 313x410x74 mm
1 drawer 313x410x153 mm.
• Tool compartment.
• Drawer bases protected by foamed rubber mats.
• Front centralized safety lock.
• Can be placed on worktop or mobile roller cab C38.

64 kg

C38T-O

C38T-G

C38T-R

h	max
74 mm	25 kg
153 mm	30 kg





	£		
C38T-O	1390.00	1	038000091
C38T-G	1390.00	1	038000093
C38T-R	1390.00	1	038000092

MOBILE ROLLER CAB C39

UPRIGHTS AND DRAWER FRONT MADE OF ALUMINIUM ALLOY + STURDINESS + LIGHTWEIGHTNESS

- Drawers with ball bearing slides
- Thermoplastic worktop, designed to support portable tool chest C39T
- Quick release system made of aluminium, opening throughout length of drawer
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 1200 kg
- Drawer bases protected by foamed rubber mats
- Front centralized safety lock
- Tote-trays and holes for accommodating screwdrivers
- Integrated side and rear bottle holders
- Integrated paper roll holder

Available models:

- C39/6 (6 drawers)
- C39/7 (7 drawers)
- C39/8 (8 drawers)

Available colours:

O	RAL 2011
G	RAL 7016
R	RAL 3000





C39/7

roller cab
with seven drawers

Main features:
• Seven drawers (588x367 mm) with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.

C39-7/O

C39-7/G

C39-7/R

61 kg

	£		
C39-7/O	2300.00	1	039000001
C39-7/G	2300.00	1	039000002
C39-7/R	2300.00	1	039000003

h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg

C39/6

mobile roller cab with six drawers

Main features:
• Six drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high

59 kg

C39-6/O

C39-6/G

C39-6/R

h	max
70 mm	30 kg
140 mm	35 kg
280 mm	40 kg

	£		
C39-6/O	2175.00	1	039000031
C39-6/G	2175.00	1	039000032
C39-6/R	2175.00	1	039000033

C39/8

mobile roller cab with eight drawers

Main features:
• Eight drawers (588x367 mm) with ball bearing slides:
6 drawers, 70 mm high
2 drawers, 140 mm high

64 kg

C39-8/O

C39-8/G

C39-8/R

h	max
70 mm	30 kg
140 mm	35 kg

	£		
C39-8/O	2630.00	1	039000041
C39-8/G	2630.00	1	039000042
C39-8/R	2630.00	1	039000043

C39T

portable tool chest
with four drawers

Main features:
• Four drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
• Front centralized safety lock.
• Uprights and drawer front made of aluminium.

29 kg

C39T-O

C39T-G

C39T-R

29 kg

h	max
70 mm	30 kg





	£		
C39T-O	1560.00	1	039000101
C39T-G	1560.00	1	039000102
C39T-R	1560.00	1	039000103

2400-COVER RSC24

nylon cover for mobile roller cabs RSC24 - C39

	£		
2400-COVER RSC24	29.00	1	024000910

2400-COVER RSC24AXL

nylon cover for mobile roller cabs RSC24AXL, RSC24L, RSC24L-CAB

	£		
2400-COVER RSC24AXL	39.00	1	024000930

3700-COVER C37

Nylon cover for mobile roller cab item C37

	£		
3700-COVER C37	43.50	1	037000930



C39SM

special mobile roller cab, Racing SM type

Specifications
• Multi-ply wood worktop
• 4 castors, Ø 125 mm
2 fixed and 2 steering (one with brake), with exposed covering
• Static load capacity: 1200 kg

7-drawer module
588x367 mm, with ball bearing slides:
6 drawers, 70 mm high
1 drawer, 240 mm high
• Drawer bases protected by foamed rubber mats
• Front centralized safety lock
• Opening system throughout length of drawer
• Drawer front made of aluminium

Service module
• Integrated wastepaper basket
• Paper roll compartment
• 1 large drawer (420x305x270 mm)

125 kg

h	max
70 mm	30 kg
240 mm	40 kg





		£		
C39SM-O	RAL 2011	3670.00	1	039390001
C39SM-G	RAL 7016	3670.00	1	039390002
C39SM-R	RAL 3000	3670.00	1	039390003

C39MD

special mobile roller cab, Racing MD type

Specifications
• Multi-ply wood worktop
• 4 castors, Ø 125 mm
2 fixed and 2 steering (one with brake), with exposed covering
• Static load capacity: 1200 kg

7-drawer module
588x367 mm, with ball bearing slides:
6 drawers, 70 mm high
1 drawer, 240 mm high
• Drawer bases protected by foamed rubber mats
• Front centralized safety lock
• Opening system throughout length of drawer
• Drawer front made of aluminium

2-drawer module
588x367x270 mm and 588x367x380 mm, with ball bearing slides
• Drawer bases protected by foamed rubber mats
• Front centralized lock
• Opening system throughout length of drawers
• Drawer front made of aluminium

123 kg



h	max
70 mm	30 kg
240 mm	40 kg





		£		
C39MD-O	RAL 2011	3710.00	1	039390101
C39MD-G	RAL 7016	3710.00	1	039390102
C39MD-R	RAL 3000	3710.00	1	039390103

C41S

two-module tool trolley

Main features:
• Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
• 2 detachable modules:
1 upper tool box,
1 module with 2 drawers, 95 mm and 295 mm high respectively.
• Oversized castors (160 mm),
built into frame for easy transport - for example, on steps.
• Side centralized lock
for closing drawers of lower module.
• Drawers with ball bearing slides and double closing hook.
• Telescopic aluminium handle.
• Small tool holder built into upper tool box.
• Lower drawer with double ballbearing slide

Recommended assortments: 5940/SBK and 5915VU/5





16 kg

	£		
C41S	637.00	1	041000001

C41H

two-module tool trolley

Main features:
• Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
• 2 detachable modules:
1 upper tool box,
1 module with 2 drawers 95 mm in height,
1 pull-out case made of plastic, 66 mm high, and 1 drawer 295 mm in height.
• Oversized castors (160 mm), built into frame for easy transport - for example, on steps.
• Side centralized lock for closing drawers of lower module.
• Drawers with ball bearing slides and double closing hook.
• Telescopic aluminium handle.
• Small tool holder built into upper tool box.
• Lower drawer with double ballbearing slide

• Recommended assortments: 5941VU/M, 5940/SBK and 5915VU/5
* Colours available on request

C41H-O

C41H-W C41H-Y C41H-R C41H-V C41H-B C41H-G C41H-N

21 kg

		£		
C41H-O	RAL 2011	722.00	1	041000002
C41H-N	RAL 9005	722.00	1	041000005
C41H-B	RAL 5002	722.00	1	041000006
C41H-R	RAL 3000	722.00	1	041000008
C41H-G	RAL 7016	722.00	1	041000010
C41H-Y	RAL 1023	722.00	1	041000012
C41H-W	RAL 9016	722.00	1	041000021
C41H-V	RAL 6016	722.00	1	041000024





C41H/CE

tool chest
with removable partitions for small tools,
made from plastic material

1,3 kg

	£		
C41H/CE	43.00	1	041000916

C42H

three-module tool trolley

Main features:
• Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
• 3 detachable modules:
1 upper tool box, 220 mm high
1 central tool module, 180 mm high.
1 lower tool module with castors, 330 mm high.
• Oversized castors (ø 160 mm).
• Telescopic handle, can be adjusted in 3 positions
• Quick module release system: easy, quick access to all tool compartments.
• Upper tool box with interior object compartment and 3 tool trays built into cover.
• Can be used with 2 modules.

Recommended assortments: 5940/SBK and 5915VU/5

14 kg



	£		
C42H	541.00	1	042000002



CX49-G

multi-purpose trolley

can be used as a mobile workstation for diagnostic tools, laptops, testers and battery chargers.

Specifications:
- Painted sheet metal frame: unparalleled firmness and sturdiness
- Ergonomic handle
- 2-level top
- Pull-out drawer for housing a mini keyboard
- 2 central shelves with adjustable position and 1 fixed low shelf
- 4 useful side cable reels made of plastic - 2 useful side containers
- 2 fixed rear castors Ø 160 mm
- 2 steering front castors Ø 100 mm (one with brake)
- Weight: 43 kg

	£		
CX49-G	921.00	1	049000102

CA49-G

multi-purpose trolley with door

can be used as a mobile workstation for diagnostic tools, laptops, testers and battery chargers.

Specifications:
- Painted sheet metal frame: unparalleled firmness and sturdiness
- Ergonomic handle
- 2-level top
- Pull-out drawer for housing a mini keyboard
- 1 shelf with adjustable position, 1 fixed shelf and door
- 4 useful side cable reels made of plastic
- 2 useful side containers
- 2 fixed rear castors Ø 160 mm
- 2 steering front castors Ø 100 mm (one with frame)
- Weight: 36.5 kg

	£		
CA49-G	1046.00	1	049000112

4900-COVER C49

nylon cover for multi-purpose tool trolley item C49

	£		
4900-COVER C49	42.50	1	049000930

C48M

electric platform cart, with panels

Compact dimensions and versatile use make the C48M platform cart the ideal solution for handling heavy loads (boxes, containers, bulky objects, parts of equipment) in the power-assisted mode in complete safety, including in hardly accessible areas and in work environments which cannot be accessed via conventional forklift trucks.
This results in significantly reduced hazards for operators - e.g. musculoskeletal disorders caused by manual handling of loads.

Motorized platform, with 24V - 400W motor with 2x12V 33Ah battery supply and Curtis control card.
Loading floor made from sturdy steel, coated with non-slip rubber, with round tubular panels preventing objects from falling during transport.
The panels can be removed, to cater to individual transportation requirements.

The control console is equipped with the following:
• ignition key
• speed adjusting knob
• side butterfly handles for traction control
• intermittent beep, which is activated when moving in reverse
• battery charge indicator
• electric brake cut-out button
• emergency mushroom head button.

Fitted with 2 pneumatic traction wheels (Ø 260 mm) and 2 swivelling rubber wheels (Ø 150mm), electromagnetic brake and differential gear.
Supplied with an external battery charger, 220V/50Hz - V/A 24/12

FUNCTIONAL SPECIFICATIONS
Carrying capacity: 400 kg
Driving speed: 4-6 km/h (adjustable)
Battery life: 4 hours
Maximum permitted slope with a full load: 6%
Maximum permitted slope with 100 kg load: 18%

Safety devices:
Electronic brake
Buzzer
Anti-crushing guard
Battery charge indicator
Curtis control cart

TECHNICAL SPECIFICATIONS
Overall dimensions: 1280x630x1100h mm
Useful dimensions of loading platform with panels: 1150x570 mm
Useful dimensions of loading platform without panels: 1260x620 mm
Height of loading platform from floor: 320 mm
Height of battery compartment from floor: 65 mm
Weight with batteries: 140 kg

140 kg

	£		
C48M	3920.00	1	048000230

C48P

folding tool trolley

Main features:
• Loading platform made of reinforced polypropylene (PP), with non-slip coating and TPV inserts for corner protection
• Retractable handle for quick, compact storage
• Four non-marking castors, Ø 125 mm: 2 fixed and 2 steering with brakes
• Maximum capacity: 300 kg.
• Loading platform working width: 705 mm
• Loading platform depth: 480 mm
• Loading platform height: 200 mm

11 kg

	£		
C48P	304.00	1	048000030

C51
trolley

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm:
  2 fixed and 2 steering (1 with brake)
- Static load capacity: 200 kg (distributed between3 shelves)

21 kg



		£		
C51 O	RAL 2011	**361.00**	1	051000001
C51 G	RAL 7016	**361.00**	1	051000002
C51 R	RAL 3000	**361.00**	1	051000003

RSC51
service tool trolley with 3 drawers

Main features:
- ABS reinforced worktop, solid and sturdy
- Multipurpose top with anti-fall edges and 8 holes for accommodating screwdrivers
- 3 drawers (588x367 mm) with ball bearing slides, 70 mm high
- Drawer bases protected by foamed rubber mats
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized safety lock
- Convenient side screwdriver holder included
- Two built-in side spray can holders
- Large lower shelf protected by an anti-oil and anti-petrol rubber mat
- 4 castors, Ø 125 mm: 2 fixed castors and 2 swivel castors (one with brake)

- Static load capacity: 400 kg
- Capacity of each drawer: 15 kg, evenly distributed

38 kg

		£		
RSC51-FO	RAL 2011	**685.00**	1	051000300
RSC51-R	RAL 3000	**685.00**	1	051000303
RSC51-A	RAL 7016	**685.00**	1	051000307

2400 RSC24/MP

folding shelf for items RSC24, RSC24A, RSC24AXLP/7, RSC51



- For use as additional worktop
- Worktop dimensions: 390x440 mm, protected by an anti-oil and anti-petrol rubber mat
- Load capacity: 20 kg

3,4 kg

	£		
2400 RSC24/MP	**120.00**	1	024004900

CP51

high-grade trolley

- 2 tops covered with rubber mats
- Ergonomic handle
- Four high-grade castors Ø 125 mm: 2 fixed and 2 steering with brake
- Static load capacity: 750 kg (shared by 2 tops)

37 kg



		£		
CP51 O	RAL 2011	**475.00**	1	051000501
CP51 G	RAL 7016	**475.00**	1	051000502
CP51 R	RAL 3000	**475.00**	1	051000503

CB52

gearbox/transmission trolley
with liquid recovery system

Inclined plane and drain holes
allow liquids to be recovered in collection tank

Fitted with:
- 4 swivel castors, including 2 with brakes
- Tool drawer
- Pull-out liquid collection tank; capacity: 7 l
- 2 shelves

Features:
- Dimensions: 1200x640x870 mm
- Weight: 60 kg

60 kg



		£		
CB52-O		**921.00**	1	052000201

C56P O

folding workbench

Compact and easy to carry.
Worktop (800x500mm, 30 mm thick) made of MDF and galvanized sheet iron, for use on both sides.
Handle with rubber cover, for easy transportation.
Feet with nonslip cover.
Static load capacity: 250 kg

25 kg

	£		
C56P O	556.00	1	056000011

C56PL O

folding workbench, Light version

Lightweight, compact, easy to carry.
Worktop (800x500mm) made galvanized sheet iron, for use on one side, protected by an anti-oil and anti-petrol rubber cover.
Handle with rubber cover, for easy transportation.
Feet with nonslip cover.
Static load capacity: 200 kg

18,5 kg



	£		
C56PL O	488.00	1	056000021

C54S

Cargo tool cabinets

These tool cabinets are designed according to detailed research and offer accurate, comfortable and rational solutions for end users.
Two perforated panels attached to the doors may be opened giving access to additional storage space.

Main features:
- 1 drawer, with slides.
- Easy tool layout according to users' needs.
- Easy wall mounting by means of two slots located at the back of the cabinet .
- Safety lock for both drawers and doors.
- Empty thermoformed tray for 1/2" sockets and accessories

C54S-O

37 kg



		£		
C54S-O	RAL 2011	853.00	1	054000301



C57SA

MasterCargo workbench

• Model with tool storage board
(C57P) and one drawer cabinet.

Drawer cabinet: five drawers,
588x367 mm, 3 90 mm high
1 180 mm and 1 280 mm high,
with ball bearing slides.
Can accommodate thermoformed trays.
Centralized lock.

Panel tool holder with holes on back
for wall mounting.
Vertically operated aluminium shutter, with lock.
Three removable perforated panels
for supporting tools.

Multi-ply worktop,
coated in plastic laminate with three holes
for vice item
1599F/150 - 1599GI/150, to be ordered separately.

205 kg

C57S/A-G

C57S/A-R



h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg

		£		
C57S/A-O	RAL 2011	5550.00	1	057001005
C57S/A-G	RAL 7016	5550.00	1	057001205
C57S/A-R	RAL 3000	5550.00	1	057001405

C57SD

MasterCargo workbench

• Model with one drawer cabinet

Drawer cabinet: five drawers,
588x367 mm, 3 90 mm high
1 180 mm and 1 280 mm high,
with ball bearing slides.
Can accommodate thermoformed trays.
Centralized lock.

Multi-ply worktop,
coated in plastic laminate with three holes
for vice item 1599F/150 - 1599GI/150, to be ordered separately.

158 kg

h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg

C57S/D-G

C57S/D-R

		£		
C57S/D-O	RAL 2011	4080.00	1	057001004
C57S/D-G	RAL 7016	4080.00	1	057001204
C57S/D-R	RAL 3000	4080.00	1	057001404

C57SB

MasterCargo workbench

• Model with tool storage board
(C57P) and two drawer cabinets.

Drawer cabinet: five drawers,
588x367 mm, 3 90 mm high
1 180 mm and 1 280 mm high,
with ball bearing slides.
Can accommodate thermoformed trays
Centralized lock.

Panel tool holder with holes on back
for wall mounting.
Vertically operated aluminium shutter,
with lock.
Three removable perforated panels
for supporting tools.

Multi-ply wood worktop,
coated in plastic laminate with three holes
for vice item
1599F/150 - 1599GI/150, to be ordered separately.

243 kg

C57S/B-O

C57S/B-G

C57S/B-R

h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg



		£		
C57S/B-O	RAL 2011	6970.00	1	057001006
C57S/B-G	RAL 7016	6970.00	1	057001206
C57S/B-R	RAL 3000	6970.00	1	057001406

C57SC

MasterCargo workbench

• Model with two drawer cabinets.

Drawer cabinet: five drawers,
588x367 mm, 3 90 mm high
1 180 mm and 1 280 mm high,
with ball bearing slides.
Can accommodate thermoformed trays.
Centralized lock.

Multi-ply wood worktop,
coated in plastic laminate with three holes
for vice item 1599F/150 - 1599GI/150, to be ordered separately.

196 kg

C57S/C-O

h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg

C57S/C-G

C57S/C-R

		£		
C57S/C-O	RAL 2011	5500.00	1	057001003
C57S/C-G	RAL 7016	5500.00	1	057001203
C57S/C-R	RAL 3000	5500.00	1	057001403

C57SP
panel tool holder

Panel tool holder with two holes on back for wall mounting.
Aluminium shutter, vertically adjustable, with lock.
Three removable perforated panels for tool holding.

46 kg

C57SP G

C57SP R

		£		
C57SP-O	RAL 2011	1475.00	1	057001020
C57SP-G	RAL 7016	1475.00	1	057001220
C57SP-R	RAL 3000	1475.00	1	057001420

5700LAMP
MasterCargo workbench lamp

- Sturdy sheet metal frame comprising four elements; provided with screws for assembling the lamp.
- Lamp holder with 1120-Lumen LED strip, 4000K, 14W.
- Power supply 230V.
- Provided without wire.

9 kg

	£		
5700LAMP	400.00	1	057000005

C58P
panel tool holder

- Security locked shutter made of painted aluminium.
- Two removable perforated panels for tool holding.

46,8 kg

C58P-G

C58P-R

		£		
C58P-O	RAL 2011	1118.00	1	058000221
C58P-G	RAL 7016	1118.00	1	058000222
C58P-R	RAL 3000	1118.00	1	058000223

PV
wall tool panel

	LxA mm		£		
PV1	1000x920	10,2	242.50	1	088880010
PV1,5	1500x920	14,2	323.00	1	088880015

C56W

workbench with wood top

• Multi-ply wood worktop with holes for a vice (1599F/125 - 1599GI/125, to be ordered separately).
• Steel frame with 6 supporting legs
• Static load capacity: 1,200 kg
• Matches panel tool holder C57P; cannot be fixed to worktop.
• Two drawers with locks.
• Can be fixed to floor.

86 kg

		£		
C56W-O	RAL 2011	**1520.00**	1	056000251
C56W-G	RAL 7016	**1520.00**	1	056000252
C56W-R	RAL 3000	**1520.00**	1	056000253

C56B

workbench with wood top

Main features:
• Multi-ply wood worktop with holes for a vice (1599F/125 - 1599GI/125, to be ordered separately).
• Steel frame with 4 supporting legs.
• Static load capacity: 800 kg.
• Lower object shelf.
• Can be fixed to floor.

54,5 kg

		£		
C56B-O	RAL 2011	**859.00**	1	056000401
C56B-G	RAL 7016	**859.00**	1	056000402
C56B-R	RAL 3000	**859.00**	1	056000403

C56

workbench

• Worktop made of painted sheet metal with external edge
• Steel frame with 6 supporting legs
• Static load capacity: 1200 kg
• Matches panel toolholder C57P; cannot be fixed to worktop
• Two drawers with lock
• Can be fixed to floor

82 kg

		£		
C56-O	RAL 2011	**1220.00**	1	056000201
C56-G	RAL 7016	**1220.00**	1	056000202
C56-R	RAL 3000	**1220.00**	1	056000203

C56M

workbench

• Worktop made from both slip-proof aluminium sheet and rubber mat.
• Load capacity: kg.800.
• Can match panel toolholder C57P.
• Three drawers with lock.
• Can be fixed to the floor.

95 kg



		£		
C56M O	RAL 2011	**1765.00**	1	056000050
C56M G	RAL 7016	**1765.00**	1	056000053
C56M R	RAL 3000	**1765.00**	1	056000054

C58B

workbench with wood top

Main features:
• Multi-ply wood worktop with holes for a vice (1599F/125 - 1599GI/125, to be ordered separately).
• Steel frame with 4 supporting legs.
• Static load capacity: 800 kg.
• Lower object shelf.
• Can be fixed to floor.

44 kg

		£		
C58B-O	RAL 2011	**790.00**	1	058000401
C58B-G	RAL 7016	**790.00**	1	058000402
C58B-R	RAL 3000	**790.00**	1	058000403

C58M

workbench

• Metal worktop fully covered with a removable antislip rubber mat.
• Lower shelf made from solid wood.
• Static load capacity: 800 kg.
• Matches panel tool holder C58P; cannot be fixed to worktop.
• 2 drawers with locks.
• Can be fixed to floor.
• Aluminium worktop C58M/PA available on request.

65 kg





		£		
C58M-O	RAL 2011	**1071.00**	1	058000300
C58M-G	RAL 7016	**1071.00**	1	058000302
C58M-R	RAL 3000	**1071.00**	1	058000303

C59A

"Endurance" workbench with 1 cab with six drawers

Main features:
• Worktop made from multi-ply wood with holes for vice item 1599F/125 - 1599GI/125 (to be ordered separately).
• 6 drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high.
• Drawers protected by foamed rubber mats.
• Hard-wearing nylon drawer front.
• Roller cabs can accommodate thermoformed trays.
• Front centralized safety lock.
• Lower object shelf.
• Can be fitted with paper roll holder (2400 RSC24/PC) and bottle holder (2400 RSC24/PF-), to be ordered separately.

115 kg



1500 kg

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg



		£		
C59A-O	RAL 2011	**2065.00**	1	059000011
C59A-A	RAL 7016	**2065.00**	1	059000031
C59A-R	RAL 3000	**2065.00**	1	059000051

C59B

"Endurance" workbench with 2 cabs with six drawers

Main features:
• Worktop made from multi-ply wood with holes for vice item 1599F/125 - 1599GI/125 (to be ordered separately).
• 12 drawers (588x367 mm) with ball bearing slides:
8 drawers, 70 mm high
2 drawers, 140 mm high
2 drawers, 280 mm high.
• Drawers protected by foamed rubber mats.
• Can accommodate thermoformed trays.
• Front centralized safety lock.
• Lower object shelf.
• Can be fitted with paper roll holder (2400 RSC24/PC) and bottle holder (2400 RSC24/PF-), to be ordered separately.

155 kg

1500 kg



h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg



		£		
C59B-O	RAL 2011	**2740.00**	1	059000012
C59B-R	RAL 3000	**2740.00**	1	059000052
C59B-A	RAL 7016	**2740.00**	1	059000032

C59C

"Endurance" workbench with 1 cab with six drawers, short model

Main features:
• Worktop made from multi-ply wood with holes for vice item 1599F/125 - 1599GI/125 (to be ordered separately).
• 6 drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high.
• Drawers protected by foamed rubber mats.
• Can accommodate thermoformed trays.
• Front centralized safety lock.
• Lower object shelf.
• Can be fitted with paper roller holder (2400 RSC24/PC) and bottle holder (2400 RSC24/PF-), to be ordered separately.



105 kg

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg



		£		
C59C-O	RAL 2011	**1880.00**	1	059000013
C59C-R	RAL 3000	**1880.00**	1	059000053
C59C-A	RAL 7016	**1880.00**	1	059000033

9562T2

workbench mat, 200x160 cm

• protects floor from oil and petrol leaks, environmentally friendly
• easy to clean, anti-skid, rubber-coated bottom

	L cm	£		
9562T2	200	**356.00**	1	095620200



WORKSHOP EQUIPMENT

Beta RSC 55

To answer the requirements of a market where the emphasis is increasingly on quality, design and customization, Beta Utensili has developed “Racing System C55”, modular garage furniture shaped on your needs, while allowing you to create a modern work environment.

Quality

Beta’s best Italian-made quality to furnish your garage

Organization

A sensibly organized workstation, synonymous with optimized work

Modularity

Modular garage fitting your spaces and requirements

Design

Refined, captivating finishes for a tidy, attractive workstation

MADE IN ITALY



Configure your workshop online
Go to **www.rsc55.com**

Your colours for your workshop!

RSC55 allows you to order the benches and tool wall system with shutter in a neutral (grey) version and customize the vertical coloured inserts by choosing from 7 different adhesive tapes.

1. Order the vertical insert in a neutral colour

2. Order the vertical insert

Choose the colour to your taste or according to your company's colours

C55

comprehensive workshop equipment combination RSC55

Comprehensive combination comprising:
- Single-door tool cabinet (C55A1)
- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Workbench with sockets (C55PRO BO/2)
- Mobile roller cab with 7 drawers (C55C7)
- Fixed module with 2 storage drawers (C55M2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)
- Tool panel with shutter (C55PS-O)

	£		
C55	22050.00	1	055000000

C55AB

workshop equipment combination

Combination comprising:
- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)

407 kg

	£		
C55AB	11180.00	1	055000020

C55PB/3

workshop equipment combination

Combination comprising:
- Workbench (C55BO/2)
- Roller cab module with 8 drawers (C55C8)
- Fixed module with 2 storage drawers (C55M2)
- Wall tool system with shutter (C55PS-O)

334 kg

	£		
C55PB/3	9630.00	1	055000035

C55PB-PRO/7

workstation for workshop equipment combination RSC55

Composed of:

C55B
Workbench with worktop (2050x700 mm) covered with a shockproof, nonscratch ABS coat resistant to oils and hydrocarbons.
Fitted with:
• Holes for a vice (1599F/150, to be ordered separately)
• Vertically adjustable feet

C55M7
Fixed module with seven drawers (588x367 mm) with ball bearing slides
• Aluminium opening system throughout length of drawer
• Drawer bases protected by foamed rubber mats
• Front centralized lock
• Can be fitted with thermoformed trays

C55MS
Fixed service module
• Built-in waste bin
• Paper roll compartment
• Storage drawer, 305x270 mm

C55/2PM + C55/PF
Tool wall system with 2 suspended cabinets
• 2 suspended cabinets, 1024x400x300 mm, with gas springs
• 2 under-cabinet panels, 1024x620x25 mm
• 2 under-cabinet perforated tool panels, 1024x620x25 mm

350 kg

	£		
C55PB-PRO/7	10600.00	1	055000065

C55PB-PRO/8

workstation for workshop equipment combination RSC55

Composed of:

C55B
Workbench with worktop (2050x700 mm) covered with a shockproof, nonscratch ABS coat resistant to oils and hydrocarbons.
Fitted with:
• Holes for a vice (1599F/150, to be ordered separately)
• Vertically adjustable feet

C55C7
Mobile roller cab with seven drawers (588x367 mm) with ball bearing slides
• 4 castors Ø 100 mm, 2 fixed and 2 steering (one with brake)
• Aluminium opening system throughout length of drawer
• Drawer bases protected by foamed rubber mats
• Front centralized lock
• Can be fitted with thermoformed trays

C55MA
Fixed two-door module
• Push-pull opening system
• With lock
• Interior shelf, vertically adjustable

C55PS
Tool wall system with shutter and framework
• Aluminium shutter, vertically adjustable, with lock
• Removable perforated tool panel

347 kg

	£		
C55PB-PRO/8	9200.00	1	055000066

C55B/2

2-m-long workbench, for workshop equipment combination

With worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Vertically adjustable feet

105 kg





	£		
C55BO/2	2620.00	1	055000101
C55BG/2	2620.00	1	055000111

C55PRO B/2

2-m-long workbench, for workshop equipment combination

With worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
Built-in sockets and hose reel:
- Schuko socket +16+10A
- EU Plug 10A
- Compressed air outlet with hose reel, Ø 8 mm, hose length: 10 m.
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Vertically adjustable feet

110 kg





	£		
C55PRO BO/2	3250.00	1	055000151
C55PRO BG/2	3250.00	1	055000171

C55B/2,8

2.8-m-long workbench, for workshop equipment combination

Worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Vertically adjustable feet

129 kg





	£		
C55BO/2,8	3270.00	1	055000261
C55BG/2,8	3270.00	1	055000281

C55PRO B/2,8

2.8-m-long workbench, for workshop equipment combination

With worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
Built-in sockets and hose reel:
- Schuko socket +16+10A
- EU Plug 10A
- Compressed air outlet with hose reel, Ø 8 mm, hose length: 10 m.
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Vertically adjustable feet

134 kg





	£		
C55PRO BO/2,8	3900.00	1	055000271
C55PRO BG/2,8	3900.00	1	055000283

C55B-D4

double 4-m-long workbench with central leg

Worktop (4100x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
- Holes for a vice 1599F/150 - 1599GI/150 (to be ordered separately)
- Vertically adjustable feet
- Double central leg with compartment and slide-away door, 350x750 mm

185 kg





	£		
C55BO/D4	5340.00	1	055000109
C55BG/D4	5340.00	1	055000119

C55PRO B-D4

double 4-m long workbench with central leg

With worktop (4100x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

Built-in sockets and cable reel:
- Schuko socket +16+10A
- EU Plug 10A
- Compressed air outlet with hose reel, Ø 8 mm, cable length: 10 m.
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Vertically adjustable feet
- Double central leg with tool compartment and door, 365x750 mm

190 kg





	£		
C55PRO-BO/D4	5970.00	1	055000159
C55PRO-BG/D4	5970.00	1	055000179

C55B/G

universal leg for workshop equipment workbench

• With vertically adjustable feet

30 kg



	£		
C55B/G	695.00	1	055000096

C55B/GAA

universal leg for workbench with built-in hose reel

• Built-in automatic hose reel for compressed air or cold water, Ø 8 mm
• Hose length: 10 m
• With vertically adjustable feet
• Front and side access

35 kg



	£		
C55B/GAA	1172.00	1	055000099

C55B/GDP

double leg for adjoining workshop equipment workbenches

Paper roll holder compartment
Compartment with door
With vertically adjustable feet

45 kg



	£		
C55B/GDP	1640.00	1	055000292

C55B/GDS

double leg for adjoining workshop equipment workbenches

Compartment with slide-away door, 365x750 mm
With vertically adjustable feet

45 kg



	£		
C55B/GDS	1485.00	1	055000291

C55B/GE

universal leg with power sockets for workshop equipment workbench

- Schuko socket+16+10A
- EU Plug +10A
- With vertically adjustable feet

30 kg



	£		
C55B/GE	846.00	1	055000097

C55B/GAE

universal leg with built-in electrical cable reel for workbench, for workshop equipment combination

- Built-in automatic cable reel with Schuko type socket.
- Cable length: 15 m
- With thermal protection switch
- With vertically adjustable feet
- Front and side access

35 kg



	£		
C55B/GAE	1260.00	1	055000094



C55/PL-1,024

1-m-long worktop for workbench extension

Painted sheet metal worktop (1024x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

21 kg

	£		
C55/PLO-1,024	590.00	1	055000130
C55/PLG-1,024	590.00	1	055000131

C55B PT/2

2-m-long worktop for workbench, for workshop equipment combination

Painted sheet metal worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
Holes for a vice (1599P/150 - 1599GI/150, to be ordered separately)

43 kg



	£		
C55BO PT/2	1230.00	1	055000106
C55BG PT/2	1230.00	1	055000116

C55B PT/2,8

2.8-m-long worktop for workbench, for workshop equipment combination

Painted sheet metal worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
Holes for a vice (1599P/150 - 1599GI/150, to be ordered separately)

61 kg

	£		
C55BO PT/2,8	1880.00	1	055000266
C55BG PT/2,8	1880.00	1	055000286

C55RB

shockproof, non-scratch PVC coat, resistant to hydrocarbons

For protecting worktop.
C55RB/2: for 2-m-long worktop
C55RB/2.8: for 2.8-m-long worktop
C55RB/0.7: for 700x700mm worktop
C55RB/1: for 1-m-long worktop

	£		
C55RB/2	198.00	1	055000195
C55RB/2,8	273.00	1	055000196
C55RB/0,7	105.00	1	055000199
C55RB/1	147.50	1	055000198

C55B/VS

lower workbench bracket, 0.8 m long

Dimensions: 800x230x60 mm

4 kg

	£		
C55B/VS	150.00	1	055000095

C55C7

mobile roller cab with seven drawers, for workshop equipment combination

7 drawers (588x367 mm), with ball bearing slides
- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays

79 kg

h	max
70 mm	30 kg
245 mm	40 kg





	£		
C55C7	2475.00	1	055000201



C55C8

roller cab module with eight drawers, for workshop equipment combination

8 drawers(588x367 mm) with ball bearing slides
- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays

81 kg

h	max
70 mm	30 kg
175 mm	40 kg





	£		
C55C8	2620.00	1	055000206

C55M2

fixed module with 2 drawers, for workshop equipment combination

2 drawers (588x367mm) with ball bearing slides
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock

66 kg

h	max
280 mm	40 kg
385 mm	40 kg





	£		
C55M2	2120.00	1	055000202

C55M4

fixed module with 4 drawers, for workshop equipment combination

4 drawers (588x367 mm) with ball bearing slides
• Aluminium opening system throughout length of drawer
• Drawer bases protected by foamed rubber mats
• Front centralized lock

75 kg

h	max
140 mm	30 kg
245 mm	40 kg





	£		
C55M4	2205.00	1	055000212

C55M7

fixed module with seven drawers, for workshop equipment combination

7 drawers (588x367 mm) with ball bearing slides
• Aluminium opening system throughout length of drawer
• Drawer bases protected by foamed rubber mats
• Front centralized lock
• Can be fitted with foam trays

78 kg

h	max
70 mm	30 kg
245 mm	40 kg





	£		
C55M7	2315.00	1	055000203

C55M8

fixed module with 8 drawers for workshop equipment combination

8 drawers (588x367 mm) with ball bearing slides
• Aluminium opening system throughout length of drawer
• Drawer bases protected by foamed rubber mats
• Front centralized lock
• Can be fitted with foam trays

78,9 kg

h	max
70 mm	30 kg
175 mm	40 kg





	£		
C55M8	2395.00	1	055000207

C55CS

fixed sorted waste collection module for workshop equipment combination

- Pull-out waste compartment (588x465) with ball bearing slides
- 2 capacious pull-out interior containers for sorting waste

62 kg





	£		
C55 CS	2090.00	1	055000208

C55MA

fixed two-door module, for workshop equipment combination

- Push Pull opening
- With lock• Interior shelf, vertically adjustable

75 kg



	£		
C55MA	1835.00	1	055000205

C55MDO

fixed oil distribution module
for workshop equipment combination

- 2 reels with 7m - 1/2" hose included
- Complete with 2 guns with digital litre counter and automatic drip catcher.
- max. flow rate: 30 l/min
- viscosity: 8÷2000 mPas

94 kg



	£		
C55MDO	3910.00	1	055000210

C55MS

fixed service module, for workshop equipment combination

- Built-in waste bin
- Perforated paper roll compartment
- Storage drawer, 305x270 mm

75 kg



	£		
C55MS	1940.00	1	055000204

C55T3

trolley

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm (two with brakes)
- Static load capacity: 200 kg (distributed between 3 shelves)

21 kg



	£		
C55T3	353.00	1	055000219

C55P/MCD

double central intermediate uprights

10 kg

	£		
C55P/MCD	184.50	1	055000257

C55P/2MDX-SX

right/left wall uprights, pair

10 kg

	£		
C55P/2MDX-SX	314.00	1	055000253

C55PM

suspended cabinet for workshop equipment combination, 1 m long

• Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

24 kg



	£		
C55PM	1132.00	1	055000302

C55PFA-1,0

self-supporting perforated panel, 1 m long, for workshop equipment combination

Perforated steel tool panel (1024x1020x25 mm)

11 kg

	£		
C55PFA-1,0	396.00	1	055000316

C55/PF

perforated under-cabinet panel for workshop equipment combination, 1 m long

• Perforated tool panel (1024x600 mm)

6 kg

	£		
C55/PF	260.00	1	055000307

C55PT1,0X0,6

under-cabinet panel, 1 m long

Dimensions: 1024x620x25 mm

8 kg

	£		
C55PT1,0X0,6	219.00	1	055000314

C55PTE-1,0

under-cabinet panel, 1 m long

Dimensions: 1024x620x25 mm
Accommodates 2 power sockets (not included)

8 kg

	£		
C55PTE-1,0	266.00	1	055000319

C55/2PM

tool wall system with 2 suspended cabinets, for workshop equipment combination

- 2 suspended cabinets,1024x400x300 mm, fitted with gas springs, making it easier to open and close doors.
- Wall panel, 2050x620 mm; can accommodate perforated tool panels C55/PF (to be ordered separately)
- Supplied with framework
- Matches 2-m-long workbench

80 kg



	£		
C55/2PM	3200.00	1	055000301

C55PFA-0,8

self-supporting perforated panel, 0.8 m long, for workshop equipment combination

Perforated steel tool panel (800x1020x25 mm)

10 kg

	£		
C55PFA-0,8	369.00	1	055000315

C55PM/M0,8

suspended cupboard, 0.8 m long, for workshop equipment combination

Dimensions: 800x400x300 mm; fitted with gas springs making it easier to open and close door

19 kg



	£		
C55PM/M0,8	1104.00	1	055000312

C55PTE-0,8

under-cabinet panel, 0.8 m long

Dimensions: 800x620x25 mm
Accommodates 1 power socket (not included)

6 kg

	£		
C55PTE-0,8	238.50	1	055000318

C55PT0,8X0,6

under-cabinet panel, 0.8 m long

Dimensions: 800x620x25 mm

7,8 kg

	£		
C55PT0,8X0,6	198.00	1	055000313

C55/1PF

perforated tool panel, for workshop equipment combination

• Perforated tool panel (800x600 mm)

5 kg

	£		
C55/1PF	157.50	1	055000309

C55PS

tool wall system with shutter, for workshop equipment combination

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Matches 2-m-long workbench

88 kg



	£		
C55PS-O	2270.00	1	055000250
C55PS-G	2270.00	1	055000255

C55PSE

tool wall system with shutter
accommodating 2 power sockets

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Accommodates power sockets
- Matches 2-m-long workbench

88 kg





	£		
C55PSE-O	2285.00	1	055000258
C55PSE-G	2285.00	1	055000260

C55AE

profile, 2 m long, accommodating power sockets

Dimensions: 2050x25x90mm
Accommodates 2 power sockets

1,5 kg

	£		
C55AE	204.50	1	055000325

C55AC

self-supporting complete corner

Worktop (700x700 mm) with legs
2 upper tool wall systems complete with 2 fixing shelves (665x150 mm)

66 kg



	£		
C55AC-O	2820.00	1	055000360
C55AC-G	2820.00	1	055000380

C55KAI

corner worktop for workshop equipment combination

• Painted sheet metal worktop (700x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

32 kg

	£		
C55KAI-O	1625.00	1	055000365
C55KAI-G	1625.00	1	055000385

C55KAS

upper corner with tool wall systems

• Perforated tool wall systems (700x1020x25 mm)
• 2 fixing shelves (665x150 mm)

24 kg

	£		
C55KAS	1199.00	1	055000370

C55MP

steel corner wall shelves

Dimensions: 700x160x80 mm

	£		
C55MP	170.50	1	055000374

C55B/1

workbench, 1 m long, for workshop equipment combination, with fixed module C55M7

Worktop (1024x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
- Universal leg with vertically adjustable feet

1 fixed module:
7 drawers (588x367 mm) with ball bearing slides
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock

127 kg



h	max
70 mm	30 kg
245 mm	40 kg





	£		
C55BO/1	3600.00	1	055000090
C55BG/1	3600.00	1	055000091



C55A1

sheet metal single-door tool cabinet, for workshop equipment combination

- 3 removable, vertically adjustable shelves
- convenient folding clothes rail under first shelf
- with lock
- usable interior dimensions: 1770x420x420 mm

50 kg





		£		
C55A1		889.00	1	055000411

C55A1/R42

interior shelf for tool cabinet C55A1/C55AT1

2,4 kg

		£		
C55A1/R42	497x403 mm	37.50	1	055000461

C55 A1/RB42

interior shelf for tool cabinet C55A1/C55AT1, with clothes rail

2,5 kg

		£		
C55 A1/RB42	497x403 mm	47.50	1	055000463

C55A2

sheet metal two-door tool cabinet, for workshop equipment combination

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1798x797x403 mm

72 kg



		£		
C55A2		1099.00	1	055000412

C55A2/R70

interior shelf for tool cabinet C55A2/C55AT2

3,5 kg

		£		
C55A2/R70	700x420 mm	61.50	1	055000462



C55AT1

sheet metal tool cabinet with clear polycarbonate door, for workshop equipment combination

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1798x497x403 mm

41 kg



	£		
C55AT1	967.00	1	055000421

C55AT2

sheet metal tool cabinet with two clear polycarbonate doors, for workshop equipment combination

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1798x797x403 mm

56 kg



	£		
C55AT2	1275.00	1	055000422

C55STR

adhesive tape 25 m

allows to tailor the vertical tapes of garage furniture item C55

		£		
C55STR-O/2011		78.50	1	055000901
C55STR-R/3000		78.50	1	055000903
C55STR-V/6029		78.50	1	055000906
C55STR-W/9016		78.50	1	055000907
C55STR-Y/1023		78.50	1	055000905
C55STR-B/5015		78.50	1	055000904
C55STR-GO/1035		78.50	1	055000909
C55STR-S/9006		78.50	1	055000902

WORKSHOP EQUIPMENT

We at Beta keep investing in Italian-made production and are proud to

THE NEW WORKSHOP EQUIPMENT RANGE

Based on the expertise acquired with the two existing workshop equipment ranges, RSC55 and C45PRO, which allowed us to listen to and fully understand professional users' requirements, the project for the new range, RSC50, relies on the following pivotal concepts:

Quality

Our acclaimed care in choosing the materials, painstaking attention for detail and, last but not least, the captivating design make the RSC50 a one-of-a-kind workshop equipment range.

Flexibility

Each workshop equipment combination can be extended or modified at any time as required.

Compatibility

The drawers in Beta's standard dimensions (588x367 mm) can accommodate the numerous tool modules, which are available in both soft and hard versions, made from EVA and ABS respectively.

Efficiency

Simple, quick installation, based on the optimized production of the various parts of the range.

Functionality And Sturdiness

Il piano di lavoro in lamiera verniciata, con rivestimento protettivo in PVC, è profondo 63 cm per garantire di avere una superficie di lavoro ampia, comoda e funzionale. La predisposizione al montaggio di una morsa lo rende adatto anche per gli impieghi più gravosi.avere una superficie di lavoro ampia, comoda e funzionale. La predisposizione al montaggio di una morsa lo rende adatto anche per gli impieghi più gravosi.

MADE IN ITALY

Configure your workshop in 3D online on **www.beta-tools.com/rsc50**

The new workshop equipment range, RSC50, comprises preassembled combinations, developed by Beta for professionals; alternatively, you can design your workplace on your own, choosing from many under-bench modules, wall-mounted cabinets and furnishing accessories.

The customized colours of the drawer handles and lights under the worktops and wall-mounted cabinets result in unique workshop equipment, thus making the RSC50 an ideal choice for those who prioritize working in a functional, efficient environment.

RSC50 I

workshop equipment combination RSC50

Combination comprising:
- 1 2.240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 1.495-mm-long worktop (RSC50 PG/2-1,5MT)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 self-supporting complete corner (RSC50 AC-G)
- 1 fixed module with 5 drawers (RSC50 M5)
- 1 fixed two-door module (RSC50 MA)
- 5 wall-mounted cabinets (RSC50 PM)
- 5 upper perforated tool panels (RSC50 PFS)
- 5 lower perforated tool panels (RSC50 PFI)
- 5 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 2 single-door cabinets (RSC50 A1)



625 kg

	£		
RSC50 I	21970.00	1	050001045

RSC50 L

workshop equipment combination RSC50

Combination comprising:
- 1 2.240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 750-mm-long worktop (RSC50 PG/1-0,7MT)
- 1 fixed service module (RSC50 MS-2AVV) with compressed air hose reel item 1900S 8x10 and cable reel item 1844 15-H05/SCK (included)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 self-supporting complete corner (RSC50 AC-G)
- 1 fixed two-door module (RSC50 MA)
- 1 tool wall system with aluminium shutter and framework (RSC50 PS)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 2 single-door tool cabinets (RSC50 A1)



541 kg

	£		
RSC50 L	19160.00	1	050001050

RSC50

comprehensive workshop equipment combination RSC50

Comprehensive combination comprising:
- 1 single-door tool cabinet (RSC50 A1)
- 1 750-mm-long worktop (RSC50 PG/1-0,7MT)
- 1 2.240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 4 drawers (RSC50 M4)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed service module (RSC50 MS-AVV) with compressed air hose reel item 1900S 8x10 (included)
- 1 tool wall system with aluminium shutter and framework (RSC50 PS)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 two-door tool cabinet (RSC50 A2)

534 kg

	£		
RSC50	17410.00	1	050001000

RSC50 H

workshop equipment combination RSC50

Combination comprising:
- 1 2.240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed module with built-in sink (RSC50 ML)
- 4 wall-mounted cabinets (RSC50 PM)
- 4 upper perforated tool panels (RSC50 PFS)
- 4 lower perforated tool panels (RSC50 PFI)
- 4 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 single-door tool cabinet (RSC50 A1)



417 kg

	£		
RSC50 H	15210.00	1	050001040

RSC50 G

workshop equipment combination RSC50

Combination comprising:
- 1 2.240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 fixed service module (RSC50 MS-2AVV) with compressed air hose reel item 1900S 8x10 and cable reel item 1844 15-H05/SCK (included)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 4 drawers (RSC50 M4)
- 3 wall-mounted cabinets (RSC50 PM)
- 3 upper perforated tool panels (RSC50 PFS)
- 3 lower perforated tool panels (RSC50 PFI)
- 3 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 two-door tool cabinet (RSC50 A2)



356 kg

	£		
RSC50 G	12930.00	1	050001035

RSC50 F

workshop equipment combination RSC50

Combination comprising:
- 1 2.240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 3 wall-mounted cabinets (RSC50 PM)
- 3 upper perforated tool panels (RSC50 PFS)
- 3 lower perforated tool panels (RSC50 PFI)
- 3 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 two-door tool cabinet (RSC50 A2)

361 kg



	£		
RSC50 F	12560.00	1	050001030

RSC50 E

workshop equipment combination RSC50

Combination comprising:
- 1 2.240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed two-door module (RSC50 MA)
- 3 wall-mounted cabinets (RSC50 PM)
- 3 upper perforated tool panels (RSC50 PFS)
- 3 lower perforated tool panels (RSC50 PFI)
- 3 pairs of right/left uprights (RSC50 P/2MDX-SX)

266 kg



	£		
RSC50 E	10240.00	1	050001025

RSC50 D

workshop equipment combination RSC50

Combination comprising:
- 1 1.495-mm-long worktop (RSC50 PG/2-1,5MT)
- 1 fixed module with 5 drawers (RSC50 M5)
- 1 fixed two-door module (RSC50 MA)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 single-door tool cabinet (RSC50 A1)

230 kg



	£		
RSC50 D	7900.00	1	050001020

RSC50 C

workshop equipment combination RSC50

Combination comprising:
- 1 1.495-mm-long worktop (RSC50 PG/2-1,5MT)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 fixed module with 7 drawers (RSC50 M7)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tools panels (RSC50 PFS)
- 2 lower perforated tools panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 single-door tool cabinet (RSC50 A1)

258 kg



	£		
RSC50 C	8270.00	1	050001015

RSC50 B

workshop equipment combination RSC50

Combination comprising:
- 1 1.495-mm-long worktop (RSC50 PG/2-1,5MT)
- 1 fixed two-door module (RSC50 MA)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 tool wall system with aluminium shutter and framework (RSC50 PS)

188 kg

	£		
RSC50 B	7090.00	1	050001010

RSC50 A

workshop equipment combination RSC50

Combination comprising:
- 1 1.495-mm-long worktop (RSC50 PG/2-1,5MT)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)

192 kg



	£		
RSC50 A	7230.00	1	050001005

RSC50 P/1-0,7MT

0.75-m-long worktop, for workshop equipment combination RSC50



Painted sheet metal worktop, 750x630 mm, covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons.
Supplied complete with two exterior side pads.

Holes for a vice (1599P/125, to be ordered separately) on both sides.
Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light under-workbench modules.

12,4 kg

	£		
RSC50 PG/1-0,7MT	562.00	1	050001107
RSC50 PA/1-0,7MT	562.00	1	050001108

RSC50 P/2-1,5MT

1.5-m-long worktop, for workshop equipment combination RSC50



Painted sheet metal worktop, 1.495x630 mm, covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons.
Supplied complete with two exterior side pads.

Holes for a vice (1599P/125, to be ordered separately) on both sides.
Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light under-workbench modules.

24,5 kg

	£		
RSC50 PG/2-1,4MT	851.00	1	050001114
RSC50 PA/2-1,4MT	851.00	1	050001115

RSC50 P/3-2,2MT

2.2-m-long worktop, for workshop equipment combination RSC50



Painted sheet metal worktop, 2.240x630 mm, covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons.
Supplied complete with two exterior side pads.

Holes for a vice (1599P/125, to be ordered separately) on both sides.
Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light under-workbench modules.

36,5 kg

	£		
RSC50 PG/3-2,2MT	1036.00	1	050001122
RSC50 PA/3-2,2MT	1036.00	1	050001123

RSC50 RB

shockproof, non-scratch PVC coat, resistant to hydrocarbons

A must-have for protecting worktops.

RSC50 RB/0,63: for corner worktop, 630x630 mm
RSC50 RB/0,75: for 750-mm-long worktop
RSC50 RB/1,5: for 1.495-mm-long worktop
RSC50 RB/2,2: for 2.240-mm-long worktop

	£		
RSC50 RB/0,63	**61.00**	1	050001140
RSC50 RB/0,75	**73.00**	1	050001141
RSC50 RB/1,5	**146.00**	1	050001142
RSC50 RB/2,2	**218.50**	1	050001143

RSC50 C5

mobile roller cab with 5 drawers, for workshop equipment combination RSC50

- 5 drawers (588x367 mm) with ball bearing slides
- 4 swivel castors, Ø 100 mm (2 with brakes)
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- Handles built into frame for improved ease of handling
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

51,4 kg

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg





	£		
RSC50 C5	**2140.00**	1	050001205

RSC50 C7

mobile roller cab with 7 drawers, for workshop equipment combination RSC50

- 7 drawers (588x367 mm) with ball bearing slides
- 4 swivel castors, Ø 100 mm (2 with brakes)
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- Handles built into frame for improved ease of handling
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

56,3 kg

h	max
70 mm	25 kg
280 mm	35 kg





	£		
RSC50 C7	**2240.00**	1	050001207

RSC50 C8

mobile roller cab with 8 drawers, for workshop equipment combination RSC50

- 8 drawers (588x367 mm) with ball bearing slides
- 4 swivel castors, Ø 100 mm (2 with brakes)
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- Handles built into frame for improved ease of handling
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

59 kg

h	max
70 mm	25 kg
140 mm	30 kg





	£		
RSC50 C8	2290.00	1	050001208

RSC50 M4

fixed module with 4 drawers, for workshop equipment combination RSC50

- 4 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

44,5 kg

h	max
140 mm	30 kg
280 mm	35 kg





	£		
RSC50 M4	1820.00	1	050001224

RSC50 M5

fixed module with 5 drawers, for workshop equipment combination RSC50

- 5 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

47 kg

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg





	£		
RSC50 M5	1865.00	1	050001225

RSC50 M7

fixed module with 7 drawers, for workshop equipment combination RSC50

- 7 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

h	max
70 mm	25 kg
280 mm	35 kg





52 kg

	£		
RSC50 M7	1960.00	1	050001227

RSC50 M8

fixed module with 8 drawers, for workshop equipment combination RSC50

- 8 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

h	max
70 mm	25 kg
140 mm	30 kg





53,2 kg

	£		
RSC50 M8	2015.00	1	050001228

RSC50 M10

fixed module with 10 drawers, for workshop equipment combination RSC50

- 10 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays

h	max
70 mm	25 kg





58,2 kg

	£		
RSC50 M10	1970.00	1	050001230

RSC50 MS-2C

fixed service module, for workshop equipment combination RSC50

- Built-in waste bin
- Paper roll compartment
- Two drawers, 310x370 mm, 180 mm high, with ball bearing slides (interior dimensions)
- With vertically adjustable feet

57 kg



	£		
RSC50 MS-2C	1790.00	1	050001243

RSC50 MS-AVV

fixed service module, for workshop equipment combination RSC50, empty

Can accommodate one reel, to be chosen from the following models:
- compressed air hose reel item 1900S 8x10
- cable reels items 1843 15-H05, 1844 10-H05, 1844 15-H05, 1844 15-H07, 1844 15-H05/SCK, 1844 15-H07/SCK, 1845 12-H05, 1846 10-H05, 1846 10-H07 and 1846 15-H05

- Built-in waste bin
- Paper roll compartment
- With vertically adjustable feet

41,5 kg



	£		
RSC50 MS-AVV	1705.00	1	050001241

RSC50 MS-2AVV

fixed service module, for workshop equipment combination RSC50, empty

Can accommodate two reels, to be chosen from the following models:
- compressed air hose reel item 1900S 8x10
- cable reels items 1843 15-H05, 1844 10-H05, 1844 15-H05, 1844 15-H07, 1844 15-H05/SCK, 1844 15-H07/SCK, 1845 12-H05, 1846 10-H05, 1846 10-H07 and 1846 15-H05

- Built-in waste bin
- Paper roll compartment
- With vertically adjustable feet

41,7 kg



	£		
RSC50 MS-2AVV	1755.00	1	050001242

RSC50 MA

fixed two-door module, for workshop equipment combination RSC50

- With lock
- Vertically adjustable interior shelf
- Interior dimensions: 615x435x740 mm
- With vertically adjustable feet

34 kg



	£		
RSC50 MA	1520.00	1	050001222

RSC50 CS

fixed sorted waste collection module, for workshop equipment combination RSC50

- Pull-out waste compartment (588x355x580 mm) with ball bearing slides • 2 capacious pull-out interior containers for sorting waste
- With vertically adjustable feet

36 kg



	£		
RSC50 CS	1755.00	1	050001245

RSC50 ML

fixed module with built-in sink, for workshop equipment combination RSC50

Specifications:
- Stainless steel basin
- Supplied complete with:
  1 mixer tap
  1 drain unit
  1 sink stopper
  1 filter cap
  1 soap dispenser

Fixed two-door module with lock:
- Useful interior dimensions: 615x435x575 mm
- With vertically adjustable feet

33,5 kg



	£		
RSC50 ML	1895.00	1	050001244

RSC50 MDO

fixed oil distribution module, for workshop equipment combination RSC50

- 2 reels with 7m - 1/2" hose included
- Complete with 2 guns with digital litre counter and automatic drip.
  - max. flow rate: 30 l/min
  - viscosity: 8÷2000 mPas
- With vertically adjustable feet

74 kg



	£		
RSC50 MDO	3520.00	1	050001250

RSC50 T3

3-tier tool trolley, for workshop equipment combination RSC50

- Four swivel castors, Ø 100 mm (two with brakes)
- Static load capacity: 200 kg (distributed over 3 shelves)

22,3 kg



	£		
RSC50 T3	366.00	1	050001253



RSC50 KPF

kit of perforated tool panels, for workshop equipment combination RSC50, composed of:

Composed of:
• One upper perforated tool panel, 650x400x25 mm
• One lower perforated tool panel, 650x625x25 mm, can accommodate a 19" rack multi-socket (not included)
• One pair of right/left uprights

14,8 kg



	£		
RSC50 KPF	659.00	1	050001310

RSC50 PFS

upper perforated tool panel, for workshop equipment combination RSC50

• Dimensions: 650x400x25 mm

2,5 kg



	£		
RSC50 PFS	187.50	1	050001312

RSC50 PFI

lower perforated tool panel, for workshop equipment combination RSC50

• Dimensions: 650x625x25 mm
• Can accommodate a 19" rack multi-socket (not included)

3,8 kg

	£		
RSC50 PFI	214.50	1	050001313

RSC50 P/2MDX-SX

pair of right/left uprights, for workshop equipment combination RSC50

8,5 kg



	£		
RSC50 P/2MDX-SX	257.00	1	050001352

RSC50 PM

wall-mounted cabinet, for workshop equipment combination RSC50

- Dimensions: 740x300x400 mm
- Fitted with gas springs, making it easier to open and close door
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath and/or interior of suspended cabinet.

14 kg

30 kg



	£		
RSC50 PM	653.00	1	050001302

RSC50 MTP

triangular shelf, for workshop equipment combination RSC50

- Dimensions: 740x300x400 mm
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath

6,5 kg

10 kg

	£		
RSC50 MTP	333.00	1	050001305



RSC50 PS

tool wall system with shutter, for workshop equipment combination RSC50

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panels
- Supplied with framework

77 kg

	£		
RSC50 PS	2760.00	1	050001360

RSC50 AC

self-supporting complete corner, for workshop equipment combination RSC50

- Painted sheet metal worktop, 630x630x30 mm, covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
- Two lower perforated tool panels, 650x625x25 mm, can accommodate a 19" rack multi-socket (not included)
- Two upper perforated tool panels, 650x400x25 mm
- Supplied complete with framework

41 kg

RSC50 AC-A

RSC50 AC-G

	£		
RSC50 AC-G	2230.00	1	050001330
RSC50 AC-A	2230.00	1	050001329

RSC50 KAI

lower corner element, 630x630 mm

- Painted sheet metal worktop (630x630 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

16 kg

RSC50 KAI-A



RSC50 KAI-G

	£		
RSC50 KAI-G	1320.00	1	050001335
RSC50 KAI-A	1320.00	1	050001336

RSC50 A1

sheet metal single-door tool cabinet, for workshop equipment combination RSC50

- 4 removable, vertically adjustable shelves
- convenient folding clothes rail under first shelf
- with lock
- interior dimensions: 590x615 mm
- with vertically adjustable feet

66 kg



		£		
RSC50 A1		1044.00	1	050001411

RSC50 A1/R59

interior shelf for tool cabinet RSC50 A1

		£		
RSC50 A1/R59	605x596 mm	60.50	1	050001913

RSC50 A1/RB59

interior shelf for tool cabinet RSC50 A1, with clothes rail

		£		
RSC50 A1/RB59	605x596 mm	71.50	1	050001914

RSC50 A2

sheet metal two-door tool cabinet, for workshop equipment combination RSC50

- 4 removable, vertically adjustable shelves
- With lock:
- Interior dimensions: 910x615 mm
- With vertically adjustable feet

90 kg



		£		
RSC50 A2		1595.00	1	050001412

RSC50 A2/R91

interior shelf for tool cabinet RSC50 A2

		£		
RSC50 A2/R91	911x596 mm	87.00	1	050001915

5000 RSC50/MP

shelf, for workshop equipment combination RSC50

• Dimensions: 740x140x80 mm
• Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath

2,3 kg

	£		
5000 RSC50/MP	142.00	1	050001705

5000 RSC50/MPA140

corner shelf, 140 mm deep, for workshop equipment combination RSC50

• Dimensions: 630x630x35 mm, 140 mm deep
• To be applied to perforated panels of corner module RSC50 AC
• Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath

3 kg

	£		
5000 RSC50/MPA140	200.50	1	050001706

5000 RSC50/CLL

linear guard, for workshop equipment combination RSC50

• Dimensions: 740x125x30 mm
• To be applied to perforated tool panels
• Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath

1 kg

	£		
5000 RSC50/CLL	142.00	1	050001710

5000 RSC50/CAL

corner guard, for workshop equipment combination RSC50

• Dimensions: 655x655x30 mm
• To be applied to perforated tool panels of corner module
• Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath

1,7 kg

	£		
5000 RSC50/CAL	187.00	1	050001711

5000 RSC50/KFC

kit of 10 coloured drawer fronts, for workshop equipment combination RSC50

To customize colour of drawer fronts for workshop equipment combination RSC50.
Recommended for use in combination with worktops in anthracite grey RAL7016 (-A).

		£		
5000 RSC50/KFC2011		110.00	1	050001731
5000 RSC50/KFC3000		110.00	1	050001733
5000 RSC50/KFC5015		110.00	1	050001734
5000 RSC50/KFC7016		110.00	1	050001737

Beta C45PRO

PROFESSIONAL STURDY TIDY

C45PRO is the professional workshop equipment that helps you make the most of your working space. Based on the new 2021 design and the technical improvements developed for the frame, it boasts an excellent quality/price ratio.

The **modular workshop equipment,** C45PRO, allows you to create your own work environment according to both the amount of space you have available and your usage requirements. This simple, flexible range based on predetermined combinations, can be expanded or changed in time. Alternatively, you can fully customize your workstation, starting with the worktops – available in stainless steel coated MDF or multi-ply wood – and supplementing them with the numerous parts and accessories you can choose from.

Tailor your work environment to suit your needs.
Make your workshop or garage look different.
Choose from the preassembled solutions or create your workstation from scratch.

THE WORKSHOP EQUIPMENT, C45, HAS CHANGED ITS APPEARANCE AND PUT ON THE BETA COLOURS!

Configure your workshop online



go to www.beta-tools.com

C45PRO DX

workshop equipment combination C45PRO

Combination comprising:
- 1 stainless steel coated MDF worktop (C45PX/3-2,0MT)
- 1 stainless steel coated MDF worktop (C45PX/2-1,3MT)
- 1 fixed module with 7 drawers (C45PRO M7)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed service module (C45PRO MS)
- 1 fixed module with 5 drawers (C45PRO M5)
- 1 two-door fixed module (C45PRO MA)
- 1 self-supporting complete corner with stainless steel coated MDF worktop (C45PRO CORNER/X)
- 5 perforated tool panels (C45PRO PF)
- 5 wall-mounted cabinets (C45PRO PM)
- 7 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)
- 2 single-door cabinets (C45PRO AS1)



572,3 kg

	£		
C45PRO DX	11650.00	1	045000031

C45PRO DW

workshop equipment combination C45PRO

Combination comprising:
- 1 multi-ply wood worktop (C45PW/3-2.0MT)
- 1 multi-ply wood worktop (C45PW/2-1.3MT)
- 1 fixed module with 7 drawers (C45PRO M7)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed service module (C45PRO MS)
- 1 fixed module with 5 drawers (C45PRO M5)
- 1 fixed two-door module (C45PRO MA)
- 1 self-supporting complete corner with wood worktop (C45PRO CORNER/W)
- 5 perforated tool panels (C45PRO PF)
- 5 wall-mounted cupboards (C45PRO PM)
- 7 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)
- 2 single-door cabinets (C45PRO AS1)



568,5 kg

	£		
C45PRO DW	11270.00	1	045000032

C45PRO FX

workshop equipment combination C45PRO

Combination comprising:
- 1 stainless steel coated MDF worktop (C45PX/3-2.0MT)
- 1 stainless steel coated MDF worktop (C45PX/2-1.3MT)
- Fixed two-door module (C45PRO MA)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed module with 7 drawers (C45PRO M7)
- 1 fixed module with 2 built-in reels (C45PRO ACT)
- 1 fixed service module (C45PRO MS)
- 1 self-supporting complete corner with stainless steel coated MDF worktop (C45PRO CORNER/X)
- 2 perforated tool panels (C45PRO PF)
- 1 perforated tool panel, con be fitted with a power socket (not included) (C45PRO PFE)
- 3 wall-mounted cabinets (C45PRO PM)
- 1 tool wall system with aluminium shutter (C45PRO PA)
- 6 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)
- 2 single-door cabinets (C45PRO AS1)





576 kg

	£		
C45PRO FX	12370.00	1	045000035

C45PRO FW

workshop equipment combination C45PRO

Combination comprising:
- 1 multi-ply wood worktop (C45PW/3-2.0MT)
- 1 multi-ply wood worktop (C45PW/2-1.3MT)
- 1 fixed two-door module (C45PRO MA)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed module with 7 drawers (C45PRO M7)
- 1 fixed module with 2 built-in reels (C45PRO ACT)
- 1 fixed service module (C45PRO MS)
- 1 self-supporting complete corner with multiply wood worktop (C45PRO CORNER/W)
- 2 perforated tool panels (C45PRO PF)
- 1 perforated tool panel, con be fitted with a power socket (not included) (C45PRO PFE)
- 3 wall-mounted cabinets (C45PRO PM)
- 1 tool wall system with aluminium shutter (C45PRO PA)
- 6 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)
- 2 single-door cabinets (C45PRO AS1)





572 kg

	£		
C45PRO FW	11990.00	1	045000045

C45PRO GX

workshop equipment combination C45PRO

Combination comprising:
- 1 stainless steel coated MDF worktop (C45PX/3-2.0MT)
- 1 stainless steel coated MDF worktop (C45PX/1-0.7MT)
- 1 fixed module with 2 built-in reels (C45PRO ACT)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed module with 7 drawers (C45PRO M7)
- Fixed two-door module (C45PRO MA)
- 1 self-supporting complete corner with stainless steel coated MDF worktop (C45PRO CORNER/X)
- 1 perforated tool panel (C45PRO PF)
- 1 perforated tool panel, con be fitted with a power socket (not included) (C45PRO PFE)
- 2 wall-mounted cabinets (C45PRO PM)
- 1 tool wall system with aluminium shutter (C45PRO PAS)
- 6 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)
- 2 single-door cabinets (C45PRO AS1)

507 kg

	£		
C45PRO GX	11100.00	1	045000036



C45PRO GW

workshop equipment combination C45PRO

Combination comprising:
- 1 multi-ply wood worktop (C45PW/3-2.0MT)
- 1 multi-ply wood worktop (C45PW/1-0.7MT)
- 1 fixed module with 2 built-in reels (C45PRO ACT)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed module with 7 drawers (C45PRO M7)
- 1 fixed module with built-in sink (C45PRO ML)
- 1 self-supporting complete corner with multiply wood worktop (C45PRO CORNER/W)
- 1 perforated tool panel (C45PRO PF)
- 1 perforated tool panel, con be fitted with a power socket (not included) (C45PRO PFE)
- 2 wall-mounted cabinets (C45PRO PM)
- 1 tool wall system with aluminium shutter (C45PRO PAS)
- 6 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, wide type (C45PRO SS)
- 2 single-door cabinets (C45PRO AS1)

504 kg

	£		
C45PRO GW	10760.00	1	045000037



C45PRO X

workshop equipment combination C45PRO

Combination comprising:
- Stainless steel coated MDF worktop (C45PX/3-2.0MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- Mobile roller cab with 7 drawers (C45PRO C7)
- Two-door tool cabinet (C45PRO AS2)
- 3 perforated tool panels (C45PRO PF)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)

305 kg

	£		
C45PRO X	5990.00	1	045000001



C45PRO W

workshop equipment combination C45PRO

Combination comprising:
- Multi-ply wood worktop (C45PW/3-2.0MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- Mobile roller cab with 7 drawers (C45PRO C7)
- Two-door tool cabinet (C45PRO AS2)
- 3 perforated tool panels (C45PRO PF)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)

303 kg



	£		
C45PRO W	5840.00	1	045000002

C45PRO HX

workshop equipment combination C45PRO

Combination comprising:
- 1 stainless steel coated MDF worktop (C45PX/3-2.0MT)
- 1 fixed module with 2 built-in reels (C45PRO ACT)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed module with 4 drawers (C45PRO M4)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 perforated tool panels (C45PRO PF)
- 3 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)
- 1 two-door cabinet (C45PRO AS2)

300 kg



	£		
C45PRO HX	6460.00	1	045000038

C45PRO HW

workshop equipment combination C45PRO

Combination comprising:
- 1 multi-ply wood worktop (C45PW/3-2.0MT)
- 1 fixed module with 2 built-in reels (C45PRO ACT)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed module with 4 drawers (C45PRO M4)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 perforated tool panels (C45PRO PF)
- 3 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)
- 1 two-door cabinet (C45PRO AS2)

299 kg



	£		
C45PRO HW	6300.00	1	045000039

C45PRO AX

workshop equipment combination C45PRO

Combination comprising:
- Stainless steel coated MDF worktop (C45PX/3-2.0MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- Fixed two-door module (C45PRO MA)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)

206 kg



	£		
C45PRO AX	4110.00	1	045000003

C45PRO AW

workshop equipment combination C45PRO

Combination comprising:
- Multi-ply wood worktop (C45PW/3-2,0MT)
- Fixed module with 2 drawers (C45PRO MA)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 perforated tool panels (C45PRO PF)
- 2 wall brackets, narrow type (C45PRO SS)
- 2 wall brackets, wide type (C45PRO SL)

204 kg

	£		
C45PRO AW	3960.00	1	045000004

C45PRO BX

workshop equipment combination C45PRO

Combination comprising:
- Stainless steel coated MDF worktop (C45PX/2-1.3MT)
- Fixed module with 5 drawers (C45PRO M5)
- Fixed two-door module (C45PRO MA)
- Single-door tool cabinet (C45PRO AS1)
- 2 wall-mounted cabinets (C45PRO PM)
- 2 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)

191 kg

	£		
C45PRO BX	3680.00	1	045000021

C45PRO BW

workshop equipment combination C45PRO

Combination comprising:
- Multi-ply wood worktop (C45PW/2-1.3MT)
- Fixed module with 5 drawers (C45PRO M5)
- Fixed two-door module (C45PRO MA)
- Single-door tool cabinet (C45PRO AS1)
- 2 wall-mounted cabinets (C45PRO PM)
- 2 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)

190 kg



	£		
C45PRO BW	3540.00	1	045000022

C45PRO EX

workshop equipment combination C45PRO

Combination comprising:

- 2 perforated tool panels (C45PRO PF)
- 2 wall-mounted cabinets (C45PRO PM)
- 2 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)
- 1 single-door cabinet (C45PRO AS1)

- Fixed module with 7 drawers and stainless steel coated MDF worktop (C45PRO M7A/X):
- 1 drawer, 1248x406 mm
- 6 drawers, 782x406 mm
  5 drawers, 65 mm high
  1 drawer, 145 mm high
- 1 storage compartment with intermediate shelf and door

174,6 kg

	£		
C45PRO EX	3940.00	1	045000033

C45PRO EW

workshop equipment combination C45PRO

Combination comprising:

- 2 perforated tool panels (C45PRO PF)
- 2 wall-mounted cabinets (C45PRO PM)
- 2 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)
- 1 single-door tool cabinet (C45PRO AS1)

- Fixed module with 7 drawers and multi-ply wood worktop (C45PRO M7A/W):
- 1 drawer, 1248x406 mm
- 6 drawers, 782x406 mm
  5 drawers, 65 mm high
  1 drawer, 145 mm high
- 1 storage compartment with intermediate shelf and door

173,6 kg

	£		
C45PRO EW	3820.00	1	045000034

C45PRO CX

workshop equipment combination C45PRO

Combination comprising:
- Worktop made of stainless steel coated MDF (C45PX/2-1.3MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- Single-door cabinet (C45PRO AS1)
- 2 wall-mounted cabinets (C45PRO PM)
- 2 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)

199 kg



	£		
C45PRO CX	3980.00	1	045000023

C45PRO CW

workshop equipment combination C45PRO

Combination comprising:
- Multi-ply wood worktop (C45PW/2-1.3MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- Single-door cabinet (C45PRO AS1)
- 2 wall-mounted cabinets (C45PRO PM)
- 2 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)

198 kg

	£		
C45PRO CW	3840.00	1	045000024

C45PRO BPX-2,0

workbenches for workshop equipment combination C45PRO

Combination comprising:
- Worktop made of stainless steel coated MDF (C45PX/3-2.0MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed module with 5 drawers (C45PRO M5)
- 3 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)

158 kg

	£		
C45PRO BPX-2,0	2950.00	1	045000042

C45PRO BPW-2,0

workbenches for workshop equipment combination C45PRO

Combination comprising:
- Multi-ply wood worktop (C45PW/3-2,0MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed module with 5 drawers (C45PRO M5)
- 3 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)

156 kg

	£		
C45PRO BPW-2,0	2790.00	1	045000052

C45PRO BPX-1,3

workbenches for workshop equipment combination C45PRO

Combination comprising:
- Worktop made of stainless steel coated MDF (C45PX/2-1.3MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed module with 5 drawers (C45PRO M5)
- 2 perforated tool panels (C45PRO PF)
- 1 wall bracket, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)

140 kg



	£		
C45PRO BPX-1,3	2600.00	1	045000041

C45PRO BPW-1,3

workbenches for workshop equipment combination C45PRO

Combination comprising:
- Multi-ply wood worktop (C45PW/2-1.3MT)
- Fixed module with 7 drawers (C45PRO M7)
- Fixed module with 5 drawers (C45PRO M5)
- 2 perforated tool panels (C45PRO PF)
- 1 wall bracket, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)

139 kg

	£		
C45PRO BPW-1,3	2460.00	1	045000051

C45PRO M7A/X

fixed module with 7 drawers, for workshop equipment combination C45PRO

- worktop (1360 mm) made of stainless steel coated MDF
- 1 drawer (1248x406 mm) with ball bearing slides
- 6 drawers (782x406 mm) with ball bearing slides:
5 drawers 65 mm high
1 drawer 145 mm high
- drawer bases protected by foamed rubber mats
- front centralised lock
- with vertically adjustable feet
- can be fitted with thermoformed trays
- 1 storage compartment with intermediate shelf and door, interior dimensions 504x424x597 mm
- can accommodate a vice (1599P/150, to be ordered separately)

81 kg

h	max
65 mm	25 kg
105 mm	40 kg
145 mm	30 kg



	£		
C45PRO M7A/X	1950.00	1	045000161

C45PRO M7A/W

fixed module with 7 drawers, for workshop equipment combination C45PRO

- multi-ply wood worktop (1360 mm)
- 1 drawer (1248x406 mm) with ball bearing slides
- 6 drawers (782x406 mm) with ball bearing slides:
5 drawers 65 mm high
1 drawer 145 mm high
- drawer bases protected by foamed rubber mats
- front centralised lock
- with vertically adjustable feet
- can be fitted with thermoformed trays
- 1 storage compartment with intermediate shelf and door, interior dimensions 504x424x597 mm
- can accommodate a vice (1599P/150, to be ordered separately)

80 kg

h	max
65 mm	25 kg
105 mm	40 kg
145 mm	30 kg



	£		
C45PRO M7A/W	1830.00	1	045000171

C45PRO MWS/X

Work Station roller cab with 7 drawers and built-in waste bin

- worktop (1680 mm) made of stainless steel coated MDF
- 1 drawer (1248x406 mm) with ball bearing slides
- 6 drawers (782x406 mm) with ball bearing slides:
5 drawers 65 mm high
1 drawer 145 mm high
- drawer bases protected by foamed rubber mats
- can be fitted with thermoformed trays
- storage compartment with intermediate shelf and door, interior dimensions 504x424x597 mm
- built-in waste bin
- built-in paper roll compartment
- 4 heavy-duty castors, Ø 150 mm, 2 fixed and 2 steering with brakes
- front centralised lock
- can accommodate a vice (1599P/150, to be ordered separately)

126 kg

h	max
65 mm	25 kg
105 mm	40 kg
145 mm	30 kg



	£		
C45PRO MWS/X	2200.00	1	045000181

C45PRO MWS/W

Work Station roller cab with 7 drawers and built-in waste bin

- multi-ply wood worktop (1680 mm)
- 1 drawer (1248x406 mm) with ball bearing slides
- 6 drawers (782x406 mm) with ball bearing slides:
5 drawers 65 mm high
1 drawer 145 mm high
- drawer bases protected by foamed rubber mats
- can be fitted with thermoformed trays
- storage compartment with intermediate shelf and door, interior dimensions 504x424x597mm
- built-in waste bin
- built-in paper roll compartment
- 4 heavy-duty castors, Ø 150 mm, 2 fixed and 2 steering with brakes
- front centralised lock
- can accommodate a vice (1599P/150, to be ordered separately)

122 kg

h	max
65 mm	25 kg
105 mm	40 kg
145 mm	30 kg



	£		
C45PRO MWS/W	2150.00	1	045000191

C45PRO CPF

pair of perforated tool panels for mobile roller cab C45PRO MWS

Supplied complete with framework
50-hook GPS kit included

21 kg

	£		
C45PRO CPF	253.00	1	045000195

C45PX/1-0,7MT

worktop made of stainless steel coated MDF, 680x463 mm,
for workbench, for workshop equipment combination C45PRO

- thickness: 38 mm
- can accommodate a vice (1599P/150, to be ordered separately)

6 kg

	£		
C45PX/1-0,7MT	268.00	1	045000101

C45PW/1-0,7MT

multi-ply wood worktop, 680x463 mm,
for workbench, for workshop equipment combination C45PRO

- thickness: 38 mm
- can accommodate a vice (1599P/150, to be ordered separately)

6 kg

	£		
C45PW/1-0,7MT	158.00	1	045000111

C45PX/2-1,3MT

worktop made of stainless steel coated MDF, 1360x463 mm,
for workbench, for workshop equipment combination C45PRO

- thickness: 38 mm
- can accommodate a vice (1599P/150, to be ordered separately)

21 kg

	£		
C45PX/2-1,3MT	396.00	1	045000103

C45PW/2-1,3MT

multi-ply wood worktop, 1360x463 mm,
for workbench, for workshop equipment combination C45PRO

- thickness: 38 mm
- can accommodate a vice (1599P/150, to be ordered separately)

20 kg

	£		
C45PW/2-1,3MT	253.00	1	045000113

C45PX/3-2,0MT

worktop made of stainless steel coated MDF, 2040x463 mm,
for workbench, for workshop equipment combination C45PRO

- thickness: 38 mm
- can accommodate a vice (1599P/150, to be ordered separately)

31,8 kg

	£		
C45PX/3-2,0MT	534.00	1	045000110

C45PW/3-2,0MT

multi-ply wood worktop, 2040x463 mm,
for workbench, for workshop equipment combination C45PRO

- thickness: 38 mm
- can accommodate a vice (1599P/150, to be ordered separately)

30 kg

	£		
C45PW/3-2,0MT	379.00	1	045000120

C45PRO C5

mobile roller cab with 5 drawers, for workshop equipment combination C45PRO

- 5 drawers (532x406 mm) with ball bearing slides
- 4 swivel castors, Ø 100 mm (1 with brake)
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with thermoformed trays
- Handles built into frame for improved ease of handling

h	max
65 mm	25 kg
145 mm	30 kg





46 kg

	£		
C45PRO C5	950.00	1	045000225

C45PRO C7

mobile roller cab with 7 drawers, for workshop equipment combination C45PRO

- 7 drawers (532x406 mm) with ball bearing slides
- 4 steering wheels, Ø 100 mm (2 with brake)
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with thermoformed trays
- Handles built into frame for improved ease of handling

50 kg

h	max
65 mm	25 kg
145 mm	30 kg





	£		
C45PRO C7	1002.00	1	045000227

C45PRO M4

fixed module with 4 drawers, for workshop equipment combination C45PRO

- 4 drawers (566x406 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- With vertically adjustable feet
- Can be fitted with thermoformed trays

45,7 kg

h	max
65 mm	25 kg
145 mm	30 kg
225 mm	30 kg





	£		
C45PRO M4	808.00	1	045000234

C45PRO M5

fixed module with 5 drawers, for workshop equipment combination C45PRO

- 5 drawers (566x406 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- With vertically adjustable feet
- Can be fitted with thermoformed trays

49,3 kg

h	max
65 mm	25 kg
145 mm	30 kg





	£		
C45PRO M5	818.00	1	045000235

C45PRO M7

fixed module with 7 drawers, for workshop equipment combination C45PRO

- 7 drawers (566x406 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- With vertically adjustable feet
- Can be fitted with thermoformed trays

54,3 kg

h	max
65 mm	25 kg
145 mm	30 kg





	£		
C45PRO M7	953.00	1	045000237

C45PRO M8

fixed module with 8 drawers, for workshop equipment combination C45PRO

- 8 drawers (566x406 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- With vertically adjustable feet
- Can be fitted with thermoformed trays

56,5 kg

h	max
65 mm	25 kg
145 mm	30 kg





	£		
C45PRO M8	980.00	1	045000238

C45PRO MS

fixed service module for workshop equipment combination C45PRO

- Built-in waste bin
- Paper roll compartment
- With vertically adjustable feet

37 kg



	£		
C45PRO MS	646.00	1	045000239

C45PRO RD/X

fixed sorted waste collection module for workshop equipment combination C45PRO

The ideal solution for sorted waste collection (glass, paper, plastic...)

- Stainless steel coated MDF worktop, 1360 mm long
- Sturdy sheet metal frame complete with 4 containers with up-and-over door for sorting waste
- Each container is fitted with:
  one removable plastic bin; capacity: 25 l
  4 swivel castors, Ø 60 mm
- Supplied with kit of 4 coloured adhesive tapes
- With vertically adjustable feet

80 kg

C45PRO RD/X

C45PRO RD/W



	£		
C45PRO RD/X	2160.00	1	045000241
C45PRO RD/W	2020.00	1	045000240

C45PRO MA

fixed two-door module for workshop equipment combination C45PRO

- With lock
- Vertically adjustable interior shelf
- Interior dimensions 670x420 mm
- With vertically adjustable feet

29,4 kg



	£		
C45PRO MA	484.00	1	045000232

C45PRO MAL

fixed module, 1360 mm long, with 2 doors, for workshop equipment combination C45PRO

- With lock
- Vertically adjustable shelf
- Interior dimensions: 670x420 mm
- With vertically adjustable feet

44,8 kg



	£		
C45PRO MAL	792.00	1	045000229

C45PRO MAT

fixed module, 1360 mm long, with 2 clear polycarbonate doors, for workshop equipment combination C45PRO

- With lock
- Vertically adjustable shelf
- Interior dimensions: 670x420 mm
- With vertically adjustable feet

44,1 kg



	£		
C45PRO MAT	869.00	1	045000230

C45PRO M3A

fixed module with 3 drawers and 2 doors, for workshop equipment combination C45PRO

- 3 drawers (566x406 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Can be fitted with thermoformed trays
- Front centralized lock
- Storage compartment with double door and lock (interior dimensions 670x440 mm), complete with intermediate shelf
- With vertically adjustable feet

44 kg







	£		
C45PRO M3A	805.00	1	045000231

C45PRO ML

fixed module with built-in sink, for workshop equipment combination C45PRO

Technical specifications:
- Stainless steel basin.
- Supplied complete with:
  1 mixer tap
  1 drain unit
  1 sink stopper
  1 filter cap
  1 soap dispenser

Fixed two-door module with lock:
- Useful interior dimensions 600x603x416 mm
- With vertically adjustable feet

44 kg



	£		
C45PRO ML	1305.00	1	045000233

C45PRO ACT

fixed module with 3 drawers and 2 built-in reels for workshop equipment combination C45PRO

- 3 drawers (566x406 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- With vertically adjustable feet

Supplied complete with:
- 1 built-in compressed air or cold water hose reel, Ø 8 mm, length 10 m, item 1900S 8x10
- 1 built-in electrical cable reel, length 15 m, item 1844 15-H05

47 kg

h	max
65 mm	25 kg
145 mm	30 kg





	£		
C45PRO ACT	1255.00	1	045000247

C45PRO TC

fixed reel module with 3 drawers, for workshop equipment combination C45PRO, empty

- 3 drawers (566x406 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- With vertically adjustable feet

- Can accommodate 2 reels, to be chosen from the following:
  - 2 compressed air or cold water hose reels, 8 mm, length 10 m item 1900S 8x10
  - 2 electrical cable reels, to be chosen from the following items: 1843 15-H05, 1844 10-H05, 1844 15-H05, 1844 15-H07, 1845 12-H05, 1846 10-H05, 1846 10-H07 and 1846 15-H05
  - 1 compressed air or cold water hose reel, 8 mm, length 10m item 1900S 8x10 and 1 cable reel to be chosen from the above-mentioned items

38 kg

h	max
65 mm	25 kg
145 mm	30 kg





	£		
C45PRO TC	752.00	1	045000249

C45PRO T3

3-tier tool trolley, for workshop equipment combination C45PRO

- Two fixing options for middle shelf
- 4 swivel castors, Ø 100 mm (one with brake)
- Static load capacity: 200 kg (distributed over 3 shelves)

19,2 kg



	£		
C45PRO T3	450.00	1	045000250

C45PRO SS

side wall brackets, narrow type, for workshop equipment combination C45PRO

• Dimensions 1420x32.5x30 mm

1,5 kg

	£		
C45PRO SS	38.00	1	045000333

C45PRO SL

side wall brackets, wide type, for workshop equipment combination C45PRO

• Dimensions 1420x65x30 mm

2 kg

	£		
C45PRO SL	48.50	1	045000366

C45PRO PAS

tool wall system for workshop equipment combination C45PRO

• Aluminium shutter, vertically adjustable, with lock
• Two removable perforated tool panels
• Matches 1.3-m long workbench

48,8 kg



	£		
C45PRO PAS	1220.00	1	045000290

C45PRO PF

perforated tool panel for workshop equipment combination C45PRO

• Dimensions 1052x614.5x24 mm

5,3 kg

	£		
C45PRO PF	156.00	1	045000313

C45PRO PFE

perforated tool panel for workshop equipment combination C45PRO

- Dimensions 1052x614,5x24 mm
- Can be fitted with 1 power socket (not included)

5,3 kg

	£		
C45PRO PFE	151.00	1	045000312

C45PRO MP

steel shelf for perforated tool panels, for workshop equipment combination C45PRO

Dimensions: 614x160x80 mm

1,8 kg

	£		
C45PRO MP	60.50	1	045000315

C45PRO CORNER/X

self-supporting complete corner for workshop equipment combination C45PRO

- Suspended corner cabinet with gas springs, making it easier to open and close door
- 2 perforated tool panels (1052x860)
- Stainless steel corner worktop (860x860 mm)
- Lower corner module with large storage compartment
- With vertically adjustable feet

94 kg

	£		
C45PRO CORNER/X	2430.00	1	045000401



C45PRO CORNER/W

self-supporting complete corner for workshop equipment combination C45PRO

- Suspended corner cabinet with lock and gas springs, making it easier to open and close door
- 2 perforated tool panels (1052x860 mm)
- Multi-ply wood corner worktop (860x860 mm)
- Lower corner module with large storage compartment
- With vertically adjustable feet

93 kg

	£		
C45PRO CORNER/W	2345.00	1	045000411

C45PRO CAI/X

lower corner module for workshop equipment combination C45PRO

- Corner worktop made of stainless steel coated MDF, 860x860 mm
- Fixed corner module with large storage compartment
- With vertically adjustable feet

62 kg

	£		
C45PRO CAI/X	1365.00	1	045000412

C45PRO CAI/W

lower corner module for workshop equipment combination C45PRO

- Multi-ply wood corner worktop (860x860 mm)
- Fixed corner module with large storage compartment
- With vertically adjustable feet

56 kg

	£		
C45PRO CAI/W	1285.00	1	045000402

C45PRO PM

wall-mounted cabinet for workshop equipment combination C45PRO

- Cabinet length: 680 mm
- With gas springs, making it easier to open and close door
- With lock

10 kg

	£		
C45PRO PM	285.00	1	045000302

SSPE

under-cabinet support for power tools

- For use only under suspended cabinet C45PRO PM (workshop equipment C45PRO)
- With 5 convenient slots for accommodating power tools
- Dimensions: 680 x 280 x 150 mm

5,4 kg

	£		
SSPE	109.00	1	088880482

C45PRO PML

wall-mounted cabinet, long, for workshop equipment combination C45PRO

- Wall-mounted cabinet length: 1360 mm
- With gas springs, making it easier to open and close door
- With lock

18 kg



	£		
C45PRO PML	530.00	1	045000303

C45PRO AS1

sheet metal single-door tool cabinet with bracket, for workshop equipment combination C45PRO

- 4 removable, vertically adjustable shelves
- convenient folding clothes rail under first shelf
- with lock
- interior dimensions: 590x430 mm
- with vertically adjustable feet

57,5 kg



	£		
C45PRO AS1	1017.00	1	045000451

C45PRO A1/R600

interior shelf for tool cabinet C45PRO AS1

2,5 kg

	£		
C45PRO A1/R600	61.00	1	045000466

C45PRO A1/RB600

interior shelf for tool cabinet C45PRO AS1, with clothes rail

2,6 kg

	£		
C45PRO A1/RB600	65.00	1	045000467

C45PRO AS2

sheet metal two-door tool cabinet with bracket, for workshop equipment combination C45PRO

- 4 removable, vertically adjustable shelves
- With lock
- Interior dimensions 910x430 mm
- With vertically adjustable feet

80 kg



	£		
C45PRO AS2	1400.00	1	045000481

C45PRO A2/R915

interior shelf for tool cabinet C45PRO AS2

3,7 kg

	£		
C45PROA2/R915	76.50	1	045000496

C45STR

coloured adhesive tape for workshop equipment combination C45PRO

- allows tailoring of colour of horizontal and vertical inserts in workshop equipment combination C45PRO

	L m	£		
C45STR-O/2011	30	80.00	1	045000911
C45STR-G/9006	25	80.00	1	045000912
C45STR-R/3000	25	80.00	1	045000913
C45STR-B/5015	25	80.00	1	045000914
C45STR-Y/1023	25	80.00	1	045000915
C45STR-V/6029	25	80.00	1	045000916

ACCESSORIES RSC55 - RSC50 - C45PRO

		5000 RSC50/**PLED-ST**	5000 RSC50/**PLED**	5000 RSC50/**ASL**	5000 RSC50/**CTR**
					
	A	**1x**	**-**	**1x**	**-**
	B	**-**	**1x**	**1x**	**1x**
	A	**1x**	**1x**	**1x**	**-**
	B	**-**	**2x**	**1x**	**1x**
	**A**	**1x**	**2x**	**1x**	**-**
	B	**-**	**3x**	**1x**	**1x**

5000 RSC50/PLED

aluminium profile with LED strip, for workshop equipment combination RSC50

To be applied under worktops, under/in suspended cabinets, under shelves and linear/corner guards, to light working areas.

Features:
• 6.5W IP20 LED strip; length: 50 cm
• Supplied complete with 2 cables (40 cm and 170 cm long respectively) • Convenient fixing through magnets

80 g

	£		
5000 RSC50/PLED	44.50	1	050001714

5000 RSC50/PLED-ST

aluminium profile with LED strip and SOFT TOUCH switch, for workshop equipment combination RSC50

To be applied under worktops, under/in suspended cabinets, under shelves and linear/corner guards, to light working areas.

Features:
• 6.5W IP20 LED strip; length: 50 cm
• SOFT TOUCH switch for switching on and lighting power adjustment
• Supplied complete with two cables (40 cm and 170 cm long respectively)
• Convenient fixing through magnets

80 g

	£		
5000 RSC50/PLED-ST	49.50	1	050001715

5000 RSC50/ASL

power supply, for LED strip for workshop equipment combination RSC50

Features:
• 24VDC 22W power supply
• Can supply power to up to 3 6.5W LED strips

200 g

	£		
5000 RSC50/ASL	39.50	1	050001716

5000 RSC50/CTR

LED strip controller, with RF remote control for workshop equipment combination RSC50

For use only with LED strip item 5000 RSC50/PLED

Kit contents:
1 mini receiver
1 wireless RF remote control

Specifications of mini receiver:
Input voltage: 5V -24VDC
Rated output current: 5A
Peak output current: 12A
Operating temperature: -20 ÷ +35 °C

Specifications of RF remote control:
ON/OFF button
BRIGHT +/- button: allows manual adjustment of lighting power
25%/50%/100% button: allows automatic adjustment of lighting power
Battery: 3V CR2025 (included)
Dimensions: 86x40x7 mm

Integrated features:
• Memory
• Mode (manual/automatic brightness)
• Brightness adjustment

20 g

	£		
5000 RSC50/CTR	19.30	1	050001721

CPMB/3C

workbench small parts containers with 3 drawers

• Outer frame made of PP
• Small parts drawers made of PET
• Stackable

Specifications of drawers:
• Interior drawer dimensions: 160x107x105h mm
• Unbreakable
• Glass effect transparency unchanged over time
• Scratchproof
• Resistant to oil, acids and aggressive chemicals
• Also suitable for use in food products

2 kg

	£		
CPMB/3C	61.00	1	088880443

KIT 6VC/3C

kit of 6 removable trays for small parts containers CPMB/3C

1,1 kg

	£		
KIT 6VC/3C	33.50	1	088880453

CPMB/5C

workbench small parts containers with 5 drawers

- Outer frame made of PP
- Small parts drawers made of PET
- Stackable

Specifications of drawers:
- Interior drawer dimensions: 90x86x62h mm
- Unbreakable
- Glass effect transparency unchanged over time
- Scratchproof
- Resistant to oil, acids and aggressive chemicals
- Also suitable for use in food products

1,5 kg

	£		
CPMB/5C	73.00	1	088880445

KIT 10VC/5C

kit of 10 removable trays for small parts containers CPMB/5C

800 g

	£		
KIT 10VC/5C	31.50	1	088880455

PM/5C

wall-mounted 5-tray tool holder, made of plastic, with support

- interior dimensions of tray: 95x120 mm
- can be used with tool wall systems C45PRO and RSC55

1,8 kg

	£		
PM/5C	123.00	1	088880450

PM/6C

wall-mounted 6-tray tool holder, made of plastic, with support

- interior dimensions of tray: 80x60 mm
- can be used with tool wall systems C45PRO and RSC55

970 g

	£		
PM/6C	94.00	1	088880440

CP

wall-mounted bottle holder rack, made of steel

- Can be used with wall-mounted tool panels



530 g

	£		
CP	139.00	1	088880470

SPC

computer wall bracket

- Matches tool wall systems RSC55 and C45PRO
- Dimensions 398x243x138 mm

1,5 kg

	£		
SPC	100.00	1	088880480

SP5S

wall-mounted support with 5 compartments

- Made from sheet metal
- 5 tool compartments varying in height
- Dimensions: 260x60x290 mm

1 kg

	£		
SP5S	120.00	1	088880475

				pieces	RSC22	RSC23	RSC23C	RSC23T	RSC24/5	RSC24A/6 RSC24/6	RSC24AXL/7 RSC24L/7 C37/7 C37A/7 RSC24/7 RSC24A/7	C37/6 C39/6 RSC24AXLP/7 RSC24L-CAB C39/7	RSC24AXL/8 C39/8 RSC24/8 RSC24A/8	C37/8	RSC24AXL/9	C25	C27S	RSC28	C30M
LOOSE TOOLS	without supports	5902MT	Earth moving	106	518	518	518									481	481		
		5902MT/AS	Earth moving	99	519	519	519												
		5902VI	Industrial maintenance	107	481	481		481								481	481		
		5904VG/3	Car repair	132					522	522	522	522							
		5905VG/1	Car repair	94												525			
		5905VG/2	Car repair	118												526			
		5910VI/3	Industrial maintenance	297															485
	with supports	5954VG	Car repair	138															
		5954VI	Industrial maintenance	133															
		5957U-P	Universal maintenance	133															
		5957VG	Car repair	174															
		5957VI	Industrial maintenance	162															
		5958U	Universal maintenance	85															
TRAYS	soft modules	5904VG/2M	Car repair	170				520	520	520	520	520	520	520				520	
		5904VU/1M	Universal maintenance	90				490	490	490	490	490	490	490				490	
		5904VU/2M	Universal maintenance	144				491	491	491	491	491	491	491				491	
		5927VU/M	Universal maintenance	108	501	501	501										501		
		5935ET/1MB	Electrotechnical	96															
		5935VG/1MB	Car repair	98															
		5935VI/2MB	Industrial maintenance	133															
		5945VUM	Universal maintenance	231															
		5988H/7M	Car repair	333										508	508			508	
		5988L/4M	Car repair	273					509	509	509	509	509						
		5980U/BIKE-M	Bycicle repair	106									507	507				507	
		5988U6/M	Universal maintenance	214							510	510	510					510	
		5988U/7M	Universal maintenance	215				497	497	497	497	497	497	497				497	
		5988VHB-MQ	Electrotechnical	66				514	514	514	514	514	514	514				514	
		5989 VEM	Car repair	66				517	517	517	517	517	517	517				517	
	foam trays	5904VI/1T	Industrial maintenance	98				481	481	481	481	481	481	481				481	
		5904VI/2T	Industrial maintenance	153				482			482	482	482	482				482	
		5904VI/3T	Industrial maintenance	142								483	483	483				483	
		5904VG/2T	Car repair	99				521	521	521	521	521	521	521				521	
		5904VG/3T	Car repair	102				523	523	523	523	523	523	523				523	
		5904VG/5T	Car repair	153				524		524	524	524	524	524				524	
		5904VU/2T	Universal maintenance	104				492	492	492	492	492	492	492				492	
		5904VU/3T	Universal maintenance	146				493	493	493	493	493	493	493				493	
		5904VU/4T	Universal maintenance	197				494	494	494	494	494	494	494					
		5908VG/2T	Car repair	214														527	
		5908VI/2T	Industrial maintenance	232									484	484				484	
		5908VU/2T	Universal maintenance	161				495		495	495	495	495	495				495	
		5910VI/3T	Industrial maintenance	261															486
		5938U/2T	Universal maintenance	210															

				pieces	C35	C38	C39MD C39SM	C39T	C45PRO	RSC51	C54S RSC55C	RSC55	RSC55PS RSC55PSE	RSC50	C57SA C57SB C57SC C57SD C57SP	C58P C45PRO PAS	C59A C59C	C59B
LOOSE TOOLS	without supports	5902MT	Earth moving	106				518										
		5902MT/AS	Earth moving	99				519										
		5902VI	Industrial maintenance	107														
		5904VG/3	Car repair	132								522		522			522	522
		5905VG/1	Car repair	94														
		5905VG/2	Car repair	118														
		5910VI/3	Industrial maintenance	297														
	with supports	5954VG	Car repair	138							531							
		5954VI	Industrial maintenance	133							489	489						
		5957U-P	Universal maintenance	133									503	503	503			
		5957VG	Car repair	174									532		532			
		5957VI	Industrial maintenance	162											488			
		5958U	Universal maintenance	85					504			504	504			504		
UTENSILI IN MODULI	soft modules	5904VG/2M	Car repair	170			520	520				520					520	520
		5904VU/1M	Universal maintenance	90			490	490		490		490					490	490
		5904VU/2M	Universal maintenance	144			491	491				491					491	491
		5927VU/M	Universal maintenance	108														
		5935ET/1MB	Electrotechnical	96	511													
		5935VG/1MB	Car repair	98	528													
		5935VI/2MB	Industrial maintenance	133	487													
		5945VUM	Universal maintenance	231		530			530									
		5988H/7M	Car repair	333								508						469
		5988L/4M	Car repair	273			470	470				470					470	470
		5980U/BIKE-M	Bycicle repair	106														
		5988U6/M	Universal maintenance	214			510					510						510
		5988U/7M	Universal maintenance	215			497					497					497	497
		5988VHB-MQ	Electrotechnical	66			514	514		514		514					514	514
		5989 VEM	Car repair	66														
	foam trays	5904VI/1T	Industrial maintenance	98			481	481		481		481					481	481
		5904VI/2T	Industrial maintenance	153			482					482					482	482
		5904VI/3T	Industrial maintenance	142			483					483						483
		5904VG/2T	Car repair	99			521	521		521		521					521	521
		5904VG/3T	Car repair	102			523	523				523					523	523
		5904VG/5T	Car repair	153			524					524					524	524
		5904VU/2T	Universal maintenance	104			492	492				492					492	492
		5904VU/3T	Universal maintenance	146			493	493				493					493	493
		5904VU/4T	Universal maintenance	197			494	494				494					494	494
		5908VG/2T	Car repair	214														
		5908VI/2T	Industrial maintenance	232														484
		5908VU/2T	Universal maintenance	161			495					495					495	495
		5910VI/3T	Industrial maintenance	261														
		5938U/2T	Universal maintenance	210		502												

5902VI

assortment of 107 tools

► Industrial maintenance

Quantity	Description	Beta N.
6	pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31
1	centre punch Ø 3 mm	32
1	flat chisels, ribbed type 200 mm	35
26	combination wrenches 6÷32 mm	42/S26
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 30x32 mm	55/S12
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9
1	Adjustable wrench 300 mm	111E
13	1/2" square drive hexagon sockets with rail ◎ 10÷22 mm	920A/SB13
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⓡ	920/55
1	250 mm	1048N
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⧗ 160 mm	1084GBM
1	compound leverage shears, straight blades 250 mm	1122
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish 〓 180 mm	1150GBM
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◖ 160 mm	1166GBM
8	screwdrivers for slotted head screws ◖ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
4	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
1	engineer's hammer 500 g	1370
1	dead blow hammer Ø 40 mm	1392
1	engineer's scriber	1688A
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/20
5	Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1	hacksaw frame, aluminium handle	1726BM
1	Metal pressure oil can 300 cc	1751N
1	snap - off blade utility knife	1771BM
1	magnetic, articulated lamp with high-brightness LEDs	1837F

	£	
5902VI	**2130.00**	059021060

Assortment recommended in combination with RSC22 - RSC23 - RSC23T - C25 - C27S

5904VI/1T

assortment of 98 tools in ABS thermoformed trays

► Industrial maintenance

Quantity	Description	Beta N.	TR
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet ⓡ	920/55	T80
16	combination wrenches 6÷21 mm	42	T05
5	combination wrenches 22-24-27-30-32 mm	42	T06
1	250 mm	1048N	T153
1	self - locking pliers 240 mm	1052	T153
1	Heavy-duty diagonal cutting nippers ⧗ 160 mm	1084	T138
1	half-round needle nose pliers 〓 180 mm	1150	T138
1	Extra-long needle nose pliers ◖ 160 mm	1166	T138
1	circlip pliers straight, internal ◌ 180 mm	1032	T145
1	circlip pliers bent, internal ◌ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
2	flat chisels, ribbed type 100 - 200 mm	35	T234
5	second cut files 200 mm	1719BMA8/S5	T236
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55	T33
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	T33
4	screwdrivers for slotted head screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260	T208
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262	T208
6	T-handle wrenches with hexagon male ends 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68

	£	
5904VI/1T	**1890.00**	059041161

Assortment recommended in combination with RSC51 - RSC24 - RSC24A - RSC24XL - C37 - C39 with 6 - 7 - 8 drawers RSC23T - C39T - RSC24L - RSC24L-CAB - C59 - RSC28 - C39MD - C39SM - RSC55

5904VI/2T

assortment of 153 tools in ABS thermoformed trays

► Industrial maintenance

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	T05
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1	centre punch Ø 4 mm	32	T31
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
7	double ended offset ring wrenches 6÷29 mm	90	T40
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T83
1	1/2" drive extension bar 125 mm	920/21	T83
1	1/2" drive extension bar 255 mm	920/22	T83
1	1/2" drive universal joint	920/25	T83
1	1/2" drive sliding T-handle	920/42	T83
1	1/2" drive reversible ratchet	920/55	T83
13	1/4" hexagon sockets ◎ 4÷14 mm	900	T91
6	1/4" socket drivers for hexagon screws ○ 2,5÷8 mm	900ME	T91
1	1/4" drive extension bar 50 mm	900/20	T91
1	1/4" drive extension bar 150 mm	900/21	T91
1	1/4" drive universal joint	900/25	T91
1	1/4" drive spinner handle	900BG/30	T91
1	1/4" drive swivel T-handle	900/42	T91
1	1/4" reversible ratchet	900/55	T91
9	screwdrivers for slotted head screws ◖ 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	T167
2	screwdrivers for slotted head screws, extra-short series ◖ 4x30 - 6,5x30 mm	1260N	T167
7	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm	1262	T168
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N	T168
1	250 mm	1048N	T153
1	self - locking pliers 240 mm	1052	T153
1	Heavy-duty diagonal cutting nippers 160 mm	1084	T138
1	Extra-long needle nose pliers ◖ 160 mm	1166	T138
1	half-round needle nose pliers 〓 180 mm	1150	T138
1	circlip pliers straight, internal ⊙ 180 mm	1032	T145
1	circlip pliers bent, internal ⊙ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
6	T-handle wrenches with hexagon male ends 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
5	second cut files 200 mm	1719BMA8/S5	T236
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
1	riveting pliers	1741B	T281
100	aluminium rivets 2,9x6 mm	1741RV...K	T281
100	aluminium rivets 3,2X8 mm	1741RV...K	T281
100	aluminium rivets 3,8x10 mm	1741RV...K	T281
100	aluminium rivets 4x12 mm	1741RV...K	T281
100	aluminium rivets 4,8x12 mm	1741RV...K	T281
1	measuring tape	1692	T294
1	mini hacksaw frame	1725CR	T294
1		1771RL	T294
1	snap - off blade utility knife	1771	T294

	£	
5904VI/2T	**2690.00**	059041164

Assortment recommended in combination with RSC24 with 7 - 8 drawers - RSC24A with 7 - 8 drawers- C37 with 7 - 8 drawers - RSC24XL - C39 with 7 - 8 drawers - RSC24L - RSC24L-CAB - C59 - RSC23T - RSC28 - C39MO -C39SM RSC55

5904VI/3T

assortment of 142 tools in ABS thermoformed trays



► Industrial maintenance

Quantity/Description		Beta N.	TR
16	combination wrenches 6÷21 mm	42	**T05**
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T06**
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	**T31**
1	centre punch Ø 4 mm	32	**T31**
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	**T31**
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	**T31**
9	screwdrivers for slotted head screws ◐ 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	**T167**
2	screwdrivers for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1260N	**T167**
6	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm	1262	**T202**
7	drivers for Torx® head screws ✪ T6-T7-T8-T9-T10-T15-T20	1267TX	**T205**
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1	1/2" drive extension bar 125 mm	920/21	**T80**
1	1/2" drive extension bar 255 mm	920/22	**T80**
1	1/2" drive universal joint	920/25	**T80**
1	1/2" drive sliding T-handle	920/42	**T80**
1	1/2" drive reversible ratchet	920/55	**T80**
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**T80**
8	double ended bi-hex tubular socket wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 mm	930	**T73**
1	tommy bars for tubular wrenches	940/1	**T73**
1	tommy bars for tubular wrenches	940/2	**T73**
6	T-handle wrenches with hexagon male ends 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	**T68**
1	half-round needle nose pliers 〓 180 mm	1150BM	**T137**
1	Extra-long needle nose pliers ◐ 160 mm	1166BM	**T137**
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM	**T137**
1	250 mm	1048N	**T153**
1	self - locking pliers 240 mm	1052	**T153**
1	circlip pliers straight, internal ○ 180 mm	1032	**T145**
1	circlip pliers bent, internal ○ 170 mm	1034	**T145**
1	circlip pliers straight, external ● 175 mm	1036	**T145**
1	circlip pliers bent, external ● 175 mm	1038	**T145**
1	circlip pliers straight, internal ○ 140 mm	1032	**T146**
1	circlip pliers bent, internal ○ 225 mm	1034	**T146**
1	circlip pliers straight, external ● 140 mm	1036	**T146**
1	circlip pliers bent, external ● 225 mm	1038	**T146**
1	engineer's hammer 400 g	1370	**T231**
1	soft face hammer Ø 35 mm	1390	**T231**
1	second cut files 200 mm	1719BMA8/T	**T231**
1	second cut files 200 mm	1719BMA8/P	**T231**
1	second cut files 200 mm	1719BMA8/M	**T231**
1		1651DGTB	**T297**
1	flexible graduated rule 300 mm	1682	**T297**
1	measuring tape 5 m	1691BM	**T297**
1	riveting pliers 250 mm	1741B	**T281**
100	aluminium rivets 2,9x6 mm	1741RV...K	**T281**
100	aluminium rivets 3,2x8 mm	1741RV...K	**T281**
100	aluminium rivets 3,8x10 mm	1741RV...K	**T281**
100	aluminium rivets 4x12 mm	1741RV...K	**T281**
100	aluminium rivets 4,8x12 mm	1741RV...K	**T281**
1	tin snips 250 mm	1112	**T279**
1	electrician's scissors, straight blades	1128BM	**T279**
1	hacksaw frame, aluminium handle	1726	**T279**
(5)	blades for hacksaw	1728BM	**T279**
1	Metal pressure oil can 200 cc	1751N	**T279**
	empty thermoformed tray	VP6	**VP6**

	£	
5904VI/3T	**3060.00**	059041168

Assortment recommended in combination with RSC24 with 8 drawers- RSC24/A with 8 drawers - C37 with 8 drawers - C39 with 8 drawers - RSC24XL with 8-9 drawers - RSC28 -C39MO - C39SM RSC55 - C59B







5908VI/2T

assortment of 232 tools in ABS thermoformed trays

► Industrial maintenance

Quantity	Description	Beta N.	TR
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet	920/55	T80
19	1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
16	combination wrenches 6÷21 mm	42	T05
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
13	1/4" hexagon sockets ○ 4÷14 mm	900	T91
6	1/4" socket drivers for hexagon screws ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	900ME	T91
1	1/4" drive extension bar 50 mm	900/20	T91
1	1/4" drive extension bar 150 mm	900/21	T91
1	1/4" drive spinner handle	900BG/30	T91
1	1/4" drive universal joint	900/25	T91
1	1/4" drive swivel T-handle	900/42	T91
1	1/4" reversible ratchet	900/55	T91
6	T-handle wrenches with hexagon male ends 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
7	double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	90	T40
5	double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm	90	T41
7	screwdrivers for slotted head screws 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm	1260	T199
6	screwdrivers for cross head Phillips® screws PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm	1262	T202
3	screwdrivers for slotted head screws 8x200 - 10x150 - 10x200 mm	1260	T201
2	screwdrivers for slotted head screws, extra-short series 4x30 - 6,5x30 mm	1260N	T201
2	screwdrivers for cross head Phillips® screws PH3x150 - PH4x200 mm	1262	T204
2	screwdrivers for cross head Phillips® screws, extra - short series PH1x30 - PH2x30 mm	1262N	T204
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
1	riveting pliers 250 mm	1741B	T281
100	aluminium rivets 2,9x6 mm	1741RV...K	T281
100	aluminium rivets 3,2x8 mm	1741RV...K	T281
100	aluminium rivets 3,8x10 mm	1741RV...K	T281
100	aluminium rivets 4x12 mm	1741RV...K	T281
100	aluminium rivets 4,8x12 mm	1741RV...K	T281
1	250 mm	1048N	T153
1	self - locking pliers 240 mm	1052	T153
5	Set of 5 second-cut files, with handles 200 mm	1719BMA...S5	T236
1	circlip pliers straight, internal ○ 180 mm	1032	T145
1	circlip pliers bent, internal ○ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
1	half-round needle nose pliers 180 mm	1150BM	T137
1	Extra-long needle nose pliers 160 mm	1166BM	T137
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM	T137
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1	centre punch Ø 4 mm	32	T31
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
1	tin snips 250 mm	1112	T279
1	electrician's scissors, straight blades	1128BM	T279
1	hacksaw frame, aluminium handle	1726	T279
5	blades for hacksaw	1728BM	T279
1	Metal pressure oil can 200 cc	1751N	T279
1	empty thermoformed tray	VP5	VP5
1	adjstable tap wrench M3÷M12	435/1,5	T273
1	adjstable tap wrench M5÷M21	435/3	T273
1	reversible ratcheting tap wrench 2,0÷5,0 mm (M3÷M8)	436/1	T273
1	reversible ratcheting tap wrench 4,6÷8,0 mm (M5÷M12)	436/2	T273
1	die stock 25,4 mm	444/1	T273
1	die stock 38,1 mm	444/2	T273
1	screw pitch gauge 0,25÷6 W 62÷4x1"	1707	T273
26	coarse pitch hand taps M3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 16 - 18 - 20	430	T270
14	fine pitch hand taps M6x0,75 - M8x1 - M10x1,25 M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5	433	T270
7	round dies, coarse pitch M3 - 4 - 5 - 6 - 7 - 8 - 9	440	T270
6	round dies, coarse pitch M10 - 12 - 14 - 16 - 18 - 20	440A	T270
2	round dies, fine pitch M6x0,75 - M8x0,75	441	T270
5	round dies, fine pitch M10x1,25 - M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5	441A	T270

	£	
5908VI/2T	**4120.00**	059081105

Assortment recommended in combination with RSC28 - RSC24XL with 8 and 9 drawers - RSC24A with 8 and 9 drawers - RSC24 with 8 drawers - C37 with 8 drawers - C39 with 8 drawers

5910VI/3

assortment of 297 tools

► Industrial maintenance

Quantity	Description	Beta N.
6	Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6N
1	centre punch Ø 4 mm	32
2	flat chisels, ribbed type 125 - 250 mm	35
1	cape chisel, ribbed type 200 mm	37
30	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-35-36-38-41 mm	42
14	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 - 36x41 mm	55
13	double ended offset ring wrenches 6x7÷30x32 mm	90
14	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	96N
1	Adjustable wrench 250 mm	111E
1	heavy duty pipe wrench 300 mm	362
25	twist drills with cylindrical shanks, short series 1÷13x0,5 mm	412/SP25
37	assortment of HSS taps and dies, metric thread	447/C37
1	ZERO-RESET click-type torque wrenches ⓡ 1/2", 40÷200 Nm	666/20
1	1/2" drive swivel T-handle	920/40
4	1/2" drive, socket drivers for hexagon screws ○ 10-12-14-17 mm	920ME
25	20 sockets and 5 accessories	920A/C20X
17	assortment of 12 sockets and 5 accessories 3/4"	928A/C12
12	double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 13 - 14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm	932
14	T-handle wrenches with hexagon male ends 2÷14 mm	951/S14
5	T handle wrenches with swivelling hexagon male ends ○ 3 - 4 - 5 - 6 - 8 mm	953
3	circlip pliers straight, internal ○ 180 - 225 - 300 mm	1032
3	circlip pliers bent, internal ○ 170 - 210 - 290 mm	1034
3	circlip pliers straight, external ● 140x1,3 - 175 - 225 mm	1036
3	circlip pliers bent, external ● 135x1,3 - 175 - 220 mm	1038
2	250 - 300 mm	1048N
1	self locking pliers, double adjustment	1051
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⧓ 160 mm	1084GBM
1	toggle lever assisted end cutting nippers ⧓ 180 mm	1092V
1	tin snips 300 mm	1112
1	tin snip, straight narrow blades 250 mm	1114
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish ═ 180 mm	1150GBM
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◐ 160 mm	1166GBM
1	extra-long bent needle knurled nose pliers, bi-material handles, industrial finish ◐ 160 mm	1168GBM
9	screwdrivers for slotted head screws ◐ 2,5x50 - 3x75 - 3,5x150 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 - 12x250 mm	1260
2	screwdrivers for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1260N
5	screwdrivers for cross head Phillips® screws ✪ PH0x100 - PH1x120 - PH2x150 - PH3x150 - PH4x200 mm	1262
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N
7	drivers for Torx® head screws ✪ T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
2	engineer's hammer 300 - 600 g	1370
2	soft face hammer Ø 35 - 60 mm	1390
5	tapered extractors M3÷M18	1430/S5
1	two - leg universal puller 23÷70 mm	1500N/1
1	two - leg universal puller 23÷100 mm	1500N/2
1	sliding gauge	1650
1	semirigid stainless steel rule 300 mm	1683
1	engineer's scriber	1688A
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/13
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
5	second cut files 200 mm	1719BMA8/S5
1	hacksaw frame, aluminium handle	1726BM
1	riveting pliers	1741B
1	Metal pressure oil can 200 cc	1751N

	£	
5910VI/3	**8260.00**	059101044

Assortment recommended for use with item C30M

5910VI/3T

assortment of 261 tools in ABS thermoformed trays



► Industrial maintenance

Quantity/Description		Beta N.	TR
16	combination wrenches 6÷21 mm	42	**T05**
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T06**
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	**T31**
1	centre punch Ø 4 mm	32	**T31**
13	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	**T31**
9	offset hexagon key wrenches O 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	**T31**
5	double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm	90	**T41**
7	double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 mm	90	**T40**
5	1/2" drive, socket drivers for hexagon screws O 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1	1/2" drive extension bar 125 mm	920/21	**T80**
1	1/2" drive extension bar 255 mm	920/22	**T80**
1	1/2" drive universal joint	920/25	**T80**
1	1/2" drive sliding T-handle	920/42	**T80**
1	1/2" drive reversible ratchet	920/55	**T80**
19	1/2" square drive hexagon sockets 10÷24 - 26 - 27 - 30 - 32 mm	920A	**T80**
9	screwdrivers for slotted head screws 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	**T167**
2	screwdrivers for slotted head screws, extra-short series 4x30 - 6,5x30 mm	1260N	**T167**
7	screwdrivers for cross head Phillips® screws PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm	1262	**T168**
2	screwdrivers for cross head Phillips® screws, extra - short series PH1x30 - PH2x30 mm	1262N	**T168**
4	offset hexagon key wrenches O 13-14-17-19 mm	96N	**T168**
1	tin snips 250 mm	1112	**T279**
1	electrician's scissors, straight blades	1128BM	**T279**
1	hacksaw frame, aluminium handle	1726	**T279**
(5)	blades for hacksaw	1728BM	**T279**
1	Metal pressure oil can 200 cc	1751N	**T279**
1	half-round needle nose pliers 180 mm	1150BM	**T137**
1	Extra-long needle nose pliers 160 mm	1166BM	**T137**
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM	**T137**
1	circlip pliers straight, internal 180 mm	1032	**T145**
1	circlip pliers bent, internal 170 mm	1034	**T145**
1	circlip pliers straight, external 175mm	1036	**T145**
1	circlip pliers bent, external 175mm	1038	**T145**
2	flat chisels, ribbed type 100 - 200 mm	35	**T234**
1	engineer's hammer 300 g	1370	**T234**
1	soft face hammer Ø 35 mm	1390	**T234**
1	second cut files 200 mm	1719BMA8/S5	**T236**
4	combination wrenches 35-36-38-41 mm	42	
1	double open end wrenches 36x41 mm	55	
1	Adjustable wrench 250 mm	111E	
1	heavy duty pipe wrench 300 mm	362	
25	twist drills with cylindrical shanks, short series	412/SP25	
37	assortment of HSS taps and dies, metric thread	447/C37	
1	ZERO-RESET click-type torque wrenches 40÷200 Nm	666/20	
17	assortment of 12 sockets and 5 accessories 3/4"	928A/C12	
14	T-handle wrenches with hexagon male ends	951/S14	
5	T handle wrenches with swivelling hexagon male ends O 3-4-5-6-8 mm	953	
1	circlip pliers straight, internal 300 mm	1032	
1	circlip pliers bent, internal 290 mm	1034	
1	circlip pliers straight, external 225 mm	1036	
1	circlip pliers bent, external 220 mm	1038	
1	300 mm	1048N	
1	self locking pliers, double adjustment	1051	
1	toggle lever assisted end cutting nippers 180 mm	1092V	
1	engineer's hammer 600 g	1370	
1	soft face hammer 60 mm	1390	
5	tapered extractors M3-M18	1430/S5	
1	two - leg universal puller	1500/3	
1	sliding gauge	1650	
1	semirigid stainless steel rule	1683	
1	engineer's scriber	1688	
1	measuring tape 5 m	1692	
1	metric feeler gauge	1708/13	
1	flexible magnetic pick-up tool	1712E/2	

	£	
5910VI/3T	**7200.00**	059101063

Assortment recommended for use with item C30M

MB12

MB37



MB44

MB55

5935VI/2MB

assortment of 133 tools for tool chest C35, in EVA foam trays

► Industrial maintenance

Quantity	Description	Beta N.	TR
21	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm	42	MB12
8	double open end wrenches 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22 mm	55	MB12
1	250 mm	1048N	MB12
19	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm	920A	MB37
1	1/2" wobble extension bar 125 mm	920AN/125	MB37
1	1/2" wobble extension bar 150 mm	920AN/250	MB37
1	1/2" drive universal joint	920/25	MB37
1	1/2" drive sliding T-handle	920/42	MB37
1	1/2" drive reversible ratchet	920/55	MB37
1	Adjustable wrench 250 mm	111E	MB37
1	self - locking pliers 240 mm	1052	MB37
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM	MB37
1	half-round needle nose pliers 180 mm	1150BM	MB37
1	Extra-long needle nose pliers 160 mm	1166BM	MB37
1	circlip pliers straight, internal 180 mm	1032	MB37
1	circlip pliers bent, internal 170 mm	1034	MB37
1	circlip pliers straight, external 175 mm	1036	MB37
1	circlip pliers bent, external 175 mm	1038	MB37
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	MB37
1	1/4" drive extension bar 50 mm	900/20	MB37
1	1/4" drive extension bar 150 mm	900/21	MB37
1	1/4" drive universal joint	900/25	MB37
1	1/4" drive spinner handle	900BG/30	MB37
1	1/4" reversible ratchet	900/55	MB37
1	1/4" drive swivel T-handle	900/42	MB37
7	screwdrivers for slotted head screws 2,5x50-3x75-3,5x100-4x100-5,5x125-6,5x150-8x200 mm	1260	MB44
2	screwdrivers for slotted head screws, extra-short series 4x30-6,5x30 mm	1260N	MB44
7	screwdrivers for cross head Phillips® screws PH0x60-PH0x100-PH1x80-PH1x120-PH2x100-PH2x150-PH3x150 mm	1262	MB44
2	screwdrivers for cross head Phillips® screws, extra - short series PH1x30-PH2x30 mm	1262N	MB44
1	mains testing screwdriver 4x30-6,5x30 mm	1253	MB44
9	ball head offset hexagon key wrenches	96BPC/SC9	MB44
6	T-handle wrenches with hexagon male ends 2,5-3-4-5-6-8 mm	951	MB44
5	pin punches Ø 2-3-4-5-6 mm	31	MB55
1	centre punch Ø 4 mm	32	MB55
1	flat chisels, ribbed type 200 mm	35	MB55
1	tin snips 250 mm	1112	MB55
1	electrician's scissors, straight blades	1128BMX	MB55
1	engineer's hammer 500 g	1370	MB55
1	soft face hammer Ø 45 mm	1390	MB55
1	second-cut square files 200 mm	1719BMA...Q	MB55
1	second-cut triangular files 200 mm	1719BMA...T	MB55
1	second-cut flat files 200 mm	1719BMA...P	MB55
1	second-cut half-round files 200 mm	1719BMA...M	MB55
1	second-cut round files 200 mm	1719BMA...R	MB55
1	hacksaw frame, aluminium handle 440 mm	1726	MB55

	£	
5935VI/2MB	**2800.00**	059351316

Assortment recommended in combination with C35

5957VI

Assortment of 162 tools

► Industrial maintenance

Quantity/Description	Beta N.
6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
18 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-21-22-24-27-30-32 mm	42
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96T/S8
8 offset key wrenches, for Torx® head screws ✪ T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/SC8
1 Adjustable wrench 250 mm	111E
13 1/2" square drive bi-hex sockets with rail ○ 10÷22 mm	920B/SB13
8 1/2" square drive bi-hex sockets with rail ○ 23÷32 mm	920B/SB8
4 1/2" socket drivers for slotted head screws ◖ 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3 1/2" socket drivers for Phillips® screws ✪ PH2 - 3 - 4	920PH
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet	920/55
1 pry bar	963
2 circlip pliers straight, internal ○ 140 - 180 mm	1032
2 circlip pliers bent, internal ○ 130 - 170 mm	1034
2 circlip pliers straight, external ● 140 - 175 mm	1036
2 circlip pliers bent, external ● 135 - 175 mm	1038
1 250 mm	1048N
1 self locking pliers, double adjustment	1051
1 Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⧓ 180 mm	1092V
1 tin snips 250 mm	1112
1 tin snip, straight narrow blades 250 mm	1114
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers 〓 180 mm	1150BM
1 Extra-long needle nose pliers ◖ 160 mm	1166BM
1 Extra-long bent needle nose pliers ◖ 160 mm	1168BM
7 screwdrivers for slotted head screws ◖ 2,5x50 - 3x75 - 4x100 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
4 screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
3 engineer's hammer 300 - 600 - 1000 g	1370
1 soft face hammer Ø 35 mm	1390
1 measuring tape 5 m	1692
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
1 two cutting edges scraper 200 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1725
1 metal oil can 200 cc	1751
1 flat chisels, ribbed type 200 mm	35
1 cape chisel, ribbed type 200 mm	37
11 double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 19 - 22 - 24 mm	932
1 self - locking pliers 240 mm	1052
1 self - locking pliers 280 mm	1060
1 self - locking pliers 290 mm	1062
1 dead blow hammer Ø 50 mm	1392
1 two - leg universal puller 25÷130 mm	1500N/2
1 sliding gauge	1650
1 semirigid stainless steel rule 300 mm	1683
1 engineer's scriber	1688A
1 metric feeler gauge	1708/13
1 fold - away knife	1777BM
1 snap - off blade utility knife 170 mm	1771BM
1 Diagonal cutting nippers ⧓ 160 mm	1082BM

	£	
5957VI	**4110.00**	059571005

Assortment recommended in combination with C57S A - C57S B - C57SP - C55PSP

5954VI

Assortment of 133 tools

► Industrial maintenance

Quantity/Description		Beta N.
5	pin punches Ø 2-3-4-5-6 mm	31
1	centre punch Ø 4 mm	32
2	flat chisels, ribbed type 200-250 mm	35
18	combination wrenches 6÷14 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 mm	42
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55
12	offset hexagon key wrenches ○ 2÷10 mm	96/SC12
1	Adjustable wrench 250 mm	111E
1	pipe wrench Swedish pattern 320 mm	374
20	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
6	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 - 14 mm	920ME
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive swivel T-handle	920/40
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
6	T-handle wrenches with hexagon male ends 2,5 - 3 - 4 - 5 - 6 - 8 mm	951
2	circlip pliers straight, internal ⊙ 140 - 180 mm	1032
1	circlip pliers bent, internal ⊙ 170 mm	1034
2	circlip pliers straight, external ● 140x1,3 - 175 mm	1036
1	circlip pliers bent, external ● 175 mm	1038
1	250 mm	1048N
1	self - locking pliers 240 mm	1052
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	toggle lever assisted end cutting nippers ⧓ 180 mm	1092V
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 〓 180 mm	1150BM
1	Extra-long needle nose pliers ◖ 160 mm	1166BM
1	mains testing screwdriver ◖	1253
2	screwdrivers for slotted head screws ◖ 8x150 - 10x200 mm	1260
2	screwdrivers for slotted head screws, extra-short series ◖ 4x30 - 6,5x30 mm	1260N
2	screwdrivers for cross head Phillips® screws ✪ PH3x150 - PH4x200 mm	1262
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N
8	set of screwdrivers	1263/D8
2	engineer's hammer 300 - 500 g	1370
1	soft face hammer Ø 45 mm	1390
1	measuring tape 5 m	1692
1	flexible magnetic pick-up tool 0,5 kg	1712E/1
5	second cut files 200 mm	1719BMA8/S5
1	hacksaw frame, aluminium handle	1726BM
1	plastic oil can 250 cc	1754

	£	
5954VI	**2960.00**	059541053

Assortment recommended in combination with C54S-C55C

5904VU/1M

assortment of 90 tools in EVA foam trays

► Universal use

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	M05
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 mm	55	M33
9	offset hexagon key wrenches 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	M33
6	drivers for Torx® head screws T8-T10-T15-T20-T25-T30	1267TX	M204
3	screwdrivers for slotted head screws 3x75-4x100-6,5x150 mm	1260	M201
3	screwdrivers for cross head Phillips® screws PH0x60-PH1x80-PH2x100 mm	1262	M201
8	offset hexagon key wrenches 2-2,5-3-4-5-6-7-8 mm	96T	M50
1	1/2" wobble extension bar 125 mm	920AN/125	M83
1	1/2" wobble extension bar 250 mm	920AN/250	M83
1	1/2" drive universal joint	920/25	M83
1	1/2" drive sliding T-handle	920/42	M83
1	1/2" drive reversible ratchet	920/55	M83
19	1/2" square drive hexagon sockets 10÷24 - 26 - 27 - 30 - 32 mm	920A	M83
1	Heavy-duty diagonal cutting nippers 160 mm	1084	M137
1	half-round needle nose pliers 180 mm	1150	M137
1	Extra-long needle nose pliers 160 mm	1166	M137
1	250 mm	1048N	M153
1	self - locking pliers 240 mm	1052	M153
2	flat chisels, ribbed type 100 - 200 mm	35	M234
1	engineer's hammer 300 g	1370	M234
1	soft face hammer Ø 35 mm	1390	M234
1	circlip pliers straight, internal 180 mm	1032	M145
1	circlip pliers bent, internal 170 mm	1034	M145
1	circlip pliers straight, external 175 mm	1036	M145
1	circlip pliers bent, external 175 mm	1038	M145

	£	
5904VU/1M	**1670.00**	059041201

Assortment recommended in combination with RSC51 - RSC24 - RSC24A - RSC24XL - C37 - C39 with 6 - 7 - 8 drawers RSC23T - C39T - RSC24L - RSC24L-CAB - C59 RSC55 - RSC28 - C39SM - C39MD

5904VU/2M

assortment of 144 tools in EVA foam trays

► Universal use

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	M05
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55	M33
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	M33
3	screwdrivers for slotted head screws ◖ 3x75-4x100-6,5x150 mm	1260	M201
3	screwdrivers for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100 mm	1262	M201
6	drivers for Torx® head screws ✪ T8-T10-T15-T20-T25-T30	1267TX	M204
8	offset hexagon key wrenches ○ 2-2,5-3-4-5-6-7-8 mm	96T	M50
1	1/2" wobble extension bar 125 mm	920AN/125	M83
1	1/2" wobble extension bar 250 mm	920AN/250	M83
1	1/2" drive universal joint	920/25	M83
1	1/2" drive sliding T-handle	920/42	M83
1	1/2" drive reversible ratchet	920/55	M83
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	M83
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084	M137
1	half-round needle nose pliers 〓 180 mm	1150	M137
1	Extra-long needle nose pliers ◖ 160 mm	1166	M137
1	250 mm	1048N	M153
1	self - locking pliers 240 mm	1052	M153
2	flat chisels, ribbed type 100 - 200 mm	35	M237
1	mechanic's hammers 300 g	1370T	M237
1	nylon face hammers, wooden shafts Ø 35 mm	1390N	M237
1	circlip pliers straight, internal ◌ 180 mm	1032	M145
1	circlip pliers bent, internal ◌ 170 mm	1034	M145
1	circlip pliers straight, external ● 175 mm	1036	M145
1	circlip pliers bent, external ● 175 mm	1038	M145
1	soft thermoformed tray with 4 tote trays	VPM3	VPM3
1	measuring tape 5 m	1692	M294
1	mini hacksaw frame	1725CR	M294
1	18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD	1771RL	M294
1	snap - off blade utility knife	1771	M294
5	bits for slotted head screws, coloured ◖ 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm	860LP	M85
8	hexagon bits for power drivers, coloured ○ 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	860PE	M85
5	bits for cross head Phillips® screws, coloured ✪ PH0 - PH1 - PH2 - PH3 - PH4	860PH	M85
4	bits for cross head Pozidriv® - Supadriv® screws, coloured ✪ PZ1 - PZ2 - PZ3 - PZ4	860PZ	M85
11	bits for Torx® head screws, coloured ✪ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40	860TX	M85
8	bits for Tamper Resistant Torx® head screws, coloured ✪ T9-T10-T15-T20-T25-T27-T30-T40	860RTX	M85
1	magnetic bit holder with handle 230 mm	851SR	M85
1	reversible bit ratchet 100 mm	860/55	M85
5	second cut files 200 mm	1719BMA8/S5	M236
1	adaptors for drivers	892/0	M85
1	magnetic bit holder extension bar	882P	M85

	£	
5904VU/2M	**2170.00**	059041212

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39 RSC24L - RSC24L-CAB - C59 - C23 -RSC28 -C39SM - C39MD -C39T RSC55

5904VU/2T

assortment of 104 tools in ABS thermoformed trays

► Universal use

Quantity/Description	Beta N.	TR
7 screwdrivers for slotted head screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 5,5x100 - 5,5x150 - 6,5x150 mm	1260	**T199**
6 screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm	1262	**T202**
19 1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19 20-21-22-23-24-26-27-30-32 mm	920A	**T83**
1 1/2" drive extension bar 125 mm	920/21	**T83**
1 1/2" drive extension bar 255 mm	920/22	**T83**
1 1/2" drive universal joint	920/25	**T83**
1 1/2" drive sliding T-handle 305 mm	920/42	**T83**
1 1/2" drive reversible ratchet ⊛	920/55	**T83**
1 circlip pliers straight, internal ⊙ 180 mm	1032	**T145**
1 circlip pliers bent, internal ⊙ 170 mm	1034	**T145**
1 circlip pliers straight, external ● 175 mm	1036	**T145**
1 circlip pliers bent, external ● 175 mm	1038	**T145**
1 250 mm	1048N	**T153**
1 self - locking pliers 240 mm	1052	**T153**
1 Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084	**T138**
1 half-round needle nose pliers 〓 180 mm	1150	**T138**
1 Extra-long needle nose pliers ◐ 160 mm	1166	**T138**
2 flat chisels, ribbed type 100-200 mm	35	**T234**
1 engineer's hammer 300 g	1370	**T234**
1 soft face hammer Ø 35 mm	1390	**T234**
6 T-handle wrenches with hexagon male ends 2,5-3-4-5-6-8 mm	951	**T68**
8 double open end wrenches 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22 mm	55	**T33**
9 offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9	**T33**
16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17 18-19-20-21 mm	42	**T05**
5 combination wrenches 22-24-27-30-32 mm	42	**T06**
1 electrician's scissors, straight blades	1128BMX	**T284**
1 Multiuse scissors	1130BMX	**T284**
1 second-cut square files 200 mm	1719BMA...Q	**T284**
1 second-cut flat files 200 mm	1719BMA...P	**T284**
1 second-cut triangular files 200 mm	1719BMA...T	**T284**
1 second-cut half-round files 200 mm	1719BMA...M	**T284**
1 second-cut round files 200 mm	1719BMA...R	**T284**
1 hacksaw frame, aluminium handle	1726BM	**T284**
1 blades for hacksaw	1728BM	**T284**
1 snap - off blade utility knife 170 mm	1771BM	**T284**
1 185 mm	1778V18	**T284**

	£	
5904VU/2T	**2065.00**	059041070

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39 RSC24L - RSC24L-CAB - C59 - RSC23T - RSC28 - C39SM - C39MD -C39T RSC55



5904VU/3T

assortment of 146 tools in ABS thermoformed trays

► Universal use

Quantity/Description		Beta N.	TR
16	combination wrenches 6÷21 mm	42	**T05**
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T06**
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	**T31**
1	centre punch Ø 4 mm	32	**T31**
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	**T31**
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	**T31**
6	offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm	96T	**T52**
6	drivers for Torx® head screws, with handles ✪ T10-T15-T20-T25-T27-T30	97TTX	**T55**
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1	1/2" drive extension bar 125 mm	920/21	**T80**
1	1/2" drive extension bar 255 mm	920/22	**T80**
1	1/2" drive universal joint	920/25	**T80**
1	1/2" drive sliding T-handle	920/42	**T80**
1	1/2" drive reversible ratchet	920/55	**T80**
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**T80**
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	**T91**
6	1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm	900ME	**T91**
1	1/4" drive extension bar 50 mm	900/20	**T91**
1	1/4" drive extension bar 150 mm	900/21	**T91**
1	1/4" drive universal joint	900/25	**T91**
1	1/4" drive spinner handle	900BG/30	**T91**
1	1/4" drive swivel T-handle 115 mm	900/42	**T91**
1	1/4" reversible ratchet	900/55	**T91**
1	circlip pliers straight, internal ○ 180 mm	1032	**T145**
1	circlip pliers bent, internal ○ 170 mm	1034	**T145**
1	circlip pliers straight, external ● 175 mm	1036	**T145**
1	circlip pliers bent, external ● 175 mm	1038	**T145**
1	half-round needle nose pliers 〓 180 mm	1150	**T138**
1	Extra-long needle nose pliers ◖ 160 mm	1166	**T138**
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084	**T138**
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	**T153**
1	self - locking pliers 240 mm	1052	**T153**
4	screwdrivers for slotted head screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260	**T198**
3	screwdrivers for cross head Pozidriv®-Supadriv® screws ✪ PZ0 - PZ1 - PZ2	1269PZ	**T198**
7	drivers for Torx® head screws ✪ T6-T7-T8-T9-T10-T15-T20	1267TX	**T205**
2	flat chisels, ribbed type 100 - 200 mm	35	**T234**
1	engineer's hammer 300 g	1370	**T234**
1	soft face hammer Ø 35 mm	1390	**T234**
5	second cut files 200 mm	1719BMA8/S5	**T236**

	£	
5904VU/3T	**2440.00**	059041203

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39 RSC24L - RSC24L-CAB - C59 - C39T - C39SM - C39MD - RSC23T - RSC28 RSC55



5904VU/4T

assortment of 197 tools in ABS thermoformed trays

► Universal use

Quantity	Description	Beta N.	TR
1	drift punches Ø 4 mm	30	
1	pin punches Ø 4 mm	31	
1	centre punch Ø 4 mm	32	
54	assortment of 52 hexagon bits, 10 mm, and 2 accessories	867/C52	
17	combination wrenches 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm	42	T01
7	double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	90	T40
19	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19 -20-21-22-23-24-26-27-30-32 mm	920A	T83
1	1/2" drive extension bar 125 mm	920/21	T83
1	1/2" drive extension bar 250 mm	920/22	T83
1	1/2" drive universal joint	920/25	T83
1	1/2" drive sliding T-handle 305 mm	920/42	T83
1	1/2" drive reversible ratchet ⓡ	920/55	T83
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	T91
6	1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm	900ME	T91
1	1/4" drive extension bar 50 mm	900/20	T91
1	1/4" drive extension bar 150 mm	900/21	T91
1	1/4" drive universal joint	900/25	T91
1	1/4" drive spinner handle	900BG/30	T91
1	1/4" drive swivel T-handle 115 mm	900/42	T91
1	1/4" reversible ratchet ⓡ	900/55	T91
1	Diagonal cutting nippers 160 mm	1082	T156
1	half-round needle nose pliers 180 mm	1150	T156
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	T156
7	screwdriver for slotted head screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm	1201E	T211
6	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm	1202E	T213
7	screwdrivers for Torx® head screws, with handles ✪ T6-T7-T8-T9-T10-T15-T20	1207E/TX	T216
2	flat chisels, ribbed type 100-200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
7	ball head offset hexagon key wrenches burnished ○ 2,5-3-4-5-6-8-10 mm	96BP	T259
1	offset hexagon key wrenches ○ 12 mm	96N	T259
31	bits with magnetic quick release bit holder in plastic case ◐ ○ ✪ ✪ ✪	860MIX/A31	T259
1	socket holder	895/1	T259

	£	
5904VU/4T	1870.00	059241100

Assortment recommended in combination with items RSC23T - RSC24 - RSC24A - RSC24XL - RSC24L - RSC24L-CAB - C37 - C39 - C39T - C39SM - C39MD RSC55 - C59

5908VU/2T

assortment of 161 tools in ABS thermoformed trays

► Universal use

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	**T05**
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T06**
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	**T31**
1 centre punch Ø 4 mm	32	**T31**
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	**T31**
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	**T31**
7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	90	**T40**
6 offset hexagon key wrenches ○ 2-2,5-3-4-5-6 mm	96T	**T52**
6 drivers for Torx® head screws, with handles ✪ T10-T15-T20-T25-T27-T30	97TTX	**T55**
19 1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm	920A	**T82**
5 1/2" drive, socket drivers for hexagon screws ○ 5-6-8-10-12 mm	920ME	**T82**
1 1/2" wobble extension bar 125 mm	920AN/125	**T82**
1 1/2" wobble extension bar 250 mm	920AN/250	**T82**
1 1/2" drive universal joint	920/25	**T82**
1 1/2" drive sliding T-handle 305 mm	920/42	**T82**
1 1/2" drive reversible ratchet	920/55	**T82**
13 1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	**T91**
6 1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm	900ME	**T91**
1 1/4" drive extension bar 50 mm	900/20	**T91**
1 1/4" drive extension bar 150 mm	900/21	**T91**
1 1/4" drive universal joint	900/25	**T91**
1 1/4" drive spinner handle	900BG/30	**T91**
1 1/4" drive swivel T-handle 115 mm	900/42	**T91**
1 1/4" reversible ratchet	900/55	**T91**
1 Heavy-duty diagonal cutting nippers 160 mm	1084	**T138**
1 half-round needle nose pliers 180 mm	1150	**T138**
1 Extra-long needle nose pliers 160 mm	1166	**T138**
1 circlip pliers straight, internal 180 mm	1032	**T145**
1 circlip pliers bent, internal 170 mm	1034	**T145**
1 circlip pliers straight, external 175 mm	1036	**T145**
1 circlip pliers bent, external 175 mm	1038	**T145**
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	**T153**
1 self - locking pliers 240 mm	1052	**T153**
7 screwdrivers for cross head Phillips® screws 2,5x50-3x75-3,5x100-4x125-5,5x100-5,5x150-6,5x150 mm	1290	**T170**
3 screwdrivers for cross head Phillips® screws 8x150-8x200-10x200 mm	1290	**T171**
2 screwdriver for slotted head screws, extra-short series 4x30-6,5x30 mm	1290N	**T171**
6 screwdrivers for cross head Phillips® screws PH0x60-PH0x100-PH1x80-PH1x120-PH2x100-PH2x150 mm	1292	**T172**
2 screwdrivers for cross head Phillips® screws PH3x150-PH4x200 mm	1292	**T173**
2 screwdriver for cross head Phillips® screws, extra-short series PH1x30-PH2x30 mm	1292N	**T173**
2 flat chisels, ribbed type 100-200 mm	35	**T234**
1 engineer's hammer 300 g	1370	**T234**
1 soft face hammer Ø 35 mm	1390	**T234**
1 second-cut square files 200 mm	1719BMA...Q	**T236**
1 second-cut triangular files 200 mm	1719BMA...T	**T236**
1 second-cut flat files 200 mm	1719BMA...P	**T236**
1 second-cut half-round files 200 mm	1719BMA...M	**T236**
1 second-cut round files 200 mm	1719BMA...R	**T236**
1	VP4	

	£	
5908VU/2T	**2780.00**	059081136

Assortment recommended in combination with items RSC23T - RSC24, 6-7-8 drawers - RSC24A - RSC24XL - RSC24L - RSC24L-CAB - RSC28 - C37, 6-7-8 drawers - C39, 6-7-8 drawers - C39MD - C39SM - C59 RSC55

5914VU/M

assortment of 109 tools for tool trolley C14, in EVA foam trays

► universal use

MC T1

MC T2

MC T3

Quantity/Description		Beta N.	TR
31	bits with magnetic quick release bit holder in plastic case ◐ ○ ✪ ✪ ✪	860MIX/A31	MCT1
1	socket holder	895/1	MCT1
13	1/4" hexagon sockets ◎ 4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm	900	MCT1
1	1/4" drive extension bar 150 mm	900/...	MCT1
1	1/4" drive universal joint	900/25	MCT1
1	1/4" drive spinner handle	900BG/30C	MCT1
1	1/4" drive swivel T-handle	900/42	MCT1
1	1/4" reversible ratchet ⓡ	900/55	MCT1
16	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm	920A	MCT1
1	1/2" drive universal joint	920/25	MCT1
1	1/2" wobble extension bar	920AN/125	MCT1
1	1/2" drive sliding T-handle	920/42	MCT1
1	1/2" drive reversible ratchet ⓡ	920/55	MCT1
16	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm	42	MCT2
9	offset hexagon key wrenches ○	96/SC9	MCT2
1	Adjustable wrench 250 mm	111E	MCT2
1	electrician's scissors, straight blades	1128BMX	MCT2
1	measuring tape 5 mt	1692/5	MCT2
1	snap - off blade utility knife	1771	MCT2
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	MCT3
1	Diagonal cutting nippers ⧓ 160 mm	1082BM	MCT3
1	half-round needle nose pliers 〓 180 mm	1150BM	MCT3
1	Extra-long needle nose pliers ◐ 160 mm	1166BM	MCT3
3	screwdrivers for slotted head screws ◐ 3,5x100-5,5x125-6,5x150 mm	1260	MCT3
3	screwdrivers for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100 mm	1262	MCT3

	£	
5914VU/M	**1330.00**	059140112

Assortment recommended in combination with tool trolley C14
NB: for correct closure of upper module of tool trolley, tool panel under cover should be removed.

M01

M100

M213

M33 M86 M136 M234

5988U/7M

assortment of 215 tools in EVA foam trays

► Universal use

Quantity	Description	Beta N.	TR
22	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm	42	M01
8	double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55	M33
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9	M33
7	hexagon bits ○ 4-5-6-7-8-10-12 mm	867PE	M86
7	hexagon bits ○ 4-5-6-7-8-10-12 mm	867PE/L	M86
5	bits with XZN® profile ○ 5-6-8-10-12 mm	867XZN	M86
5	bits with XZN® profile ○ 5-6-8-10-12 mm	867XZN/L	M86
7	bits for Torx® head screws ○ T20-T25-T30-T40-T45-T50-T55	867TX	M86
6	bits for Torx® head screws ○ T25-T30-T40-T45-T50-T55	867TX/L	M86
7	bits for Tamper Resistant Torx® head screws ○ T20-T25-T30-T40-T45-T50-T55	867RTX	M86
1	bit holder sockets for item 867	867/1	M86
1	bit holder sockets for item 867	867/2	M86
1	socket holder	895/1	M100
1	socket holder	895/3	M100
1	socket holder	895/6	M100
13	1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	M100
9	hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm	900L	M100
5	1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm	900ME	M100
4	1/4" socket drivers for slotted head screws ◐ 0,8x4-1x5,5-1,2x6,5-1,2x8 mm	900LP	M100
4	1/4" socket drivers for cross head Phillips® screws ✪ PH1-PH2-PH3-PH4	900PH	M100
7	socket drivers for Torx® head screws ○ T10-T15-T20-T25-T27-T30-T40	900TX	M100
1	1/4" drive extension bar 50 mm	900/20	M100
1	1/4" drive extension bar 100 mm	900/20L	M100
1	1/4" drive extension bar 150 mm	900/21	M100
1	1/4" drive universal joint	900/25	M100
1	1/4" drive spinner handle	900BG/30	M100
1	1/4" drive swivel T-handle	900/42	M100
1	1/4" reversible ratchet	900/55	M100
21	1/2" square drive hexagon sockets ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A	M100
1	adaptor, 1/2" female and 3/8" male drives	920/15	M100
1	1/2" drive universal joint	920/25	M100
1	1/2" wobble extension bar 125 mm	920AN/125	M100
1	1/2" wobble extension bar 250 mm	920AN/250	M100
1	1/2" drive sliding T-handle	920/42	M100
1	1/2" drive reversible ratchet	920/55	M100
8	1/2" sockets for Torx® head screws ○ 10-12-14-16-18-20-22-24 mm	920FTX	M100
11	hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22	920AL	M100
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM	M136
1	half-round needle nose pliers 〓 180 mm	1150BM	M136
1	Extra-long needle nose pliers ◐ 160 mm	1166BM	M136
6	screwdriver for slotted head screws ◐ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	1201E	M213
1	screwdriver for slotted head screws, extra-short series ◐ 4x30 mm	1201EN	M213
4	screwdriver for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100-PH3x150 mm	1202E	M213
1	screwdriver for cross head Phillips® screws, extra-short series ✪ PH1X30 mm	1202EN	M213
12	screwdrivers for Torx® head screws, with handles ○ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45	1207E/TX	M213
1	mains testing screwdriver ◐	1253	M213
2	flat chisels, ribbed type 100-200 mm	35	M234
1	engineer's hammer 300 g	1370	M234
1	soft face hammer Ø 35 mm	1390	M234

	£	
5988U/7M	**2780.00**	059881019

Assortment recommended in combination with items RSC23T - RSC24 - RSC24A - RSC24XL - RSC24L - RSC24L-CAB - RSC28 - C37 - C39 - C39SM - C39MD RSC55 - C59



5915VU/0

Assortment of 35 tools

► Universal use

Quantity	Description	Beta N.
1	centre punch 4 mm	32
1	flat chisels, ribbed type 125 mm	35
8	double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55
7	Offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6 mm	96/BGS7
1	Adjustable wrench 150 mm	111E
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ⧖ 160 mm	1082G
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish ═ 180 mm	1150G
1	extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish ◖ 160 mm	1166G
4	screwdriver for slotted head screws ◖ 3x75-4x100-5,5x100-6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100 mm	1202E
1	engineer's hammer 300 g	1370
1	measuring tape 3 m	1692/3
1	snap - off blade utility knife 18 mm	1771
1	car service knife	1778SOS
1	high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens	1833S

	£	
5915VU/0	**509.00**	059151021

Assortment recommended in combination with C4 - C5 - C5S - C6T

5915VU/1

Assortment of 45 tools

► Universal use

Quantity	Description	Beta N.
2	drift punches Ø 2-3 mm	30
1	centre punch Ø 4 mm	32
2	flat chisels 125-150 mm	34
1	cape chisels, standard type 150 mm	36
14	combination wrenches 6÷14 - 17 - 19 - 21 - 22 - 24 mm	42
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9
1	Adjustable wrench 250 mm	111E
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ⧖ 160 mm	1082G
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish ═ 180 mm	1150G
1	extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish ◖ 160 mm	1166G
4	screwdriver for slotted head screws ◖ 3x75 - 4x100 - 5,5x100 - 6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202E
1	engineer's hammer 300 g	1370
1	measuring tape 5 m	1692
1	snap - off blade utility knife	1771

	£	
5915VU/1	**598.00**	059151024

Assortment recommended in combination with C8 - C9 - C10 - C10S - C11 - CP15 -CP15L - C16 - CP17 - CP17L - C18



5915VU/2

Assortment of 49 tools

► Universal use

Quantity	Description	Beta N.
8	6x7 - 8x9 - 10x11 - 12x13 -14x15 16x17 - 18x19 - 20x22 mm	55/B8N
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9
13	1/4" hexagon sockets ◎ 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	900
1	1/4" drive extension bar 150 mm	900/21
1	1/4" drive universal joint	900/25
1	1/4" drive spinner handle	900BG/30
1	1/4" drive swivel T-handle	900/42
1	1/4" reversible ratchet ⓡ	900/55
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 〓 180 mm	1150G
4	screwdriver for slotted head screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202E
1	engineer's hammer 300 g	1370
1	measuring tape 3 m	1692
1	18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD	1771RL
1	snap - off blade utility knife 18 mm	1771

	£	
5915VU/2	**523.00**	059151027

Assortment recommended in combination with C7 - CP15 - C20 - C20L

5915VU/3

assortment of 74 tools

► Universal use

Quantity	Description	Beta N.
1	pin punches Ø 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
14	combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-22-24 mm	42
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9
3	offset hexagon key wrenches ○ 4 - 5 - 6 mm	96T
1	Adjustable wrench 250 mm	111E
13	1/2" square drive hexagon sockets ◎ 8÷17 - 19 - 22 - 24 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⓡ	920/55
8	double ended hexagon tubular socket wrenches, light series 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	935
2	tommy bars for tubular wrenches	940
1	Slip joint pliers, boxed joints 250 mm	1048VN
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ⧗ 160 mm	1084G
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 〓 180 mm	1150G
1	extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish ◖ 160 mm	1166G
4	screwdriver for slotted head screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202E
1	engineer's hammer 400 g	1370
1	measuring tape 5 m	1692
1	hacksaw frame, aluminium handle	1726
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771

	£	
5915VU/3	**1122.00**	059151028

Assortment recommended in combination with C7 - C9 - C10 - C10S - C11 - CP15L - C16 - CP17 - CP17L - C19 - C19L - C20 - C20L

5915VU/4

Assortment of 80 tools

► Universal use

Quantity	Description	Beta N.
1	pin punches Ø 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
15	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-19-22-24 mm	42
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9
1	Adjustable wrench 250 mm	111E
13	1/2" square drive hexagon sockets ◎ 8÷17 - 19 - 22 - 24 mm	920A
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⓡ	920/55
17	double ended hexagon/bi - hex offset socket wrenches 6÷22 mm	932/S17
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⧓ 160 mm	1084GBM
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish 〓 180 mm	1150GBM
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◖ 160 mm	1166GBM
4	screwdriver for slotted head screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202E
1	riveting hammer 32 mm	1370F
1	measuring tape 5 m	1692
1	hacksaw frame, aluminium handle	1726
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771

	£	
5915VU/4	**1305.00**	059151045

Assortment recommended in combination with C20 - C20L



5915VU/5

assortment of 111 tools

► Universal use

Quantity	Description	Beta N.
1	pin punches Ø 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
17	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm	42
8	double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55/S8
9	ball head offset hexagon key wrenches ○	96BPC/SC9
1	Adjustable wrench 250 mm	111E
39	11 hexagon sockets, 20 bits and 8 accessories	900/C11
13	11 sockets and 2 accessories	920A/C11
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ⧓ 160 mm	1082G
1	construction worker's pincers 220 mm	1098
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 〓 180 mm	1150G
1	extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish ◖ 160 mm	1166G
4	screwdriver for slotted head screws ◖ 3x75 - 4x100 - 5,5x100 - 6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202E
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 3 m	1692/3
1	second cut files	1719BMA8/M
1	hacksaw frame, aluminium handle 440 mm	1726
1	snap - off blade utility knife 18 mm	1771BM
1	LED inspection torch, made of sturdy anodized aluminium	1833XS/2

	£	
5915VU/5	**1430.00**	059151046

Assortment recommended in combination with C12 - C41S - C41H - C42S - C42H

5915VU/AS

assortment of 68 tools

► Universal use

Quantity	Description	Beta N.
1	pin punches Ø 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
13	combination wrenches 1/4 - 5/16 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1”	42AS
8	double ended offset ring wrenches 1/4”÷1”	90AS/8
9	offset hexagon key wrenches, burnished ○ 3/64”÷3/8”	96AS/SC9
1	Adjustable wrench 250 mm	111E
11	1/2” square drive bi - hex sockets ○ 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1”	920AS
1	1/2” drive extension bar 125 mm	920/21
1	1/2” drive extension bar 255 mm	920/22
1	1/2” drive universal joint	920/25
1	1/2” drive sliding T-handle	920/42
1	1/2” drive reversible ratchet	920/55
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish 160 mm	1084GBM
1	electrician’s scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish 180 mm	1150GBM
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◐ 160 mm	1166GBM
4	screwdriver for slotted head screws ◐ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202E
1	engineer’s hammer 300 g	1370
1	measuring tape 5 m	1692
1	hacksaw frame, aluminium handle	1726
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771

	£	
5915VU/AS	**1183.00**	059151032

Assortment recommended in combination with C10 - C20 - C20L

MC10

MC20

5927VU/M

assortment of 108 tools in EVA foam trays

► Universal use

Quantity	Description	Beta N.	TR
16	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm	42	MC10
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM	MC10
9	offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96/SC9	MC10
1	half-round needle nose pliers 180 mm	1150BM	MC10
1	Extra-long needle nose pliers ◐ 160 mm	1166BM	MC10
3	screwdriver for slotted head screws ◐ 3,5x100-5,5x150-6,5x150 mm	1201E	MC10
3	screwdriver for cross head Phillips® screws ✪ PH0x3x60-PH1x4,5x80-PH2x6x100 mm	1202E	MC10
31	bits with magnetic quick release bit holder in plastic case ◐ ○ ✪ ✪ ✪	860MIX/A31	MC20
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	MC20
1	engineer’s hammer 300 mm	1370	MC20
1	centre punch 4 mm	32	MC20
1	cape chisels, standard type 4 mm	36	MC20
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	MC20
1	1/4” drive extension bar 150 mm	900/21	MC20
1	1/4" drive universal joint	900/25	MC20
1	1/4” drive spinner handle	900BG/30C	MC20
1	1/4" drive swivel T-handle	900/42	MC20
1	1/4" reversible ratchet	900/55	MC20
16	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm	920A	MC20
1	1/2" drive universal joint	920/25	MC20
1	1/2” wobble extension bar 125 mm	920AN/125	MC20
1	1/4" drive swivel T-handle	900/42	MC20
1	1/2" drive reversible ratchet	920/55	MC20
1	socket holder	895/1	MC20

	£	
5927VU/M	**1205.00**	059271021

Assortment recommended in combination with RSC22 - C27S - RSC23 - RSC23C





5938U/2T

assortment of 210 tools in ABS thermoformed trays

► Universal use

Quantity/Description	Beta N.	TR
7 screwdriver for slotted head screws ◖ 2,5x50 - 3x75 - 3,5x100 - 4x125 5,5x100 - 5,5x150 - 6,5x150 mm	1201E	**T211**
6 screwdriver for cross head Phillips® screws ✪ PH0x60-PH1x80-PH1x120-PH2x100-PH2x150-PH3x150 mm	1202E	**T213**
7 screwdrivers for Torx® head screws, with handles ✪ T6-T7-T8-T9-T10-T15-T20	1207E/TX	**T216**
1 circlip pliers straight, internal ○ 180 mm	1032	**T145**
1 circlip pliers bent, internal ○ 170 mm	1034	**T145**
1 circlip pliers straight, external ● 175 mm	1036	**T145**
1 circlip pliers bent, external ● 175 mm	1038	**T145**
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	**T153**
1 self - locking pliers 240 mm	1052	**T153**
1 Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM	**T137**
1 half-round needle nose pliers 〓 180 mm	1150BM	**T137**
1 Extra-long needle nose pliers ◖ 160 mm	1166BM	**T137**
1 reversible ratcheting wrench for bits 1/4x5/16	194	**T85**
13 1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	**T85**
1 1/4" reversible ratchet ⓡ 125 mm	900/55	**T85**
1 1/4" drive swivel T-handle 115 mm	900/42	**T85**
1 1/4" drive spinner handle 176 mm	900BG/30	**T85**
1 1/4" drive universal joint 41 mm	900/25	**T85**
1 1/4" drive extension bar 150 mm	900/21	**T85**
1 magnetic bit holder with handle 230 mm	851SR	**T85**
5 bits for Spanner screws ◓ 4-6-8-10-12 mm	861SP	**T85**
8 bits for Torq-Set® head screws ✪ 0-1-2-3-4-5-6-8 mm	861TQS	**T85**
6 bits for Tri-Wing® head screws ✪ 1-2-3-4-5-6 mm	861TRW	**T85**
8 bits for Tamper Resistant Torx® head screws ✪ T9-T10-T15-T20-T25-T27-T30-T40	861RTX	**T85**
11 bits for Torx® head screws ✪ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40	861TX	**T85**
3 bits for cross head Pozidriv®-Supadriv® screws ✪ PZ1 - PZ2 - PZ3	861PZ	**T85**
4 bits for cross head Phillips® screws ✪ PH0 - PH1 - PH2 - PH3	861PH	**T85**
8 hexagon bits for power drivers ○ 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	861PE	**T85**
7 bits for slotted head screws ◖ 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x8 mm	861LP	**T85**
2 flat chisels, ribbed type 100 - 200 mm	35	**T234**
1 engineer's hammer 300 g	1370	**T234**
1 soft face hammer Ø 35 mm	1390	**T234**
1 measuring tape 5 m	1692	**T294**
1 mini hacksaw frame	1725CR	**T294**
1 18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD	1771RL	**T294**
1 snap - off blade utility knife	1771	**T294**
19 1/2" square drive hexagon sockets ◎ 10 - 11 - 12÷19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm	920A	**T80**
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1 1/2" drive extension bar 125 mm	920/21	**T80**
1 1/2" drive extension bar 255 mm	920/22	**T80**
1 1/2" drive universal joint	920/25	**T80**
1 1/2" drive sliding T-handle	920/42	**T80**
1 1/2" drive reversible ratchet ⓡ	920/55	**T80**
1 centre punch Ø 4 mm	32	**T239**
6 pin punches with handles 2-3-4-5-6-8 mm	31BM	**T239**
17 combination wrenches 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm	42	**T01**
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55	**T33**
9 offset hexagon key wrenches ○	96/SC9	**T33**
6 T-handle wrenches with hexagon male ends 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	**T68**
5 second cut files 200 mm	1719BMA8/S5	**T236**
11 offset hexagon key wrenches ○ 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 - 6 mm	96T	**T50**
4 thermoformed trays, empty	VP-3SC	**VP-3SC**
4 thermoformed trays, empty	VP-LS	**VP-LS**
4 thermoformed trays, empty	VP-LD	**VP-LD**

	£	
5938U/2T	**2950.00**	059381062

Assortment recommended in combination with C38

5957U-P

assortment of 133 tools

► Universal use

Quantity	Description	Beta N.
6	pin punches 2 ÷ 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17	combination wrenches 6÷22 - 24 - 27 - 30 mm	42/S17X
12	double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8	offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
8	offset key wrenches, for Torx® head screws T9 ÷ T40	97TX/SC8
1	Adjustable wrench 250 mm	111E
13	1/2" square drive hexagon sockets with rail 10 ÷ 22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail 23 ÷ 32 mm	920A/SB8
7	socket drivers for cross head Phillips® screws 1,2x65 - 1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3	920LH/SB7
1	circlip pliers straight, internal 180 mm	1032
1	circlip pliers bent, internal 170 mm	1034
1	circlip pliers straight, external 175 mm	1036
1	circlip pliers bent, external 175 mm	1038
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
8	set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - PH0 - PH1 - PH2	1263/D8
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer 35	1390
1	measuring tape 5 m	1692/5
1	flexible magnetic pick-up tool	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA8/S5
1	Metal pressure oil can 200 cc	1751N
1	snap - off blade utility knife	1771BM
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 250 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
1	pry bar	963
1	Diagonal cutting nippers 160 mm	1082BM
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM
1	toggle lever assisted end cutting nippers 180 mm	1092V
1	half-round needle nose pliers 180 mm	1150BM
1	Extra-long needle nose pliers 160 mm	1166BM
1	Extra-long bent needle nose pliers 160 mm	1168BM
2	screwdrivers for slotted head screws 8x200 - 10x200 mm	1260
1	screwdrivers for cross head Phillips® screws PH3 8x150mm	1262
1	sliding gauge	1650
1	hacksaw frame, aluminium handle 420 mm	1725

	£	
5957U-P	**3110.00**	059571004

Assortment recommended in combination with C57S A - C57S B - C57SP - C55PS - C55PSE - RSC55

5958U

Assortment of 85 tools

► Universal use

Quantity/Description		Beta N.
17	combination wrenches 6÷22 mm	42
12	offset hexagon key wrenches ○ 2÷10 mm	96N/SC12
13	1/2" square drive hexagon sockets with rail ◎ 10÷22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ◎ 23÷32 mm	920A/SB8
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
1	circlip pliers straight, internal ○ 180 mm	1032
1	circlip pliers straight, external ● 175 mm	1036
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	Extra-long needle nose pliers 160 mm	1166BM
7	screwdrivers for slotted head screws 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	1260
4	screwdrivers for cross head Phillips® screws PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262/S4
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
5	Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1	hacksaw frame, aluminium handle	1725
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771

	£	
5958U	**1570.00**	059581008

Assortment recommended in combination with C58P - C45PRO RSC55

5990V1

assortment of 44 tools for tool case COMBO C99V1, in EVA foam tray

► Universal use

Quantity	Description	Beta N.
9	ball head offset hexagon key wrenches ○	96BPC/SC9
1	snap - off blade utility knife 18 mm	1771
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
6	set of 2 drift punches, 1 centre punch, 2 flat chisels and 1 cape chisel in roll-up wallet made of polyester	38/B6N
3	screwdrivers for slotted head screws ◐ 3,5x100-5,5x125-6,5x150 mm	1260
3	screwdrivers for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100 mm	1262
1	electrician's scissors, straight blades	1128BMX
16	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm	42
1	measuring tape 5 mt	1692/5
1	engineer's hammer 300 g	1370
1	diagonal cutting nippers, bi-material handles, industrial finish ⧗ 160 mm	1082GBM
1	heavy duty combination pliers, bi-material handles, industrial finish ═ 180 mm	1150GBM

	£	
5990V1	**740.00**	059900001

Assortment recommended in combination with C99V1

5990V3

assortment of 116 tools for tool case COMBO C99V3/2C, in EVA foam tray

► Car repairs

Quantity	Description	Beta N.
5	offset hexagon key wrenches	96T/S5P
1	Adjustable wrench 250 mm	111E
1	1/4" drive spinner handle	900BG/30
1	mains testing screwdriver ◐	1253
1		1695XS
1	LED inspection torch, made of sturdy anodized aluminium	1833XS/2
31	bits with magnetic quick release bit holder in plastic case ◐ ○ ✪ ✪ ✪	860MIX/A31
1	socket holder	895
12	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm	900
1	1/4" drive extension bar 50 mm	900/20
1	1/4" drive extension bar 100 mm	900/20L
1	1/4" drive swivel T-handle	900/42
1	1/4" drive reversible ratchet, 72 tooth mechanism ֍	900/55Z
38	microscrewdriver with 36 interchangeable 4-mm bits and magnetic extension	1256/C36-2
1	soft face hammer Ø 35mm	1390
1	1/4" drive universal joint	900/25
13	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-20-21-22 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ֍	920/55

	£	
5990V3	**1054.00**	059900003

Assortment recommended in combination with C99V3/2C



5980U/BIKE

assortment of 90 tools

► Bicycle repairs

Quantity/Description		Beta N.
5	combination wrenches 8-9-10-13-14 mm	42
9	ball head offset hexagon key wrenches burnished ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96BP/SC9
8	offset hexagon key wrenches 2-2,5-3-4-5-6-8-10 mm	96T/S8
8	drivers for Torx® head screws, with handles ○ T8-T10-T15-T20-T25-T27-T30-T40	97TTX/S8
1	Wide opening adjustable wrenches, chrome-plated, short series 170 mm	111CM
1	pipe cutter for copper and light alloy pipes	334
1	click-type torque wrenches with reversible ratchets 2÷10 Nm	605E
13	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900/SB13
1	1/4" drive extension bar	900/21
1	1/4" drive universal joint	900/25
1	1/4" reversible ratchet	900/55
1	diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ⧗ 160 mm	1082G
1	electrician's scissors, straight blades 145 mm	1128BM
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 〓 180 mm	1150G
1	extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish ◖ 180 mm	1166G
7	3x75-4x125-5,5x150-6,5x150-PH0x60-PH1x80-PH2x100 mm	1203E/D
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	sliding gauge 150 mm	1650
1	measuring tape 3 m	1692/3
1	second-cut flat files 200 mm	1719BMA...P
1	second-cut half-round files 200 mm	1719BMA...M
1	second-cut round files 200 mm	1719BMA...R
1	hacksaw frame, aluminium handle 300 mm	1725
1	snap - off blade utility knife	1771
1	chain wear indicator 120 mm	3935
1	missing link pliers 170 mm	3937
7	set of 7 simple cone wrenches 13-14-15-16-17-18-19 mm	3952/S7
1	pedal wrench 15 mm	3953
1	spoke wrench, black, 3.2 mm □	3961 3,2
1	spoke wrench, green, 3.3 mm □	3961 3,3
1	spoke wrench, red, 3.5 mm □ 3	3961 3,5
1	professional spoke wrench, 3.2 - 4.0 mm □ 3,2 - 4,0 mm	3961U
1	sprocket removal wrench with chain whip 289 mm	3967
1	tyre lever 200 mm	3969
3	kit with 3 tyre levers, made of plastic 113 mm	3969K3
1	lever for pushing back disc brake pads 222 mm	3991
1	disc brake straightener 234 mm	3992

	£	
5980U/BIKE	**1875.00**	059801040

Assortment recommended in combination with C16 - CP17 - CP17L - C20L

M05 M50 M55

M137 M234 M236 M294



M213

M400

M401

5980U/BIKE-M

assortment of 106 bicycle repair and maintenance tools

► Bycicle repairs

Quantity/Description	Beta N.	TR
16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm	42	**M05**
8 offset hexagon key wrenches ○ 2-2,5-3-4-5-6-7-8 mm	96T	**M50**
5 drivers for Torx® head screws, with handles ✪ TX10-TX15-TX20-TX25-TX30	97TTX	**M55**
1 Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084	**M137**
1 half-round needle nose pliers 〓 160 mm	1150	**M137**
1 Extra-long needle nose pliers ◐ 160 mm	1166	**M137**
6 screwdriver for slotted head screws ◐ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	1201E	**M213**
1 screwdriver for slotted head screws, extra-short series ◐ 4x30 mm	1201EN	**M213**
4 screwdriver for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100-PH3x150 mm	1202E	**M213**
1 screwdriver for cross head Phillips® screws, extra-short series ✪ 4,5x30 mm	1202EN	**M213**
12 screwdrivers for Torx® head screws, with handles ✪ TX6-TX7-TX8-TX9-TX10-TX15-TX20-T25-TX27-TX30-TX40-TX45	1207E/TX	**M213**
1 mains testing screwdriver ◐	1253	**M213**
1 engineer's hammer 300 g	1370	**M234**
1 soft face hammer 35 mm	1390	**M234**
2 flat chisels, ribbed type 100-200 mm	35	**M234**
1 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5	**M236**
1 measuring tape 5 m	1692	**M294**
1 mini hacksaw frame 250 mm	1725CR	**M294**
1 snap - off blade utility knife	1771	**M294**
1 18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD	1771RL	**M294**
1 professional chain tool with chains from 5 to 11 speeds	3932U	**M400**
1 chain wear indicator	3935	**M400**
1 missing link pliers	3937	**M400**
7 simple cone wrench 13-14-15-16-17-18-19 mm	3952	**M400**
1 spoke wrench, black, 3.2 mm □ 3,2 mm	3961 3,2	**M400**
1 spoke wrench, green, 3.3 mm □ 3,3 mm	3961 3,3	**M400**
1 spoke wrench, red, 3.5 mm □ 3,5 mm	3961 3,5	**M400**
1 professional spoke wrench, 3.2 - 4.0 mm □ 3,2-4,0 mm	3961U	**M400**
1 tyre lever	3969	**M400**
1 kit with 3 tyre levers, made of plastic	3969K3	**M400**
1 16-notch bottom bracket removal socket 39 mm	3973/1	**M400**
1 16-notch bottom bracket removal socket 41 mm	3973/2	**M400**
1 16-notch bottom bracket removal socket 46 mm	3973/3	**M400**
1 20-notch bottom bracket removal socket with central pin, nickel-plated 31,5 mm	3973/4	**M400**
1 BMX freewheel removal wrench,2 grafts 35 mm	3984/1	**M400**
1 Shimano freewheel removal wrench 22,8 mm	3984/2	**M400**
1 Shimano freewheel removal wrench, cassette with guide pin 23,5 mm	3984/3	**M400**
1 Campagnolo freewheel removal wrench, with guide pin 23 mm	3984/4	**M400**
1 lever for pushing back disc brake pads	3991	**M400**
1 disc brake straightener	3992	**M400**
1 derailleur hanger alignment gauge	3921	**M401**
1 crank extractor	3948	**M401**
1 pedal wrench	3953	**M401**
2 open end wrenches for universal headsets 30x32-32x36 mm	3955	**M401**
1 sprocket removal wrench with chain whip	3967	**M401**
1 wrench for Shimano plastic bolts	3971	**M401**

	£	
5980U/BIKE-M	**2450.00**	059801050

5988H/7M

assortment of 333 tools in EVA foam trays

M125

M25

M105

M166

M231

M62

M78

► Car repairs

Quantity/Description		Beta N.	TR
13	hexagon hand sockets ◎ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm	910AL	M125
16	hexagon hand sockets ◎ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm	920AL	M125
7	1/2" sockets for Torx® head screws ◎ E12-E14-E16-E18-E20-E22-E24	920FTX	M125
10	1/2" socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm	920PE	M125
13	1/2" drive, socket drivers for Torx® head screws ✪ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L	920TX	M125
8	1/2" socket drivers with XZN® profile ○ 5-6-6-6L-8-8L-10-10L-12L mm	920XZN	M125
18	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm	42	M25
7	double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x1516x17-18x19 mm	90	M25
1	quick release adaptor, 1/4", for 10 mm ratcheting wrenches	123Q1/4	M25
1	quick release adaptor, 3/8", for 13 mm ratcheting wrenches	123Q3/8	M25
1	quick release adaptor, 1/2", for 19 mm ratcheting wrenches	123Q1/2	M25
12	reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm	142	M25
9	ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96BPC/SC9	M105
1	socket holder ○1/4-□1/4	895/1	M105
1	socket holder ○1/4-□3/8	895/3	M105
1	socket holder ○5/16-□1/2	895/6	M105
13	1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	M105
9	hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm	900L	M105
4	1/4" socket drivers for slotted head screws ◖ 0,8x4-1x5,5-1,2x6,51,2x8 mm	900LP	M105
5	1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm	900ME	M105
4	1/4" socket drivers for cross head Phillips® screws ✪ PH1-PH2-PH3-PH4	900PH	M105
7	socket drivers for Torx® head screws ✪ T10-T15-T20-T25-T27-T30-T40	900TX	M105
1	adaptor, 1/4" female and 3/8" male drives □1/4-■3/8	900/16	M105
3	1/4" drive extension bar 50-100-150 mm	900/...	M105
1	1/4" drive universal joint	900/25	M105
1	1/4" drive swivel T-handle	900/42	M105
1	1/4" reversible ratchet ⓡ	900/55	M105
1	1/4" drive spinner handle	900BG/30	M105
17	3/8" hexagon hand sockets ◎ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm	910A	M105
1	adaptor, 3/8" female and 1/4" male drivers □3/8-■1/4	910/15	M105
1	adaptor, 1/2" female and 3/8" male drives □3/8-■1/2	910/16	M105
1	3/8" extension bar 125 mm	910/21	M105
1	3/8" extension bar 250 mm	910/22	M105
1	3/8" drive universal joint	910/25	M105
1	3/8" drive sliding T - handle	910/42	M105
1	3/8" drive reversible ratchet ⓡ	910/55	M105
21	1/2" square drive hexagon sockets ◎ 8-1011-12-13-4-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A	M105
2	1/2" wobble extension bar 125-250 mm	920AN	M105
1	adaptor, 1/2" female and 3/8" male drives □1/2-■3/8	920/15	M105
1	1/2" drive universal joint	920/25	M105
1	1/2" drive sliding T-handle	920/42	M105
1	1/2" drive reversible ratchet ⓡ	920/55	M105
3	3/8" square drive spark plug sockets ◎ 16-17,8-20,8 mm	956E	M105
31	bits with magnetic quick release bit holder in plastic case ◖ ○ ✪ ✪ ⊛	860MIX/A31	M166
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	M166
1	Diagonal cutting nippers ⧓ 160 mm	1082BM	M166
1	half-round needle nose pliers ═ 180 mm	1150BM	M166
1	Extra-long flat knurled nose pliers ═ 160 mm	1162BM	M166
5	screwdrivers for cross head Phillips® screws ◖ 3x75-4x100-5,5x100-6,5x150-8x150 mm	1290	M166
1	screwdriver for slotted head screws, extra-short series ◖ 6,5x30 mm	1290N	M166
3	screwdrivers for cross head Phillips® screws ✪ PH1-PH2-PH3	1292	M166
1	screwdriver for cross head Phillips® screws, extra-short series ✪ PH2	1292N	M166
4	drivers for Torx® head screws, with handles ✪ T20-T25-T27-T30	1297TX	M166
6	pin punches 2-3-4-5-6-8 mm	31	M231
1	centre punch 4 mm	32	M231
3	flat chisels 125-150-75 mm	34	M231
1	cape chisels, standard type 125 mm	36	M231
2	engineer's hammer 500-1000 g	1370	M231
1	telescopic magnet with flexible head	1712TF	M231
1	soft face hammer Ø 35 mm	1390	M231
1	measuring tape 5 m	1692	M125
1	circlip pliers straight, internal ⊙ 180 mm	1032	M62
1	circlip pliers bent, internal ⊙ 170 mm	1034	M62
1	circlip pliers straight, external ● 175 mm	1036	M62
1	circlip pliers bent, external ● 175 mm	1038	M62
1	smooth half - round long needle nose pliers ◖ 140 mm	1177BM	M62
1	diagonal cutting nippers ⧓ 125 mm	1188BM	M62
4	micro-screwdrivers for slotted head screws ◖ 2,0-2,5-3,0-3,5 mm	1257LP	M62
2	micro-screwdrivers for cross-head Phillips® screws ✪ 0-00	1257PH	M62
9	drivers for Torx® head screws, with handles ✪ T10-T15-T20-T25-T27-T30-T40-T45-T50	97TTX	M62
1	self - locking pliers 240 mm	1052	M78
1	adjustable self locking pliers, long jaws 175 mm	1058	M78
1	plastic hose pliers	1481PL/A	M78
1	plastic hose pliers	1481PL/B	M78
1	plastic hose pliers	1481PL/C	M78
1	sliding gauge	1650	M78
1	metric feeler gauge	1708/20	M78
1	packing scraper	1716P	M78
7	double swivel end socket wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	80	M78
1	1/2" drive swivel handle	920/36A	M78
1	pry bar with handle 450 mm	965	M78
1	telescopic joint inspection mirror 670 mm	1715	M231
1	second cut files 200 mm	1719BMA8/M	M231
1	second cut files 200 mm	1719BMA8/P	M231
1	second cut files 200 mm	1719BMA8/Q	M231
1	second cut files 200 mm	1719BMA8/R	M231
1	second cut files 200 mm	1719BMA8/T	M231
1	Steel wire brush	1737NX	M231

	£	
5988H/7M	**6270.00**	059881087

Assortment recommended in combination with RSC24/8 - RSC24A/8 - RSC24XL - C37/8 - C39/8 - RSC28 - C59B - C55C8 - C55M8

M105

M125

M25

M166

5988L/4M

assortment of 273 tools in EVA foam trays

► Car repairs

Quantity	Description	Beta N.	TR
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	M105
9	hexagon hand sockets, long series ◎ 5-6-7-8-9-10-11-12-13 mm	900L	M105
9	ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96BPC/SC9	M105
1	socket holder	895/1	M105
1	socket holder	895/3	M105
1	socket holder	895/6	M105
5	1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm	900ME	M105
4	1/4" socket drivers for slotted head screws ◐ 0,8x4-1x5,5-1,2x6,5-,2x8 mm	900LP	M105
4	1/4" socket drivers for cross head Phillips® screws ✪ PH1-PH2-PH3-PH4	900PH	M105
7	socket drivers for Torx® head screws ✪ T10-T15-T20-T25-T27-T30-T40	900TX	M105
1	adaptor, 1/4" female and 3/8" male drives □ 1/4 - ■ 3/8	900/16	M105
3	1/4" drive extension bar 50-100-150 mm	900/...	M105
1	1/4" drive universal joint	900/25	M105
1	1/4" drive spinner handle	900BG/30	M105
1	1/4" drive swivel T-handle	900/42	M105
1	1/4" reversible ratchet ⓡ	900/55	M105
17	3/8" hexagon hand sockets ◎ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm	910A	M105
1	adaptor, 3/8" female and 1/4" male drivers □ 3/8 - ■ 1/4	910/15	M105
1	adaptor, 1/2" female and 3/8" male drives □ 3/8 - ■ 1/2	910/16	M105
1	3/8" extension bar 125 mm	910/21	M105
1	3/8" extension bar 250 mm	910/22	M105
1	3/8" drive universal joint	910/25	M105
1	3/8" drive sliding T - handle	910/42	M105
1	3/8" drive reversible ratchet ⓡ	910/55	M105
17	1/2" square drive hexagon sockets ◎ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A	M105
1	adaptor, 1/2" female and 3/8" male drives □ 1/2 - ■ 3/8	920/15	M105
1	3/8" drive universal joint	910/25	M105
2	1/2" wobble extension bar 125 - 250 mm	920AN	M105
1	1/2" drive sliding T-handle	920/42	M105
1	1/2" drive reversible ratchet ⓡ	920/55	M105
3	3/8" square drive spark plug sockets ◎ 16-17,8-20,8 mm	956E	M105
13	hexagon hand sockets ◎ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm	910AL	M125
10	1/2" socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm	920PE	M125
7	1/2" sockets for Torx® head screws ◎ E12-E14-E16-E18-E20-E22-E24	920FTX	M125
13	1/2" drive, socket drivers for Torx® head screws ✪ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L	920TX	M125
8	1/2" socket drivers with XZN® profile ○ 5-6-6L-8-8L-10-10L-12L mm	920XZN	M125
16	hexagon hand sockets ◎ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm	920AL	M125
1	measuring tape 5 m	1692/5	M125
18	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm	42	M25
7	double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	90	M25
1	quick release adaptor, 1/4", for 10 mm ratcheting wrenches	123Q1/4	M25
1	quick release adaptor, 3/8", for 13 mm ratcheting wrenches	123Q3/8	M25
1	quick release adaptor, 1/2", for 19 mm ratcheting wrenches	123Q1/2	M25
12	reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm	142	M25
31	bits with magnetic quick release bit holder in plastic case ◐ ○ ✪ ✪ ✪	860MIX/A31	M166
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	M166
1	Diagonal cutting nippers ⟨ 160 mm	1082BM	M166
1	half-round needle nose pliers 〓 180 mm	1150BM	M166
1	Extra-long flat knurled nose pliers 〓 160 mm	1162BM	M166
5	screwdrivers for cross head Phillips® screws ◐ 3x75-4x100-5,5x100-6,5x150-8x150 mm	1290	M166
1	screwdriver for slotted head screws, extra-short series ◐ 6,5x30 mm	1290N	M166
3	screwdrivers for cross head Phillips® screws ✪ 4,5x80-6x100-8x150 mm	1292	M166
1	screwdriver for cross head Phillips® screws, extra-short series ✪ 6x30 mm	1292N	M166
4	drivers for Torx® head screws, with handles ✪ T20-T25-T27-T30	1297TX	M166

	£	
5988L/4M	**4460.00**	059881088

Assortment recommended in combination with items RSC24 - RSC24A - RSC24XL - RSC24L - RSC24L-CAB - C37 - C39 - C39T - C39SM - C39MD RSC55 - C59

M01

M30



M213

M230

M129

M100

5988U6/M

assortment of 214 tools in EVA foam trays

► Universal use

Quantity	Description	Beta N.	TR
22	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm	42	M01
11	double open end wrenches 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22-21x23-24x27-30x32 mm	55	M30
11	double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	90	M30
9	ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96BPC/SC9	M30
6	screwdriver for slotted head screws ◖ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	1201E	M213
1	screwdriver for slotted head screws, extra-short series ◖ 4x30 mm	1201EN	M213
4	screwdriver for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100-PH3x150 mm	1202E	M213
1	screwdriver for cross head Phillips® screws, extra-short series ✪ PH1x30 mm	1202EN	M213
12	screwdrivers for Torx® head screws, with handles ✪ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45	1207E/TX	M213
1	mains testing screwdriver ◖	1253	M213
3	drift punches Ø 2-3-4 mm	30	M230
6	pin punches Ø 2-3-4-5-6-8 mm	31	M230
1	centre punch Ø 4 mm	32	M230
1	flat chisels 150 mm	34	M230
2	flat chisels, ribbed type 200-250 mm	35	M230
1	cape chisels, standard type 125 mm	36	M230
1	engineer's hammer 500 g	1370	M230
1	soft face hammer Ø 35 mm	1390	M230
1	measuring tape 3 m	1692	M230
1	telescopic magnet with flexible head	1712TF	M230
1	second-cut square files 200 mm	1719BMA...Q	M230
1	second-cut triangular files 200 mm	1719BMA...T	M230
1	second-cut flat files 200 mm	1719BMA...P	M230
1	second-cut half-round files 200 mm	1719BMA...M	M230
1	second-cut round files 200 mm	1719BMA...R	M230
1	Steel wire brush	1737NX	M230
1	snap - off blade utility knife 18 mm	1771	M230
1	circlip pliers straight, internal ○ 180 mm	1032	M129
1	circlip pliers bent, internal ○ 170 mm	1034	M129
1	circlip pliers straight, external ● 175 mm	1036	M129
1	circlip pliers bent, external ● 175 mm	1038	M129
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	M129
1	self - locking pliers 240 mm	1052	M129
1	Diagonal cutting nippers ⟨ 160 mm	1082BM	M129
1	construction worker's pincers 220 mm	1098	M129
1	tin snips 250 mm	1112	M129
1	electrician's scissors, straight blades	1128BM	M129
1	half-round needle nose pliers 〓 180 mm	1150BM	M129
1	Extra-long needle nose pliers ◖ 160 mm	1166BM	M129
1	Extra-long bent needle nose pliers ◖ 160 mm	1168BM	M129
1	socket holder	895/1	M100
1	socket holder	895/3	M100
1	socket holder	895/6	M100
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	M100
9	hexagon hand sockets, long series ◎ 5-6-7-8-9-10-11-12-13 mm	900L	M100
5	1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm	900ME	M100
4	1/4" socket drivers for slotted head screws ◖ 0,8x4-1x5,5-1,2x6,5-1,2x8 mm	900LP	M100
4	1/4" socket drivers for cross head Phillips® screws ✪ PH1-PH2-PH3-PH4	900PH	M100
7	socket drivers for Torx® head screws ✪ T10-T15-T20-T25-T27-T30-T40	900TX	M100
1	1/4" drive extension bar 50 mm	900/20	M100
1	1/4" drive extension bar 100 mm	900/20L	M100
1	1/4" drive extension bar 150 mm	900/21	M100
1	1/4" drive universal joint	900/25	M100
1	1/4" drive spinner handle	900BG/30	M100
1	1/4" drive swivel T-handle	900/42	M100
1	1/4" reversible ratchet ⊛	900/55	M100
21	1/2" square drive hexagon sockets ◎ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A	M100
1	adaptor, 1/2" female and 3/8" male drives 125 mm	920/15	M100
1	1/2" drive universal joint 250 mm	920/25	M100
1	1/2" wobble extension bar	920AN/125	M100
1	1/2" wobble extension bar	920AN/250	M100
1	1/2" drive sliding T-handle	920/42	M100
1	1/2" drive reversible ratchet ⊛	920/55	M100
8	1/2" sockets for Torx® head screws ◎ 10-12-14-16-18-20-22-24 mm	920FTX	M100
11	hexagon hand sockets ◎ 10-12-13-14-15-16-17-18-19-21-22 mm	920AL	M100

	£	
5988U6/M	3740.00	059881430

Assortment recommended in combination with RSC24 with 8 drawers - RSC24/A with 8 drawers - C37 with 8 drawers - C39 with 8 drawers RSC24XL - RSC28 - C39SM - C39MO - C59B - RSC55

MB65

MB64



MB63

5935ET/1MB

assortment of 96 tools for tool chest C35, in EVA foam trays

► Electrotechnical maintenance

Quantity	Description	Beta N.	TR
1	self - locking pliers 240 mm	1052	MB65
1	engineer's hammer 500 g	1370	MB65
1	soft face hammer Ø 35 mm	1390	MB65
1	second-cut square files 200 mm	1719BMA...Q	MB65
1	second-cut flat files 200 mm	1719BMA...P	MB65
1	second-cut triangular files 200 mm	1719BMA...T	MB65
1	second-cut half-round files 200 mm	1719BMA...M	MB65
1	second-cut round files 200 mm	1719BMA...R	MB65
1	flat chisels, ribbed type 200 mm	35	MB65
1	circlip pliers straight, internal ⊙ 180 mm	1032	MB65
1	circlip pliers bent, internal ⊙ 170 mm	1034	MB65
1	circlip pliers straight, external ● 175 mm	1036	MB65
1	circlip pliers bent, external ● 175 mm	1038	MB65
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM	MB65
1	half-round needle nose pliers 〓 180 mm	1150BM	MB65
1	Extra-long needle nose pliers ◐ 160 mm	1166BM	MB65
9	ball head offset hexagon key wrenches ○	96BPC/SC9	MB63
1	screwholding screwdriver for slotted head screws ◐	1250	MB63
1	screwholding screwdriver for cross head Phillips® screws ✪	1251	MB63
1	mains testing screwdriver ◐	1253	MB63
6	hexagon nut spinners with handles ◎ 5,5-6-7-8-10-13 mm	943MQ	MB63
4	screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60-PH1x80-PH2x100-PH3x150 mm	1272MQ	MB63
6	screwdrivers for headless slotted screws, 1000V ◐ 2,5x75-3x100-4x100-5,5x125-6x150-8x175 mm	1274MQ	MB63
31	bits with magnetic quick release bit holder in plastic case ◐ ○ ✪ ✪ ⊙	860MIX/A31	MB63
1	magnetic bit holder, insulated ⓘ	850MQ	MB63
8	double open end wrenches 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22 mm	55	MB64
1	slip joint pliers, boxed joint 250 mm	1048MQ	MB64
1	diagonal cutting nippers 1000V ⧓ 140 mm	1082MQ	MB64
1	electrician's scissors, straight blades, with countersink	1128BSX	MB64
1	cable cutter 230 mm	1132MQ	MB64
1	wire stripping pliers ⧓ 160 mm	1142MQ	MB64
1	combination pliers 1000V 〓 180 mm	1150MQ	MB64
1	extra long needle nose pliers, 1000V, ◐ 160 mm	1166MQ	MB64
1	extra long bent needle nose pliers ◐ 160 mm	1168MQ	MB64
1	adjustable wrench, 1000V 250 mm	110MQ	MB64
1	utility knife, 1000V	1777MQ	MB64
1	bent knurled point spring tweezers, 1000V	993MQ	MB64
1	crimping pliers for insulated terminals	1602	MB64

	£	
5935ET/1MB	**2285.00**	059351332

Assortment recommended in combination with C35

5980ET/A

assortment of 70 tools

► Electrotechnical maintenance

Quantity	Description	Beta N.
1	centre punch Ø 4 m	32
1	flat chisels, ribbed type 150 mm	35
8	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55/B8N
8	offset hexagon key wrenches, long series ○ 2÷10 mm	96LC/SC8
1	Adjustable wrench 200 mm	111E
1	magnetic bit holder, insulated Ⓜ	850MQ
10	bits with magnetic bit holder in plastic case ◖ ✪ ✪	860MIX/A10
1	slip joint pliers, boxed joint 250 mm	1048MQ
1	Diagonal cutting nippers ⧓ 160 mm	1082BM
1	electrician's scissors, straight blades, with countersink	1128BSX
1	cable cutter 170 mm	1132BM
1	half-round needle nose pliers 〓 180 mm	1150BM
1	Extra-long needle nose pliers ◖ 160 mm	1166BM
1	Extra-long bent needle nose pliers ◖ 160 mm	1168BM
1	screwholding screwdriver for slotted head screws ◖ 4x125 mm	1250
1	screwholding screwdriver for cross head Phillips® screws ✪ PH1x125 mm	1251
1	mains testing screwdriver ◖	1253
5	screwdriver for slotted head screws ◖ 2,5x75 - 3,5x100 - 5,5x125 - 6,5x150 mm	1201E
1	screwdriver for slotted head screws, extra-short series ◖ 4x30 mm	1201EN
4	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x120 - PH2x150 - PH3x150 mm	1202E
1	screwdriver for cross head Phillips® screws, extra-short series ✪ PH2x30 mm	1202EN
4	screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ
5	screwdrivers for headless slotted screws, 1000V ◖ 5,5x125 - 3x100 - 4x100 - 6,5x150 - 8x175 mm	1274MQ
1	flat chisel with side cutter	1343
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	crimping pliers for insulated terminals	1602
1	PVC electrical tape 25 m	BMESB1925NE
1	measuring tape 5 m	1692
1	second-cut half-round files 200 mm	1719BMA...M
1	second-cut round files 200 mm	1719BMA...R
1	hacksaw frame, aluminium handle	1725
1	fold - away knife	1777BM

	£	
5980ET/A	**1159.00**	059801083

Assortment recommended in combination with C12 - 2028VV - 2032TV - 2032VV

5980ET/B

assortment of 64 tools

► Electrotechnical maintenance

Quantity	Description	Beta N.
3	pin punches Ø 2 - 3 - 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
8	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55/B8N
9	ball head offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96BPC/SC9
1	deburrer 150 mm	345SB
6	hexagon nut spinners with handles 1000V ◎ 5,5 - 6 - 7 - 8 - 10 - 13 mm	943MQ/S6
1	slip joint pliers, boxed joint 250 mm	1048MQ
1	diagonal cutting nippers 1000V ⧓ 160 mm	1082MQ
1	electrician's scissors, straight blades, with countersink	1128BSX
1	cable cutter 230 mm	1132MQ
1	wire stripping pliers ⧈ 160 mm	1142MQ
1	combination pliers 1000V 〓 180 mm	1150MQ
1	extra long needle nose pliers, 1000V, ◖ 160 mm	1166MQ
1	mains testing screwdriver ◖	1253
3	screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60 - PH1x80 - PH2x100 mm	1272MQ
4	screwdrivers for headless slotted screws, 1000V ◖ 3x100 - 4x100 - 5,5x125 - 6,5x150 mm	1274MQ
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	crimping pliers for insulated terminals	1602
1	flexible graduated rule 250 mm	1682
1	engineer's scriber 250 mm	1688
1	measuring tape 5 m	1692
1	spirit level, made of aluminium 200 mm	1696
1	electrician's chisel 10x200 mm	1701NE3
1	chalk line reel	1705
1	square flexible inspection mirror 600 mm	1715FL/A
1	second cut files 200 mm	1719BMA8/M
1	second cut files 200 mm	1719BMA8/R
1	spring puller	1723
1	hacksaw frame, aluminium handle	1726BM
1	bristle brush	1738
1	fitting tool for nylon ties	1743
1	plastic oil can 150 cc	1754
100	nylon cable ties, black UV resistant 3,6x200 mm	1748N
100	nylon cable ties, black UV resistant 4,8x300 mm	1748N
1	snap - off blade utility knife	1771BM
1	soldering iron 30 W	1814M
1	LED inspection torch, made of sturdy anodized aluminium	1833XS/2

	£	
5980ET/B	**1565.00**	059801084

Assortment recommended in combination with C12 - 2029/VV - 2033P/VV - 2036TV

5980MQ

assortment of 46 tools

► Electrotechnical maintenance

Quantity	Description	Beta N.
7	single open end wrenches, 1000V 10 - 12 - 13 - 14 - 17 - 19 - 22 mm	52MQ
1	adjustable wrench, 1000V 250 mm	110MQ
6	hexagon nut spinners with handles ◎ 5,5 - 6 - 7 - 8 - 10 - 13 mm	943MQ
4	T-handle wrenches with hexagon male ends ○ 4 - 5 - 6 - 8 mm	951MQ
1	bent knurled point spring tweezers, 1000V	993MQ
1	slip joint pliers, boxed joint 250 mm	1048MQ
1	diagonal cutting nippers 1000V ⧓ 160 mm	1082MQ
1	electrician's scissors	1128MQ
1	wire stripping pliers ⧈ 160 mm	1142MQ
1	combination pliers 1000V 〓 180 mm	1150MQ
1	extra-long bent flat nose pliers 〓 160 mm	1164MQ
1	extra long needle nose pliers, 1000V, ◖ 160 mm	1166MQ
1	mains testing screwdriver ◖	1253
4	screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ
5	screwdrivers for headless slotted screws, 1000V ◖ 3x100 - 4x100 - 5,5x125 - 6,5x150 - 8x175 mm	1274MQ
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
1	200 mm	1701NE/3
1	mini - hacksaw frame, 1000V	1725MQ
2	utility knife, 1000V	1777MQ
1	soldering iron 30 W	1814M
1	high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens	1833S
1	combination voltage and continuity tester	1760PT

	£	
5980MQ	**2180.00**	059801257

Assortment recommended in combination with 2029/VV



M49



M108

M161

5988 VHB-MQ

assortment of 66 tools in EVA foam trays

► Electrotechnical maintenance

Quantity	Description	Beta N.	TR
12	single open end wrenches, 1000V 7-8-10-11-12-13-14-15-16-17-19-22 mm	52MQ	M49
12	single ring wrenches 7-8-10-11-12-13-14-15-16-17-19-22 mm	89MQ	M49
4	socket drivers for hexagon screws ○ 4-5-6-8 mm	910MQ/PE	M108
11	bi-hex sockets ○ 7-8-10-11-12-13-14-15-16-17-19 mm	910MQ/B	M108
6	socket drivers for Torx® head screws ✪ T15-T20-T25-T27-T30-T40	910MQ/TX	M108
2	socket drivers with XZN® profile ○ 8-10 mm	910MQ/XZN	M108
1	3/8" drive extension 125 mm	910MQ/21	M108
1	3/8" drive extension 250 mm	910MQ/22	M108
1	3/8" drive, T-handle	910MQ/T	M108
1	3/8" drive reversible ratchet	910MQ/55	M108
1	electrician's scissors	1128MQ	M161
1	slip joint pliers, boxed joint 250 mm	1048MQ	M161
1	diagonal cutting nippers 1000V 160 mm	1082MQ	M161
1	combination pliers 1000V 180 mm	1150MQ	M161
1	extra long flat nose pliers 160 mm	1162MQ	M161
1	extra-long bent flat nose pliers 160 mm	1164MQ	M161
4	screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ	M161
4	screwdrivers for headless slotted screws, 1000V ◖ 2,5x75 - 3x100 - 4x100 - 5,5x125 mm	1274MQ	M161
1	cable stripping knife, insulated	1777MQ/U	M161

	£	
5988 VHB-MQ	**3590.00**	059880300

Assortment recommended in combination with items RSC51 - RSC23T - RSC24 - RSC24A - RSC24XL - RSC24L - RSC24L-CAB RSC28 - C37 - C39 - C39SM - C39MD - C39T - RSC55 - C59



5980EL/A

assortment of 57 tools

► Electronics

Quantity	Description	Beta N.
13	4÷14 mm	73/B13N
9	offset hexagon key wrenches ○ 1,5÷10 mm	96N/SC9
1	bent point tweezers 130 mm	991
1	straight thin knurled point pin spring tweezers 150 mm	992
1	cross tweezers 155 mm	998
1	electrician's scissors, straight blades	1128BMX
1	wire stripping pliers 160 mm	1142BM
1	Extra-long needle nose pliers ◖ 160 mm	1166BM
1	flat nose pliers	1172BM
1	smooth half - round long bent needle nose pliers ◖	1178BM/P
1	combination pliers ◖	1178BM
1	diagonal flush cutting nippers	1185BM
1	diagonal cutting nippers	1188BM
1	screwholding screwdriver for slotted head screws ◖ 4x125 mm	1250
1	screwholding screwdriver for cross head Phillips® screws ✪ PH0x125 mm	1251
8	micro-screwdrivers	1257LPH/S8
1	engineer's hammer 200 g	1370
1	measuring tape 5 m	1692
1	telescopic joint inspection mirror	1715
3	needle files	1720/S3
1	spring puller	1723
1	bristle brush	1738
1	Pen oiler	1756
1	snap - off blade utility knife	1771
1	self-locking round end knurled tool made of stainless steel	1002
1	soldering iron 25 W	1814M
1	de - soldering pump	1830T
1	LED inspection torch, made of sturdy anodized aluminium	1833XS/2

	£	
5980EL/A	**998.00**	059801081

Assortment recommended in combination with 2032TV - 2028/VV - 2033P/VV



5980EL/B

assortment of 98 tools

► Electronics

Quantity/Description		Beta N.
13	4÷14 mm	73/B13N
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9
8	offset key wrenches for Torx® head screws ✪ T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/BG8
1	Adjustable wrench 150 mm	111E
18	set of 13 hexagon sockets and 5 accessories, 1/4" square drive	900/C13-5
1	straight thin knurled point spring tweezers 130 mm	990
1	bent point tweezers 130 mm	991
1	extra slim short end spring tweezers 120 mm	999A
1	electrician's scissors, straight blades	1128BMX
1	front wire stripping pliers, self - adjusting 170 mm	1149F
1	half-round needle nose pliers 〓 180 mm	1150BM
1	flat nose pliers 〓 140 mm	1172BM
1	smooth half - round long needle nose pliers ◖ 140 mm	1177BM
1	smooth half - round long bent needle nose pliers ◖ 140 mm	1178BM/P
1	diagonal flush cutting nippers, rounded tips ᐸ 120 mm	1184BM
1	diagonal flush cutting nippers, slim tips ᐸ 120 mm	1186BM
1	end flush oblique cutting nippers ᐸ	1191BM
8	micro-screwdrivers	1257LPH/S8
1	mains testing screwdriver ◖	1253
1	screwdriver for slotted head screws, extra-short series ◖ 6,5x30 mm	1290N
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1292
2	screwdriver for cross head Phillips® screws, extra-short series ✪ PH1x30 - PH2x30 mm	1292N
5	screwdrivers for headless slotted screws ◖ 2,5x60 - 3x75 - 4x100 - 5x125 - 6,5x150 mm	1294
1	engineer's hammer 200 g	1370
1	flexible graduated rule 150 mm	1682
1	engineer's scriber 220 mm	1688
1	measuring tape 5 m	1692
1	telescopic joint inspection mirror 670 mm	1715
1	Needle files ●	1720R
1	Needle files ▲	1720T
1	Needle files ▮	1720P
1	spring puller	1723
1	bristle brush	1738
1	Pen oiler	1756
1	snap - off blade utility knife	1771BM
1	fold - away knife	1777BM
1	self-locking round end knurled tool made of stainless steel	1002
1	soldering iron 25W	1814M
1	de - soldering pump	1830T
1	LED inspection torch, made of sturdy anodized aluminium	1833XS/2

	£	
5980EL/B	**1440.00**	059801082

Assortment recommended in combination with 2029/VV - 2033P/VV - 2036TV

5980ID/1

assortment of 24 tools

► Plumbing maintenance

Quantity	Description	Beta N.
1	Adjustable wrench 250 mm	111E
1	Ø 3÷28 mm	332/2
1	pipe cutter for copper and light alloy pipes Ø 3÷30 mm	334
1	Ø 0÷42 mm	342
1	140 mm	345SB2
2	320-410 mm	376
2	slip joint pliers, slip-proof PVC coated handles 175-250 mm	1048N
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish = 180 mm	1150GBM
4	screwdriver for slotted head screws ◐ 3x75-4x100-5,5x150-8x150 mm	1201E
2	screwdriver for cross head Phillips® screws ✪ PH1x80-PH2x100	1202E
1	engineer's hammer 500 g	1370
1	folding ruler made of fibreglass precision class III 2 m	1690F
1	measuring tape 5 m	1692/5
1	spirit level, made of aluminium 200 mm	1696
1	second-cut half-round files 200 mm	1719BMA...M
1	Flat rasp 200 mm	1719BM/RL
1	hacksaw frame, aluminium handle	1725

	£	
5980ID/1	**690.00**	059801086



5989 VEM

assortment of 81 repair and maintenance tools for hybrid and electric vehicles



M49



M108

M161

► Car repair

Quantity/Description		Beta N.	TR
1	insulating mat	1995MQ/T	
4	plastic posts with fillable bases	7104 90	
1	multimeter/megohmmeter for high voltage insulation testing.TRUE RMS indicator	1760/OHM	
1	combination voltage and continuity tester	1760PT	
1	spare leads for digital multimeters and amperometric clamps	1760DGT-R3	
1	composite insulating gloves Gr. 10	1996MQ/GM	
1		1996VPG	
1	plastic barrier chain	7105 6	
2	aluminium warning signs A1, A2	7109A	
2	prohibition signs D2, D3	7109D	
12	single open end wrenches, 1000V 7-8-10-11-12-13-14-15-16-17-19-22 mm	52MQ	M49
12	single ring wrenches 7-8-10-11-12-13-14-15-16-17-19-22 mm	89MQ	M49
4	socket drivers for hexagon screws ○ 4-5-6-8 mm	910MQ/PE	M108
11	bi-hex sockets ○ 7-8-10-11-12-13-14-15-16-17-19 mm	910MQ/B	M108
6	socket drivers for Torx® head screws ○ TX15-TX20-TX25-TX27-TX30-TX40	910MQ/TX	M108
2	socket drivers with XZN® profile ○ M8-M10	910MQ/XZN	M108
1	3/8" drive extension 140 mm	910MQ/21	M108
1	3/8" drive extension 265 mm	910MQ/22	M108
1	3/8" drive, T-handle 200 mm	910MQ/T	M108
1	3/8" drive reversible ratchet 203 mm	910MQ/55	M108
1	slip joint pliers, boxed joint 250 mm	1048MQ	M161
1	diagonal cutting nippers 1000V ⟀ 160 mm	1082MQ	M161
1	electrician's scissors 145 mm	1128MQ	M161
1	combination pliers 1000V 〓 180 mm	1150MQ	M161
1	extra long flat nose pliers 〓 160 mm	1162MQ	M161
1	extra-long bent flat nose pliers 〓 160 mm	1164MQ	M161
4	screwdrivers for cross head Phillips® screws, 1000V ⊕ PH0-PH1-PH2-PH3	1272MQ	M161
4	screwdrivers for headless slotted screws, 1000V ◐ 2,5x75-3x100-4x100-5.5x125 mm	1274MQ	M161
1	cable stripping knife, insulated 190 mm	1777MQ/U	M161

	£	
5989 VEM	**6390.00**	059890116

Assortment recommended in combination with RSC24/6-R

5902MT

assortment of 106 tools for agricultural, building and earth-moving machinery

► Earth-moving

Quantity	Description	Beta N.
2	drift punches Ø 3 - 4 mm	30
2	pin punches Ø 6 - 8 mm	31
1	centre punch Ø 4 mm	32
2	flat chisels, ribbed type 150 - 200 mm	35
18	combination wrenches 6÷14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 - 36 - 41 mm	42
10	double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 mm	90
10	offset hexagon key wrenches O 1,5÷12 mm	96N/B10
17	1/2" square drive hexagon sockets ◎ 10÷22 - 24 - 27 - 30 - 32 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive push-through square ratchet ⓡ	920/50
11	3/4" square drive hexagon socket ◎ 22 - 24 - 27 - 30 - 32 - 36 - 41 - 46 - 50 - 55 - 60 mm	928A
1	3/4" drive extension bar 200 mm	928/21
1	3/4" drive swivel handle	928/36A
1	3/4" drive sliding T - handle	928/42
1	3/4" drive reversible ratchet ⓡ	928/55
1	pry bar	964
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	adjustable self locking pliers, curved jaws	1055
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⧓ 160 mm	1084GBM
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish 〓 180 mm	1150GBM
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◖ 160 mm	1166GBM
4	screwdrivers for slotted head screws with hexagon bolsters ◖ 6,5x150 - 8x175 - 10x200 - 12x250 mm	1260E
3	screwdrivers for cross head Phillips® screws with hexagon bolsters ✪ PH2x150 - PH3x175 - PH4x200 mm	1262E
1	ball pein hammer 900 g	1377
1	soft face hammer Ø 35 mm	1390
1	metric feeler gauge	1708/20
1	three - cutting edges scraper 200 mm	1717B
5	Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1	hacksaw frame, aluminium handle	1725

	£	
5902MT	**2670.00**	059021053

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5902MT/AS

assortment of 99 tools for earth-moving machinery (CATERPILLAR)

► Earth-moving

Quantity	Description	Beta N.
2	drift punches Ø 3 - 4 mm	30
2	pin punches Ø 6 - 8 mm	31
1	centre punch Ø 4 mm	32
2	flat chisels, ribbed type 150 - 200 mm	35
20	combination wrenches 1/4÷1.1/2”	42AS
6	double ended offset ring wrenches 1/4x5/16 - 3/8x7/16 - 1/2x9/16 5/8x3/4 - 11/16x13/16 - 7/8x15/16”	90AS
11	offset hexagon key wrenches ○ 3/64÷3/8”	96AS/B11
10	1/2” square drive bi - hex sockets ○ 7/16 - 1/2 - 9/16 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1”	920AS
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive push-through square ratchet	920/50
12	hexagon hand sockets 1/4" ○ □ 3/4”, 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 - 1.1/4 - 1.5/16 1.1/2 - 1.5/8 - 1.11/16 - 1.7/8 - 2”	928AS
1	3/4" drive extension bar 200 mm	928/21
1	3/4" drive swivel handle	928/36A
1	3/4" drive sliding T - handle	928/42
1	3/4" drive reversible ratchet	928/55
1	pry bar	964
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	adjustable self locking pliers, curved jaws	1055
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⟨ 160 mm	1084GBM
1	electrician’s scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish 〓 180 mm	1150GBM
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◐ 160 mm	1166GBM
4	screwdrivers for slotted head screws with hexagon bolsters ◐ 6,5x150 - 8x175 - 10x200 - 12x250 mm	1260E
3	screwdrivers for cross head Phillips® screws with hexagon bolsters ✪ PH2x150 - PH3x175 - PH4x200 mm	1262E
1	ball pein hammer 900 g	1377
1	soft face hammer Ø 35 mm	1390
1	metric feeler gauge 150 - 200 mm	1708/20
1	three - cutting edges scraper 200 mm	1717B
5	Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1	hacksaw frame, aluminium handle	1725

	£	
5902MT/AS	**2790.00**	059021054

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5904VG/2M

assortment of 170 tools in EVA foam trays

► Car repairs

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	M05
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	M06
8	offset hexagon key wrenches ○ 2-2,5-3-4-5-6-7-8 mm	96T	M50
5	drivers for Torx® head screws, with handles ✪ T10-T15-T20-T25-T30	97TTX	M55
7	hexagon bits ○ 4-5-6-7-8-10-12 mm	867PE	M86
7	hexagon bits ○ 4-5-6-7-8-10-12 mm	867PE/L	M86
5	bits with XZN® profile ○ 5-6-8-10-12 mm	867XZN	M86
5	bits with XZN® profile ○ 5-6-8-10-12 mm	867XZN/L	M86
7	bits for Torx® head screws ✪ T20-T25-T30-T40-T45-T50-T55	867TX	M86
6	bits for Torx® head screws ✪ T25-T30-T40-T45-T50-T55	867TX/L	M86
7	bits for Tamper Resistant Torx® head screws ✪ T20-T25-T30-T40-T45-T50-T55	867RTX	M86
1	bit holder sockets for item 867	867/1	M86
1	bit holder sockets for item 867	867/2	M86
5	screwdrivers for slotted head screws ◖ 3x75 - 3,5x100 - 4x125 - 5,5x150 - 6,5x150 mm	1260	M208
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262	M208
1	screwdrivers for slotted head screws, extra-short series ◖ 4x30 mm	1260N	M208
1	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 mm	1262N	M208
5	bits for slotted head screws, coloured ◖ 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm	860LP	M85
8	hexagon bits for power drivers, coloured ○ 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	860PE	M85
5	bits for cross head Phillips® screws, coloured ✪ PH0 - PH1 - PH2 - PH3 - PH4	860PH	M85
4	bits for cross head Pozidriv® - Supadriv® screws, coloured ✪ PZ1 - PZ2 - PZ3 - PZ4	860PZ	M85
11	bits for Torx® head screws, coloured ✪ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40	860TX	M85
8	bits for Tamper Resistant Torx® head screws, coloured ✪ T9-T10-T15-T20-T25-T27-T30-T40	860RTX	M85
1	magnetic bit holder with handle 230 mm	851SR	M85
1	reversible bit ratchet 100 mm	860/55	M85
1	magnetic bit holder extension bar 80 mm	882P	M85
1	adaptors for drivers ■ 1/4 - □ 1/4	892/0	M85
2	flat chisels, ribbed type 100 - 200 mm	35	M234
1	engineer's hammer 300 g	1370	M234
1	soft face hammer Ø 35 mm	1390	M234
1	1/2" wobble extension bar 125 mm	920AN/125	M83
1	1/2" wobble extension bar 250 mm	920AN/250	M83
1	1/2" drive universal joint	920/25	M83
1	1/2" drive sliding T-handle	920/42	M83
1	1/2" drive reversible ratchet ֍	920/55	M83
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	M83
1	half-round needle nose pliers 〓 180 mm	1150BM	M136
1	Extra-long needle nose pliers ◖ 160 mm	1166BM	M136
1	Heavy-duty diagonal cutting nippers ⟨ 160 mm	1084BM	M136
1	circlip pliers straight, internal ⊙ 180 mm	1032	M145
1	circlip pliers bent, internal ⊙ 170 mm	1034	M145
1	circlip pliers straight, external ● 175 mm	1036	M145
1	circlip pliers bent, external ● 175 mm	1038	M145

	£	
5904VG/2M	**2125.00**	059041198

Assortment recommended in combination with RSC24 - RSC24A - RSC24XL - C37 - C39 RSC24L - RSC24L-CAB - C59 - C39T - C39SM - C39MD - RSC23T - RSC28 RSC55



5904VG/2T

assortment of 99 tools in ABS thermoformed trays

► Car repairs

Quantity/Description		Beta N.	TR
16	combination wrenches 6÷21 mm	42	**T05**
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T06**
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**T80**
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1	1/2" drive extension bar 125 mm	920/21	**T80**
1	1/2" drive extension bar 255 mm	920/22	**T80**
1	1/2" drive universal joint	920/25	**T80**
1	1/2" drive sliding T-handle	920/42	**T80**
1	1/2" drive reversible ratchet	920/55	**T80**
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	**T153**
1	self - locking pliers 240 mm	1052	**T153**
1	Heavy-duty diagonal cutting nippers 160 mm	1084	**T138**
1	Extra-long needle nose pliers 160 mm	1166	**T138**
1	half-round needle nose pliers 180 mm	1150	**T138**
1	circlip pliers straight, internal 180 mm	1032	**T145**
1	circlip pliers straight, external 175 mm	1036	**T145**
1	circlip pliers bent, internal 170 mm	1034	**T145**
1	circlip pliers bent, external 175 mm	1038	**T145**
2	flat chisels, ribbed type 100 - 200 mm	35	**T234**
1	engineer's hammer 300 g	1370	**T234**
1	soft face hammer Ø 35 mm	1390	**T234**
4	screwdrivers for slotted head screws 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260	**T208**
3	screwdrivers for cross head Phillips® screws PH0x60 - PH1x80 - PH2x100 mm	1262	**T208**
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55	**T33**
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	**T33**
6	offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm	96T	**T52**
6	drivers for Torx® head screws, with handles T10 - T15 - T20 - T25 - T27 - T30	97TTX	**T55**

	£	
5904VG/2T	**1810.00**	059041191

Assortment recommended in combination with RSC51 - RSC24 - RSC24A - RSC24XL - C37 - C39 RSC23T - C39T - RSC24L - RSC24L-CAB - C59 - RSC28 - C39SM - C39MD RSC55

5904VG/3

assortment of 132 tools

► Car repairs

Quantity	Description	Beta N.
6	Ø 2÷8 mm	31/B6N
1	centre punch Ø 5 mm	32
1	flat chisels, ribbed type 200 mm	35
17	combination wrenches 6÷22 mm	42
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9
11	offset hexagon key wrenches ○ 2÷10 mm	96T/SP11
13	offset key wrenches for Torx® head screws ✪ T6÷T50	97TX/B13
1	Adjustable wrench 300 mm	111E
13	1/2" square drive hexagon sockets with rail ◎ 10÷22 mm	920A/SB13
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive push-through square ratchet ⓡ	920/50
6	T - handle wrenches with swivelling socket ◎ 8 - 10 - 12 - 13 - 17 - 19 mm	952
1	pry bar with handle 450 mm	965
2	circlip pliers straight, internal ⊙ 180 - 225 mm	1032
2	circlip pliers bent, internal ⊙ 170 - 210 mm	1034
2	circlip pliers straight, external ● 175 - 225 mm	1036
2	circlip pliers bent, external ● 175 - 220 mm	1038
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1057A
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⧓ 200 mm	1084GBM
1	toggle lever assisted end cutting nippers ⧓ 200 mm	1092V
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish 〓 180 mm	1150GBM
4	screwdrivers for slotted head screws ◖ 3x75 - 4x100 - 5,5x125 - 6,5x150 mm	1260
1	screwdrivers for slotted head screws, extra-short series ◖ 6,5x30 mm	1260N
2	screwdrivers for slotted head screws with hexagon bolsters ◖ 8x175 - 10x200 mm	1260E
3	screwdrivers for cross head Phillips® screws ✪ PH0x100 - PH1x120 - PH2x100 mm	1262
1	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH2x30 mm	1262N
1	screwdrivers for cross head Phillips® screws with hexagon bolsters ✪ PH3x175mm	1262E
1	screwdriver for cross head Phillips® screws, long series ✪ PH2x400 mm	1262L
1	screwdriver for headless slotted screws, long series ◖ 6,5x400 mm	1264L
1	engineer's hammer 500 g	1370
1	soft face hammer Ø 45 mm	1390
1	adjustable oil filter wrench	1491
1	metric feeler gauge	1708/20
5	Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1	hacksaw frame, aluminium handle	1726BM
1	Metal pressure oil can 200 cc	1751N

	£	
5904VG/3	**2800.00**	059041062

Assortment recommended in combination with RSC24 - RSC24A - RSC24XL - C37 - C39 with 7 - 8 drawers RSC24L - RSC24L-CAB - C59 RSC55

5904VG/3T

assortment of 102 tools in ABS thermoformed trays

► Car repairs

Quantity	Description	Beta N.	TR
21	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17 18-19-20-21-22-24-27-30-32 mm	42	T05-T06
8	double open end wrenches 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22 mm	55	T33
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9	T33
6	offset hexagon key wrenches ○ 2-2,5-3-4-5-6 mm	96T	T52
8	T - handle wrenches with swivelling socket ◎ 7-8-10-12-13-14-17-19 mm	952	T63
19	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19 20-21-22-23-24-26-27-30-32 mm	920A	T83
1	1/2" drive extension bar 125 mm	920/21	T83
1	1/2" drive extension bar 255 mm	920/22	T83
1	1/2" drive universal joint	920/25	T83
1	1/2" drive sliding T-handle 305 mm	920/42	T83
1	1/2" drive reversible ratchet	920/55	T83
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM	T137
1	half-round needle nose pliers 180 mm	1150BM	T137
1	Extra-long needle nose pliers 160 mm	1166BM	T137
1	circlip pliers straight, internal 180 mm	1032	T145
1	circlip pliers bent, internal 170 mm	1034	T145
1	circlip pliers straight, external 175 mm	1036	T145
1	circlip pliers bent, external 175 mm	1038	T145
1	self - locking pliers 240 mm	1052	T153
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	T153
7	screwdrivers for slotted head screws 2,5x50 -3x75 - 3,5x100 - 4x125 -5,5x100 - 5,5x150 - 6,5x150 mm	1260	T199
6	screwdrivers for cross head Phillips® screws PH0x60 - PH0x100 - PH1x80 PH1x120 - PH2x100 - PH2x150 mm	1262	T202
2	flat chisels, ribbed type 100-200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
1	empty thermoformed tray	VP5	

	£	
5904VG/3T	**2120.00**	059041510

Assortment recommended in combination with C24S - C24SA - C37 - C39 C24SL - C24SL/CAB - C59 - C23ST - C39T -C28 -C39SM - C39MD RSC55





5904VG/5T

assortment of 153 tools in ABS thermoformed trays

► Car repairs

Quantity/Description		Beta N.	TR
5	1/2" drive, socket drivers for hexagon screws O 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet	920/55	T80
19	1/2" square drive hexagon sockets 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
16	combination wrenches 6÷21 mm	42	T05
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
8	T - handle wrenches with swivelling socket 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	952	T63
1	empty thermoformed tray	VP6	VP6
1	circlip pliers straight, internal 180 mm	1032	T145
1	circlip pliers bent, internal 170 mm	1034	T145
1	circlip pliers straight, external 175 mm	1036	T145
1	circlip pliers bent, external 175 mm	1038	T145
7	screwdrivers for cross head Phillips® screws 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm	1290	T170
5	drivers for Torx® head screws T25 - T27 - T30 - T40 - T45	1297TX	T176
6	offset hexagon key wrenches 2 - 2,5 - 3 - 4 - 5 - 6 mm	96T	T52
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 mm	55	T33
9	offset hexagon key wrenches 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T33
3	screwdrivers for cross head Phillips® screws 8x150 - 8x200 - 10x200 mm	1290	T171
2	screwdriver for slotted head screws, extra-short series 4x30 - 6,5x30 mm	1290N	T171
6	screwdrivers for cross head Phillips® screws PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm	1292	T172
2	screwdrivers for cross head Phillips® screws PH3x150 - PH4x200 mm	1292	T173
2	screwdriver for cross head Phillips® screws, extra-short series PH1x30 - PH2x30 mm	1292N	T173
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
1	half-round needle nose pliers 180 mm	1150BM	T137
1	Extra-long needle nose pliers 160 mm	1166BM	T137
1	Heavy-duty diagonal cutting nippers 160 mm	1084BM	T137
6	bits for Torx® head screws T6÷T15	861TX	T112
8	bits for Torx® head screws T20÷T55	866TX	T112
1	socket holder	895/1	T112
1	socket holder	895/6	T112
6	1/4" sockets for Torx® head screws E4÷E10	900FTX	T112
7	1/2" sockets for Torx® head screws E12÷E24	920FTX	T112
3	1/2" drive, socket drivers for Torx® head screws T55L - T60 - T70L	920TX	T112
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	T153
1	self - locking pliers 240 mm	1052	T153

	£	
5904VG/5T	**2890.00**	059041196

Assortment recommended in combination with RSC24 with 7 - 8 drawers - RSC24A with 7 - 8 drawers - RSC24XL - C37 with 7 - 8 drawers - C39 with 7 - 8 drawers - RSC24L - RSC24L-CAB - C59 - RSC23T - RSC28 - C39MD - C39SM RSC55

5905VG/1

assortment of 94 tools for car body repair shops

► Car repairs

Quantity	Description	Beta N.
1	drift punches Ø 4 mm	30
6	Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6N
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
1	cape chisels, standard type 150 mm	36
17	combination wrenches 6÷22 mm	42
10	offset hexagon key wrenches ○ 1,5÷12 mm	96/B10
1	Adjustable wrenches with scales, phosphated 300 mm	111EN
12	hi-torque hexagon nut spinners, long series ◎ 4÷14 mm	943BX
1	pry bar with handle 450 mm	965
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	adjustable self locking pliers, aluminium jaws 280 mm	1060AL
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⧓ 160 mm	1084GBM
1	construction worker's pincers 250 mm	1098PL
1	compound leverage shears, straight blades	1122
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish ═ 180 mm	1150GBM
1	screwdriver for Dzus® head screws ◖	1201E/DZ
4	screwdrivers for slotted head screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260
1	screwdrivers for slotted head screws, extra-short series ◖ 4x30 mm	1260N
2	screwdrivers for slotted head screws with hexagon bolsters ◖ 10x175 - 12x200 mm	1260E
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262
1	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 mm	1262N
1	screwdrivers for cross head Phillips® screws with hexagon bolsters ✪ PH3x175 mm	1262E
7	drivers for Torx® head screws ✪ T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
1	curved dolly 1350 g	1303
1	toe dolly	1305
1	heel dolly	1306
1	general purpose dolly	1310
1		1314
1	curved angle spoon	1326
1	heavy duty spoon	1327
1	long double-ended spoon	1330
1	body blade holder, with blade 9"	1338A
1	extra flat chisel with hand guard	1342PM
1	body hammer	1345
1	body hammer Ø 40 mm	1357Z/45
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692

	£	
5905VG/1	**2600.00**	059051058

Assortment recommended in combination with C25

5905VG/2

assortment of 118 tools

► Car repairs

Quantity	Description	Beta N.
6	set of 2 drift punches, 1 centre punch, 2 flat chisels and 1 cape chisel in roll-up wallet made of polyester	38/B6N
13	combination wrenches 6÷14 - 17 - 19 - 22 - 24 mm	42
13	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 mm	55
3	half - moon ring wrenches 11x13 - 14x17 - 19x22 mm	83
10	offset hexagon key wrenches ○ 1,5÷12 mm	96N/B10
6	drivers for Torx® head screws, with handles ○ T10 - T15 - T20 - T25 - T30 - T40	97TTX
2	1/2" drive impact sockets ◎ 17 - 19 mm	720
20	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
8	T - handle wrenches with swivelling socket ◎ 7 - 8 - 10 - 11 - 13 - 14 - 17 - 19 mm	952
1	T - handle swivel spark plug wrenches	959
1	wheel nut wrench ◎ 17x19x22x ■ 1/2"	979
1	circlip pliers straight, internal ⊙ 180 mm	1032
1	circlip pliers bent, internal ⊙ 170 mm	1034
1	circlip pliers straight, external ● 175 mm	1036
1	circlip pliers bent, external ● 175 mm	1038
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⧓ 160 mm	1084GBM
1	compound leverage shears, straight blades 250 mm	1122
1	electrician's scissors, straight blades	1128BMX
1	heavy duty combination pliers, bi-material handles, industrial finish 〓 180 mm	1150GBM
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◖ 160 mm	1166GBM
8	screwdrivers for slotted head screws ◖ 2,5x50 - 3x75 - 3,5x100 - 4x125 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
2	screwdrivers for slotted head screws with hexagon bolsters ◖ 10x200 - 12x250 mm	1260E
1	screwdrivers for slotted head screws, extra-short series ◖ 6,5x30 mm	1260N
4	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262
1	engineer's hammer 400 g	1370
1	soft face hammer Ø 35 mm	1390
1	adjustable oil filter wrench	1491
1	circuit tester 3÷48 V	1498

	£	
5905VG/2	**2425.00**	059051044

Assortment recommended in combination with C25

T05 T06 T31

T80 T145 T146

T167 T168
+96N +1771

T63 T209

T55 T111 T113 T236

T264 T234 T153 T138

T105 T106 VP6

5908VG/2T

assortment of 214 tools in ABS thermoformed trays

► Car repairs

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	**T05**
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T06**
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	**T31**
1 centre punch Ø 4 mm	32	**T31**
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	**T31**
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	**T31**
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1 1/2" drive extension bar 125 mm	920/21	**T80**
1 1/2" drive extension bar 255 mm	920/22	**T80**
1 1/2" drive universal joint	920/25	**T80**
1 1/2" drive sliding T-handle	920/42	**T80**
1 1/2" drive reversible ratchet	920/55	**T80**
19 1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**T80**
1 circlip pliers straight, internal 180 mm	1032	**T145**
1 circlip pliers bent, internal 170 mm	1034	**T145**
1 circlip pliers straight, external 175 mm	1036	**T145**
1 circlip pliers bent, external 175 mm	1038	**T145**
1 circlip pliers straight, internal 140 mm	1032	**T146**
1 circlip pliers straight, internal 225 mm	1032	**T146**
1 circlip pliers straight, external 140 mm	1036	**T146**
1 circlip pliers straight, external 225 mm	1036	**T146**
9 screwdrivers for slotted head screws 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	**T167**
2 screwdrivers for slotted head screws, extra-short series 4x30 - 6,5x30 mm	1260N	**T167**
7 screwdrivers for cross head Phillips® screws PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 -PH3x150 mm	1262	**T168**
2 screwdrivers for cross head Phillips® screws, extra - short series PH1x30 - PH2x30 mm	1262N	**T168**
8 T - handle wrenches with swivelling socket ◎ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	952	**T63**
2 screwdriver for cross head Phillips® screws, long series PH1x400 - PH2x400 mm	1262L	**T209**
3 screwdriver for headless slotted screws, long series 3x300 - 4x400 - 5x400 mm	1264L	**T209**
6 drivers for Torx® head screws, with handles T10-T15-T20-T25-T27-T30	97TTX	**T55**
12 1/2" drive impact sockets ◎ 10-13-17-18-19-21-22-24-27-30-32 mm	720	**T111**
1 1/2" drive impact extension bar 125 mm	720/21	**T111**
3 ◎ 17-19-21	720LC	**T111**
5 1/2" socket drivers for hexagon screws ○ 5L - 6L - 7L - 8L - 10L	920PE	**T113**
4 1/2" drive, socket drivers for Torx® head screws T40L - T45L - T55L - T70L	920TX	**T113**
3 1/2" socket drivers with XZN® profile ○ M6L - M8L - M12L	920XZN	**T113**
5 second cut files 200 mm	1719BMA8/S5	**T236**
1 adjustable oil filter wrench 110 mm	1491	**T264**
1 square oil drain plug socket ■ 10 mm	1494	**T264**
7 male hexagon oil drain plug sockets ○ 8-9-10-11-12-14-17 mm	1494E	**T264**
4 male square oil drain plug sockets ○ 8-9,5-12-13 mm	1494Q	**T264**
1 male triangular oil drain plug socket Δ	1494T	**T264**
1 male oil drain plug socket with XZN® profile ○	1494XZN	**T264**
1 oil plug wrenches	1496/C	**T264**
2 flat chisels, ribbed type 100 - 200 mm	35	**T234**
1 engineer's hammer 300 g	1370	**T234**
1 soft face hammer Ø 35 mm	1390	**T234**
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	**T153**
1 self - locking pliers 240 mm	1052	**T153**
1 half-round needle nose pliers 180 mm	1150	**T138**
1 Extra-long needle nose pliers 160 mm	1166	**T138**
1 Heavy-duty diagonal cutting nippers 160 mm	1084	**T138**
11 3/4" square drive hexagon socket ◎ 22-24-27-30-32-34-36-38-41-46-50 mm	928A	**T105**
1 3/4" drive extension bar 200 mm	928/21	**T106**
1 3/4" drive extension bar 380 mm	928/22	**T106**
1 3/4" drive sliding T - handle 450 mm	928/42	**T106**
1 3/4" drive reversible ratchet	928/55	**T106**
1 empty thermoformed tray	VP6	**VP6**
4 offset hexagon key wrenches ○ 13-14-17-19 mm	96N	
1 Adjustable wrench 300 mm	111E	
1 pry bar with handle	965	
1 tin snips 250 mm	1112	
1 electrician's scissors, straight blades	1128BMX	
1 engineer's hammer 1000 g	1370	
1 metric feeler gauge	1708/20	
1 telescopic magnet with flexible head	1712	
1 telescopic joint inspection mirror	1715	
1 three - cutting edges scraper 200 mm	1717B	
1 hacksaw frame, aluminium handle 440 mm	1726	
1 Steel wire brush	1737NX	
1 Metal pressure oil can 200 cl	1751N	
1 snap - off blade utility knife	1771	

	£	
5908VG/2T	**4850.00**	059081017

Assortment recommended in combination with RSC28



MB12

MB39

MB46

5935VG/1MB

assortment of 98 tools for tool chest C35, in EVA foam trays

► Car repairs

Quantity	Description	Beta N.	TR
21	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm	42	MB12
8	double open end wrenches 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22 mm	55	MB12
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	MB12
4	screwdrivers for slotted head screws ◐ 3x75-4x100-5x125-6,5x150 mm	1260	MB46
3	screwdrivers for cross head Phillips® screws ✪ PH0x60-PH1x80--PH2x100 mm	1262	MB46
6	drivers for Torx® head screws ✪ T8-T10-T15-T20-T25-T30	1267TX	MB46
9	ball head offset hexagon key wrenches ○	96BPC/SC9	MB46
6	offset hexagon key wrenches ○ 2-2,5-3-4-5-6	96T	MB46
1	self - locking pliers 240 mm	1052	MB46
19	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm	920A	MB39
1	1/2" drive extension bar 125 mm	920/21	MB39
1	1/2" drive extension bar 250 mm	920/22	MB39
1	1/2" drive universal joint	920/25	MB39
1	1/2" drive sliding T-handle	920/42	MB39
1	1/2" drive reversible ratchet ⊛	920/55	MB39
5	1/2" socket drivers for hexagon screws ○ 5-6-8-10-12 mm	920PE	MB39
1	circlip pliers straight, internal ⊙ 180 mm	1032	MB39
1	circlip pliers bent, internal ⊙ 170 mm	1034	MB39
1	circlip pliers straight, external ● 175 mm	1036	MB39
1	circlip pliers bent, external ● 175 mm	1038	MB39
1	flat chisels, ribbed type 200 mm	35	MB39
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM	MB39
1	half-round needle nose pliers 〓 180 mm	1150BM	MB39
1	Extra-long needle nose pliers ◐ 160 mm	1166BM	MB39
1	engineer's hammer 500 g	1370	MB39
1	soft face hammer 35 mm	1390	MB39

	£	
5935VG/1MB	**2050.00**	059351321

Assortment recommended in combination with C35

5940SBK

assortment of 125 tools

► Motorcycle repairs

Quantity	Description	Beta N.
1	drift punches Ø 2 mm	30
1	centre punch Ø 4 mm	32
1	flat chisels 125 mm	34
10	combination wrenches 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	42
6	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm	55
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9
1	ZERO-RESET click-type torque wrenches ⊛ 3/8", 10÷50 Nm	666/5
54	assortment of 52 hexagon bits, 10 mm, and 2 accessories	867/C52
17	assortment of 12 sockets and 5 accessories	920A/C12X
1	adaptor, 1/2" female and 3/8" male drives	910/16
2	spark plug socket ◎ 14 - 16 mm	956C
1	extra - long nose pliers ◐ 283 mm	1009L/A
2	circlip pliers straight, internal ⊙ 140 - 180 mm	1032
1	circlip pliers straight, external ● 140x1,3 mm	1036
1	diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ⧓ 160 mm	1082G
1	electrician's scissors, straight blades	1128BM
1	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 〓 180 mm	1150G
1	screwdriver for Dzus® head screws ◐	1201E/DZ
4	screwdriver for slotted head screws ◐ 3x75 - 4x100 - 5,5x100 - 6,5x150 mm	1201E
3	screwdriver for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202E
1	circuit testing screwdriver ◐	1254
1	engineer's hammer 300 g	1370
1	adjustable oil filter wrench	1491
1	metric feeler gauge	1708/13
1	mini hacksaw frame	1725CR
1	Brass wire brush	1737
1	plastic oil can 250 cc	1754

	£	
5940SBK	**1500.00**	059401082

Assortment recommended for use with items C41S - C41H - C42S - C42H - C42S - C41S

MC21

MC12

5941VU/M

assortment of 64 tools for trolley C41H, in EVA foam trays

► Universal use

Quantity	Description	Beta N.	TR
16	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm	42	MC12
9	offset hexagon key wrenches ○	96/SC9	MC12
1	measuring tape 5 m	1692/5	MC12
19	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm	920A	MC21
1	1/2" drive universal joint	920/25	MC21
1	1/2" drive sliding T-handle	920/42	MC21
1	1/2" drive reversible ratchet	920/55	MC21
2	1/2" wobble extension bar 125-250 mm	920AN	MC21
1	Adjustable wrench 250 mm	111E	
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	
1	diagonal cutting nippers, bi-material handles, industrial finish 160 mm	1082GBM	
1	electrician's scissors, straight blades 145 mm	1128BMX	
1	heavy duty combination pliers, bi-material handles, industrial finish 180 mm	1150GBM	
1	extra-long needle knurled nose pliers, bi-material handles, industrial finish ◐ 160 mm	1166GBM	
3	screwdrivers for slotted head screws ◐ 3,5x100-5,5x125-6,5x150 mm	1260	
3	screwdrivers for cross head Phillips® screws ✪ PH0-PH1-PH2	1262	
1	engineer's hammer 300 g	1370	
1	snap - off blade utility knife 18 mm	1771	

	£	
5941VU/M	**1035.00**	059411002

Assortment recommended in combination with C41H



MM11

MM105

MM129

MM210

MM230

5945VUM

assortment of 199 tools in EVA foam trays

► Universal use

Quantity	Description	Beta N.	TR
21	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm	42	MM11
9	ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96BPC/SC9	MM11
1	socket holder ⎔ 1/4 - □ 1/4	895/1	MM105
1	socket holder ⎔ 1/4 - □ 3/8	895/3	MM105
1	socket holder ⎔ 5/16 - □ 1/2	895/6	MM105
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	MM105
9	hexagon hand sockets, long series ◎ 5-6-7-8-9-10-11-12-13 mm	900L	MM105
5	1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm	900ME	MM105
4	1/4" socket drivers for slotted head screws ◖ 0,8x4-1x5,5x1,2x6,5-1,2x8 mm	900LP	MM105
4	1/4" socket drivers for cross head Phillips® screws ✪ PH1-PH2-PH3-PH4	900PH	MM105
7	socket drivers for Torx® head screws ✪ T10-T15-T20-T25-T27-T30-T40	900TX	MM105
1	adaptor, 1/4" female and 3/8" male drives □ 1/4 - ■ 3/8	900/16	MM105
1	1/4" drive extension bar 50 mm	900/20	MM105
1	1/4" drive extension bar 100 mm	900/20L	MM105
1	1/4" drive extension bar 150 mm	900/21	MM105
1	1/4" drive universal joint	900/25	MM105
1	1/4" drive spinner handle 176 mm	900BG/30	MM105
1	1/4" drive swivel T-handle 115 mm	900/42	MM105
1	1/4" reversible ratchet ⓡ 125 mm	900/55	MM105
17	3/8" hexagon hand sockets ◎ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm	910A	MM105
1	adaptor, 3/8" female and 1/4" male drivers □ 3/8 - ■ 1/4	910/15	MM105
1	adaptor, 1/2" female and 3/8" male drives □ 3/8 - ■ 1/2	910/16	MM105
1	3/8" extension bar 125 mm	910/21	MM105
1	3/8" extension bar 250	910/22	MM105
1	3/8" drive universal joint	910/25	MM105
1	3/8" drive sliding T - handle 210 mm	910/42	MM105
1	3/8" drive reversible ratchet ⓡ 200 mm	910/55	MM105
21	1/2" square drive hexagon sockets ◎ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A	MM105
1	adaptor, 1/2" female and 3/8" male drives □ 1/2 - ■ 3/8	920/15	MM105
1	1/2" drive universal joint	920/25	MM105
1	1/2" wobble extension bar 125 mm	920AN	MM105
1	1/2" wobble extension bar 250 mm	920AN	MM105
1	1/2" drive sliding T-handle 305 mm	920/42	MM105
1	1/2" drive reversible ratchet ⓡ 275 mm	920/55	MM105
3	3/8" square drive spark plug sockets ◎ 16 mm (5/8")-17,8 (11/16")-20,8 (13/16")	956E	MM105
6	screwdriver for slotted head screws ◖ 04x2,5x50-0,5x3x75-0,8x4x100-1,0x5,5x125-1,2x6,5x150-1,2x8x200 mm	1201E	MM210
1	screwdriver for slotted head screws, extra-short series ◖ 0,8x4x30 mm	1201EN	MM210
4	screwdriver for cross head Phillips® screws ✪ PH0x60-PH1x80PH2x100PH3x150 mm	1202E	MM210
1	screwdriver for cross head Phillips® screws, extra-short series ✪ PH1x30 mm	1202EN	MM210
12	screwdrivers for Torx® head screws, with handles ✪ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45	1207E/TX	MM210
1	mains testing screwdriver ◖ 0,5x3,5x100 mm	1253	MM210
1	circlip pliers straight, internal ⊙ 180 mm	1032	MM129
1	circlip pliers bent, internal ⊙ 170 mm	1034	MM129
1	circlip pliers straight, external ● 175 mm	1036	MM129
1	circlip pliers bent, external ● 175 mm	1038	MM129
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	MM129
1	self - locking pliers 240 mm	1052	MM129
1	self - locking pliers 240 mm	1052	MM129
1	Diagonal cutting nippers ⧓ 160 mm	1082BM	MM129
1	construction worker's pincers 220 mm	1098	MM129
1	electrician's scissors, straight blades	1128BM	MM129
1	half-round needle nose pliers 〓 180 mm	1150BM	MM129
1	Extra-long needle nose pliers ◖ 160 mm	1166BM	MM129
3	drift punches Ø 2-3-4 mm	30	MM230
6	pin punches Ø 2-3-4-5-6-8 mm	31	MM230
1	centre punch Ø 4 mm	32	MM230
1	flat chisels 150 mm	34	MM230
2	flat chisels, ribbed type 200-250 mm	35	MM230
1	cape chisels, standard type 125 mm	36	MM230
1	engineer's hammer 500 g	1370	MM230
1	soft face hammer Ø 35 mm	1390	MM230
1	measuring tape 3 m	1692	MM230
1	telescopic magnet with flexible head	1712TF	MM230
1	second-cut square files 200 mm	1719BMA...Q	MM230
1	second-cut triangular files 200 mm	1719BMA...T	MM230
1	second-cut flat files 200 mm	1719BMA...P	MM230
1	second-cut half-round files 200 mm	1719BMA...M	MM230
1	second-cut round files 200 mm	1719BMA...R	MM230
1	Steel wire brush	1737NX	MM230
1	snap - off blade utility knife	1771	MM230

	£	
5945VUM	**3280.00**	059451011

Assortment recommended in combination with item C45

5954VG

assortment of 138 tools

► Car repairs

Quantity	Description	Beta N.
5	pin punches Ø 2-3-4-5-6 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 125 mm	34
18	combination wrenches 6÷22 - 24 mm	42
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
3	double ended offset ring wrenches 12x13 - 14x15 - 17x19 mm	90
13	offset hexagon key wrenches ○ 2÷10 - 12 mm	96
4	1/2" drive impact sockets ◎ 17 - 19 - 21 - 22 mm	720
20	1/2" square drive hexagon sockets ◎ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A
1	1/2" drive extension bar	920/21
1	1/2" drive extension bar	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
3	hi-torque hexagon nut spinners, long series ◎ 8 - 10 - 13 mm	943BX
10	T - handle wrenches with swivelling socket ◎ 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	952
3	spark plug socket ◎ 16 - 17,8 - 20,8 mm	956C
1	pry bar	964
1	circlip pliers straight, internal	1032
1	circlip pliers bent, internal	1034
1	circlip pliers straight, external	1036
1	circlip pliers bent, external	1038
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	adjustable self locking pliers, long jaws 175 mm	1058
1	Diagonal cutting nippers 160 mm	1082BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	Extra-long needle nose pliers 160 mm	1166BM
1	circuit testing screwdriver 6÷24V	1254
1	screwdrivers for slotted head screws 8 x 200 mm	1260
1	screwdrivers for slotted head screws, extra-short series 6,5x30 mm	1260N
1	screwdrivers for cross head Phillips® screws 8 x 150 mm	1262
1	screwdrivers for cross head Phillips® screws, extra - short series PH2x30 mm	1262N
5	drivers for Torx® head screws T8 - T10 - T15 - T20 - T25	1267TX
8	set of screwdrivers	1263/D8
1	engineer's hammer 300 g	1370
1	dead blow hammer Ø 35 mm	1392
1	brake spring pliers 210 mm	1470
1	crimping pliers for non insulated terminals	1603
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/20
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
6	needle files 160 mm	1720/B6
1	plastic oil can 150 cc	1754

	£	
5954VG	**2820.00**	059541054

Assortment recommended in combination with C54VG

5957VG

assortment of 174 tools

► Car repairs

Quantity	Description	Beta N.
6	pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17	combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-21-22-24-27-30 mm	42
12	double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8	offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
1	offset hexagon key wrenches ○ 2,5 ÷ 12 mm	96N/G7
8	offset key wrenches, for Torx® head screws ✪ T9 ÷ T40	97TX/SC8
5	offset key wrenches with XZN® profile ○ M5 ÷ M12	98XZN/B5
1	Adjustable wrench 250 mm	111E
1	ZERO-RESET click-type torque wrenches ⓓ 1/2", 40÷200 Nm	666/20
13	1/2" square drive hexagon sockets with rail ◎ 10÷22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ◎ 23÷32 mm	920A/SB8
4	1/2" socket drivers for slotted head screws ◖ 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3	1/2" socket drivers for Phillips® screws ✪ PH2 - 3 - 4	920PH
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⓓ	920/55
2	1/2" drive impact sockets ◎ 17 - 19 mm	720
10	T - handle wrenches with swivelling socket ◎ 7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm	952
3	T - handle swivel spark plug wrenches 14 - 16 - 20,8 mm	959
1	pry bar	963
1	wheel nut wrench ◎ ■ 1/2" - 17 - 19 - 22 mm	979
2	circlip pliers straight, internal ⊙ 140 - 180 mm	1032
2	circlip pliers bent, internal ⊙ 130 - 170 mm	1034
2	circlip pliers straight, external ● 140x1,3 - 175 mm	1036
2	circlip pliers bent, external ● 135x1,3 - 175 mm	1038
1	slip joint pliers, slip-proof PVC coated handles 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	Diagonal cutting nippers ⧓ 160 mm	1082BM
1	Heavy-duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	toggle lever assisted end cutting nippers ⧓ 180 mm	1092V
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 〓 180 mm	1150BM
1	Extra-long needle nose pliers ◖ 160 mm	1166BM
1	Extra-long bent needle nose pliers ◖ 200 mm	1168BM
2	screwdrivers for slotted head screws ◖ 8x200 - 10x200 mm	1260
1	screwdrivers for cross head Phillips® screws ✪ PH3x150 mm	1262
8	set of screwdrivers	1263/D8
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer Ø 35 mm	1390
11	roller stud extractors M5÷M16 mm	1433/C11
1	adjustable oil filter wrench	1491
1	circuit tester	1498
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/20
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA8/S5
1	hacksaw frame, aluminium handle	1725
1	metal oil can 200 cc	1751
1	snap - off blade utility knife	1771
1	sliding gauge	1650

	£	
5957VG	**4810.00**	059571007

Assortment recommended for use with items C57S A - C57S B - C57SP - C55PS - C55PSE

SOFT MODULES

Assortment of tools in thermoformed trays, designed for roller cabs

RSC23T
RSC24
RSC24A
RSC24AXL
RSC24L/7
RSC24L-CAB
RSC28
C30M
C37
C37A
C39
C39T
C39MD
C39SM
RSC51
C57S
C59
RSC55



533÷543
549÷558

M01

22

42	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 - 36 mm

4,5 kg

	£		
M01	527.00	1	024500001
MV10	78.50	1	024510010

M02

26

42	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 - 32 mm

6,3 kg

	£		
M02	585.00	1	024500002
MV02	78.50	1	024510002

M05

16

42	6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21 mm

1,5 kg

	£		
M05	256.00	1	024500005
MV15	39.00	1	024510015

M06

5

42	22-24-27-30-32 mm

2,1 kg

	£		
M06	181.50	1	024500006
MV16	50.50	1	024510016

M13

11

42SLIM	8-10-11-12 13-14-15-16-17 18-19 mm

1,2 kg

	£		
M13	206.50	1	024500013
MV13	39.00	1	024510013

M25

40

42	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 mm
90	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm
123Q1/4	
123Q3/8	
123Q1/2	
142	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

5,1 kg

	£		
M25	843.00	1	024500025
MV25	78.50	1	024510873

M30

31

55	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 30x32 mm
90	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 30x32 mm
○96BPC/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

4,2 kg

	£		
M30	478.00	1	024500030
MV30	78.50	1	024510030

M31

27

42AS	1/4 - 9/32 - 5/16 - 3/8 - 7/16 - 1/2 - 9/16 - 19/32 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 - 1.1/4
○ **96BP/AS-SC9**	1/16 - 3/32 - 1/8 - 5/32 - 3/16 - 7/32 - 1/4 - 5/16 - 3/8

4,5 kg

	£		
M31	**472.00**	1	024500031
MV31	**78.50**	1	024510031

M33

17

55	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22 mm
○ **96/SC9**	1,5÷10 mm

1,1 kg

	£		
M33	**128.50**	1	024500033
MV33	**39.00**	1	024510033

M38

4

55	21x23-24x26 27x29-30x32 mm

1,7 kg

	£		
M38	**107.50**	1	024500038
MV38	**50.50**	1	024510038

M39

36



31	2-3-4-5-6-8 mm
32	4 mm
55	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 mm
○ **96/SC12**	2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 - 6 - 7 - 8 - 9 - 10 mm
○ **96**	12-14-17-19 mm

5,7 kg

	£		
M39	**421.00**	1	024500039
MV39	**78.50**	1	024510039

M40

7

90	6x7-8x9-10x11 12x13-14x15 16x17-18x19 mm

810 g

	£		
M40	**124.00**	1	024500040
MV40	**39.00**	1	024510040

M44

12

141	8-9-10-11-12 13-14-15-16 17-18-19 mm

1,3 kg

	£		
M44	**347.00**	1	024500044
MV44	**39.00**	1	024510044

M45

12

142	8-9-10-11-12 13-14-15-16 17-18-19 mm

1,3 kg

	£		
M45	**386.00**	1	024500045
MV45	**39.00**	1	024510045

M46

12

142SN	8-9-10-11-12 13-14-15-16 17-18-19 mm

1,4 kg

	£		
M46	**455.00**	1	024500046
MV46	**39.00**	1	024510046

M49

24



52MQ	7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 22 mm
89MQ	7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 22 mm

3,3 kg

	£		
M49	**1360.00**	1	024500049
MV49	**78.50**	1	024510049

M50

8

○ **96T**	2-2,5-3-4-5 6-7-8 mm

1,1 kg

	£		
M50	**156.00**	1	024500050
MV50	**50.50**	1	024510051

M52

5

96T 2,5-3-4-5-6 mm

330 g

	£		
M52	91.50	1	024500052
MV52	39.00	1	024510052

M53

5

96TBP 2,5-3-4-5-6 mm

350 g

	£		
M53	97.50	1	024500053
MV52	39.00	1	024510052

M55

5

97TTX T10-T15-T20-T25-T30

330 g

	£		
M55	106.50	1	024500055
MV55	39.00	1	024510055

Beta Quality Tools

M60

23

96T 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm

97BTX/SC8 T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

944BX 5-6-7-8-10-13 mm

1,9 Kg

	£		
M60	464.00	1	024500060
MV60	78.50	1	024510060

M62

21

97TTX	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
1177BM	140 mm
1188BM	125 mm
1257LP	2-2,5-3-3,5 mm
1257PH	0-00

2,3 kg

	£		
M62	490.00	1	024500875
MV62	78.50	1	024510875

M63

8

952 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm

3,4 kg

	£		
M63	419.00	1	024500063
MV63	78.50	1	024510063

M65

16



950	8 - 10 - 12 - 13 - 14 - 17 - 19 mm
951	2,5 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 mm

3,6 Kg

	£		
M65	666.00	1	024500065
MV65	78.50	1	024510065

M67

6

950 7-8-10-12-13-17 mm

1,8 kg

	£		
M67	258.00	1	024500067
MV67	68.00	1	024510067

M69

9

951 2,5-3-4-5-6-8 10-12-14 mm

1,8 kg

	£		
M69	381.00	1	024500069
MV69	50.50	1	024510069

M75

16

933 7-8-9-10-11-12-13-14-15 16-17-18-19-21-22-24 mm

5,5 kg

	£		
M75	367.00	1	024500075
MV75	78.50	1	024510075

M78

17

80	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm
920/36A	
965	450 mm
1052	240 mm
1058	175 mm
1481PL/A	
1481PL/B	
1481PL/C	
1650	150 mm
1708/20	
1716P	

4,4 kg

	£		
M78	820.00	1	024500878
MV77	78.50	1	024510876

M79

6

80	8x9 -10x11-12x13 -14x15 16x17-18x19 mm

1,3 kg

	£		
M79	335.00	1	024500079
MV79	39.00	1	024510079

M82

29

920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920ME	5-6-8-10-12 mm
920AN/125	125 mm
920AN/250	250 mm
920/25	
920/42	305 mm
920/55	

12"

4,1 kg

	£		
M82	515.00	1	024500082
MV82	50.50	1	024510082

M83

24

920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920AN/125	125 mm
920AN/250	250 mm
920/25	255 mm
920/42	305 mm
920/55	

12"

3,7 kg

	£		
M83	409.00	1	024500083
MV83	50.50	1	024510083

M85

45

851SR	230 mm
860LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
860PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
860PH	PH0 - PH1 - PH2 - PH3 - PH4
860PZ	PZ1 - PZ2 - PZ3 - PZ4
860TX	T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
860RTX	T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
860/55	100 mm
882P	80 mm
892	■ 1/4 - □ 1/4

1/4

450 g

	£		
M85	242.00	1	024500085
MV85	39.00	1	024510085

M86

46

867PE	4-5-6-7-8-10-12 mm
867PE/L	4-5-6-7-8-10-12 mm
867XZN	5-6-8-10-12 mm
867XZN/L	5-6-8-10-12 mm
867TX	T20 - T25 - T30 - T40 - T45 - T50 - T55
867TX/L	T25 - T30 - T40 - T45 - T50 - T55
867RTX	T20 - T25 - T30 - T40 - T45 - T50 - T55
867/1	
867/2	

10mm

1,4 kg

	£		
M86	180.50	1	024500086
MV86	39.00	1	024510086

M91

25

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
900ME	2,5-3-4-5-6-8 mm
900/20	50 mm
900/21	150 mm
900/25	□ 1/4 - ■ 1/4
900BG/30	
900/42	
900/55	

1/4"

560 g

	£		
M91	273.00	1	024500091
MV90	39.00	1	024510090

M92

22

910A	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

3/8"

1,5 kg

	£		
M92	342.00	1	024500092
MV92	39.00	1	024510092

M94

26

900AS/L	3/16 - 7/32 - 1/4 - 9/32 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900AS	3/16 - 7/32 - 5/32 - 1/4 - 9/32 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900AN	50-100mm
900/25	
900/55	
900/42	

1/4"

930 g

	£		
M94	315.00	1	024500094
MV94	39.00	1	024510094

M96

22

920A/AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 - 5/8 - 11/16 - 3/4 - 25/32 - 13/16 - 7/8 - 15/16 - 1 - 1.1/16 - 1.1/18 - 1.3/16 - 1.1/4
920/25	
920AN	125-250mm
920/42	
920/55	

12"

3,8 kg

	£		
M96	430.00	1	024500096
MV96	50.50	1	024510096

M100

98

895/1	
895/3	
895/6	
900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
900L	5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
900ME	3-4-5-6-7 mm
900LP	0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8 mm
900PH	PH1-PH2-PH3-PH4
900TX	T10 - T15 - T20 - T25 - T27 - T30 - T40
900/20	50 mm
900/20L	100 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	
920A	8-10-11-12-13-14-15-16-17-18-19-20 21-22-23-24-26-27-28-30-32 mm
920/15	
920/25	
920AN/125	125 mm
920AN/250	250 mm
920/42	
920/55	
920FTX	10 - 12 - 14 - 16 - 18 - 20 - 22 - 24 mm
920AL	10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22

6,7 Kg

1/4" 1/2"

	£		
M100	1435.00	1	024500100
MV100	78.50	1	024510100

M105

116

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
900L	5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
96BPC/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
895/1	
895/3	
895/6	
900ME	3-4-5-6-7 mm
900LP	0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8 mm
900PH	PH1-PH2-PH3-PH4
900TX	T10 - T15 - T20 - T25 - T27 - T30 - T40
900/16	□ 1/4 - ■ 3/8
900/...	50-100-150 mm
900/25	
900BG/30	
900/42	
900/55	
910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm
910/15	□ 3/8 - ■ 1/4
910/16	□ 3/8 - ■ 1/2
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	
920A	8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm
920/15	□ 1/2 - ■ 3/8
920/25	
920AN	125 - 250 mm
920/42	
920/55	
956E	16-17,8-20,8 mm

1/4" 3/8" 1/2"

7,7 kg

	£		
M105	1570.00	1	024500871
MV105	78.50	1	024510871

M108

27

910MQ/PE	4-5-6-8 mm
910MQ/B	7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 mm
910MQ/TX	T15 - T20 - T25 - T27 - T30 - T40
910MQ/XZN	8-10 mm
910MQ/21	125 mm
910MQ/22	250 mm
910MQ/T	
910MQ/55	

2,7 kg

	£		
M108	1570.00	1	024500108
MV108	78.50	1	024510108

M110

36

850MQ	
860TX/A10	
920MQ/A	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 mm
920MQ/PE	5-6-8-10-12 mm
920MQ/21	125 mm
920MQ/22	250 mm
920MQ/55A	
943MQ	6-7-8-10 mm

3,1 kg

	£		
M110	1550.00	1	024500110
MV110	78.50	1	024510110

M112

32

861TX	⬢1/4-T6÷T15
866TX	⬢5/16-T20÷T55
895/1	⬭1/4x□1/4
895/6	⬭5/16x□1/2
900FTX	□1/4-E4÷E10
920FTX	□1/2-E12÷E24
920TX	□1/2-T55L-T60-T70L

1/4" 1/2"

1,3 kg

	£		
M112	361.00	1	024500112
MV112	39.00	1	024510112

M115

54

666/20	40÷200 Nm
920A	13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 26 - 27 - 30 - 32 mm
920FTX	12 - 14 - 16 - 18 - 20 - 22 - 24 mm
920PE	6 - 7 - 8 - 8L - 10 - 10L - 12 - 12L - 14 - 14L
920TX	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60 - T20L - T25L - T27L - T30L - T40L - T45L - T50L
920/21	125 mm
920/22	255 mm
920/25	
920/42	305 mm
920/55	

1/2"

7,8 Kg

	£		
M115	1340.00	1	024500115
MV116	78.50	1	024510116

M120

75

920A	10-11-12-13-14-15-16-17-18-19-20-21 22-24-26-27-30-32 mm	
920AN/125	125 mm	
920AN/250	250 mm	
920/25		
920/42		
920AL	10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 - 27 - 30 - 32 mm	
920FTX	10 - 12 - 14 - 16 - 18 - 20 - 22 - 24 mm	
920/55		
920PE	5 - 5L - 6 - 6L - 7 - 7L - 8 - 8L - 10 - 10L - 12 - 12L - 14 - 14L	
920TX	T20-T25-T27-T30-T40-T45-T50-T55-T60 T20L-T25L-T27L-T30L-T40L-T45L-T50L	

6,9 Kg

1/2"

	£		
M120	1515.00	1	024500120
MV120	78.50	1	024510120

M121

46

920BP	5L - 6L - 8L - 10L - 5XL - 6XL - 8XL mm	
920TX	T20 - T25 - T27 - T30 - T40L - T45L - T50L - T55L - T60L - T70L	
920XZN	4 - 5 - 6 - 6L - 8 - 8L - 10 - 10L - 12 - 12L - 14 - 14L - 16 - 18 mm	
920ES	7 - 9 - 10 - 11 - 12L - 14L - 16L - 7XL - 9XL - 10XL - 11XL - 12XL - 14XL - 16XL mm	
920/36A		

6,3 Kg

1/2"

	£		
M121	1410.00	1	024500121
MV121	78.50	1	024510121

M125

68

910AL	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 21 - 22 mm	
920PE	5-6 -6L-7-8-8L-10-10L-12-12L mm	
920FTX	E12 - E14 - E16 - E18 - E20 - E22 - E24	
920TX	T20 - T25 - T27 - T30 - T30L - T40 - T40L - T45 - T50 - T50L - T55 - T60 - T60L	
920XZN	5 - 6 - 6L - 8 - 8L - 10 - 10L - 12L mm	
920AL	10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm	
1692/5	5 m	

7,9 kg

3/8" 1/2"

	£		
M125	1475.00	1	024500872
MV125	78.50	1	024510872

M126

26

928A	19 - 21 - 22 - 24 - 26 - 27 - 28 - 30 - 32 - 34 - 35 - 36 - 38 - 41 - 46 mm	
928ME	14-17-19-22 mm	
928/15	□ 3/4 - ■ 1/2	
928/16	□ 3/4 - ■ 1	
928/21	200 mm	
928/22	380 mm	
928/25		
928/42	450 mm	
928/55		

12,4 kg

3/4"

	£		
M126	1107.00	1	024500126
MV126	78.50	1	024510126

M127

23

728	19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 - 35 - 36 - 38 - 40 - 41 - 46	
728FTX	20-22-24 mm	
728/15	□ 3/4 - ■ 1/2	
728/16	□ 3/4 - ■ 1	
728/21	175 mm	
728/22	250 mm	
728/25		

12,5 kg

3/4"

	£		
M127	1124.00	1	024500127
MV127	78.50	1	024510127

M128

50

720	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm	
720L	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm	
720TX	T30-T40-T45-T50-T55	
720ME	5 - 6 - 8 - 10 - 12 - 14 - 17 - 19 mm	
720LC	17-19-21 mm	
720/21	125 mm	
720/25		

8,9 kg

1/2"

	£		
M128	1061.00	1	024500128
MV128	78.50	1	024510128

M129

13

1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
1048N	250 mm
1052	240 mm
1082BM	160 mm
1098	220 mm
1112	250 mm
1128BM	
1150BM	180 mm
1166BM	160 mm
1168BM	160 mm

3,4 Kg

	£		
M129	545.00	1	024500129
MV138	79.00	1	024510138

M133

3

1082G	160 mm
1150G	180 mm
1166G	160 mm

650 g

	£		
M133	101.50	1	024500133
MV133	39.00	1	024510133

M134

3

1082GBM	160 mm
1150GBM	180 mm
1166GBM	160 mm

750 g

	£		
M134	133.00	1	024500134
MV134	39.00	1	024510134

M135

1082MQ	160 mm
1150MQ	180 mm
1166MQ	160 mm

750 g

	£		
M135	220.00	1	024500135
MV135	39.00	1	024510135

M136

1084BM	160 mm
1150BM	180 mm
1166BM	160 mm

750 g

	£		
M136	149.50	1	024500136
MV131	39.00	1	024510131

M137

1084	160 mm
1150	180 mm
1166	160 mm

650 g

	£		
M137	116.50	1	024500137
MV132	39.00	1	024510132

M145

1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm

640 g

	£		
M145	145.00	1	024500145
MV145	39.00	1	024510145

M153

1048N	250 mm
1052	240 mm

1 kg

	£		
M153	122.50	1	024500153
MV154	39.00	1	024510154

M161

1128MQ

1048MQ	250 mm
1082MQ	160 mm
1150MQ	180 mm
1162MQ	160 mm
1164MQ	160 mm
1272MQ	PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
1274MQ	2,5x75 - 3x100 - 4x100 - 5,5x125 mm
1777MQ/U	

3,0 kg

	£		
M161	654.00	1	024500161
MV161	78.50	1	024510161

M162

1241	5,5x100 - 6,5x125 - 8x150 - 10x200 mm
1242	PH1x100 - PH2x100 - PH3x150 - PH4x200 mm

1,4 kg

	£		
M162	182.00	1	024500162
MV162	50.50	1	024510162

M166

860MIX/A31

1048N	250 mm
1082BM	160 mm
1150BM	180 mm
1162BM	160 mm
1290	3x75 - 4x100 - 5,5x100 - 6,5x150 - 8x150 mm
1290N	6,5x30 mm
1292	4,5x80 - 6x100 - 8x150 mm
1292N	6x30 mm
1297TX	T20-T25-T27-T30

2,9 kg

	£		
M166	571.00	1	024500879
MV880	78.50	1	024510880

M170

1290	2,5x50 3x75 3,5x100 4x125 5,5x100 5,5x150 6,5x150 mm

500 g

	£		
M170	109.00	1	024500170
MV170	39.00	1	024510170

M172

1292	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 mm

450 g

	£		
M172	92.00	1	024500172
MV172	39.00	1	024510172

M174

6

1297TX T8 - T10 - T15 - T20 - T25 - T30

450 g

	£		
M174	116.00	1	024500174
MV174	39.00	1	024510174

M180

7

1290 3x75 4x100 5,5x150 6,5x150 mm

1292 PH0x60 PH1x80 PH2x100 mm

500 g

	£		
M180	109.00	1	024500180
MV180	39.00	1	024510180

M195

25



1260 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm

1260N 4x30 mm

1262 PH0x60 - PH1x80 - PH2x100 - PH3x150 mm

1262N PH1X30 mm

1267TX T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45

1253 3,5x100 mm

2,3 kg

	£		
M195	394.00	1	024500195
MV195	78.50	1	024510195

M201

6

1260 3x75 - 4x100 - 6,5x150 mm

1262 PH0x60 - PH1x80 - PH2x100 mm

500 g

	£		
M201	108.00	1	024500201
MV201	39.00	1	024510201

M204

6

1267TX T8 - T10 - T15 - T20 - T25 - T30

450 g

	£		
M204	89.00	1	024500204
MV204	39.00	1	024510204

M208

10

1260 3x75 3,5x100 4x125 5,5x150 6,5x150 mm

1262 PH0x60 PH1x80 PH2x100 mm

1260N 4x30 mm

1262N PH1x30 mm

750 g

	£		
M208	132.00	1	024500208
MV208	50.50	1	024510208

M209

10

1260N 4x30 mm

1264 2,5x60 - 3x100 - 4x125 - 5x150 - 6,5x150 mm

1262 PH0x60 - PH1x80 - PH2x100 mm

1262N PH1x30 mm

820 g

	£		
M209	131.50	1	024500209
MV208	50.50	1	024510208

M213

25



1201E 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm

1201EN 4x30 mm

1202E PH0x60 - PH1x80 - PH2x100 - PH3x150 mm

1202EN PH1X30 mm

1207E/TX T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45

1253 3,5x100 mm

1,8 Kg

	£		
M213	224.50	1	024500213
MV210	78.50	1	024510210

M214

7

1201E 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm

500 g

	£		
M214	51.50	1	024500214
MV211	39.00	1	024510211

M216

6

1202E PH0x60 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm

450 g

	£		
M216	57.00	1	024500216
MV212	39.00	1	024510212

M217

7

1207E/TX T6 - T7 - T8 - T9 - T10 - T15 - T20

500 g

	£		
M217	55.00	1	024500217
MV215	39.00	1	024510215

M218

7

1201E	3x75 4x100 5,5x150 6,5x150 mm
1202E	PH0x60 PH1x80 PH2x100 mm

500 g

	£		
M218	54.50	1	024500218
MV220	39.00	1	024510220

M219

7

1202E	3x60 - 4,5x80 - 6x100 mm
1204E	3x75 - 4x100 - 5x150 - 6,5x150 mm

590 g

	£		
M219	59.00	1	024500219
MV220	39.00	1	024510220

M222

7

1272MQ	PH0x60 mm
1272MQF	PH1x80 - PH2x100 mm
1274MQF	3,5x100 - 4,5x100 - 5,5x125 - 6,5x150 mm

540 g

	£		
M222	152.50	1	024500222
MV222	39.00	1	024510222

M226

7

1274MQ	3x100 4x100 5,5x125 6,5x150 mm
1272MQ	PH0x60 PH1x80 PH2x100 mm

500 g

	£		
M226	132.50	1	024500226
MV226	39.00	1	024510226

M227

5

944BX	6-7-8-10-13 mm

420 g

	£		
M227	164.00	1	024500227
MV227	39.00	1	024510227

M230

25

30	Ø 2-3-4 mm
31	Ø 2-3-4-5-6-8 mm
32	Ø 4 mm
34	150 mm
35	200-250 mm
36	125 mm
1370	500 g
1390	Ø 35 mm
1692	3 m
1712TF	
1719BMA/Q	200 mm
1719BMA/T	200 mm
1719BMA/P	200 mm
1719BMA/M	200 mm
1719BMA/R	200 mm
1737NX	
1771	18 mm

3,2 Kg

	£		
M230	529.00	1	024500230
MV230	78.50	1	024510230

M231

22

31	2-3-4-5-6-8 mm
32	4 mm
34	125-150-175 mm
36	125 mm
1370	500-1000 g
1390	Ø 35 mm
1712TF	590 mm
1715	670 mm
1719BMA8/Q	200 mm
1719BMA8/T	200 mm
1719BMA8/P	200 mm
1719BMA8/M	200 mm
1719BMA8/R	200 mm
1737NX	

4,7 kg

	£		
M231	496.00	1	024500877
MV231	78.50	1	024510877

M234

4

35	100-200 mm
1370	300 g
1390	Ø 35 mm

1,3 kg

	£		
M234	138.50	1	024500234
MV232	39.00	1	024510232

M236

5

1719BMA/Q	200 mm
1719BMA/T	200 mm
1719BMA/P	200 mm
1719BMA/M	200 mm
1719BMA/R	200 mm

870 g

	£		
M236	129.00	1	024500236
MV236	39.00	1	024510236

M237

4

35	100-200 mm
1370T	300 mm
1390N	Ø 35 mm

1,3 kg

	£		
M237	152.00	1	024500237
MV232	39.00	1	024510232

M240

7

31BM	Ø 2-3-4-5-6-8 mm
32	Ø 4 mm

850 g

	£		
M240	195.00	1	024500240
MV240	39.00	1	024510240

M264

16

1491	Ø 65÷110 mm
■ 1494	■ 10 mm
○ 1494E	○ 8 - 9 - 10 - 11 - 12 - 14 - 17 mm
▢ 1494Q	○ 8-9,5-12-13 mm
△ 1494T	△ 9,5
○ 1494XZN	○ 16
1496C	■ 8x ■ 10 mm

2,1 kg

	£		
M264	262.00	1	024500264
MV264	39.00	1	024510264

Beta Quality Tools

M284

9

1128BMX	
1130BMX	
■ 1719BMA...Q	200 mm
▲ 1719BMA...P	200 mm
◗ 1719BMA...M	200 mm
● 1719BMA...R	200 mm
1726BM	400 mm
1728BM	(5)
1771BM	170 mm
1778V18	185 mm

2,4 Kg

	£		
M284	311.00	1	024500284
MV284	78.50	1	024510284

M292

4

111E	250 mm
1128BMX	
1692/5	5 m
1771	170 mm

500 g

	£		
M292	130.50	1	024500292
MV293	39.00	1	024510293

M294

4

1692/5	5 m
1725CR	260 mmm
1771	18 mm
1771RL	

500 g

	£		
M294	86.00	1	024500294
MV294	39.00	1	024510294

M295

4

1650	
1682	L=300 mm
1707	
1708/20	

450 g

	£		
M295	156.50	1	024500295
MV295	39.00	1	024510295

M305

14

1927B	
◯ 720	12-13-14-15-16-17 18-19-21-22 24-27 mm
720/21	

1/2"

4,2 kg

	£		
M305	501.00	1	024500305
MV305	50.50	1	024510305

M310

14

1927CD	
◯ 720	12-13-14-15-16-17 18-19-21-22 24-27 mm
720/21	

1/2"

4,0 kg

	£		
M310	755.00	1	024500310
MV310	50.50	1	024510310



RSC22 **RSC23** **RSC23C** **C27S**		**543** **559**
C41S **C41H**		**543**

M400

29

3932U	
3935	120 mm
3937	170 mm
3952	13 - 14 - 15 - 16 - 17 - 18 - 19 mm
☐ **3961 3,2**	
☐ **3961 3,3**	
☐ **3961 3,5**	
☐ **3961U**	3,2 - 4,0 mm
3969	200 mm (x2)
3969K3	113 mm
3973/1	
3973/2	
3973/3	
3973/4	
3984/1	Ø35 mm
3984/2	Ø22,8 mm
3984/3	Ø23,5 mm
3984/4	Ø23 mm
3991	222 mm
3992	234 mm

3,1 kg

	£		
M400	**733.00**	1	024500400
MV400	**89.50**	1	024510400

M401

7

3921	440 mm
3948	
3953	
3955	30x32 - 32x36 mm
3967	289 mm
3971	

2,7 kg

	£		
M401	**504.00**	1	024500401
MV401	**89.50**	1	024510401

MC10

34

42	6-7-8-9-10-11-12 13-14-15-16-17 18-19-21-22 mm
○ **96/SC9**	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1084BM	160 mm
1150G	180 mm
1166G	160 mm
1201E	3,5x100 - 5,5x150 - 6,5x150 mm
1202E	PH0x60 - PH1x80 - PH2x100 mm

3,5 kg

	£		
MC10	**469.00**	1	027500011
MCV10	**54.50**	1	027510010

MC12

26

42	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm
○ **96/SC9**	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1692/5	5 m

2,2 kg

	£		
MC12	**298.00**	1	041500012
MCV11	**53.50**	1	041510011

MC20

74

860MIX/A31	
895/1	
1048N	250 mm
1370	300 g
32	Ø 4 mm
36	Ø 4 mm
900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
900/21	150 mm
900/25	
900BG/30C	
900/42	
900/55	
920A	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm
920/25	
920AN/125	125 mm
920/42	
920/55	

1/2"

6 kg

	£		
MC20	**737.00**	1	027500020
MCV20	**54.50**	1	027510021

MC21

24

◎ **920A**	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
920/25	
920/42	
ⓜ **920/55**	
920AN	125-250 mm

4,3 kg

	£		
MC21	**409.00**	1	041500021
MCV21	**53.50**	1	041510021



C35



MB

544÷546

MB12

30

42	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
55	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22 mm
1048N	250 mm

5,4 kg

	£		
MB12	723.00	1	024504212
MBV13	218.50	1	024524213

MB37

52

920A	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
920/21	125 mm
920/22	150 mm
920/25	
920/42	
920/55	
111E	250 mm
1052	240 mm
1084BM	160 mm
1150BM	180 mm
1166BM	160 mm
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
900	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/55	
900/42	

7,0 kg

	£		
MB37	1085.00	1	024504237
MBV40	218.50	1	024524240

MB38

80

96T	2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 mm
851SR	230 mm
860LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
860PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
860PH	PH0 - PH1 - PH2 - PH3 - PH4
860PZ	PZ1 - PZ2 - PZ3 - PZ4
860RTX	T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
860TX	T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
860/55	100 mm
882P	
892/0	
920A	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
1084BM	160 mm
1150BM	180 mm
1166BM	160 mm

5,9 kg

	£		
MB38	968.00	1	024504238
MBV35	218.50	1	024524235

MB39

39

920A	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
920PE	5-6-8-10-12 mm
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
35	200 mm
1084BM	160 mm
1150BM	180 mm
1166BM	160 mm
1370	500 g
1390	35 mm

7,2 kg

	£		
MB39	938.00	1	024504239
MBV36	218.50	1	024524236

MB44

34

1260	2,5x50 - 3x75 - 3,5x100 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
1260N	4x30-6,5x30 mm
1262	PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
1262N	PH1x30-PH2x30 mm
1253	
96BPC/SC9	
951	2,5-3-4-5-6-8 mm

2,8 kg

	£		
MB44	510.00	1	024504244
MBV44	218.50	1	024524244

MB45

29



1260	2,5x50 - 3x75 - 3,5x100 - 4x100 - 5,5x100 - 5x125 - 6,5x150 mm
1262	PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
1267TX	T8 - T10 - T15 - T20 - T25 - T30
1052	240 mm
96BPC/SC9	

2,8 kg

	£		
MB45	363.00	1	024504245
MBV45	218.50	1	024524245

MB46

29

1260	3x75 - 4x100 - 5,5x125 - 6,5x150 mm
1262	PH0x60 - PH1x80 - - PH2x100 mm
1267TX	T8 - T10 - T15 - T20 - T25 - T30
96BPC/SC9	
96T	2-2,5-3-4-5-6
1052	240 mm

2,8 kg

	£		
MB46	390.00	1	024504246
MBV46	218.50	1	024524246

MB47

48

1260	3x75 - 4x100 - 5,5x125 - 6,5x150 mm
1262	PH0x60 - PH1x80 - - PH2x100 mm
1260N	4x30 mm
1262N	PH1x30 mm
96T	2,5-3-4-5-6-8 mm
96BPC/SC9	
920A	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
920/21	125 mm
920/22	250 mm
920/25	
920/42	
920/55	12"

5,6 kg

	£		
MB47	785.00	1	024504247
MBV47	218.50	1	024524247

MB56

15

1719BMA/Q	200 mm
1719BMA/T	200 mm
1719BMA/P	200 mm
1719BMA/M	200 mm
1719BMA/R	200 mm
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
1370T	300 g
1390N	Ø 35 mm
35	200 mm
1692	5 mt
1725CR	260 mm
1771	18 mm

3,7 kg

	£		
MB56	450.00	1	024504256
MBV56	218.50	1	024524256

MB58

17

31	Ø 2-3-4-5-6 mm
32	Ø 4 mm
35	200 mm
1112	250 mm
1128BMX	
1370	500 g
1390	Ø 45 mm
1719BMA...Q	200 mm
1719BMA...T	200 mm
1719BMA...P	200 mm
1719BMA...M	200 mm
1719BMA...R	200 mm
1726	440 mm

4,5 kg

	£		
MB58	477.00	1	024504258
MBV55	218.50	1	024524255

MB59

15

1719BMA...Q	200 mm
1719BMA...T	200 mm
1719BMA...P	200 mm
1719BMA...M	200 mm
1719BMA...R	200 mm
31	Ø 4-6 mm
32	Ø 4 mm
35	125-200 mm
1370	300 g
1390	Ø 35 mm
1692	5 mt
1725	420 mm
1833XS/2	

3,4 kg

	£		
MB59	392.00	1	024504259
MBV57	218.50	1	024524257

MB65

16

1719BMA...Q	200 mm
1719BMA...P	200 mm
1719BMA...T	200 mm
1719BMA...M	200 mm
1719BMA...R	200 mm
35	200 mm
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
1052	240 mm
1084BM	160 mm
1150BM	180 mm
1166BM	160 mm
1370	500 g
1390	Ø 35 mm

4,8 kg

	£		
MB65	592.00	1	024504265
MBV61	218.50	1	024524261

MB63

60



96BPC/SC9	
1250	4x125 mm
1251	PH1x125 mm
1253	
943MQ	5,5-6-7-8-10-13 mm
1272MQ	PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
1274MQ	2,5x75 - 3x100 - 4x100 - 5,5x125 - 6,5x150 - 8x175 mm
860LP	0,5x3 - 0,6x4 - 0,8x5,5 1,0x5,5 - 1,2x6,5 mm
860PE	2 - 2,5 - 3 - 4 - 5 - 6 8 - 10 mm
860PH	PH0 - PH1 - PH2 - PH3 - PH4
860PZ	PZ1 - PZ2 - PZ3 - PZ4
860RTX	T9 - T10 - T15 - T20 T25 - T27 - T30 - T40
882MSR 50	1/4 ● 1/4
850MQ	

3,2 kg

	£		
MB63	594.00	1	024504263
MBV63	218.50	1	024524263

MB64

20

55	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22 mm
1048MQ	250 mm
1082MQ	140 mm
1128BSX	
1132MQ	230 mm
1142MQ	160 mm
1150MQ	180 mm
1166MQ	160 mm
1168MQ	160 mm
110MQ	250 mm
1777MQ	
993MQ	
1602	

4,1 kg

	£		
MB64	1098.00	1	024504264
MBV62	218.50	1	024524262

C45PRO



MM

546

MM11

30

42	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
96BPC/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

4,5 kg

	£		
MM11	477.00	1	024580011
MMV10	78.50	1	024590010

MM26

34

42	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 mm
111E	250 mm
123Q1/4	
123Q3/8	
123Q1/2	
142	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

4,3 kg

	£		
MM26	779.00	1	024580026
MMV26	78.50	1	024590026

MM30

31

55	6x7-8x9-10x11-12x13-14x15-16x17 18x19-20x22-21x23-24x27-30x32 mm
90	6x7-8x9-10x11-12x13-14x15-16x17 18x19-20x22-21x23-24x27-30x32 mm
96BPC/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

4,9 kg

	£		
MM30	501.00	1	024580030
MMV30	78.50	1	024590030

MM60

23

96T	2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm
97BTX/SC8	T9-T10-T15-T20-T25-T27-T30-T40
944BX	5-6-7-8-10-13 mm

2,2 Kg

	£		
MM60	488.00	1	024580060
MMV60	78.50	1	024590060

MM63

8

952	7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm

3,4 kg

	£		
MM63	470.00	1	024580063
MMV63	78.50	1	024590063

MM100

98

895/1	
895/3	
895/6	
900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
900L	5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
900ME	3-4-5-6-7 mm
900LP	0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8 mm
900PH	PH1-PH2-PH3-PH4
900TX	T10 - T15 - T20 - T25 - T27 - T30 - T40
900/20	50 mm
900/20L	100 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	
920A	8-10-11-12-13-14-15-16-17-18-19-20 21-22-23-24-26-27-28-30-32 mm
920/15	
920/25	
920AN/125	125 mm
920AN/250	250 mm
920/42	
920/55	
920/42	10 - 12 - 14 - 16 - 18 - 20 - 22 - 24 mm
920AL	10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22

6,7 Kg

	£		
MM100	1430.00	1	024580100
MMV100	78.50	1	024590100

MM105

107

895/1	⬡1/4-□1/4
895/3	⬡1/4-□3/8
895/6	⬡5/16-□1/2
900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
900L	5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
900ME	3-4-5-6-7 mm
900LP	0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8
900PH	PH1-PH2-PH3-PH4
900TX	T10 - T15 - T20 - T25 - T27 - T30 - T40
900/16	
900/...	50-100-150 mm
900/25	
900BG/30	176 mm
900/42	115 mm
900/55	125 mm
910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm
910/15	□3/8-■1/4
910/16	□3/8-■1/2
910/21	125 mm
910/22	250 mm
910/25	
910/42	210 mm
910/55	200 mm
920A	8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm
920/15	□1/2-■3/8
920/25	
920AN	125-250 mm
920/42	305 mm
920/55	275 mm
956E	16 mm (5/8") - 17,8 (11/16") - 20,8 (13/16")

1/4" 3/8" 1/2"

7,2 kg

	£		
MM105	1525.00	1	024580105
MMV105	78.50	1	024590105

MM129

12

1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
1048N	250 mm
1052	240 mm
1082BM	160 mm
1098	220 mm
1128BM	
1150BM	180 mm
1166BM	160 mm

2,9 Kg

	£		
MM129	504.00	1	024580129
MMV129	78.50	1	024590129

MM210

25

1201E	2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
1201EN	4x30 mm
1202E	PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
1202EN	PH1X30 mm
1207E/TX	T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45
1253	

2,1 kg

	£		
MM210	224.50	1	024580211
MMV210	78.50	1	024590210

MM230

25

30	Ø 2-3-4 mm
31	Ø 2-3-4-5-6-8 mm
32	Ø 4 mm
34	150 mm
35	200-250 mm
36	125 mm
1370	500 g
1390	Ø 35 mm
1692	3 m
1712TF	
1719BMA...Q	200 mm
1719BMA...T	200 mm
1719BMA...P	200 mm
1719BMA...M	200 mm
1719BMA...R	200 mm
1737NX	
1771	

3,2 Kg

	£		
MM230	**546.00**	1	024580230
MMV230	**78.50**	1	024590230

MM400

29

3932U	
3935	120 mm
3937	170 mm
3952	13 - 14 - 15 - 16 - 17 - 18 - 19 mm
☐ **3961 3,2**	
☐ **3961 3,3**	
☐ **3961 3,5**	
☐ **3961U**	3,2 - 4,0 mm
3969	200 mm (x2)
3969K3	113 mm
3973/1	
3973/2	
3973/3	
3973/4	
3984/1	
3984/2	
3984/3	
3984/4	
3991	222 mm
3992	234 mm

3,1 kg

	£		
MM400	**739.00**	1	024580400
MMV400	**78.50**	1	024590400

MM401

7

3921	440 mm
3948	
3953	
3955	30x32 mm - 32x36 mm
3967	289 mm
3971	

2,7 kg

	£		
MM401	**510.00**	1	024580401
MMV401	**78.50**	1	024590401

VPM0

soft thermoformed tray with tote tray



	£		
VPM0	**30.50**	1	088870350

VPM3

soft thermoformed tray with 4 tote trays



	£		
VPM3	**30.50**	1	088870353

VPM7

soft thermoformed tray with 3 tote trays



	£		
VPM7	**33.50**	1	088870356

VPM8

soft thermoformed tray with tote tray

	£		
VPM8	**25.00**	1	088870357

VPM9

soft thermoformed tray with tote tray

	£		
VPM9	**24.50**	1	088870358

VPM7-C



	£		
VPM7C	**37.50**	1	088870360

Hard thermoformed trays T-series

Assortment of tools in thermoformed trays, designed for all roller cabs and all trolleys.



H mm	LxP mm
70	588x367



T01

17

42 6-7-8-10-11-12-13 14-16-17-18-19-21 22-24-27-30 mm

2,7 kg

	£		
T01	316.00	1	024240001
TV10	34.50	1	024000400

T05

16

42 6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21 mm

1,5 kg

	£		
T05	240.50	1	024240005
TV15	26.50	1	024000445

T06

5

42 22-24-27-30-32 mm

2,1 kg

	£		
T06	170.00	1	024240006
TV16	26.50	1	024000446

T18

16

42MP 6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21 mm

1,5 kg

	£		
T18	339.00	1	024240018
TV15	26.50	1	024000445

T19

5

42MP 22-24-27-30-32 mm

2,1 kg

	£		
T19	207.50	1	024240019
TV16	26.50	1	024000446

T22

15

42AS 5/16-3/8-7/16-1/2 9/16-5/8-11/16-3/4

○ 96AS/BG7 3/32-1/8-5/32-3/16 1/4-5/16-3/8

1 kg

	£		
T22	179.00	1	024240022
TV20	26.50	1	024000488

T23

16

42INOX 8 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm

○ 96BPINOX 2,5-3-4-5-6-8-10 mm

1 kg

	£		
T23	374.00	1	024240023
TV23	26.50	1	024249906

T31

27

31 Ø 2-3-4-5-6 mm

32 Ø 4 mm

55 6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22-21x23 24x26-27x29 30x32 mm

○ 96N/SC9 1,5÷10 mm

3 kg

	£		
T31	283.00	1	024240031
TV30	34.50	1	024000401

T33

17

55	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22 mm
○ 96/SC9	1,5÷10 mm

1 kg

	£		
T33	120.00	1	024240033
TV20	26.50	1	024000488

T34

17

55MP	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22 mm
○ 96/SC9	1,5÷10 mm

1 kg

	£		
T34	141.50	1	024240034
TV20	26.50	1	024000488

T40

7

90	6x7-8x9-10x11 12x13-14x15 16x17-18x19 mm

810 g

	£		
T40	116.00	1	024240040
TV40	26.50	1	024000456

T41

5

90	20x22-21x23 24x26-25x28 27x29 mm

1,5 kg

	£		
T41	167.50	1	024240041
TV41	26.50	1	024000457

T45

12

142	8-9-10-11-12 13-14-15-16 17-18-19 mm

1,3 kg

	£		
T45	374.00	1	024240045
TV45	26.50	1	024000498

T46

12

142SN	8-9-10-11-12 13-14-15-16 17-18-19 mm

1,5 kg

	£		
T46	443.00	1	024240046
TV46	26.50	1	024000499

T48

12

○ 96BPC/SC9	1,5÷10 mm
142C	8-9-10-11-12 13-14-15-16 17-18-19 mm

1,4 kg

	£		
T48	313.00	1	024240048
TV47	26.50	1	024000763

T50

11

○ 96T	2-2,5-3-3,5-4-4,5 5-6-7-8-10 mm

1,3 kg

	£		
T50	210.00	1	024240050
TV50	34.50	1	024000764

T52

6

○ 96T	2-2,5-3-4-5-6 mm

350 g

	£		
T52	102.00	1	024240052
TV52	26.50	1	024000765

T55

6

○ 97TTX	T10-T15-T20 T25-T27-T30

330 g

	£		
T55	120.50	1	024240055
TV55	26.50	1	024000766

T59

14

111E	250 mm
920/40	■ 1/2
951	2,5-3-4-5-6-8 mm
○ 953	4-5-6-8 mm
1370	300 - 500 g

4,7 kg

	£		
T59	561.00	1	024240059
TV60	56.00	1	024000420

T63

8

◌ 952	7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm

3,8 kg

	£		
T63	408.00	1	024240063
TV63	49.50	1	024000471

T64

8

952FTX E10-E12-E14
953TX T25 - T27 - T30 - T40 - T45

3,8 kg

	£		
T64	514.00	1	024240064
TV63	49.50	1	024000471

T65

8

953 3 - 3,5 - 4 - 5 - 6 - 7 - 8 - 10 mm

2,8 kg

	£		
T65	400.00	1	024240065
TV63	49.50	1	024000471

T68

6

951 2,5-3-4-5-6-8 mm

590 g

	£		
T68	181.00	1	024240068
TV68	26.50	1	024000470

T73

8

930 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
940/1
940/2

1,3 kg

	£		
T73	258.00	1	024240073
TV73	26.50	1	024000418

T75

16

933 7-8-9-10-11-12-13 14-15-16-17-18-19 21-22-24 mm

4,2 kg

	£		
T75	357.00	1	024240075
TV75	56.00	1	024000422

T76

16

932 7-8-9-10-11-12-13 14-15-16-17-18-19 21-22-24 mm

4,2 kg

	£		
T76	357.00	1	024240076
TV75	56.00	1	024000422

T77

10

933 6-7-8-10-11-12-13 14-17-19 mm

1,4 kg

	£		
T77	174.50	1	024240077
TV77	26.50	1	024000474

T80

29

920A 10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920ME 5-6-8-10-12 mm
920/21 125 mm
920/22 255 mm
920/25
920/42 305 mm
920/55

12"

4,1 kg

	£		
T80	492.00	1	024240080
TV80	34.50	1	024000403

T81

29

920B 10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920ME 5-6-8-10-12 mm
920/21 125 mm
920/22 255 mm
920/25
920/42 305 mm
920/55

12"

4,1 kg

	£		
T81	492.00	1	024240081
TV80	34.50	1	024000403

T82

29

920A 10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920ME 5-6-8-10-12 mm
920AN/125 125 mm
920AN/250 250 mm
920/25
920/42 305 mm
920/55

12"

4,1 kg

	£		
T82	499.00	1	024240082
TV80	34.50	1	024000403

T83

24

920A 10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920/21 125 mm
920/22 255 mm
920/25
920/42 305 mm
920/55

12"

3,6 kg

	£		
T83	387.00	1	024240083
TV83	34.50	1	024000402

T85

81

861LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x8 mm
861PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
861PH	PH0 - PH1 - PH2 - PH3
861PZ	PZ1 - PZ2 - PZ3
861TX	T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
861RTX	T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
861TRW	1-2-3-4-5-6 mm
861TQS	0 - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 10 mm
861SP	4-6-8-10-12 mm
851SR	230 mm
900	4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm
900/21	150 mm
900/25	41 mm
900BG/30	176 mm
900/42	115 mm
900/55	125 mm
194	1/4x5/16

1/4"

1,0 kg

	£		
T85	398.00	1	024240085
TV85	34.50	1	024000747

T91

25

900	4-4,5-5-5,5-6 7-8-9-10-11 12-13-14 mm
900ME	2,5-3-4-5-6-8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	115 mm
900/55	

1/4"

560 g

	£		
T91	259.00	1	024240091
TV90	26.50	1	024000447

T92

22

910A	6-7-8-9-10-11-12-13 14-15-16-17-18-19 20-21-22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	210 mm
910/55	

3/8"

1,5 kg

	£		
T92	330.00	1	024240092
TV92	26.50	1	024000458

T99

16

920INOX-A	10-12-13-14-15-16-17 18-19-21-22-24-27 30-32mm
920/55INOX	

1/2"

2,7 kg

	£		
T99	1450.00	1	024240099
TV99	26.50	1	024249908

T100

16

920A	10-12-13-14-15 16-17-18-19-21 22-24 mm
920/21	125 mm
920/25	
920/42	305 mm
920/55	

1/2"

2,1 kg

	£		
T100	288.00	1	024240100
TV100	26.50	1	024000495

T101

16

920B	10-12-13-14-15 16-17-18-19-21 22-24 mm
920/21	125 mm
920/25	
920/42	305 mm
920/55	

1/2"

2,1 kg

	£		
T101	288.00	1	024240101
TV100	26.50	1	024000495

T102

16

920AS	3/8-7/16-1/2 9/16-5/8-11/16 3/4-13/16-7/8 15/16-1-1.1/16
920/21	125 mm
920/25	
920/42	305 mm
920/55	

1/2"

2,1 kg

	£		
T102	309.00	1	024240102
TV100	26.50	1	024000495

T103

17

900L	6-7-8-9-10-11-12 mm
920AL	13-14-16-17-18-19 21-22-24-27 mm

1/4" 1/2"

1,1 kg

	£		
T103	340.00	1	024240103
TV103	26.50	1	024000748

T105

11

928A	22-24-27-30-32-34 36-38-41-46-50 mm

3/4"

4,9 kg

	£		
T105	328.00	1	024240105
TV105	28.50	1	024000484

T106

4

928/21	200 mm
928/22	380 mm
928/42	450 mm
928/55	

3/4"

4,5 kg

	£		
T106	413.00	1	024240106
TV106	28.50	1	024000485

T111

16

720	10-13-15-17-18-19-21 22-24-27-30-32 mm
720LC	17-19-21 mm
720/21	125 mm

1/2"

2,7 kg

	£		
T111	287.00	1	024240111
TV111	26.50	1	024000476

T112

32

861TX	⬢1/4-T6÷T15
866TX	⬢5/16-T20÷T55
895/1	⬡1/4x□1/4
895/6	⬡5/16x□1/2
900FTX	□1/4-E4÷E10
920FTX	□1/2-E12÷E24
920TX	□1/2-T55L-T60-T70L

1/4" 1/2"

1,3 kg

	£		
T112	349.00	1	024240112
TV112	26.50	1	024000480

T113

12

920PE	5L-6L-7L-8L-10L
920TX	T40L-T45L T55L-T70L
920XZN	M6L-M8L-M12L

1/2"

1,5 kg

	£		
T113	313.00	1	024240113
TV113	26.50	1	024000489

T122

1

666/20 40 - 200 Nm

1/2"

1,2 kg

	£		
T122	310.00	1	024240122
TV122	28.50	1	024000768

T123

3

1082G	160 mm
1150G	180 mm
1166G	160 mm

550 g

	£		
T123	96.00	1	024240123
TV135	26.50	1	024000762

T124

3

1082GBM	160 mm
1150GBM	180 mm
1166GBM	160 mm

640 g

	£		
T124	126.50	1	024240124
TV135	26.50	1	024000762

T135

3

1082MQ	160 mm
1150MQ	180 mm
1166MQ	160 mm

1000 V

750 g

	£		
T135	206.50	1	024240135
TV135	26.50	1	024000762

T136

2

1048MQ	250 mm
1777MQ/U	

1000 V

700 g

	£		
T136	137.50	1	024240136
TV136	26.50	1	024000438

T137

3

1084BM	160 mm
1150BM	180 mm
1166BM	160 mm

750 g

	£		
T137	141.50	1	024240137
TV130	26.50	1	024000451

T138

3

1084	160 mm
1150	180 mm
1166	160 mm

650 g

	£		
T138	108.50	1	024240138
TV130	26.50	1	024000451

T140

8

1032	140x0,9 - 180 mm
1034	170 mm
1036	140x1,3 - 175 mm
1038	175 mm
1084	160 mm
1128BM	

1,1 kg

	£		
T140	260.00	1	024240140
TV140	34.50	1	024000405

T144

4

1048N	250 mm
1052	240 mm
1112	250 mm
1150	180 mm

1,8 kg

	£		
T144	167.50	1	024240144
TV143	34.50	1	024000409

T145

4

1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm

640 g

	£		
T145	138.00	1	024240145
TV145	26.50	1	024000448

T146

4

1032	140x0,9 mm
1032	225 mm
1036	140x1,3 mm
1036	225 mm

700 g

	£		
T146	141.00	1	024240146
TV146	26.50	1	024000449

T151

2

1047	240 mm
1057A	240 mm

1,3 kg

	£		
T151	120.00	1	024240151
TV150	26.50	1	024000462

T153

2

1048N	250 mm
1052	240 mm

1,1 kg

	£		
T153	94.50	1	024240153
TV150	26.50	1	024000462

T156

3

1082	160 mm
1150	180 mm
1048N	250 mm

1 kg

	£		
T156	118.00	1	024240156
TV148	26.50	1	024000500

T157

3

1082BM	160 mm
1150BM	180 mm
1048BM	250 mm

1,1 kg

	£		
T157	154.50	1	024240157
TV148	26.50	1	024000500

T160

BetamaX

11

1290	3x75 3x100 4x100 4x150 5,5x100 5,5x150 6,5x150 8x150 10x200 mm
1290N	4x30 6,5x30 mm

1,3 kg

	£		
T160	183.50	1	024240160
TV160	34.50	1	024000706

T161

BetamaX

9

1292	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 PH3x150 mm
1292N	PH1x30 PH2x30 mm

1 kg

	£		
T161	134.00	1	024240161
TV161	34.50	1	024000707

T164

16

952	8-10-13-17-19 mm
959	16 mm (5/8") - 20,8 mm (13/16")
1260	3x75 - 4x100 - 5,5x100 - 6,5x150 - 10x200 mm
1262	PH0x60 - PH1x80 - PH2x100 - PH3x150 mm

5 kg

	£		
T164	582.00	1	024240164
TV61	56.00	1	024000721

T167

11

1260	3x75 3x100 4x100 4x150 5,5x100 5,5x150 6,5x150 8x150 10x200 mm
1260N	4x30 6,5x30 mm

1,3 kg

	£		
T167	155.50	1	024240167
TV160	34.50	1	024000706

T168

9

1262	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 PH3x150 mm
1262N	PH1x30 PH2x30 mm

1 kg

	£		
T168	123.00	1	024240168
TV161	34.50	1	024000707

T170

BetamaX

7

1290	2,5x50 3x75 3,5x100 4x125 5,5x100 5,5x150 6,5x150 mm

450 g

	£		
T170	103.00	1	024240170
TV170	26.50	1	024000741

T171

BetamaX

5

1290	8x150 8x200 10x200 mm
1290N	4x30 6,5x30 mm

750 g

	£		
T171	106.00	1	024240171
TV171	26.50	1	024000742

T172

1292	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 mm

450 g

	£		
T172	87.00	1	024240172
TV172	26.50	1	024000743

T173

1292	PH3x150 PH4x200 mm
1292N	PH1x30 PH2x30 mm

560 g

	£		
T173	77.00	1	024240173
TV173	26.50	1	024000744

T175

1297TX	T6-T7-T8-T9 T10-T15-T20

410 g

	£		
T175	114.00	1	024240175
TV175	26.50	1	024000760

T176

1297TX	T25-T27-T30 T40-T45

640 g

	£		
T176	110.00	1	024240176
TV176	26.50	1	024000761

T177

1298RTX	T9-T10-T15 T20-T25-T27 T30-T40

680 g

	£		
T177	162.00	1	024240177
TV177	26.50	1	024000759

T180

1290	3x75 4x100 5,5x150 6,5x150 mm
1292	PH0x60 PH1x80 PH2x100 mm

480 g

	£		
T180	103.00	1	024240180
TV180	26.50	1	024000701

T183

1292L	PH1x400-PH2x400 mm
1294L	3x300-4x400-5x400 mm

580 g

	£		
T183	128.00	1	024240183
TV183	28.50	1	024000497

T198

1260	3x75 4x100 5,5x150 6,5x150 mm
1269PZ	PZ0 - PZ1 - PZ2

490 g

	£		
T198	94.00	1	024240198
TV180	26.50	1	024000701

T199

1260	2,5x50 3x75 3,5x100 4x125 5,5x100 5,5x150 6,5x150 mm

490 g

	£		
T199	88.50	1	024240199
TV170	26.50	1	024000741

T201

1260	8x200 10x150 10x200 mm
1260N	4x30 6,5x30 mm

680 g

	£		
T201	86.50	1	024240201
TV171	26.50	1	024000742

T202

1262	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 mm

490 g

	£		
T202	79.50	1	024240202
TV172	26.50	1	024000743

T204

1262	PH3x150 PH4x200 mm
1262N	PH1x30 PH2x30 mm

610 g

	£		
T204	67.50	1	024240204
TV173	26.50	1	024000744

T205

1267TX T6-T7-T8-T9 T10-T15-T20

460 g

	£		
T205	**87.50**	1	024240205
TV175	**26.50**	1	024000760

T206

1267TX T25-T27-T30 T40-T45

710 g

	£		
T206	**92.50**	1	024240206
TV176	**26.50**	1	024000761

T207

1268RTX T9-T10-T15 T20-T25-T27-T30

760 g

	£		
T207	**104.00**	1	024240207
TV207	**26.50**	1	024000758

T208

1260 3x75 4x100 5,5x150 6,5x150 mm

1262 PH0x60 PH1x80 PH2x100 mm

530 g

	£		
T208	**92.00**	1	024240208
TV180	**26.50**	1	024000701

T209

1262L PH1x400-PH2x400 mm

1264L 3x300 - 4x400 - 5x400 mm

580 g

	£		
T209	**94.50**	1	024240209
TV183	**28.50**	1	024000497

T211

1201E 2,5x50 3x75 3,5x100 4x125 5,5x100 5,5x150 6,5x150 mm

490 g

	£		
T211	**48.50**	1	024240211
TV170	**26.50**	1	024000741

T213

1202E PH0x60 PH1x80 PH1x120 PH2x100 PH2x150 PH3x150 mm

490 g

	£		
T213	**54.00**	1	024240213
TV212	**26.50**	1	024000440

T216

1207E/TX T6-T7-T8-T9 T10-T15-T20

410 g

	£		
T216	**52.00**	1	024240216
TV175	**26.50**	1	024000760

T221

1201E 3x75 4x100 5,5x150 6,5x150 mm

1202E PH0x60 PH1x80 PH2x100 mm

530 g

	£		
T221	**51.50**	1	024240221
TV180	**26.50**	1	024000701

T226



1274MQ 3x100 4x100 5,5x125 6,5x150 mm

1272MQ PH0x60 PH1x80 PH2x100 mm

1000 V

460 g

	£		
T226	**126.00**	1	024240226
TV180	**26.50**	1	024000701

T227

944BX 5-6-7-8-10-13 mm

490 g

	£		
T227	**176.50**	1	024240227
TV227	**26.50**	1	024000705

T228

1290INOX 3x75 - 4x100 - 5,5x150 - 6,5x150 mm

1292INOX PH0x60 - PH1x80 - PH2x100 mm

480 g

	£		
T228	**88.00**	1	024240228
TV180	**26.50**	1	024000701

T231

5

1370	400 g
1390	Ø 35 mm
▲ 1719BMA/T	200 mm
▌ 1719BMA/P	200 mm
◗ 1719BMA/M	200 mm

1,7 kg

	£		
T231	151.50	1	024240231
TV230	34.50	1	024000411

T233

4

35	100-200 mm
1370F	32 mm
1390	Ø 35 mm

1,3 kg

	£		
T233	147.50	1	024240233
TV232	26.50	1	024000452

T234

4

35	100-200 mm
1370	300 g
1390	Ø 35 mm

1,3 kg

	£		
T234	132.00	1	024240234
TV232	26.50	1	024000452

T236

5

■ 1719BMA/Q	200 mm
▲ 1719BMA/T	200 mm
▌ 1719BMA/P	200 mm
◗ 1719BMA/M	200 mm
● 1719BMA/R	200 mm

870 g

	£		
T236	120.50	1	024240236
TV235	26.50	1	024000453

T239

7

31BM	Ø 2-3-4-5-6-8 mm
32	Ø 4 mm

850 g

	£		
T239	182.50	1	024240239
TV239	26.50	1	024000439

T241

3

1500N/1
1500N/3
1516/1

4,2 kg

	£		
T241	331.00	1	024240241
TV241	34.50	1	024000414

T259

40

○ 96BP	2,5-3-4-5 6-8-10 mm
○ 96N	12 mm
◐ 860MIX/A31	
○	
⊕	
⊕	
⚙	
895/1	

950 g

	£		
T259	170.00	1	024240259
TV263	26.50	1	024000492

T264

16

1491	Ø 65÷110 mm
■ 1494	■ 10 mm
○ 1494E	○ 8 - 9 - 10 - 11 - 12 - 14 - 17 mm
▢ 1494Q	▢ 8-9,5-12-13 mm
Δ 1494T	Δ 9,5
○ 1494XZN	○ 16
1496C	■ 8x ■ 10 mm

2,1 kg

	£		
T264	246.50	1	024240264
TV264	26.50	1	024000466

T270

60

430	M3 - 4 - 5 - 6 - 7 - 8 - 9 10 - 12 - 14 - 16 - 18 - 20
433	M6x0,75 - M8x1 - M10x1,25 M12x1,5 - M14x1,5 M16x1,5 - M18x1,5
440	M3 - 4 - 5 - 6 - 7 - 8 - 9
440A	M10 - 12 - 14 - 16 - 18 - 20
441	M6x0,75 - M8x1,0
441A	M10x1,25 - M12x1,5 M14x1,5 - M16x1,5 M18x1,5

4,3 kg

	£		
T270	656.00	1	024240270
TV270	34.50	1	024000481

T273

7

435/1,5	M3÷M12
435/3	M5÷M21
436/1	☐ 2,0÷5,0 mm (M3÷M8)
436/2	☐ 4,6÷8 mm (M5÷M12)
444/1	Ø 25,4 mm
444/2	Ø 38,1 mm
1707	W 62÷4x1"

2,1 kg

	£		
T273	321.00	1	024240273
TV272	34.50	1	024000482

T281

1

1741B	250 mm
1741RV2,9K	2,9x6 mm (100)
1741RV3,2K	3,2x8 mm (100)
1741RV3,8K	3,8x10 mm (100)
1741RV4K	4x12 mm (100)

1,4 kg

	£		
T281	110.00	1	024240281
TV280	26.50	1	024000478

T279

4

1112	250 mm
1128BM	
1726	400 mm
1728BM	(x5)
1751N	200 cc

1,5 kg

	£		
T279	159.00	1	024240279
TV285	49.50	1	024000487

T284

10

1128BMX	
1130BMX	
1719BMA...Q	200 mm
1719BMA...T	200 mm
1719BMA...P	200 mm
1719BMA...M	200 mm
1719BMA...R	200 mm
1726BM	400 mm
1728BM	
1771BM	170 mm
1778V18	185 mm

3,3 kg

	£		
T284	324.00	1	024240284
TV286	56.00	1	024249904

T291

3

1479RB/1	
1479RB/2	
1479RB/3	

600 g

	£		
T291	106.50	1	024240291
TV291	26.50	1	024000472

T294

4

1692	5 m
1725CR	
1771RL	
1771	

590 g

	£		
T294	73.50	1	024240294
TV294	26.50	1	024000491

T297

3

1651DGTB	
1682	
1691BM	

490 g

	£		
T297	155.00	1	024240297
TV296	26.50	1	024000749

VP1 - VP2

thermoformed trays for small items,
made from plastic
for all roller cabs RSC22, RSC23, RSC23C



	H mm	£		
VP1	50	18.10	1	088880351
VP2	35	18.10	1	088880352

VP3 - VP4

thermoformed trays for small items,
made from plastic
for all roller cabs and all trolleys



	H mm	£		
VP3	50	19.00	1	088880353
VP4	35	19.00	1	088880354

VP5

thermoformed tray

	£		
VP5	19.40	1	088880355

VP6

thermoformed tray

	£		
VP6	20.40	1	088880359

VP-3SC

thermoformed tool trays,
made from plastic,
for mobile roller cab C38 +C04TSS-7



	H mm	£		
VP-3SC	45	21.10	1	088880356

VP-LS

thermoformed tool trays,
made from plastic,
for mobile roller cab C38 +C04TSS-7

	H mm	£		
VP-LS	45	13.60	1	088880357

VP-LD

thermoformed tool trays,
made from plastic,
for mobile roller cab C38

	H mm	£		
VP-LD	45	13.40	1	088880358

8889P1

parallel partitions for item RSC22, RSC23, RSC23C e C27S
drawer 588x277 mm

	h	£		
8889P1/5	50 mm	59.00	1	088890005
8889P1/7	70 mm	60.50	1	088890007

8889C1

crossed partitions for item RSC22, RSC23, RSC23C and C27S
for drawer 588x277 mm



	h	£		
8889C1/5	50 mm	79.00	1	088890015
8889C1/7	70 mm	80.00	1	088890017

8889P2

parallel partitions for standard drawer 588x367 mm

	h	£		
8889P2/7	70 mm	70.00	1	088890107

8889C2

crossed partitions for standard drawer 588x367 mm



	h	£		
8889C2/7	70 mm	90.00	1	088890117

8889P3

parallel partitions for item RSC24AXL

for drawer 882x367 mm

	h	£		
8889P3/7	70 mm	111.50	1	088890207

8889C3

crossed partitions for RSC24AXL

for drawer 882x367 mm



	h	£		
8889C3/7	70 mm	136.00	1	088890217

8889P4

parallel partitions for item C41

for drawer 418x205 mm

	h	£		
8889P4/7	70 mm	47.00	1	088890307

8889I4

crossed partition for item trolley C41

for drawer 418x205 mm



	h	£		
8889C4/7	70 mm	56.50	1	088890317

8889PS

parallel partitions for item C38 - C45PRO M4/M5/M7/M8

left side drawer 570x410 mm

	h	£		
8889PS/7	70 mm	83.50	1	088890407

8889CS

crossed partitions for item C38 - C45PRO M4/M5/M7/M8

left side drawer 570x410 mm



	h	£		
8889CS/7	70 mm	102.00	1	088890417

8889PD

parallel partitions for item C38

right side drawer 313x410 mm

	h	£		
8889PD/7	70 mm	44.50	1	088890427

8889CD

crossed partitions for item C38

right side drawer 313x410 mm



	h	£		
8889CD/7	70 mm	61.00	1	088890437

8889C6

crossed partitions for item C35

for drawer 600x447 mm

	h	£		
8889C6/7,5	75 mm	40.50	1	088890475
8889C6/10	100 mm	42.50	1	088890480
8889C6/15	150 mm	51.50	1	088890485
8889C6/20	200 mm	80.00	1	088890490

SB

socket rails

	L mm	£		
SB1	210	5.10	10	088880201
SB2	280	5.50	10	088880202
SB3	360	5.80	10	088880203

PM 1/2-Q5

magnetic socket rail

	£		
PM 1/2-Q5	60.50	1	088880233

MB

socket clips for rails SB

	□	£		
MB0	1/4	1.11	50	088880210
MB1	3/8	1.11	50	088880211
MB2	1/2	1.11	50	088880212

KIT/GPS

kit of 40-mm GPS hooks with screws VE1



	£		
KIT/GPS-40 mm	2.35	50	088880119
KIT/GPS-90 mm	3.60	50	088880117

VE1

expansion bolts

	£		
VE1	0.86	20	088880120

GM

snap hooks with expansion bolts VE1

ø mm	£		
6,5	7.30	5	088880250
9,5	7.75	5	088880251
13	7.85	5	088880252
16	8.00	5	088880253
19	8.25	5	088880254
25	8.25	5	088880255

S55/8

supports for 8 double open end wrenches, made from sheet metal

- **supplied complete with 3 expansion bolts VE1**



	£		
S55/8 55/S8 55AS/8 55MP/S8	28.00	1	088880420

S55/12

supports for 12 double open end wrenches, made from sheet metal

- **supplied complete with 3 expansion bolts VE1**



	£		
S55/12 55/S12 55/S12X 55AS/12 55MP/S12	33.50	1	088880421

ST2P

pliers pockets, made from sheet metal

- **supplied complete with 3 expansion bolts VE1**



	£		
ST2P	31.00	1	088880422

TSPP

tool pockets, made from plastic material

- **supplied complete with 3 expansion bolts VE1**

	£		
TSPP	7.05	1	088880402

S952/10

supports for 10 T-handles, made from sheet metal

- **supplied complete with 3 expansion bolts VE1**



	£		
S952/10	36.50	1	088880423

S1719BM

supports for 5 files, made from sheet metal

• supplied complete with 3 expansion bolts VE1

	£		
S1719BM 1719BMA: Q-T-P-M-R 1719BMD: Q-T-P-M-R 1719BMX: Q-T-P-M-R	**19.80**	1	088880404

SGN

supports for 2 mini screwdrivers, made from sheet metal

• supplied complete with 3 expansion bolts VE1



	£		
SGN 1290N-1292N-1299N/PZ 1260N-1262N-1269N/PZ 1201EN-1202EN-1209EN/PZ	**10.20**	1	088880405

CB/2

hard thermoformed tray for 1/2" sockets and accessories, empty

• only for item C54S

12"



	£		
CB/2 920A/920B 10÷24+26-27 28-30-32 mm 920/21-920/22-920/25-920/42-920/55	**31.00**	1	088880411

S42/17

supports for 17 combination wrenches, made from sheet metal

• supplied complete with 3 expansion bolts VE1



	£		
S42/17 42/S17 42MP/S17 42/S17X 42AS/17 142/S17	**36.00**	1	088880428

S951/6

supports for 6 T handle wrenches with hexagon male ends, made from sheet metal

• supplied complete with 3 expansion bolts VE1



	£		
S951/6 951/S6 951AS/S6X 951TX/S6	**21.90**	1	088880429

SPG11 - S1203/8

supports for screwdrivers, made from sheet metal

• supplied complete with 3 expansion bolts VE1

	£		
SPG11 n.8 Ø = 7 mm n.2 Ø = 10 mm n.1 Ø = 12 mm	**23.90**	1	088880910
S1203/8 1203E/S8 1263/D8 1293/S8	**24.60**	1	088880430

S96T/8

supports for 8 offset hexagon key wrenches, with high torque handles, made from sheet metal

• supplied complete with 3 expansion bolts VE1



	£		
S96T/8 96T/AS8 96T/S8 97TTX/S8	**24.90**	1	088880431

96T/SPV

supports for 11 offset hexagon key wrenches, with high torque handles, made from sheet metal

• supplied complete with 3 expansion bolts VE1



	£		
96T/SPV 96T/S11 97TTX/S11	**49.50**	1	000960958

Beta CHEMICALS

Anaerobic Products
Anaerobic products allow complete filling of small superficial irregularities in metal, so that mechanical stress can be distributed throughout the connecting surface. They harden in total absence of oxygen and completely seal joints or threads from water, gas, oil, fuel and industrial fluids.
They are available in three different strengths – high (H), medium (M) and low (L) – and in different packs, to satisfy different needs.



Silicone sealant
Silicone sealants enable permanent elastic sealing, thereby preventing small substances from entering the joint (debris, dust…) and replacing preformed gaskets. Based on their elastic capacity, they can absorb movement, without being affected by interior expansion or breakage. Silicone sealants polymerize by reacting with atmospheric moisture and form elastic, durable gaskets.
The product is supplied through a convenient dispenser (pressure pack), which results in simplified work. It can also be used with one hand, while ensuring accurate, uniform spreading.

Instant Glue
Adhesive based on ethyl cyanoacrylate, for structural joints in a number of materials.

Aerosols
A wide range of products in spray cans, for use for unlocking, greasing, lubricating, cleaning, galvanizing and sanitizing purposes.

Liquids
Developed to remove encrustations and rust from mechanical parts and metal objects. Ideal for use with ultrasonic cleaning tanks 1895.

ATTENTION
Countries where the products of the Beta Chemicals range are allowed to be distributed: Austria, Andorra, Belgium, Czech Republic, Dominican Republic, France, Hungary, Italy, Netherlands, New Caledonia, People's Republic of China, Poland, Portugal, Principality of Monaco, Republic of Ireland, Reunion, San Marino, Slovakia, Slovenia, Spain, Switzerland, United Arab Emirates, United Kingdom.

9803H
threadlocker-High Resistance

**Ideal for permanent locking of parts that do not need subsequent dismantling, and for passivated metal surfaces, including brass, aluminium and stainless steel.
Does not allow disassembly with hand tools.**

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,25
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**800/1200**
Breakaway torque ISO-10964	35-45 Nm
Prevailing torque ISO-10964	**30-40 Nm**

ml		£		
20	**bottle**	**29.00**	12	098030002
50	**bottle**	**40.50**	4	098030005
250	**bottle**	**150.50**	4	098030025
20			12	098032002
50			4	098032005
250			4	098032025

9802M
threadlocker-Medium Resistance

**Ideal for fixing parts subject to periodic maintenance, bearings and bushes.
Allows dismantling by using hand tools.**

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,15
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**500/800**
Breakaway torque ISO-10964	22-30 Nm
Prevailing torque ISO-10964	**20-25 Nm**

ml		£		
20	**bottle**	**29.00**	12	098020002
50	**bottle**	**40.50**	4	098020005
250	**bottle**	**150.50**	4	098020025
20			12	098022002
50			4	098022005
250			4	098022025

9801L
threadlocker-Low Resistance

**Ideal for fixing particular light alloys which could get damaged during disassembly and for adjusting screws.
Easier parts disassembly.**

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,10
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**500/800**
Breakaway torque ISO-10964	6-10 Nm
Prevailing torque ISO-10964	**4-8 Nm**

ml		£		
20	**bottle**	**29.00**	12	098010002
50	**bottle**	**40.50**	4	098010005
250	**bottle**	**150.50**	4	098010025
20			12	098012002
50			4	098012005
250			4	098012025

9813H
thread sealant-High Resistance

**Ideal for permanent sealing of nipples, that do not need subsequent dismantling, and for passivated metal surfaces, including brass, aluminium and stainless steel.
Does not allow disassembly with hand tools.**

Temperature range (°C)	**-50/+200**
Max gap fill (mm)	0,15
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**40.000/80.000**
Breakaway torque ISO-10964	35-45 Nm
Prevailing torque ISO-10964	**25-35 Nm**

ml		£		
20	**bottle**	**27.50**	12	098130002
50	**bellow bottle**	**49.00**	6	098130305
50	**tube**	**38.00**	4	098130505
250	**tube**	**103.00**	4	098130525
20			12	098132002
50			6	098132305
50			4	098132505
250			4	098132525

9812M
thread sealant-Medium Resistance

**Ideal for sealing nipples parts subject to periodic maintenance.
Allows dismantling by using hand tools.**

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,35
Handling cure time (minutes)	**12/18**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**20.000/40.000**
Breakaway torque ISO-10964	27-35 Nm
Prevailing torque ISO-10964	**20-30 Nm**

ml		£		
20	**bottle**	**27.50**	12	098120002
50	**bellow bottle**	**49.00**	6	098120305
50	**tube**	**38.00**	4	098120505
250	**tube**	**103.00**	4	098120525
20			12	098122002
50			6	098122305
50			4	098122505
250			4	098122525

9811L
thread sealant-Low Resistance

**Ideal forsealing small or fine-pitch joints.
Easier parts disassembly.**

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,20
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**10.000/20.000**
Breakaway torque ISO-10964	6-10 Nm
Prevailing torque ISO-10964	**4-8 Nm**

ml		£		
20	**bottle**	**27.50**	12	098110002
50	**bellow bottle**	**49.00**	6	098110305
50	**tube**	**38.00**	4	098110505
250	**tube**	**103.00**	4	098110525
20			12	098112002
50			6	098112305
50			4	098112505
250			4	098112525

9823H
liquid gasket-High Resistance

Ideal for permanent sealing of surfaces. Also ideal for reclaiming bearing housings and worn parts.
Does not allow disassembly with hand tools.

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,35
Handling cure time (minutes)	**10/16**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**100.000/200.000**
Breakaway torque ISO-10964	35-45 Nm
Prevailing torque ISO-10964	**20-30 Nm**

ml		£		
20	**bottle**	**27.50**	12	098230002
50	**bellow bottle**	**49.00**	6	098230305
50	**tube**	**38.00**	4	098230505
250	**tube**	**103.00**	4	098230525
20			12	098232002
50			6	098232305
50			4	098232505
250			4	098232525

9822M
liquid gasket-Medium Resistance

Ideal for sealing of surfaces of parts subject to periodic maintenance
Allows dismantling by using hand tools.

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,35
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**40.000/70.000**
Breakaway torque ISO-10964	25-35 Nm
Prevailing torque ISO-10964	**20-30 Nm**

ml		£		
20	**bottle**	**27.50**	12	098220002
50	**bellow bottle**	**49.00**	6	098220305
50	**tube**	**38.00**	4	098220505
250	**tube**	**103.00**	4	098220525
20			12	098222002
50			6	098222305
50			4	098222505
250			4	098222525

9821L
liquid gasket-Low Resistance

Ideal for sealing of surfaces of parts subject to frequent maintenance.
Protects threads from corrosion and seizure from corrosion.
Easier parts disassembly.

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,35
Handling cure time (minutes)	**20/30**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**60.000/90.000**
Breakaway torque ISO-10964	7-11 Nm
Prevailing torque ISO-10964	**4-9 Nm**

ml		£		
20	**bottle**	**27.50**	12	098210002
50	**bellow bottle**	**49.00**	6	098210305
50	**tube**	**38.00**	4	098210505
250	**tube**	**103.00**	4	098210525
20			12	098212002
50			6	098212305
50			4	098212505
250			4	098212525

9833H
locker-High Resistance

Ideal for fixing parts that do not need subsequent dismantling
Also suitable for fixing already installed devices that are difficult to dismantle.
Does not allow disassembly with hand tools.

Temperature range (°C)	**-50/+180**
Max gap fill (mm)	0,15
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**400/700**
Breakaway torque ISO-10964	35-45 Nm
Prevailing torque ISO-10964	**30-40 Nm**

ml		£		
20	**bottle**	**28.50**	12	098330002
50	**bottle**	**38.00**	4	098330005
250	**bottle**	**123.00**	4	098330025
20			12	098332002
50			4	098332005
250			4	098332025

9832M
locker-Medium Resistance

Ideal for fixing parts subject to periodic maintenance.
Allows dismantling by using hand tools.

Temperature range (°C)	**-50/+180**
Max gap fill (mm)	0,25
Handling cure time (minutes)	**12/20**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**2000/4000**
Breakaway torque ISO-10964	25-35 Nm
Prevailing torque ISO-10964	**18-28 Nm**

ml		£		
20	**bottle**	**28.50**	12	098320002
50	**bottle**	**38.00**	4	098320005
250	**bottle**	**123.00**	4	098320025
20			12	098322002
50			4	098322005
250			4	098322025

9831L
locker-Low Resistance

Ideal for fixing small parts subject to frequent maintenance.
Easier parts disassembly.

Temperature range (°C)	**-50/+150**
Max gap fill (mm)	0,10
Handling cure time (minutes)	**10/15**
Functional cure time (h)	3-6
Viscosity (mPa.s) 25°C	**500/800**
Breakaway torque ISO-10964	6-10 Nm
Prevailing torque ISO-10964	**4-8 Nm**

ml		£		
20	**bottle**	**28.50**	12	098310002
50	**bottle**	**38.00**	4	098310005
250	**bottle**	**123.00**	4	098310025
20			12	098312002
50			4	098312005
250			4	098312025

9841N

black acetic-reticulation silicone sealant, resistant to high temperatures, with convenient pressure dispenser

Withstands temperatures up to 240 °C
Enables permanent elastic sealing. Replaces preformed gaskets.
The dispenser allows easy, accurate, uniform spreading of the product.
Polymerizes by reacting with atmospheric moisture and forms an elastic, durable gasket.
Ideal for oil sumps, oil pumps, housings, gearboxes, engine parts that are not subject to high pressure and applications that require resistance to high temperatures. Adheres to non-porous substrates, including glass, coated wood, ceramic and enamel. Not suitable for PE, PP, PC, PMMA, PTFE, soft plastics, neoprene and bituminous substrates.
Cannot be painted.

ml	£		
200	32.50	12	098410120
200		12	098412120

9841R

red acetic-reticulation silicone sealant, resistant to high temperatures, with convenient pressure dispenser

Withstands temperatures up to 300 °C.
Enables permanent elastic sealing. Replaces preformed gaskets.
The dispenser allows easy, accurate, uniform spreading of the product.
Polymerizes by reacting with atmospheric moisture and forms an elastic, durable gasket.
Ideal for oven and furnace doors, plates, heating systems, outlets, thermostats, pumps, heating pipes, engine parts that are not subject to high pressure and applications that require resistance to high temperatures. Adheres to non-porous substrates, including glass, coated wood, ceramic and enamel. Not suitable for PE, PP, PC, PMMA, PTFE, soft plastics, neoprene and bituminous substrates.
Cannot be painted.

ml	£		
200	31.00	12	098410020
200		12	098412020

9851

instant glue for structural joints

based on ethyl cyanoacrylate
for adhesion of a wide range of materials, including metal, plastics,
leather, wood and several other types of substrates, whether combined with each other or separate;
bonds quickly.

Temperature (°C)	**-55/+82**
Viscosity (mPa.s) 25 °C	80-120

g		£		
5	tube	11.20	12	098510500
20	bottle	28.50	12	098510002
50	bottle	54.00	10	098510005
5			12	098512500
20			12	098512002
50			10	098512005

9710 - LUBRIBETA universal

7-in-1 multipurpose unlocking lubricant

1. Unlocking;
2. Lubricating;
3. Detergent, degreasing;
4. Rust protective;
5. Deoxidizing, for electrical contacts;
6. Waterproof;
7. Antifreezing.
Silicone-free.

ml	£		
400	9.50	12	097100040
400		12	097101040
400		12	097102040

9712 - Ultra Sblock

unlocking lubricant, super-penetrating

Unlocking, deoxidizing, waterproof.
Ideal for dissolving rust from nuts, bolts, screws and gears.

ml	£		
400	6.90	12	097120040
400		12	097121040
400		12	097122040

9720 - Multi Grease

multipurpose grease

Particularly useful for lubricating chains, gears and moving metal parts. Resistant to friction and weather.
Highly adhesive. Does not drip.

ml	£		
400	7.55	12	097200040
400		12	097201040
400		12	097202040

9722 - Lithium Grease

white lithium grease

Based on grease with lithium, titanium and zinc oxide soaps.
Ideal for lubricating gears, bearings and joints.
Specific for marine applications.
Highly resistant to water, sea salt, weather and high temperatures.
Does not drip.

ml	£		
400	8.15	12	097220040
400		12	097221040
400		12	097222040

9724 - PTFE Grease

PTFE based grease

Particularly suitable for lubricating industrial chains and mechanical movements subject to heavy stress and low rotation speeds. Suitable for applications on plastics and rubber.
Totally colourless. Waterproof and resistant to oxidation.

ml	£		
400	9.35	12	097240040
400		12	097241040
400		12	097242040

9726 - Copper Grease

copper grease

Suitable for lubricating joints, bolts, gears, driveshafts and other metal parts subject to high temperatures (up to 1,000 °C).
Protective, anti-wear. Prevents oxidation.
Does not drip.

ml	£		
400	10.60	12	097260040
400		12	097261040
400		12	097262040

9729 - Silic Spray

silicone spray

Suitable for lubricating plastic, rubber and metal parts.
Protects from corrosion. Detaching. Antistatic.
Waterproof. Can be used to polish wood, plastics and rubber.
Solvent-free.

ml	£		
400	6.75	12	097290040
400		12	097291040
400		12	097292040

9738 - Cutting Oil

cutting oil

Highly lubricating and protective.
Suitable for milling, boring, threading, drilling and manual and automatic machine working.
Highly resistant to oxidation.
Water washable. Solvent-free.

ml	£		
400	7.65	12	097380040
400		12	097381040
400		12	097382040

9740 - Brake Cleaner

brake cleaner

Ideal for cleaning brake discs and pads, engines.
Removes grease and tar, without leaving residue.
Evaporates quickly.
Does not damage plastics and rubber.

ml	£		
500	8.15	12	097400050
500		12	097401050
500		12	097402050

9741 - Multi Cleaner

multipurpose detergent/degreaser

Detergent and degreaser for dissolving grease, oil, tar, silicone and glue.
Suitable for cleaning metal, hard plastic, ceramic, steel and aluminium surfaces.
Free from oil residues.

ml	£		
400	7.65	12	097410040
400		12	097411040
400		12	097412040

9742 - Contact Cleaner

cleaner for electric and electronic contacts

Removes grease and dirt, without leaving oily residue.
Evaporates quickly.
Does not damage plastics and rubber.

ml	£		
400	6.35	12	097420040
400		12	097421040
400		12	097422040

9743 - SURFACE CLEANER

foam detergent

Foam detergent for all types of surfaces, tools and fabrics.
Based on quaternary ammonium salts, it forms an active foam which cleans and removes dirt and grease.
Removes bad smells. No rinse required. Not a disinfectant.

ml	£		
500	18.50	12	097430050
500		12	097431050
500		12	097432050

9745 - Carb Cleaner

cleaner for carburettors and throttle bodies

Specific for interior and exterior cleaning of carburettors, suction ducts and throttle bodies.
Totally removes carbonaceous residue, deposits and impurities.
Does not leave oily residue.

ml	£		
400	7.55	12	097450040
400		12	097451040
400		12	097452040

9746 - Clima Cleaner

air conditioner cleaner

Cleaner for industrial, civil and car air conditioners. Based on its thick foam formulation and the straw supplied with it, it allows dirt, deposits and odours to be removed from ducts, leaving a pleasant fragrance.

ml	£		
400	12.70	12	097460040
400		12	097461040
400		12	097462040

9749 - Air Spray

air spray

Compressed gas aerosol spray. Ideal for removing dust deposits from cracks, gear, electrical parts, keyboards and delicate mechanisms in general. The aerosol can with straw allows hardly accessible parts to be easily reached.

ml	£		
400	8.20	12	097490040
400		12	097491040
400		12	097492040

9752 - Zinc 98%

clear zinc

Highly covering, it is ideal for galvanizing iron parts.
Highly adhesive, it forms an elastic film of very light colour, similar to hot galvanizing.
Particularly resistant to oxidation, abrasion and weather.
Can be overpainted. Does not drip.

ml	£		
400	8.10	12	097520040
400		12	097521040
400		12	097522040

9755 - Welding Spray

welding anti-spatter spray

Silicone-free welding anti-spatter spray. It prevents slag adhesion, thereby making welding easier and quicker. For use on parts that need welding and as a protector for welding torch nozzles. It makes it possible to carry out subsequent operations, e.g. painting, galvanizing and chrome-plating. No fumes. Easy to remove. Chlorinated-free.

ml	£		
400	8.05	12	097550040
400		12	097551040
400		12	097552040

9765 - Deicer Spray

de-icer spray

De-icer and defroster spray, for removing ice and frost from windows. Also ideal for frozen locks and mechanisms. Effective down to -40 °C. Nongreasy, smear-free. Does not affect treated surfaces, rubber and plastics.

ml	£		
400	12.00	12	097650040
400		12	097651040
400		12	097652040

9775 - Water Stop

fabric waterproofing spray

Waterproofing, water-repellent spray for textiles and leather. Ideal for footwear, jackets and clothing in general. It allows fabrics to be waterproofed, without affecting breathability. Based on its stain resistance properties, fabrics are easier to wash. Improved resistance to bending and abrasion.

ml	£		
400	12.90	12	097750040
400		12	097751040
400		12	097752040

9881U

industrial alkaline detergent for ultrasonic tank

Industrial alkaline detergent, concentrated, water-based. For ultrasonic cleaning and other purification processes. Allows spare parts and metal pieces in general (injectors, carburettors, valves etc.) to be accurately and effectively cleaned.
Removes oil, grease, lubricants, residues of glue, resin and wax. Also suitable for cleaning aluminium parts.

Lt	£		
1	47.00	1	098810010
1		1	098812010

9882R

selective rust remover liquid

Water-based selective rust remover liquid for iron, steel, stainless steel, cast iron and chrome platings.
Removes top oxidized layer, without affecting underlying metal.
Dilution: from pure to max. 1:1.
Minimum operating temperature: 15 °C.
Operating times: 30' - 24/48h (for heavy rust). Biodegradable and 100% water-soluble.

Lt	£		
1	54.00	1	098820010
1		1	098822010

Beta ABRASIVES

A comprehensive range of hard and flexible abrasives, comprising over 500 coded items, entirely made in Italy. Designed and developed to satisfy all industrial and professional cutting and material removal requirements. Beta Utensili relies on the Beta Abrasives project to assert its determination to offer market professionals a comprehensive product range and an unequalled technical standard, resulting from the manufacturing skills contributed by AbraBeta.

HARD CUTTING AND GRINDING DISCS

Hard discs mean the main category of this new product family; hence Beta Utensili has concentrated on selecting the very best materials and types.

Cutting and grinding discs are the quickest and most versatile instruments for working a wide variety of materials, by using the most suitable tools, whether angle grinders or stationary machines

DISC SHAPES

T42
cutting disc with depressed centre

T41
cutting disc with flat centre

T27
grinding disc with depressed centre

TOP LINE Uncompromising quality: for extremely demanding users

PREMIUM LINE High quality for high performance, at competitive prices, for the best quality/price ratio.

CERTIFICATION

OSA FEPA

PICTOGRAMS on discs

- Wear safety glasses
- Wear ear protectors
- Wear dust mask
- Wear protector gloves
- Wear safety clothes
- Check user manual
- Disc for cutting only – not for grinding
- Do not use disc if damaged
- Iron, sulphur and chlorine free (≤0.1%)

Product shelf life

Product shelf-life: 3 years from manufacturing date. “V01” as engraved on the metal washer in the middle of the disc indicates the quarter of expiration. Example: “V07/2022” indicates the disc was manufactured in the 3rd quarter of 2019 and can be used until the end of the 3rd quarter of 2022.

	Quarter
V01	Jan-Mar
V04	Apr-Jun
V07	Jul-Sep
V10	Oct-Dec

ABRASIVE SHAFT-MOUNTED WHEELS

Abrasive shaft-mounted wheels for use with die grinders. Made in several shapes to suit different working processes, with three types of abrasives.

SHAFT-MOUNTED WHEELS

Shaft-mounted flap wheels are provided with flexible flaps which allow precise, homogenous finish to be obtained on irregular shapes and surfaces.

FLAP DISCS

Flap discs are made up of abrasive cloth flaps glued onto a support; they are an excellent choice for roughing and finishing operations. Generally speaking, they ensure quicker removal, more homogenous finish, less vibration, less noise and lower operating temperatures than grinding discs. They are available with cloths made of several different abrasive materials, with different grain sizes and two different types of support.

Shapes



Flat

Used at a maximum angle of 15° compared to the worktop, it allows working of flat surfaces and edges.

Conical

Used at an angle between 15° and 25° compared to the worktop, it makes jobs on uneven surfaces easier. It ensures a larger contact surface between the disc and the surface being worked. The flaps can be used until they are fully worn out.

TOP — LINE — Uncompromising quality: for extremely demanding users.

PREMIUM — LINE — High quality for high performance, at competitive prices, for the best quality/price ratio.

For further information, please refer to the dedicated catalogue available on Beta's website:
www.beta-tools.com

WHEELS WITH BORES

Flange flap wheels are suitable for working irregular edges, contours and surfaces based on high flap flexibility.

WHEELS FOR SATINIZING MACHINES

Beta's wheels (or rollers) for satinizing machines mean the best solution for finishing any material.

Gradi di grana/finitura	
C	Coarse
M	Medium
F	Fine
VF	Very Fine
UF	Ultra fine

RADIAL DISCS AND FIBRE DISCS

Special nonwoven discs producing remarkable polishing effects, resulting in quick, precise working processes.

ANTI-WASTE ROLLS

A wide range of anti-waste rolls made of abrasive cloth and paper or nonwoven, of excellent quality, for a number of uses.

11001
abrasive steel cutting discs
with depressed centre

A30S EN 12413

A30S

	Ø mm	S mm	F mm	max. rpm	£		
11001	115	3,2	22,23	13300	2.56	10	110010118
11001	125	3,2	22,23	12200	2.97	10	110010128
11001	230	3,2	22,23	6600	5.70	10	110010233

11001H
abrasive steel cutting discs
with depressed centre

HARD

A30T EN 12413

A30T



	Ø mm	S mm	F mm	max. rpm	£		
11001H	230	3,2	22,23	6600	5.70	10	110010733

11003
abrasive steel cutting discs
with flat centre

A30T EN 12413

A30T

	Ø mm	S mm	F mm	max. rpm	£		
11003	115	2,5	22,23	13300	2.49	10	110030117
11003	125	2,5	22,23	12200	2.56	10	110030127
11003	180	2,5	22,23	8500	4.20	10	110030182
11003	230	2,5	22,23	6600	5.70	10	110030232

11011
abrasive steel grinding discs
with depressed centre

A24N EN 12413

A24N

	Ø mm	S mm	F mm	max. rpm	£		
11011	115	6,5	22,23	13300	3.45	10	110110115
11011	125	6,5	22,23	12200	3.65	10	110110125
11011	180	6,5	22,23	8500	6.85	10	110110180
11011	230	6,5	22,23	6600	9.30	10	110110230

11011H
abrasive steel grinding discs
with depressed centre

HARD

A24R EN 12413

A24R

	Ø mm	S mm	F mm	max. rpm	£		
11011H	115	6,5	22,23	13300	3.45	10	110110615
11011H	125	6,5	22,23	12200	3.65	10	110110625
11011H	180	6,5	22,23	8500	6.85	10	110110680
11011H	230	6,5	22,23	6600	9.30	10	110110730

11018
abrasive ultra-thin steel cutting discs
with flat centre

60 m/s

A46N EN 12413

A46N

	Ø mm	S mm	F mm	max. rpm	£		
11018	300	2,5	25,40	4010	9.15	10	110180030
11018	350	3,0	25,40	3440	15.30	10	110180035
11018	400	3,2	25,40	3010	18.00	10	110180040

11019
abrasive ultra-thin steel cutting discs
with flat centre

80 m/s
A24N EN 12413

A24N

	Ø mm	S mm	F mm	max. rpm	£		
11019	300	3,8	25,40	5100	9.90	10	110190030
11019	350	4,2	25,40	4400	16.00	10	110190035
11019	400	4,5	25,40	3800	20.50	10	110190040

11021
abrasive steel and stainless steel cutting discs
with depressed centre

A30Q EN 12413

A30Q

	Ø mm	S mm	F mm	max. rpm	£		
11021	115	3,2	22,23	13300	2.65	10	110210118
11021	125	3,2	22,23	12200	2.90	10	110210128
11021	180	3,2	22,23	8500	4.60	10	110210183
11021	230	3,2	22,23	6600	5.80	10	110210233

11023
abrasive steel and stainless steel grinding discs
with depressed centre

A24Q EN 12413

A24Q

	Ø mm	S mm	F mm	max. rpm	£		
11023	115	6,5	22,23	13300	3.60	10	110230115
11023	125	6,5	22,23	12200	3.75	10	110230125
11023	230	6,5	22,23	6600	9.65	10	110230230

11024
abrasive steel and stainless steel cutting discs,
thin, with depressed centre

TOP LINE
A46U EN 12413

TOP LINE A46U

	Ø mm	S mm	F mm	max. rpm	£		
11024	230	2,0	22,23	6600	5.95	10	110240230

11031÷11038
abrasive steel and stainless steel cutting discs,
thin, with flat centre

TOP LINE
Ø 65 mm
A46U EN 12413

TOP LINE A46U

	Ø mm	S mm	F mm	max. rpm	£		
11031	65	1,0	6,00	24000	2.07	25	110310006
11031	65	1,0	10,00	24000	2.07	25	110310010
11031	65	1,6	10,00	24000	2.07	25	110310020
11032	76	1,0	6,00	20200	2.07	25	110320006
11032	76	1,0	10,00	20200	2.07	25	110320010
11032	76	1,6	10,00	20200	2.07	25	110320020
11034	115	1,0	22,23	13300	2.82	25	110340022
11034	115	1,2	22,23	13300	2.82	25	110340042
11034	115	1,6	22,23	13300	2.82	25	110340062
11035	125	1,0	22,23	12200	3.15	25	110350022
11035	125	1,2	22,23	12200	3.15	25	110350042
11035	125	1,6	22,23	12200	3.15	25	110350062
11037	180	2,0	22,23	8500	4.95	10	110370022
11038	230	2,0	22,23	6600	5.95	10	110380022

11040

abrasive steel and stainless steel cutting discs,
thin, with depressed centre

PREMIUM LINE

A36Q EN 12413

PREMIUM

A36Q

	Ø mm	S mm	F mm	max. rpm	£		
11040	230	2,0	22,23	6600	5.80	10	110400230

11045-11046

abrasive steel and stainless steel cutting discs,
thin, with flat centre

PREMIUM LINE
Ø 115 mm

A46Q EN 12413

PREMIUM

A46Q

	Ø mm	S mm	F mm	max. rpm	£		
11045	115	1,0	22,23	13300	2.82	25	110450010
11045	115	1,2	22,23	13300	2.82	25	110450012
11045	115	1,6	22,23	13300	2.90	25	110450016

	Ø mm	S mm	F mm	max. rpm	£		
11046	125	1,0	22,23	12200	2.97	25	110460010
11046	125	1,2	22,23	12200	2.97	25	110460012
11046	125	1,6	22,23	12200	2.97	25	110460016

11048-11049

abrasive steel and stainless steel cutting discs,
thin, with flat centre

Ø 180 mm

A36Q EN 12413

PREMIUM

A36Q



	Ø mm	S mm	F mm	max. rpm	£		
11048	180	2,0	22,23	8500	4.70	10	110480019

	Ø mm	S mm	F mm	max. rpm	£		
11049	230	2,0	22,23	6600	5.50	10	110490019

11050

abrasive steel grinding discs,
with zirconia abrasive and depressed centre

ZA24R - EN 12413

ZA24R

	Ø mm	S mm	F mm	max. rpm	£		
11050	115	6,5	22,23	13300	5.50	10	110500115
11050	125	6,5	22,23	12200	6.05	10	110500125
11050	230	7,0	22,23	6600	19.20	10	110500230

11069

abrasive stone and marble cutting discs
with depressed centre

C30S EN 12413

C30S

	Ø mm	S mm	F mm	max. rpm	£		
11069	115	3,2	22,23	13300	2.97	10	110690115
11069	125	3,2	22,23	12200	3.15	10	110690125
11069	230	3,2	22,23	6600	6.35	10	110690230



11100

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
cylindrically shaped

shaft Ø 3 x 37 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11100	4	8	130.000	AR60P5V	1.53	25	111000004
11100	6	10	93.100	AR60P5V	1.53	25	111000006
11100	8	12	64.500	AR60P5V	1.53	25	111000008
11100	10	10	60.100	AR60P5V	1.53	25	111000011
11100	10	12	52.700	AR60P5V	1.53	25	111000012
11100	12	15	37.300	AR60P5V	1.76	25	111000013

11101

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
cylindrically shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11101	4	8	130.000	AR60P5V	1.83	25	111010004
11101	5	10	130.000	AR60P5V	1.83	25	111010005
11101	6	10	130.00	AR60P5V	1.83	25	111010006
11101	8	10	119.300	AR60P5V	1.83	25	111010008
11101	10	10	95.400	AR60P5V	1.83	25	111010010
11101	10	15	95.400	AR60P5V	1.83	25	111010011
11101	10	20	86.600	AR60P5V	2.07	25	111010012
11101	10	25	72.700	AR60P5V	2.24	25	111010013
11101	10	32	58.700	AR60P5V	2.31	25	111010014
11101	12	10	79.500	AR60P5V	1.72	25	111010015
11101	12	15	79.500	AR60P5V	1.76	25	111010016
11101	12	20	79.500	AR60P5V	1.91	25	111010017
11101	15	3	63.600	AR60P5V	1.72	25	111010018
11101	15	15	63.600	AR60P5V	1.83	25	111010019
11101	16	20	59.600	AR46P5V	2.07	25	111010020
11101	16	25	56.900	AR46P5V	2.24	25	111010021
11101	16	32	45.100	AR46P5V	2.49	25	111010022
11101	20	4	47.700	AR60P5V	1.72	25	111010023
11101	20	15	47.700	AR46P5V	1.83	25	111010024
11101	20	20	47.700	AR46P5V	2.24	25	111010025
11101	20	25	46.100	AR46P5V	2.31	25	111010026
11101	20	30	38.900	AR46P5V	2.56	25	111010027
11101	20	40	29.00	AR46P5V	3.30	25	111010028
11101	25	10	38.100	AR60P5V	1.83	25	111010030
11101	25	25	37.200	AR36/46P5V	2.56	25	111010031
11101	25	40	23.300	AR36/46P5V	3.75	10	111010032
11101	30	10	31.800	AR60P5V	2.07	25	111010034
11101	30	30	26.200	AR36/46P5V	3.15	25	111010035
11101	30	40	19.500	AR36/46P5V	4.20	10	111010036
11101	32	20	29.800	AR36P5V	2.97	25	111010037
11101	32	32	23.100	AR36P5V	4.00	10	111010038
11101	40	10	23.800	AR36/46P5V	3.15	25	111010041
11101	40	20	23.800	AR36P5V	4.20	10	111010042
11101	40	25	23.400	AR36P5V	4.35	10	111010043
11101	40	30	19.700	AR36P5V	4.70	10	111010044
11101	40	40	14.700	AR36P5V	5.70	10	111010045
11101	50	15	19.000	AR36P5V	4.60	10	111010051
11101	50	25	18.800	AR36P5V	5.50	10	111010052
11101	60	10	15.900	AR36P5V	4.95	10	111010060

11102

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
cylindrically shaped

shaft Ø 6 x 80 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11102	8	20	100.500	AR60P5V	2.48	25	111020008
11102	10	15	95.400	AR60P5V	2.30	25	111020010
11102	10	30	62.200	AR60P5V	2.73	25	111020020
11102	12	15	79.500	AR60P5V	2.31	25	111020022
11102	15	15	63.600	AR60P5V	2.49	25	111020035
11102	15	30	51.000	AR46P5V	3.15	25	111020040
11102	20	30	38.900	AR46P5V	3.15	25	111020060

11105

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
cylindrically/triangularly shaped

shaft Ø 6 x 40 mm

EN 12413

	Ø mm	h mm	max. rpm Lo=13 mm		£		
11105	20	65	16.200	AR36/46P5V	5.80	25	111050020

11106

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
trapezoidally shaped

shaft Ø 3 x 37 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11106	6	10	93.100	AR60P5V	2.07	25	111060006

11107

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
trapezoidally shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11107	12	20	79.500	AR60P5V	2.31	25	111070012
11107	15	25	60.400	AR46P5V	2.73	25	111070015
11107	20	30	38.900	AR46P5V	3.30	25	111070020
11107	25	40	23.300	AR36/46P5V	4.70	10	111070025

11110

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
rounded, cone-shaped

shaft Ø 3 x 37 mm

EN 12413



	Ø mm	h mm	max.rpm Lo=13 mm		£		
11110	10	15	44.300	AR60P5V	2.07	25	111100010

11111

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
rounded, cone-shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11111	10	20	86.600	AR60P5V	2.48	25	111110010
11111	15	30	51.000	AR46P5V	3.15	25	111110015
11111	16	45	31.400	AR46P5V	4.35	25	111110016
11111	20	28	41.500	AR46P5V	3.30	25	111110020
11111	20	40	29.000	AR46P5V	4.20	25	111110021
11111	30	50	15.100	AR36/46P5V	5.95	10	111110030

11115

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
ogive-shaped

shaft Ø 3 x 37 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11115	10	20	34.700	AR60P5V	2.24	25	111150010

11116

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
ogive-shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11116	10	20	86.600	AR60P5V	2.48	25	111160010
11116	18	30	43.000	AR46P5V	3.30	25	111160018
11116	20	50	22.500	AR36/46P5V	4.95	25	111160020
11116	22	70	13.400	AR36/46P5V	7.65	10	111160022

11120

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
cylindrically/pyramidally shaped

shaft Ø 3 x 37 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11120	6	13	77.800	AR60P5V	2.07	25	111200006



11121

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
cylindrically/pyramidally shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11121	6	25	100.700	AR60P5V	3.30	25	111210007
11121	12	20	79.500	AR60P5V	2.31	25	111210012
11121	20	25	46.100	AR46P5V	2.90	25	111210020
11121	25	25	37.200	AR36/46P5V	3.30	25	111210025
11121	30	30	26.200	AR36/46P5V	3.75	25	111210030

11125

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
rounded, cylindrically shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11125	6	20	117.700	AR60P5V	2.56	25	111250006
11125	25	25	37.200	AR36/46P5V	3.30	25	111250025
11125	30	50	15.100	AR36/46P5V	5.95	10	111250030
11125	40	40	14.700	AR36P5V	7.35	10	111250040

11130

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
globe-shaped

shaft Ø 3 x 37 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11130	6	6	124.900	AR60P5V	2.07	25	111300006
11130	8	8	84.800	AR60P5V	2.07	25	111300008
11130	10	10	60.100	AR60P5V	2.07	25	111300010

11131

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
globe-shaped

shaft Ø 6 x 40 mm

EN 12413

	Ø mm	h mm	max. rpm Lo=13 mm		£		
11131	10	10	95.400	AR60P5V	2.24	25	111310010
11131	15	15	63.600	AR60P5V	2.31	25	111310015
11131	20	20	47.700	AR46P5V	2.73	25	111310020
11131	25	25	37.200	AR36/46P5V	3.30	25	111310025
11131	30	30	26.200	AR36/46P5V	3.75	25	111310030

11132

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
globe-shaped

shaft Ø 6 x 80 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11132	10	10	95.400	AR60P5V	2.56	25	111320010
11132	15	15	63.600	AR60P5V	2.90	25	111320015
11132	20	20	47.700	AR46P5V	3.45	25	111320020

11135

abrasive shaft-mounted wheels,
abrasive pink corundum grains,
disc-shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11135	30	6	31.800	AR60P5V	2.56	25	111350030
11135	40	10	23.800	AR36/46P5V	4.00	25	111350040

11140

abrasive shaft-mounted wheels,
abrasive grey/pink corundum grains,
cylindrically shaped

shaft Ø 6 x 40 mm

EN 12413

	Ø mm	h mm	max. rpm Lo=13 mm		£		
11140	20	30	38.900	A/AR24R5V	2.56	25	111400020
11140	25	25	37.200	A/AR24R5V	2.56	25	111400025
11140	30	30	26.200	A/AR24R5V	3.15	25	111400030
11140	50	10	19.000	A/AR24R5V	4.20	10	111400050

11141

abrasive shaft-mounted wheels,
abrasive grey/pink corundum grains,
cylindrically shaped

shaft Ø 6 x 80 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11141	20	40	46.800	A/AR24R5V	3.60	25	111410020
11141	30	40	31.800	A/AR24R5V	4.50	10	111410030
11141	40	40	23.800	A/AR24R5V	6.05	10	111410040

11145

abrasive shaft-mounted wheels,
abrasive grey/pink corundum grains,
ogive-shaped

shaft Ø 6 x 40 mm

EN 12413



	Ø mm	h mm	max. rpm Lo=13 mm		£		
11145	20	30	38.900	A/AR24R5V	3.30	25	111450020
11145	25	50	18.100	A/AR24R5V	5.70	10	111450025

11200A-11200B

flap discs with zirconia abrasive cloth,
plastic backing pad, single flap construction

Flat
PREMIUM LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11200A	115	40	22,23	4.70	10	112000004
11200A	115	60	22,23	4.70	10	112000006
11200A	115	80	22,23	4.70	10	112000008
11200A	115	120	22,23	4.70	10	112000012

	Ø mm	P	F mm	£		
11200B	125	40	22,23	5.80	10	112000104
11200B	125	60	22,23	5.80	10	112000106
11200B	125	80	22,23	5.80	10	112000108

11202A÷11202C

flap discs with zirconia abrasive cloth,
plastic backing pad, double flap construction

Flat
PREMIUM LINE
Ø 115 mm
EN 13743



	Ø mm	P	F mm	£		
11202A	115	40	22,23	4.70	10	112020004
11202A	115	60	22,23	4.70	10	112020006
11202A	115	80	22,23	4.70	10	112020008
11202A	115	120	22,23	4.70	10	112020012

	Ø mm	P	F mm	£		
11202B	125	40	22,23	5.80	10	112020104
11202B	125	60	22,23	5.80	10	112020106
11202B	125	80	22,23	5.80	10	112020108

	Ø mm	P	F mm	£		
11202C	180	40	22,23	13.00	10	112020204
11202C	180	60	22,23	13.00	10	112020206

11204A-11204B

flap discs with zirconia abrasive cloth,
fibreglass backing pad, single flap construction

Flat
PREMIUM LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11204A	115	40	22,23	4.70	10	112040004
11204A	115	60	22,23	4.70	10	112040006
11204A	115	80	22,23	4.70	10	112040008
11204A	115	120	22,23	4.70	10	112040012

	Ø mm	P	F mm	£		
11204B	125	40	22,23	5.30	10	112040104
11204B	125	60	22,23	5.30	10	112040106
11204B	125	80	22,23	5.30	10	112040108

11208A-11208B

flap discs with zirconia abrasive cloth,
fibreglass backing pad, double flap construction

Flat
PREMIUM LINE
Ø 115 mm
EN 13743



	Ø mm	P	F mm	£		
11208A	115	40	22,23	4.70	10	112080004
11208A	115	60	22,23	4.70	10	112080006

	Ø mm	P	F mm	£		
11208B	125	40	22,23	5.30	10	112080104
11208B	125	60	22,23	5.30	10	112080106



11210A-11210B

flap discs with zirconia abrasive cloth,
fibreglass backing pad, single flap construction

Cone-shaped
PREMIUM LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11210A	115	40	22,23	4.70	10	112100004
11210A	115	60	22,23	4.70	10	112100006
11210A	115	80	22,23	4.70	10	112100008
11210A	115	120	22,23	4.70	10	112100012

	Ø mm	P	F mm	£		
11210B	125	40	22,23	5.30	10	112100104
11210B	125	60	22,23	5.30	10	112100106
11210B	125	80	22,23	5.30	10	112100108

11212A -11212B

flap discs with zirconia abrasive cloth,
plastic backing pad, single flap construction

Flat
TOP LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11212A	115	40	22,23	5.70	10	112120004
11212A	115	60	22,23	5.70	10	112120006
11212A	115	80	22,23	5.70	10	112120008
11212A	115	120	22,23	5.70	10	112120012

	Ø mm	P	F mm	£		
11212B	125	40	22,23	7.35	10	112120104
11212B	125	60	22,23	7.35	10	112120106
11212B	125	80	22,23	7.35	10	112120108

11214A÷11214C

flap discs with zirconia abrasive cloth,
plastic backing pad, double flap construction

Flat
TOP LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11214A	115	40	22,23	5.70	10	112140004
11214A	115	60	22,23	5.70	10	112140006
11214A	115	80	22,23	5.70	10	112140008
11214A	115	120	22,23	5.70	10	112140012

	Ø mm	P	F mm	£		
11214B	125	40	22,23	7.35	10	112140104
11214B	125	60	22,23	7.35	10	112140106
11214B	125	80	22,23	7.35	10	112140108

	Ø mm	P	F mm	£		
11214C	180	40	22,23	13.50	10	112140204
11214C	180	60	22,23	13.50	10	112140206

11216A-11216B

flap discs with zirconia abrasive cloth,
fibreglass backing pad, single flap construction

Flat
TOP LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11216A	115	40	22,23	5.70	10	112160004
11216A	115	60	22,23	5.70	10	112160006
11216A	115	80	22,23	5.70	10	112160008
11216A	115	120	22,23	5.70	10	112160012

	Ø mm	P	F mm	£		
11216B	125	40	22,23	6.70	10	112160104
11216B	125	60	22,23	6.70	10	112160106
11216B	125	80	22,23	6.70	10	112160108

11218A-11218B

flap discs with zirconia abrasive cloth,
fibreglass backing pad, double flap construction

Flat
TOP LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11218A	115	40	22,23	5.70	10	112180004
11218A	115	60	22,23	5.70	10	112180006

	Ø mm	P	F mm	£		
11218B	125	40	22,23	6.70	10	112180104
11218B	125	60	22,23	6.70	10	112180106

11220A-11220B

flap discs with zirconia abrasive cloth,
fibreglass backing pad, single flap construction

Cone-shaped
TOP LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11220A	115	40	22,23	5.70	10	112200004
11220A	115	60	22,23	5.70	10	112200006
11220A	115	80	22,23	5.70	10	112200008
11220A	115	120	22,23	5.70	10	112200012

	Ø mm	P	F mm	£		
11220B	125	40	22,23	6.70	10	112200104
11220B	125	60	22,23	6.70	10	112200106
11220B	125	80	22,23	6.70	10	112200108



11222B

flap discs with zirconia abrasive cloth,
fibreglass backing pad, double flap construction

Cone-shaped
TOP LINE
Ø 115 mm
EN 13743



	Ø mm	P	F mm	£		
11222B	**125**	40	22,23	**6.70**	10	112220104
11222B	**125**	60	22,23	**6.70**	10	112220106
11222B	**125**	80	22,23	**6.70**	10	112220108

11230A-11230B

flap discs with corundum abrasive cloth,
plastic backing pad, single flap construction

Flat
PREMIUM LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11230A	**115**	40	22,23	**4.70**	10	112300004
11230A	**115**	60	22,23	**4.70**	10	112300006
11230A	**115**	80	22,23	**4.70**	10	112300008
11230A	**115**	120	22,23	**4.70**	10	112300012

	Ø mm	P	F mm	£		
11230B	**125**	40	22,23	**5.80**	10	112300104
11230B	**125**	60	22,23	**5.80**	10	112300106





11232A

flap discs with corundum abrasive cloth,
plastic backing pad, double flap construction

Flat
PREMIUM LINE
Ø 115 mm
EN 13743



	Ø mm	P	F mm	£		
11232A	**115**	40	22,23	**4.70**	10	112320004
11232A	**115**	60	22,23	**4.70**	10	112320006
11232A	**115**	80	22,23	**4.70**	10	112320008
11232A	**115**	120	22,23	**4.70**	10	112320012

11234A

flap discs with corundum abrasive cloth,
fibreglass backing pad, single flap construction

Flat
TOP LINE
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11234A	**115**	40	22,23	**8.00**	10	112340004
11234A	**115**	60	22,23	**5.30**	10	112340006
11234A	**115**	80	22,23	**5.30**	10	112340008
11234A	**115**	120	22,23	**5.30**	10	112340012

11240A-11240B

flap discs with ceramic-coated zirconia abrasive cloth, plastic backing pad and single flap construction

Flat
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11240A	115	40	22,23	8.00	10	112400004
11240A	115	60	22,23	8.00	10	112400006

	Ø mm	P	F mm	£		
11240B	125	40	22,23	9.65	10	112400104
11240B	125	60	22,23	9.65	10	112400106

11242A-11242B

flap discs with ceramic-coated zirconia abrasive cloth, fibreglass backing pad and single flap construction

Flat
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11242A	115	40	22,23	8.00	10	112420004
11242A	115	60	22,23	8.00	10	112420006

	Ø mm	P	F mm	£		
11242B	125	40	22,23	9.30	10	112420104
11242B	125	60	22,23	9.30	10	112420106



11246A

flap discs with ceramic-coated abrasive cloth, plastic backing pad and single flap construction

Flat
Ø 115 mm
EN 13743

	Ø mm	P	F mm	£		
11246A	115	40	22,23	9.65	10	112460004
11246A	115	60	22,23	9.65	10	112460006

11248A-11248B

flap discs with ceramic-coated abrasive cloth, fibreglass backing pad and single flap construction

Flat
Ø 115 mm
EN 13743



	Ø mm	P	F mm	£		
11248A	115	40	22,23	9.65	10	112480004
11248A	115	60	22,23	9.65	10	112480006

	Ø mm	P	F mm	£		
11248B	125	40	22,23	12.10	10	112480104
11248B	125	60	22,23	12.10	10	112480106

11259

felt flap discs, fibreglass backing pad, single flap construction

Flat

	Ø mm	F mm	£		
11259	115	22,23	16.90	10	112590115
11259	125	22,23	19.20	10	112590125

11260÷11268

shaft-mounted flap wheels,
corundum abrasive cloth flaps

shaft Ø 3 mm
EN 13743

	Ø mm	h mm	S mm	P	£		
11260	10	10	3	60	7.45	10	112600010
11260	15	15	3	60	6.05	10	112600015

	Ø mm	h mm	S mm	P	£		
11263	30	10	6	60	4.50	10	112630006
11263	30	15	6	60	4.50	10	112630016
11263	30	15	6	80	4.50	10	112630018
11263	30	20	6	40	4.70	10	112630024
11263	30	20	6	60	4.75	10	112630026
11263	30	20	6	80	4.75	10	112630028
11263	30	20	6	120	4.75	10	112630032

	Ø mm	h mm	S mm	P	£		
11264	40	15	6	60	4.70	10	112640006
11264	40	15	6	80	4.70	10	112640008
11264	40	15	6	120	4.70	10	112640012
11264	40	20	6	40	4.95	10	112640014
11264	40	20	6	60	4.95	10	112640016
11264	40	30	6	40	5.50	10	112640024
11264	40	30	6	60	5.50	10	112640026

	Ø mm	h mm	S mm	P	£		
11265	50	20	6	60	5.80	10	112650006
11265	50	20	6	80	5.80	10	112650008
11265	50	30	6	40	6.70	10	112650014
11265	50	30	6	60	6.70	10	112650016
11265	50	30	6	80	6.70	10	112650018
11265	50	30	6	120	7.10	10	112650022

	Ø mm	h mm	S mm	P	£		
11266	60	20	6	40	6.95	10	112660004
11266	60	20	6	60	6.95	10	112660006
11266	60	30	6	40	7.80	10	112660014
11266	60	30	6	60	7.80	10	112660016
11266	60	30	6	80	7.80	10	112660018
11266	60	30	6	120	8.00	10	112660022
11266	60	40	6	60	8.75	10	112660026
11266	60	40	6	80	8.75	10	112660028

	Ø mm	h mm	S mm	P	£		
11268	80	30	6	60	10.20	10	112680006
11268	80	30	6	80	10.20	10	112680008



11271A÷11271C

abrasive non-woven wheels, shaft-mounted,
corundum synthetic fibre fabric

Ø 40 mm
shaft Ø 6 mm

	Ø mm	h mm	S mm	P	£		
11271A	40	20	6	C	10.20	10	112710001
11271A	40	20	6	M	10.20	10	112710002
11271A	40	20	6	F	10.20	10	112710003
11271A	40	20	6	VF	10.20	10	112710004

	Ø mm	h mm	S mm	P	£		
11271B	60	30	6	C	11.20	10	112710011
11271B	60	30	6	M	11.20	10	112710012
11271B	60	30	6	F	11.20	10	112710013
11271B	60	30	6	VF	11.20	10	112710014

	Ø mm	h mm	S mm	P	£		
11271C	80	50	6	C	12.60	10	112710021
11271C	80	50	6	M	12.60	10	112710022
11271C	80	50	6	F	12.60	10	112710023
11271C	80	50	6	VF	12.60	10	112710024

11276A÷11276C

flap/non-woven wheels, shaft-mounted,
flaps made of abrasive cloth alternating with corundum synthetic fibre fabric

Ø 40 mm
shaft Ø 6 mm

	Ø mm	h mm	S mm	P	£		
11276A	40	20	6	M/60	11.40	10	112760006
11276A	40	20	6	M/80	11.40	10	112760008
11276A	40	20	6	M/120	11.40	10	112760012

	Ø mm	h mm	S mm	P	£		
11276B	60	30	6	M/60	13.10	10	112760016
11276B	60	30	6	M/80	13.10	10	112760018
11276B	60	30	6	M/120	13.10	10	112760022

	Ø mm	h mm	S mm	P	£		
11276C	80	50	6	M/60	15.90	10	112760036
11276C	80	50	6	M/80	15.90	10	112760038
11276C	80	50	6	M/120	15.90	10	112760042

11300A÷11300G

flap wheels with corundum cloth, with bores

Ø 165 x 30 mm

EN 13743



	Ø mm	H mm	P	F mm	£		
11300A	165	30	40	54	41.50	3	113000004
11300A	165	30	60	54	42.00	3	113000006
11300A	165	30	80	54	43.00	3	113000008
11300A	165	30	120	54	46.50	3	113000012
11300A	165	30	180	54	52.00	3	113000018
11300A	165	30	220	54	56.00	3	113000022

	Ø mm	H mm	P	F mm	£		
11300B	165	50	40	54	57.00	2	113000104
11300B	165	50	60	54	59.50	2	113000106
11300B	165	50	80	54	61.50	2	113000108
11300B	165	50	120	54	65.00	2	113000112
11300B	165	50	180	54	76.00	2	113000118
11300B	165	50	220	54	80.00	2	113000122

	Ø mm	H mm	P	F mm	£		
11300C	200	30	40	54	47.50	3	113000204
11300C	200	30	60	54	52.00	3	113000206
11300C	200	30	80	54	56.00	3	113000208
11300C	200	30	120	54	58.00	3	113000212
11300C	200	30	180	54	65.00	3	113000218

	Ø mm	H mm	P	F mm	£		
11300D	200	50	40	54	68.50	2	113000304
11300D	200	50	60	54	72.50	2	113000306
11300D	200	50	80	54	78.00	2	113000308
11300D	200	50	120	54	81.50	2	113000312
11300D	200	50	180	54	94.50	2	113000318
11300D	200	50	220	54	99.00	2	113000322

	Ø mm	H mm	P	F mm	£		
11300E	250	30	40	100	86.00	3	113000404
11300E	250	30	60	100	93.00	3	113000406
11300E	250	30	80	100	94.50	3	113000408
11300E	250	30	120	100	101.00	3	113000412

	Ø mm	H mm	P	F mm	£		
11300F	250	50	40	100	129.00	2	113000504
11300F	250	50	60	100	137.00	2	113000506
11300F	250	50	80	100	141.00	2	113000508
11300F	250	50	120	100	147.50	2	113000512
11300F	250	50	180	100	162.00	2	113000518
11300F	250	50	220	100	186.50	2	113000522

	Ø mm	H mm	P	F mm	£		
11300G	300	50	40	100	179.00	2	113000604
11300G	300	50	60	100	186.50	2	113000606
11300G	300	50	80	100	193.50	2	113000608

11320

abrasive non-woven wheels with bores, corundum synthetic fibre fabric

Ø 200 x 50 mm



	Ø mm	H mm	P	F mm	£		
11320	200	50	C	76,2	52.00	2	113200006
11320	200	50	M	76,2	52.00	2	113200008
11320	200	50	F	76,2	52.00	2	113200012
11320	200	50	VF	76,2	52.00	2	113200024

11411

flap wheels with corundum cloth for satinizing machines

Ø 100 x 100 mm

EN 13743



	Ø mm	H mm	P	F mm	£		
11411	100	100	40	19,1	46.50	2	114110004
11411	100	100	60	19,1	47.50	2	114110006
11411	100	100	80	19,1	49.00	2	114110008
11411	100	100	120	19,1	49.50	2	114110012
11411	100	100	240	19,1	50.50	2	114110024

11415B

non-woven flaps with corundum synthetic fibres for satinizing machines

Ø 100 x 100 mm



	Ø mm	H mm	P	F mm	£		
11415B	100	100	C	19,1	36.00	2	114150106
11415B	100	100	M	19,1	36.00	2	114150108
11415B	100	100	F	19,1	36.00	2	114150112
11415B	100	100	VF	19,1	36.00	2	114150124

11420B

flap/non-woven wheels for satinizing machines,
abrasive cloth alternating with corundum synthetic fibres

Ø 100 x 100 mm



	Ø mm	H mm	P	F mm	£		
11420B	100	100	C/60	19,1	41.50	2	114200106
11420B	100	100	M/80	19,1	41.50	2	114200108
11420B	100	100	F/120	19,1	41.50	2	114200112
11420B	100	100	VF/240	19,1	41.50	2	114200124

11431

non-woven radial discs,
corundum synthetic fibres

Ø 115 mm



	Ø mm	P	F mm	£		
11431	115	C	22,23	22.40	4	114310006
11431	115	M	22,23	22.40	4	114310008
11431	115	F	22,23	22.40	4	114310012
11431	115	VF	22,23	22.40	4	114310024



11440A÷11440C

fibre discs with zirconia cloth

Ø 115 mm

	Ø mm	P	F mm	£		
11440A	115	24	22	1.76	25	114400024
11440A	115	36	22	1.76	25	114400036
11440A	115	60	22	1.61	25	114400060
11440A	115	120	22	1.61	25	114400120
11440B	125	24	22	2.07	25	114400224
11440B	125	36	22	2.07	25	114400236
11440B	125	60	22	1.91	25	114400260
11440B	125	120	22	1.91	25	114400320
11440C	180	24	22	3.15	25	114400424
11440C	180	36	22	3.15	25	114400436
11440C	180	60	22	3.10	25	114400460
11440C	180	120	22	3.10	25	114400520

11450A÷11450C

fibre discs with corundum cloth

Ø 115 mm

	Ø mm	P	F mm	£		
11450A	115	24	22	1.28	25	114500024
11450A	115	36	22	1.28	25	114500036
11450A	115	60	22	1.31	25	114500060
11450A	115	120	22	1.31	25	114500120
11450B	125	24	22	1.53	25	114500224
11450B	125	36	22	1.53	25	114500236
11450B	125	60	22	1.43	25	114500260
11450B	125	120	22	1.43	25	114500320
11450C	180	24	22	2.31	25	114500424
11450C	180	36	22	2.31	25	114500436
11450C	180	60	22	2.30	25	114500460
11450C	180	120	22	2.30	25	114500520

11488PF
fixing pads for fibre discs with ring nut M14

	ø mm		£		
11488P	115		11.90	1	114880115
11488P	125		13.10	1	114880125
11488P	180		19.80	1	114880180

11491-11493-11495
anti-waste rolls made of corundum abrasive cloth

h 38 mm x 50 m

	H mm	L m	P	£		
11491	38	50	40	78.00	1	114910004
11491	38	50	60	76.00	1	114910006
11491	38	50	80	74.50	1	114910008
11491	38	50	100	74.50	1	114910010
11491	38	50	120	74.50	1	114910012
11491	38	50	150	74.50	1	114910015
11491	38	50	180	74.50	1	114910018
11491	38	50	220	74.50	1	114910022
11491	38	50	240	74.50	1	114910024
11491	38	50	320	74.50	1	114910032
11491	38	50	400	74.50	1	114910040

	H mm	L m	P	£		
11493	50	50	40	111.00	1	114930004
11493	50	50	60	113.50	1	114930006
11493	50	50	80	111.00	1	114930008
11493	50	50	100	108.00	1	114930010
11493	50	50	120	108.00	1	114930012
11493	50	50	150	108.00	1	114930015
11493	50	50	180	108.00	1	114930018
11493	50	50	220	108.00	1	114930022
11493	50	50	240	108.00	1	114930024
11493	50	50	320	108.00	1	114930032
11493	50	50	400	108.00	1	114930040

	H mm	L m	P	£		
11495	120	25	40	148.50	1	114950004
11495	120	25	60	144.00	1	114950006
11495	120	25	80	141.00	1	114950008
11495	120	25	100	137.00	1	114950010
11495	120	25	120	137.00	1	114950012
11495	120	25	180	137.00	1	114950018
11495	120	25	240	137.00	1	114950024
11495	120	25	400	137.00	1	114950040

11498
non-woven anti-waste roll
with corundum synthetic fibres

h 100 mm x 10 m

	H mm	L m	P	£		
11498	100	10	M	63.00	1	114980008
11498	100	10	F	49.00	1	114980012
11498	100	10	VF	49.00	1	114980015
* 11498	100	10	UF	56.00	1	114980018

CRIMPING PLIERS FOR TERMINALS AND TERMINALS

		Terminals	Die cavity	Range (mm²)	Use
1601/PC					For telephone and data transmission terminals 4P/6P/8P
1602				0,75-6	For insulated terminals, light series
1602A				0-6	For insulated terminals, standard model
1603				1,25-5,5	For non-insulated terminals, light series
1603A				0-8	For non-insulated closed terminals, standard model
1603B				0-8	For non-insulated open terminals, standard model
1606/2				0,14-10	Heavy-duty, for cylindrical terminals
1606A				0,5-6 6-16	For cylindrical terminals
1606T				0,1-10	For cylindrical terminals, 4-sided crimping
1607				6,48 5,41 1,69	Heavy-duty, for BNC coaxial wires RG 58, RG 59, RG 62, RG 71
1608				0,5-6	For insulated terminals, with pressure regulator
1608A				0,75-6	Heavy-duty, for insulated terminals
1609				0,5-2,5	For non-insulated terminals
1609A				0,5-6	Heavy-duty, for non-insulated terminals
1609B				10-120	For non-insulated terminals

1601/PC

ratchet crimpling pliers
for telephone terminals
and data transmission



	£		
RJ11-RJ12-RJ45	**78.00**	2	016010011

1602

crimping pliers
for insulated terminals, light series



mm²	£		
0,75÷6	**14.60**	5	016020001

1602/C9

crimping pliers, light series,
with assortment of 450 terminals

	£		
1602/C9	**190.00**	1	016020045

		n.
1602		1
BM00180	R/6,3	50
BM00280	B/6,3	50
BM00380	G/6,3	50
BM00191	R/6,3	50
BM00291	B/6,3	50
BM00392	G/6,3	50
BM00160	R/1,6	50
BM00260	B/2,3	50
BM00360	G/3,6	50

420x185x60 mm - 1,5 kg

1602A
crimping pliers for insulated terminals, standard model



mm²	£		
0÷6	76.50	2	016020005

1603
crimping pliers for non-insulated terminals, light series



mm²	£		
1,25÷5,5	14.60	5	016030001

1603A
crimping pliers for non-insulated closed terminals, standard model



mm²	£		
0÷8	76.50	2	016030005

1603B
crimping pliers for non-insulated open terminals, standard model



mm²	£		
0÷8	75.00	2	016030010

1606/2
heavy duty crimping pliers for cylindrical terminals

mm²	L mm	A mm	B mm	£		
0,14÷10	175	65	20	450.00	1	016060002

1606A
crimping pliers for tubular terminals

	mm²	£		
1606A6	0,5÷6	91.50	1	016060010
1606A16	6÷16	91.50	1	016060016

1606A/C9
crimping pliers for tubular terminals with assortment of 450 terminals, 0.5÷6 mm²

	£		
1606A/C9	187.50	1	016060045

		n.
1606A6		1
BM00601	W/0,5	50
BM00604	N/1,5	100
BM00506	B/2,5	100
BM00508	G/4	100
BM00610	Y/6	100

420x185x60 mm - 2,5 kg

1606T
crimping pliers for tubular terminals, 4-sided crimping

reduced lever stress

mm²	L mm	A mm	B mm	£		
0.1÷10	173	61	13	436.00	1	016060005

1607
heavy duty crimping pliers for BNC coaxial wires RG 58, RG 59, RG 62, RG 71

	L mm	A mm	B mm	£		
1607	220	73	19	404.00	1	016070001

1608
crimping pliers for insulated terminals, with pressure regulator

mm²	£		
0,5÷6	119.00	1	016080001

1608/C9
pliers
with assortment of 450 terminals

	£		
1608/C9	295.00	1	016080045

		n.
1608		1
BM00180	R/6,3	50
BM00280	B/6,3	50
BM00380	G/6,3	50
BM00191	R/6,3	50
BM00291	B/6,3	50
BM00392	G/6,3	50
BM00160	R/1,6	50
BM00260	B/2,3	50
BM00360	G/3,6	50

420x185x60 mm - 2 kg

1608A
heavy duty crimping pliers
for insulated terminals

mm²	£		
0,75÷6	317.00	1	016080005

1609
crimping pliers for non-insulated terminals, professional model
fast performance

mm²	£		
0,5÷2,5	120.00	1	016090001

1609A
heavy duty crimping pliers
for non-insulated terminals

mm²	£		
0,5÷6	625.00	1	016090005

1609B
crimping pliers for noninsulated terminals

punch crimps,
10 mm² ÷ 120 mm²

L mm	mm²	£		
600	10÷120	403.00	1	016090101

1609C/C5
oil-pressure crimping pliers
with 5 pairs of dies

hexagonal crimps,
25 mm² ÷ 240 mm²

mm²	£		
50÷240	2580.00	1	016090210

500x300x110 mm - 4 kg

1609M
dies for item 1609C

hexagonal crimps

	mm²	£		
1609M/16	10-16	93.50	1	016090221
1609M/35	25-35	93.50	1	016090223
1609M/70	50-70	93.50	1	016090225
1609M/120	95-120	93.50	1	016090227
1609M/150	150	93.50	1	016090229
1609M/185	185	93.50	1	016090231
1609M/240	240	93.50	1	016090233

1639S
nylon wire puller

with interchangeable heads

L m	Ø mm	£		
10	4	28.50	1	016390010





BM GROUP

PRODUCTS UNDER THE BRAND NAME BM: CABLE TIES, TERMINAL BLOCKS, ELECTRICAL TAPES

BM Group has been designing, manufacturing and distributing connecting parts and electrical installation products since 1958. Quality, safety and reliability have always been BM's key values. Combined with a passion for excellence, these values have allowed the company to develop – step by step – into a benchmark for the electrical material market.
In 2018 BM Group was taken over by Beta Utensili.
This section comprises an accurate selection of products under the brand name BM, supplementing Beta's product range.

CERTIFIED QUALITY

1610-B
pre-insulated ring terminals

D mm	mm²	L mm		£		
4	0,25-1,5	20,6		14.90	100	BM00119
5	0,25-1,5	21,8		16.20	100	BM00125
5	1,5-2,5	22,4		17.80	100	BM00225
6	1,5-2,5	26		20.40	100	BM00231
8	1,5-2,5	29,8		24.80	100	BM00237
6	4-6	29,1		32.00	50	BM00331
8	4-6	34,5		39.00	50	BM00337

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1614-P
pre-insulated ferrule terminals



D mm	mm²	L mm		£		
1,9	0,25-1,5	19		17.10	100	BM00151
1,9	1,5-2,5	19		18.40	100	BM00251
2,7	4-6	28		34.00	50	BM00350

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1616-SM
pre-insulated male pin terminals



D mm	mm²	L mm	£		
4	0,25-1,5	21	17.80	100	BM00130

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1618-SF
pre-insulated female pin terminals

D mm	mm²	L mm	£		
3,8	0,25-1,5	23,5	22.00	100	BM00140

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1620-M
pre-insulated quick male terminals



HxS mm	mm²	L mm		£		
6,3x0,8	0,25-1,5	21		21.50	100	BM00180
6,3x0,8	1,5-2,5	21		21.50	100	BM00280
6,3x0,8	4-6	24,5		25.50	50	BM00380

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1622-F
pre-insulated quick female terminals

HxS mm	mm²	L mm		£		
6,3x0,8	0,25-1,5	20,7		22.00	100	BM00190
2,8x0,5	0,25-1,5	18,5		19.70	100	BM00395
6,3x0,8	1,5-2,5	20,7		22.10	100	BM00290
6,3x0,8	4-6	24,5		26.50	50	BM00391

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1624-FI
insulated quick female terminals



HxS mm	mm²	L mm		£		
6,3x0,8	0,25-1,5	22		23.70	100	BM00191
6,3x0,8	1,5-2,5	22		25.00	50	BM00291
6,3x0,8	4-6	25		31.00	50	BM00392

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1628-C
pre-insulated cable connectors



D mm	mm²	L mm		£		
1,8	0,25-1,5	25		17.80	100	BM00160
2,5	1,5-2,5	26,5		21.30	100	BM00260
3,7	4-6	27		31.00	50	BM00360

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1630-CR
quick connectors

mm²	L mm		£		
0,25-1	15,3		22.70	500	BM00110
1,25-2,5	15,9		22.70	500	BM00210

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1632-TS
single tube terminals

mm²	L mm		£		
0,5	14		4.35	500	BM00601
0,75	14		4.35	500	BM00602
1	14		4.35	500	BM00603
1,5	14		4.35	500	BM00604
2,5	14		5.25	250	BM00506
4	17		7.70	200	BM00508
6	20		9.95	100	BM00610
0,5	14		1.80	500	BM00501
0,75	14		1.80	500	BM00502
1	14		1.80	500	BM00503
1,5	14		1.80	500	BM00504
6	20		5.90	100	BM00510

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1634-TD
dual tube terminals

mm²	L mm		£		
2x0,5	15		7.50	200	BM00651
2x0,75	15		7.50	200	BM00652
2x1	15		7.50	200	BM00654
2x1,5	16		7.15	200	BM00656
2x2,5	18,5		8.75	100	BM00558
2x4	23		20.10	100	BM00560
2x6	26		28.00	50	BM00661
2X0,5	15		4.40	200	BM00551
2X0,75	15		4.40	200	BM00552
2X1	15		4.50	200	BM00554
2X1,5	16		4.80	200	BM00556
2X6	26		20.80	50	BM00561

- Please indicate number of terminals, and not of packages, in your order
- Stated prices are for 100 pieces

1635-D

multiple polypropylene terminals, 12-pole strips

Insulating housing: natural polypropylene (PP)
Conductive body: brass
Captive screw: galvanized steel
Self-extinguishing: EN 60335-1: 2002+A2:2006 (par. 30.2.3), EN 60695-2-10 at 850 °C, EN 60695-2-11
Operating temperature: max. 85 °C
Degree of protection: IP20
Reference standards: EN 60998-1: 2004, EN 60998-2-1: 2004, EN 60335-1: 2002 + A2: 2006 (par. 30.2.3), IEC/EN 60695-2-11

CE

mm²	L mm	L1 mm	mm²	£		
16	93,7	14,7	2,5	1.64	50	BM9200
20,5	116,5	17,2	4	1.81	50	BM9201
23,5	139,5	20,1	6	2.63	50	BM9202
25,3	175,5	22,5	16	4.65	25	BM9203
35,2	228	33,5	25	12.70	10	BM9204

1635-S

closed end connector terminals, for free connections

Insulating housing: transparent polycarbonate UL94 V0
Conductive body: brass
Captive screw: galvanized steel
Self-extinguishing: EN60695-2-10 a 850°C, EN 60335-1:2002 +A2:2006, EN60695-2-11
Working temperature: max. 85 °C
Degree of protection: IP20
Reference standards: EN60998-1: EN60998-2-1:2004

CE

mm²	L mm	L1 mm	S mm	mm²	N	£		
1.5	15	7.5	14.5	1.5	2	1.43	10	BM991
				1	2÷3			
				0.75	2÷4			
2.5	17.5	9	18.2	2.5	2	1.66	10	BM992
				1.5	2÷3			
				1	2÷4			
4	21	10.3	20	4	2	1.74	10	BM9924
				2.5	2÷3			
				1.5	2÷4			
6	22.5	11.8	23	6	2	2.44	10	BM993
				4	2÷3			
				2.5	2÷4			
10	26	14.7	26	10	2	5.25	10	BM994
				6	2÷3			
				4	2÷4			
16	31.8	18.8	32.2	16	2	10.10	10	BM995
				10	2÷3			
				6	2÷4			

1635-S

CE

mm²	L mm	L1 mm	S mm	mm²	N	£		
25	36.3	22.5	41.9	25	2	4.35	25	BM9960
				16	2÷3			
				10	2÷4			
35	43.5	26.1	49.4	35	2	5.75	25	BM9961
				25	2÷3			
				16	2÷4			

1748-BV2

nylon cable ties, natural colour

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN); type 21 (UL)

CE

A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	80	14	80	1.27	100	BMB0824
2.5	100	20.5	80	1.43	100	BMB1025
2.5	120	27	80	1.93	100	BMB1225
2.5	160	40	80	2.54	100	BMB1625
2.5	200	52.5	80	3.05	100	BMB2025
3.6	140	33	180	3.40	100	BMB1436
3.6	200	52.5	180	4.65	100	BMB2036
3.6	300	106	180	7.15	100	BMB2936
3.6	370	105	180	8.75	100	BMB3736
4.6	120	24	220	3.95	100	BMB1248
4.6	160	36	220	5.00	100	BMB1648
4.8	188	46	220	6.10	100	BMB1948
4.8	200	50	220	6.10	100	BMB2048
4.8	250	65	220	8.20	100	BMB2548
4.8	300	81	220	9.65	100	BMB3048
4.8	370	103.5	220	12.10	100	BMB3748
4.8	390	110	220	13.30	100	BMB3948
4.8	430	122.5	220	15.20	100	BMB4348
4.8	530	160	220	27.00	100	BMB5348
7.6	150	24	550	13.70	100	BMB1576
7.6	200	51	550	12.80	100	BMB2076
7.6	300	83	550	18.40	100	BMB2976
7.6	370	103.5	550	22.20	100	BMB3776
7.6	450	130.5	550	27.50	100	BMB4576
7.6	540	159	550	37.50	100	BMB5476
7.6	750	226	550	73.50	100	BMB7576
8.8	550	163.5	800	44.50	100	BMB5390
8.8	710	195	800	61.00	100	BMB7190
8.8	780	235.5	800	68.00	100	BMB7890
9.0	430	130.5	800	37.00	100	BMB4390
9.0	810	245	800	69.00	100	BMB8190
9.0	1020	295	800	110.50	100	BMB1090
9.0	1220	375.5	800	112.00	100	BMB1290
9.0	1530	460	800	146.00	100	BMB1590

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748V

nylon cable ties, green

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Operating temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN); type 21 (UL)

CE

A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	100	20.5	80	1.50	100	BMV1025
3.6	140	33	180	3.90	100	BMV1436
4.8	200	50	220	6.50	100	BMV2048
4.8	300	81	220	9.60	100	BMV3048

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748N

nylon cable ties, black UV resistant

Material: polyamide PA 6.6 + carbon black
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)

CE

A mm	L mm	Ø mm	F MAX N	£		
2.5	80	14	80	1.27	100	BMN0824
2.5	100	20.5	80	1.43	100	BMN1025
2.5	120	27	80	1.93	100	BMN1225
2.5	160	40	80	2.54	100	BMN1625
2.5	200	52.5	80	2.62	100	BMN2025
3.6	140	33	180	3.40	100	BMN1436
3.6	200	52.5	180	4.65	100	BMN2036
3.6	300	106	180	7.15	100	BMN2936
3.6	370	105	180	8.75	100	BMN3736
4.6	120	24	220	3.95	100	BMN1248
4.6	160	36	220	5.00	100	BMN1648
4.8	188	46	220	6.10	100	BMN1948
4.8	200	50	220	6.10	100	BMN2048
4.8	250	65	220	8.20	100	BMN2548
4.8	300	81	220	9.65	100	BMN3048
4.8	370	103.5	220	12.10	100	BMN3748
4.8	390	110	220	13.30	100	BMN3948
4.8	430	122.5	220	15.20	100	BMN4348
4.8	530	160	220	27.00	100	BMN5348
7.6	150	24	550	13.70	100	BMN1576
7.6	200	51	550	12.80	100	BMN2076
7.6	300	83	550	18.40	100	BMN2976
7.6	370	103.5	550	22.20	100	BMN3776
7.6	450	130.5	550	27.50	100	BMN4576
7.6	540	159	550	37.50	100	BMN5476
7.6	750	226	550	73.50	100	BMN7576
8.8	550	163.5	800	44.50	100	BMN5390
8.8	710	195	800	61.00	100	BMN7190
8.8	780	235.5	800	68.00	100	BMN7890
9.0	430	130.5	800	37.00	100	BMN4390
9.0	810	245	800	69.00	100	BMN8190
9.0	1020	295	800	111.50	100	BMN1090
9.0	1220	375.5	800	112.00	100	BMN1290
9.0	1530	460	800	146.00	100	BMN1590

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-UL

nylon cable ties, for heavy loads,
black
UV and IMPACT resistant

Material: polyamide PA 6.6 + carbon black
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN); type 21 (UL)



A mm	L mm	Ø MAX mm	F MAX N	£		
12.4	230	57	1200	33.50	100	BMN2412
12.4	480	136.5	1200	65.00	100	BMN4912
12.4	730	216.1	1200	77.50	100	BMN7412
12.4	880	263.9	1200	113.50	100	BMN8912
12.4	1000	305	1200	129.00	100	BMN1012

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-N2D

nylon cable ties,
black,
UV resistant

Material: polyamide PA 6.6 + carbon black
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)



A mm	L mm	Ø MAX mm	F MAX N	£		
9.0	180	40	400	20.70	100	BMN1890
9.0	265	62	540	33.50	100	BMN2690
9.0	360	93	540	42.50	100	BMN3690

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BV0

self-extinguishing nylon cable ties,
white

Material: polyamide PA 6.6
Self extinguishing class: UL 94-V0
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)



A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	100	20.5	80	2.27	100	BMB1025V0
3.6	150	36.0	180	4.85	100	BMB1536V0
3.6	200	52.5	180	7.00	100	BMB2036V0
4.8	200	49.5	230	8.05	100	BMB2048V0
4.8	300	81.0	230	12.50	100	BMB3048V0
4.8	370	106.7	230	17.90	100	BMB3848V0
7.6	370	106.7	540	31.00	100	BMB3876V0

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BX

nylon cable ties,
blue,
detectable by metal detectors

Material: polyamide PA 6.6 + metal powder
Self-extinguishing class: UL 94-V2
Working temperature: -40°C ÷ +85°C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)



A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	100	20.5	80	2.81	100	BMBX1025
3.6	150	36.0	180	6.25	100	BMBX1536
3.6	200	52.5	180	8.50	100	BMBX2036
4.8	200	49.5	230	11.00	100	BMBX2048
4.8	300	81.0	230	17.10	100	BMBX3048
4.8	370	106.7	230	23.00	100	BMBX3848
7.6	370	106.7	540	42.00	100	BMBX3876

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BL

steel tooth nylon cable ties,
natural colour

Material: polyamide PA 6.6 + steel
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)



A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	100	20.5	180	4.70	100	BMBL1025
2.5	200	52.5	180	6.15	100	BMBL2025
3.6	140	33.0	250	10.60	100	BMBL1436
4.8	200	49.5	360	15.90	100	BMBL2048
4.8	300	81.0	360	21.60	100	BMBL3048
4.8	370	103.5	360	26.00	100	BMBL3748
7.6	370	103.5	780	43.00	100	BMBL3776

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-NL

steel tooth nylon cable ties,
black,
UV resistant

Material: polyamide PA 6.6 + steel + carbon black
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)



A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	100	20.5	180	6.00	100	BMNL1025
2.5	200	52.5	180	8.00	100	BMNL2025
3.6	140	33.0	250	10.60	100	BMNL1436
4.8	200	49.5	360	15.90	100	BMNL2048
4.8	300	81.0	360	21.60	100	BMNL3048
4.8	370	103.5	360	26.00	100	BMNL3748
7.6	370	103.5	780	43.00	100	BMNL3776

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BR

reusable nylon cable ties,
natural colour

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN); type 21 (UL)



A mm	L mm	Ø MAX mm	F MAX N	£		
7.6	150	40	230	9.65	100	BMBR1576
7.6	200	55	230	12.40	100	BMBR2076
7.6	300	82	230	17.50	100	BMBR3076

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BH

nylon cable ties with eyelets,
natural colour

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN); type 21 (UL)



A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	110	19.0	80	4.05	100	BMBH1125
* 4.8	200	49.8	230	7.70	100	BMBH2048
* 7.6	305	78.7	550	21.60	100	BMBH3076

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BP

insertion nylon cable ties,
natural colour

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN); type 21 (UL)



A mm	L mm	Ø MAX mm	F MAX N	£		
3.6	155	37.9	180	6.85	100	BMBP1536
* 4.8	200	50.8	230	12.20	100	BMBP2048

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BT

nylon cable ties with cross plates, 25x8mm,
natural colour

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN); type 21 (UL)



A mm	L mm	Ø MAX mm	F MAX N	£		
* 2.5	100	22.0	80	4.60	100	BMBT21025
2.5	200	53.5	80	7.40	100	BMBT22025

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BT2

nylon cable ties with lengthwise plates,
13x27mm,
natural colour

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)



A mm	L mm	Ø MAX mm	F MAX N	£		
4.8	190	51	230	7.70	100	BMBT12248

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BT3

nylon cable ties with exterior plates, 20x9mm,
natural colour

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: good Resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols
Reference standards: EN 62275:2015-02
Classification: type 1 (EN)



A mm	L mm	Ø MAX mm	F MAX N	£		
2.5	110	22	80	4.10	100	BMBT11125

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BA1

cable tie mounts

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols

SxDxH mm	Ø mm	F mm	£		
15.2x9.4x6.8	3.3	3.6	5.90	100	BMB0905
22x16.2x10.8	5.2	9	13.30	100	BMB0906

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-NA1

cable tie mounts

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols

SxDxH mm	Ø mm	F mm	£		
15.2x9.4x6.8	3.3	3.6	6.45	100	BMN0905
22x16.2x10.8	5.2	9	10.90	100	BMN0906

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-BA2

cable tie mounts - two-way

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols



SxDxH mm	F mm	£		
19x19x5.4	3.6	6.85	100	BMB0901
* 28x28x7	4.8	12.50	100	BMB0902
* 28x28x5.8	4.8	10.90	100	BMB0903

1748-NA2

cable tie mounts - two-way, UV resistant

Material: polyamide PA 6.6
Self-extinguishing class: UL 94-V2
Working temperature: -40 °C ÷ +85 °C
Minimum installation temperature: -10 °C
Resistance to chemicals: Good resistance to bases, oils, greases, chloride solvents. Limited resistance to acids. Not resistant to phenols

SxDxH mm	F mm	£		
19x19x5.4	3.6	6.85	100	BMN0901
* 28x28x7	4.8	12.50	100	BMN0902
* 28x28x5.8	4.8	8.20	100	BMN0903

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-S

self-locking stainless steel cable ties

Material: stainless steel AISI 304
Locking device: roller ball type
Self-extinguishing class: non-flammable
Plenum rating: AH-1
UV resistance: excellent
Working temperature: -60 °C ÷ +300 °C
Minimum installation temperature: -60 °C
Resistance to chemicals: excellent
Reference standards: EN 62275:2015-02
Classification: type 2 (EN); type 2 (UL)



A mm	L mm	ØMAX mm	Trazione N	£		
4.6	125	38	890	47.00	100	BMS1345
4.6	200	61.9	890	47.50	100	BMS2045
7.9	200	61.9	1500	57.00	100	BMS2079
4.6	290	90.6	890	40.50	100	BMS3045
7.9	300	90.6	1500	68.50	100	BMS3079
4.6	360	112.8	890	45.00	100	BMS3745
7.9	360	112.8	1500	75.00	100	BMS3779
7.9	500	163.8	1500	91.50	100	BMS5079
4.6	520	163.8	890	58.50	100	BMS5245
4.6	680	214.8	890	69.00	100	BMS6845
7.9	680	214.8	1500	112.00	100	BMS6879
4.6	840	265.7	890	80.00	100	BMS8445
7.9	840	265.7	1500	131.00	100	BMS8479

1748-SC

self-locking stainless steel cable ties, black polyester coating

Material: stainless steel AISI 304 + polyester
Locking device: roller ball type
Self-extinguishing class: non-flammable
Plenum rating: AH-1
UV resistance: excellent
Working temperature: -60 °C ÷+300 °C
Minimum installation temperature: -60 °C
Resistance to chemicals: excellent
Reference standards: EN 62275:2015-02
Classification: type 2 (EN); type 2 (UL)



A mm	L mm	ØMAX mm	Trazione N	£		
4.6	125	38	450	61.00	100	BMSC1345
4.6	200	61.9	450	70.00	100	BMSC2045
7.9	200	61.9	800	63.50	100	BMSC2079
4.6	290	90.6	450	79.00	100	BMSC3045
7.9	300	90.6	800	77.50	100	BMSC3079
4.6	360	112.8	450	85.50	100	BMSC3745
7.9	360	112.8	800	88.00	100	BMSC3779
7.9	520	163.8	800	114.50	100	BMSC5079
4.6	520	163.8	450	72.50	100	BMSC5245
4.6	680	214.8	450	91.50	100	BMSC6845
7.9	680	214.8	800	138.50	100	BMSC6879
4.6	840	265.7	450	108.00	100	BMSC8445
7.9	840	265.7	800	165.00	100	BMSC8479

1748-BV

Velcro cable ties, wrap strap, white

Material: polyethylene-polyamide (PE-PA)
Operating temperature: -20 °C ÷ +60 °C



A mm	L mm	Ø MAX mm	F MAX N	£		
12,7	229	55	180	141.50	10	BMBV2312
19	229	55	220	162.50	10	BMBV2319

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1748-NV

Velcro cable ties, wrap strap, black

Material: polyethylene-polyamide (PE-PA)
Operating temperature: -20 °C ÷ +60 °C



A mm	L mm	Ø MAX mm	F MAX N	£		
12,7	229	55	180	212.00	10	BMNV2312

- Please indicate number of cable ties, and not of packages, in your order
- Stated prices are for 100 pieces

1743

fitting tool for nylon ties



	£		
1743	53.50	1	017430001

1743T

cable tie cutting tool

• Also suitable for cutting small cables (3x1.5mm²; 1x17mm²)

	£		
1743T	44.50	1	017430100

1748-N

fitting tools for nylon cable ties, 2.5 to 4.8 mm in width

Automatic cutting when set tension is reached.
With tightening tension adjustment system.

Materials: glass frame made from polymer and fibreglass, interior parts made from metal



	£		
BM1100	59.00	1	BM1100

1748-ST

automatic clamps for stainless steel cable ties, for cable ties with width ranging from 4.6 to 9 mm,
automatic tension and cut control

	£		
BM1105	218.50	1	BM1105

1638M

thin-wall heat shrink sheaths, in mini box

Shrink ratio: 2:1
Material: polyethylene
Operating temperature: -55 °C ÷ +125 °C
Shrink temperature: +70 °C ÷ +125 °C
Maximum VRMS: 600 V
Self-extinguishing degree of sheath: VW-1 (UL 224)
Halogen-free

mm	L m	Ø 1 mm	Ø 2 mm	£		
1,6	12	1,6	0,8	18.30	1	BMGBS016MNE
2,4	11	2,4	1,2	18.30	1	BMGBS024MNE
3,2	11	3,2	1,6	18.30	1	BMGBS032MNE
4,8	10	4,8	2,4	18.30	1	BMGBS048MNE
6,4	9	6,4	3,2	18.30	1	BMGBS064MNE
9,5	7	9,5	4,8	18.30	1	BMGBS095MNE
12,7	6	12,7	6,4	18.30	1	BMGBS127MNE
19	5	19,1	9,5	18.70	1	BMGBS190MNE
25,4	3,5	25,4	12,7	19.00	1	BMGBS254MNE

1639ESB

PVC electrical tape

Working temperature: 0-90°C
Tensile strength: 28N/cm equivalent to 18.6 N/mm²
Elongation: 200%
Adhesion to steel: 2.2N/cm
Adhesion to backing: 2 N/cm
Dielectric strength: 45kV/mm
Flammability: flame retardant
Reference standards: IEC 60454-2
Classification: CEI EN 60454-3-1-5/F-PVCP/90

S mm	A mm	L m		£		
0.15	15	10		0.91	10	BMESB1510BI
0.15	15	10		0.91	10	BMESB1510BL
0.15	15	10		0.91	10	BMESB1510GI
0.15	15	10		0.91	10	BMESB1510GR
0.15	15	10		0.91	10	BMESB1510GV
0.15	15	10		0.91	10	BMESB1510MA
0.15	15	10		0.91	10	BMESB1510NE
0.15	15	10		0.91	10	BMESB1510RO
0.15	15	10		0.91	10	BMESB1510VE
0.15	15	25		2.20	10	BMESB1525BI
0.15	15	25		2.20	10	BMESB1525BL
0.15	15	25		2.20	10	BMESB1525GI
0.15	15	25		2.20	10	BMESB1525GR
0.15	15	25		2.20	10	BMESB1525GV
0.15	15	25		2.20	10	BMESB1525MA
0.15	15	25		2.20	10	BMESB1525NE
0.15	15	25		2.20	10	BMESB1525RO
0.15	15	25		2.20	10	BMESB1525VE
0.15	19	25		2.62	10	BMESB1925BI
0.15	19	25		2.62	10	BMESB1925BL
0.15	19	25		2.62	10	BMESB1925GI
0.15	19	25		2.62	10	BMESB1925GR
0.15	19	25		2.62	10	BMESB1925GV
0.15	19	25		2.62	10	BMESB1925MA
0.15	19	25		2.62	10	BMESB1925NE
0.15	19	25		2.62	10	BMESB1925RO
0.15	19	25		2.62	10	BMESB1925VE
0.15	25	25		3.50	8	BMESB2525BI
0.15	25	25		3.50	8	BMESB2525BL
0.15	25	25		3.50	8	BMESB2525GI
0.15	25	25		3.50	8	BMESB2525GR
0.15	25	25		3.50	8	BMESB2525GV
0.15	25	25		3.50	8	BMESB2525MA
0.15	25	25		3.50	8	BMESB2525NE
0.15	25	25		3.50	8	BMESB2525RO
0.15	25	25		3.50	8	BMESB2525VE
0.15	50	25		5.35	4	BMESB5025NE

1639ESC

PVC electrical tape

Working temperature: 0-80°C
Tensile strength: 28N/cm equivalent to 18.6 N/mm²
Elongation: 200%
Adhesion to steel: 2.2N/cm
Adhesion to backing: 2.2 N/cm
Dielectric strength: 38kV/mm
Flammability: flame retardant
Reference standards: ASTM-D-1000 ; UL510
Classification: CEI EN 60454-3-1-5/F-PVCP/90

S mm	A mm	L m	£		
0.18	19	20	2.81	10	BMESC1920NE

1639ETA

PVC electrical tape for extreme temperatures

Working temperature: -18 ÷ +105 °C
Tensile strength: 35N/cm equivalent to 19.4 N/mm²
Elongation: 300%
Adhesion to steel: 3.1N/cm
Adhesion to backing: 2.7 N/cm
Dielectric strength: 55.5kV/mm
Flammability: flame retardant
Reference standards: ASTM-D-1000 ; UL510
Classification: CEI EN 60454-3-1-5/F-PVCP/90

S mm	A mm	L m	£		
0.18	19	20	8.90	1	BMETA1920NE

1639EAB

EPR self-amalgamating electrical tape

Working temperature: -40 ÷ +90 °C
Tensile strength: 2.4 N/mm²
Elongation: 750%
Dielectric strength: 29.5kV/mm
Flammability: flame retardant
Reference standards: ASTM-D-4388; ASTM-D-4325
Excellent resistance to: moisture, corrosion, chemicals

S mm	A mm	L m	£		
0.76	19	9	20.90	1	BMEAB1909NE

BLISTER PACK
RANGE

free-service
sales!

- **Increased visibility**
- **Display efficiency**
- **Bar code**

Blister pack support:
- *tearproof PVC*
- *4 formats for optimized display space*
- *New-generation fixing system with elastic band*

42K

mm	£		
5,5x5,5	10.40	5	000429505
6x6	10.40	5	000429506
7x7	10.70	5	000429507
8x8	10.70	5	000429508
9x9	10.80	5	000429509
10x10	11.60	5	000429510
11x11	12.30	5	000429511
12x12	12.60	5	000429512
13x13	12.80	5	000429513
14x14	14.10	5	000429514
15x15	14.70	5	000429515
16x16	16.10	5	000429516
17x17	16.90	5	000429517
18x18	18.40	5	000429518
19x19	19.00	5	000429519
20x20	20.50	3	000429520
21x21	21.90	3	000429521
22x22	22.80	3	000429522
23x23	24.10	3	000429523
24x24	25.00	3	000429524
25x25	27.50	2	000429525
26x26	29.00	2	000429526
27x27	31.50	2	000429527
28x28	33.00	2	000429528
29x29	35.00	2	000429529
30x30	38.00	2	000429530
32x32	43.50	2	000429532

55K

mm	£		
6x7	7.55	5	000559012
8x9	7.45	5	000559021
10x11	8.35	5	000559030
10x12	10.20	5	000559033
10x13	10.80	5	000559035
12x13	9.95	5	000559042
12x14	11.40	5	000559045
13x17	14.70	5	000559051
14x15	11.30	5	000559054
14x17	15.30	5	000559057
16x17	13.00	5	000559060
17x19	16.30	2	000559063
18x19	14.70	2	000559066
19x22	17.60	2	000559069
20x22	16.30	2	000559075
21x23	18.50	2	000559078
22x24	19.80	2	000559081
24x26	20.50	2	000559087
24x27	23.50	2	000559090
25x28	23.50	2	000559096
27x29	25.50	2	000559099
27x30	29.00	2	000559102
30x32	29.00	2	000559108

90K

mm	£		
6x7	11.30	5	000909006
8x9	12.60	5	000909012
10x11	12.90	5	000909018
12x13	14.60	5	000909027
14x15	16.90	5	000909033
16x17	19.00	5	000909039
18x19	21.90	5	000909045

mm	£		
20x22	24.10	3	000909051
21x23	26.00	2	000909057
24x26	30.00	2	000909063
24x27	32.00	2	000909067
25x28	38.00	2	000909070
27x29	41.00	2	000909073
30x32	45.00	2	000909080

93K

mm	£		
21x22	61.00	3	000939021

94K

mm	£		
8x10	13.90	2	000949008
9x11	14.50	2	000949009
10x11	14.70	2	000949010
11x13	15.30	2	000949011
12x14	16.90	2	000949012
13x15	16.90	2	000949013
14x15	20.60	2	000949014
14x17	21.30	2	000949015
17x19	21.90	2	000949017
19x22	22.80	2	000949019
22x24	29.00	2	000949022
24x27	30.00	2	000949024
30x32	37.50	2	000949030

96/SC9

	£		
96/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	24.20	1	000960374

96/ST6K

	£		
96/ST6K 2,5-3-4-5-6-8 mm	17.40	3	000969370

96N/ST6K

	£		
96N/ST6K 2,5-3-4-5-6-8 mm	13.60	3	000969640

96BPA/SC9

	£		
96BPA/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	34.50	1	000961974

96BP-CL/SC9

	£		
96BP-CL/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	47.00	1	000961619

96BPC/SC9

	£		
96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	46.50	1	000960354

96C/AS

"	£		
1/16	1.57	20	000961702
3/32	1.78	20	000961706
1/8	2.18	20	000961710
5/32	2.39	20	000961714
3/16	2.60	20	000961716
7/32	3.35	20	000961718
1/4	3.50	20	000961720
5/16	4.50	10	000961724
3/8	5.55	10	000961728

96LBP/SC9

	£		
96LBP/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	**37.00**	1	000961354

96/BGS7

	£		
96/BGS7 1,5-2-2,5-3-4-5-6 mm	**42.00**	1	000960367

96/BG7

	£		
96/BG7 2,5-3-4-5-6-8-10 mm	**43.00**	1	000960368

96TK

mm	£		
2	**14.50**	5	000969934
2,5	**14.50**	5	000969935
3	**14.50**	5	000969936
4	**16.30**	5	000969938
5	**16.90**	5	000969940
6	**18.40**	5	000969941
8	**23.50**	3	000969943
10	**27.50**	3	000969945

97BTX/SC8

	£		
97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40	**91.00**	1	000970164

97BTXL/SC8

	£		
97BTXL/SC8 T9-T10-T15-T20-T25-T27-T30-T40	**83.50**	1	000970364

111E

L mm	£		
100	**25.00**	3	001110110
150	**26.00**	3	001110115
200	**33.50**	3	001110120
250	**42.50**	3	001110125
300	**53.50**	3	001110130
380	**111.00**	3	001110138
450	**187.00**	2	001110145
600	**256.00**	1	001110160

111EN

L mm	£		
100	**24.50**	3	001110410
150	**25.00**	3	001110415
200	**32.00**	3	001110420
250	**39.00**	3	001110425
300	**51.00**	3	001110430
380	**108.00**	3	001110438
450	**184.00**	2	001110445

111ER

L mm	£		
200	**41.50**	3	001110520
250	**51.00**	3	001110525
300	**82.00**	2	001110530

123/K4

	£		
123/K4	**41.50**	1	001230504

142K



mm	£		
6	**22.50**	3	001429006
7	**22.50**	3	001429007
8	**23.50**	3	001429008
9	**24.00**	3	001429009
10	**24.20**	3	001429010
11	**25.50**	3	001429011
12	**26.00**	3	001429012
13	**29.00**	3	001429013
14	**29.50**	2	001429014
15	**32.00**	2	001429015
16	**34.00**	2	001429016
17	**36.00**	2	001429017
18	**38.00**	2	001429018
19	**39.50**	2	001429019
21	**47.50**	1	001429021
22	**50.00**	1	001429022
24	**58.00**	1	001429024

192/S2



	£		
192/S2 8x10/12x13 mm 16x17/18x19 mm	**79.00**	1	001920070

195K



mm	£		
8x10	**24.10**	2	001959010
12x13	**26.00**	2	001959013
14x15	**29.50**	2	001959015
16x18	**34.00**	2	001959018
17x19	**35.00**	2	001959019

374K

L mm	£		
240	**50.00**	1	003749024

850MQ

L mm	£		
233	32.50	1	008500910

855P

L1 mm	£		
240	103.50	1	008550010

860/58K

L mm	£		
126	108.00	1	008609884

860LP

SxA mm	£		
0,5x3	2.13	5	008600005
0,6x4,5	2.13	5	008600010
0,8x5,5	2.13	5	008600015
1x5,5	2.13	5	008600020
1,2x6,5	2.13	5	008600025

860PH

PH	£		
0	2.13	5	008600220
1	2.13	5	008600225
2	2.13	5	008600230
3	2.13	5	008600245
4	3.40	5	008600250

860PZ

PZ	£		
1	2.13	5	008600320
2	2.13	5	008600325
3	2.13	5	008600330
4	3.40	5	008600335

860PE

mm	£		
2	2.27	5	008600101
2,5	2.27	5	008600102
3	2.27	5	008600103
4	2.27	5	008600104
5	2.27	5	008600105
6	2.27	5	008600106
8	3.20	5	008600108
10	3.20	5	008600110

860TX

	£		
T6	3.20	5	008600704
T7	3.20	5	008600705
T8	3.20	5	008600710
T9	3.20	5	008600715
T10	2.34	5	008600720
T15	2.34	5	008600725
T20	2.34	5	008600730
T25	2.34	5	008600735
T27	2.34	5	008600740
T30	2.34	5	008600745
T40	2.34	5	008600750

860RTX

	£		
T9	3.40	5	008600550
T10	3.40	5	008600555
T15	3.40	5	008600560
T20	3.40	5	008600565
T25	3.40	5	008600570
T27	3.40	5	008600575
T30	3.40	5	008600580
T40	3.40	5	008600585

860/C27

	£		
860/C27	109.50	1	008600880

860MIX/A10

	£		
860MIX/A10	35.00	1	008600900

860TX/A10

	£		
860TX/A10	40.00	1	008600970

860MIX/A31

	£		
860MIX/A31	106.50	1	008600902

862F/A7

	£		
862F/A7	58.00	1	008620950

900K

mm	£		
4	4.80	10	009009040
4,5	4.80	10	009009045
5	4.80	10	009009050
5,5	4.80	10	009009055
6	4.80	10	009009060
7	4.80	10	009009070
8	4.80	10	009009080
9	4.80	10	009009090
10	4.80	10	009009100
11	4.80	10	009009110
12	4.80	10	009009120
13	4.80	10	009009130
14	4.90	10	009009140

900/20LK

L mm	£		
100	8.40	5	009009819

900/25K

1/4"

L mm	£		
41	17.80	5	009009830

900BG/30K

1/4"

L mm	£		
128	11.90	5	009009834

900/55K

72 teeth
1/4"

L mm	£		
125	62.50	5	009009870

900/55ZK

72 teeth
1/4"

L mm	£		
125	62.50	3	009009882

900/58K

1/4"

L mm	£		
126	103.50	2	009009884

910AK

3/8"

mm	£		
6	9.20	5	009109006
7	9.20	5	009109007
8	9.20	5	009109008
9	9.20	5	009109009
10	9.20	5	009109010
11	9.20	5	009109011
12	9.70	5	009109012
13	9.70	5	009109013
14	9.70	5	009109014
15	9.70	5	009109015
16	10.80	5	009109016
17	10.80	5	009109017
18	10.80	5	009109018
19	10.80	5	009109019
20	11.00	5	009109020
21	11.00	5	009109021
22	11.20	5	009109022

910/21K

3/8"

L mm	£		
125	14.20	5	009109822

910/25K

3/8"

L mm	£		
54,6	21.90	5	009109830

910/55K

72 teeth
3/8"

L mm	£		
200	74.00	3	009109882

910/58K

3/8"

L mm	£		
222	117.50	1	009109884

920AK

1/2"

mm	£		
10	9.25	10	009209010
11	9.25	10	009209011
12	9.25	10	009209012
13	9.70	10	009209013
14	9.70	10	009209014
15	9.70	10	009209015
16	10.10	10	009209016
17	10.10	10	009209017
18	10.10	10	009209018
19	10.10	10	009209019
20	10.20	5	009209020
21	10.20	5	009209021
22	10.20	5	009209022
23	10.30	5	009209023
24	10.30	5	009209024
25	10.30	5	009209025
26	10.70	5	009209026
27	10.70	5	009209027
28	10.70	5	009209028
29	11.10	5	009209029
30	11.10	5	009209030
32	11.80	5	009209032

920/21K

1/2"

L mm	£		
125	20.50	5	009209822

920/25K

1/2"

L mm	£		
75	24.90	5	009209830

920/55K

72 teeth
1/2"

L mm	£		
275	95.50	3	009209882

920/58K

1/2"

L mm	£		
281	130.50	1	009209926

935K

mm	£		
6x7	11.10	5	009359105
8x9	12.50	5	009359111
10x11	13.40	5	009359115
12x13	14.70	5	009359117
14x15	17.60	5	009359126
16x17	19.80	5	009359128
18x19	21.90	5	009359131
20x22	26.50	3	009359138

937K

mm	£		
6x6	10.70	5	009379006
7x7	11.30	5	009379007
8x8	12.30	5	009379008
9x9	13.60	5	009379009
10x10	13.70	5	009379010
11x11	13.90	5	009379011
12x12	15.30	5	009379012
13x13	16.30	5	009379013
14x14	17.80	5	009379014
15x15	19.80	5	009379015
16x16	20.50	5	009379016
17x17	21.20	5	009379017
18x18	22.50	5	009379018
19x19	22.80	5	009379019
20x20	25.50	5	009379020
21x21	27.50	3	009379021
22x22	29.50	3	009379022

943BXK

mm	£		
5,5	24.10	5	009439005
6	24.10	5	009439006
7	24.90	5	009439007
8	24.90	5	009439008
10	25.50	3	009439010
13	26.50	3	009439013

951K

mm	£		
2	24.50	5	009519521
2,5	24.50	5	009519525
3	24.50	5	009519530
3,5	25.00	5	009519535
4	25.00	5	009519540
4,5	27.50	5	009519545
5	27.50	5	009519550
6	34.00	5	009519560
8	36.50	5	009519580
10	47.50	5	009519610

1032K

L mm	£		
140x0,9	27.50	5	010329013
140x1,3	27.00	5	010329014
180	29.50	5	010329017

1033K

L mm	£		
140x0,9	32.00	5	010339013
140x1,3	29.50	5	010339014
180	34.50	5	010339017

1034K

L mm	£		
130x0,9	32.00	5	010349013
130x1,3	29.50	5	010349014
170	34.50	5	010349017

1036K

L mm	£		
140x0,9	30.00	5	010369013
140x1,3	29.00	5	010369014
175	30.00	5	010369017

1037K

L mm	£		
140x0,9	35.00	5	010379013
140x1,3	33.00	5	010379014
175	35.00	5	010379017

1038K

L mm	£		
135x0,9	35.00	5	010389013
135x1,3	33.00	5	010389014
175	35.00	5	010389017

1044NK

	£		
250	35.50	5	010449025

1048NK

L mm	£		
175	41.50	3	010489910
250	44.50	5	010489915

1048VNK

L mm	£		
175	33.00	3	010489111
250	36.00	5	010489116

1052K

L mm	£		
140	29.00	3	010529014
190	33.00	3	010529019
240	42.00	3	010529024

1082K

L mm	£		
140	32.00	5	010829004
160	36.00	5	010829006

1082GK

L mm	£		
140	29.00	5	010829064
160	32.00	5	010829066

1082BMK

L mm	£		
140	41.50	3	010829034
160	50.00	3	010829036

1082GBMK

L mm	£		
140	38.00	3	010829264
160	44.50	3	010829266

1084K

L mm	£		
160	39.00	3	010849006

1084GK

L mm	£		
160	34.50	5	010849066

1084BMK

L mm	£		
160	53.50	3	010849036

1084GBMK

L mm	£		
160	53.00	3	010849266

1088K

L mm	£		
160	47.00	2	010889006

1088BMK

L mm	£		
160	59.00	2	010889036

1096K

L mm	£		
200	29.50	5	010969020

1098K

L mm	£		
190	26.00	5	010989190
220	29.00	5	010989220

1098PLK

L mm	£		
220	32.00	5	010989320

1112K

L mm	£		
200	32.00	2	011129020

1122K

L mm	£		
250	41.00	2	011229020

1123K

L mm	£		
250	41.00	2	011239020

1124K

L mm	£		
250	41.00	2	011249020

1128BAX

L mm	£		
150	40.00	5	011280088

1128BMX

L mm	£		
147	24.80	5	011280051

1128BSX

L mm	£		
148	40.00	5	011280061

1128FX

L mm	£		
145	37.50	5	011280090

1128FXS

L mm	£		
145	40.00	5	011280095

1129BMK

L mm	£		
145	26.00	5	011299000

1130BMX

L mm	£		
185	23.40	1	011300002

1132K

L	£		
170	61.00	2	011329107

1132BMK

L	£		
170	74.00	2	011329137

1142BMK

L mm	£		
160	55.50	3	011429036

1144T

L mm	£		
112	27.00	1	011440060

1149F

L mm	£		
175	23.50	1	011490010

1150K

L mm	£		
160	29.00	5	011509046
180	29.50	5	011509048
200	34.50	5	011509050
220	37.50	2	011509052

1150GK

L mm	£		
160	28.00	5	011509066
180	29.00	5	011509068
200	33.00	5	011509070
220	35.50	2	011509072

1150BMK

L mm	£		
160	35.50	3	011509146
180	37.50	3	011509148
200	42.00	3	011509150
220	47.00	2	011509152

1150GBMK

L mm	£		
160	35.00	3	011509266
180	36.00	3	011509268
200	41.00	3	011509270
220	45.50	2	011509272

1162K

L mm	£		
160	32.50	5	011629006
200	36.00	5	011629010

1162GK

L mm	£		
160	27.00	5	011629066
200	33.00	5	011629070

1162BMK

L mm	£		
160	42.00	3	011629036
200	47.00	3	011629040

1162GBMK

L mm	£		
160	37.50	3	011629266
200	43.50	3	011629270

1164K

L mm	£		
160	35.50	5	011649006
200	38.50	5	011649010

1164BMK

L mm	£		
160	44.50	3	011649036
200	49.00	3	011649040

1166K

L mm	£		
160	32.50	5	011669006
200	36.00	5	011669010

1166GK

L mm	£		
160	27.00	5	011669066
200	33.00	5	011669070

1166BMK

L mm	£		
160	42.00	3	011669036
200	47.00	3	011669040

1166GBMK

L mm	£		
160	37.50	3	011669266
200	43.50	3	011669270

1168K

L mm	£		
160	35.50	5	011689006
200	38.50	5	011689010

1168GK

L mm	£		
160	29.00	5	011689066
200	35.00	5	011689070

1168BMK

L mm	£		
160	44.50	3	011689036
200	49.00	3	011689040

1168GBMK

L mm	£		
160	39.00	3	011689266
200	45.50	3	011689270

1201E/K

SxAxL mm	£		
0,4x2,5x50	5.00	5	012019203
0,4X2,5x75	5.25	5	012019206
0,5x3x75	5.30	5	012019209
0,5x3x100	5.45	5	012019212
0,6x3,5X75	5.95	5	012019218
0,6x3,5x100	6.15	5	012019221
0,8x4x100	6.20	5	012019230
0,8x4x125	6.50	5	012019233
0,8x4X150	6.60	5	012019236
1,0x5,5x100	7.00	5	012019239
1,0x5,5X125	7.25	5	012019240
1,0x5,5x150	7.45	5	012019242
1,2x6,5x100	8.60	5	012019248
1,2x6,5x125	8.90	5	012019250
1,2x6,5x150	9.20	5	012019251
1,2x8x150	11.30	3	012019257
1,2x8X200	12.60	3	012019260
1,6x10x200	13.60	3	012019266

1201EN/K

SxAxL mm	£		
0,8x4x30	8.00	3	012019303
1,2x6,5x30	8.90	3	012019306

1202E/K

PHxDxL mm	£		
0x3x60	5.30	5	012029203
0x3X100	6.15	5	012029206
1x4,5x80	6.90	5	012029209
1x4,5x120	7.55	5	012029212
2x6x100	9.10	5	012029218
2x6x150	9.95	5	012029221
3x8x150	12.30	3	012029224
4x9,5x200	15.80	3	012029227

1202EN/K

PHxDxL mm	£		
1x4,5x30	8.10	3	012029303
2x6x30	9.00	3	012029306

1204E/K

SxDxL mm	£		
0,4x2,5x60	5.20	5	012049103
0,6x3x75	5.30	5	012049106
0,5x3x100	5.55	5	012049109
0,8x4x100	6.40	5	012049112
0,8x4x125	6.90	5	012049115
1,0x5x125	7.65	5	012049118
1,0x5x150	9.55	5	012049121
1,2x6,5x150	10.70	5	012049124

1207E TX/K

	£		
T5	6.10	5	012079105
T6	6.10	5	012079106
T7	6.15	5	012079107
T8	6.45	5	012079108
T9	6.45	5	012079109
T10	8.10	5	012079110
T15	8.15	5	012079115
T20	8.30	5	012079120
T25	8.40	5	012079125
T27	9.25	5	012079127
T30	9.40	5	012079130
T40	12.70	2	012079140
T45	13.00	2	012079145

1208E RTX/K

	£		
T9	6.45	5	012089109
T10	8.30	5	012089110
T15	8.40	5	012089115
T20	8.50	5	012089120
T25	8.65	5	012089125
T27	9.70	5	012089127
T30	9.85	5	012089130
T40	13.10	2	012089140

1209E PZ/K

PZ	£		
0	5.55	5	012099200
1	7.30	5	012099203
2	8.80	5	012099206
3	12.70	3	012099209
4	14.60	3	012099212

1209EN-PZ/K

	£		
1	7.80	3	012099303
2	8.40	3	012099306

1253

SxAxL mm	£		
0,5x3,5x100	10.10	5	012530001

1254

SxAxL mm	£		
0,5x3x44	11.30	5	012540001

1260K

SxAxL	£		
0,4x2,5x50	9.10	5	012609003
0,4x2,5x75	9.70	5	012609006
0,5x3x75	9.95	5	012609009
0,5x3x100	10.20	5	012609012
0,6x3,5x75	10.70	5	012609018
0,6x3,5x100	10.80	5	012609021
0,8x4x100	11.90	5	012609030
0,8x4x125	12.70	5	012609033
0,8x4x150	13.10	5	012609036
1x5,5x100	12.50	5	012609039
1x5,5x150	13.40	5	012609042
1,5x6,5x100	13.70	5	012609048
1,2x6,5x150	14.70	5	012609051
1,2x8x150	18.50	3	012609057
1,2x8x200	19.20	3	012609060
1,6x10x200	20.70	3	012609066

1260NK

SxAxL mm	£		
0,8x4x30	10.80	5	012609103
1,2x6,5x30	11.30	5	012609106

1260EK

SxAxL mm	£		
1,2x6,5x150	17.50	3	012609156
1,2x8x175	21.30	3	012609157
1,6x10x200	23.70	2	012609159
2x12x250	28.50	2	012609162

1262K

PHxDxL mm	£		
0x3x60	9.70	5	012629003
0x3x100	10.20	5	012629006
1x4,5x80	12.30	5	012629009
1x4,5x120	12.80	5	012629012
2x6x100	14.30	5	012629018
2x6x150	15.30	5	012629021
3x8x150	18.50	3	012629024
4x10x200	22.20	3	012629027

1262NK

PHxDxL	£		
1x4,5x30	10.80	5	012629103
2x6x30	11.30	5	012629106

1262EK

PHxDxL mm	£		
2x6x150	18.40	3	012629153
3x8x175	21.30	3	012629156
4x10x200	26.00	3	012629159

1264K

SxDxL mm	£		
0,5x2,5x60	9.10	5	012649003
0,6x3x75	9.70	5	012649006
0,6x3x100	9.85	5	012649009
0,8x4x100	11.40	5	012649012
0,8x4x125	11.90	5	012649015
1x5x125	13.10	5	012649018
1x5x150	13.70	5	012649021
1,2x6,5x150	16.70	5	012649024

1267TXK

	£		
T5	10.20	5	012679005
T6	10.40	5	012679006
T7	10.60	5	012679007
T8	10.70	5	012679008
T9	12.20	5	012679009
T10	12.50	5	012679010
T15	12.80	5	012679015
T20	13.40	5	012679020
T25	13.70	5	012679025
T27	15.80	5	012679027
T30	15.90	5	012679030
T40	19.90	2	012679040
T45	20.70	2	012679045

1268RTXK

	£		
T9	12.50	3	012689009
T10	12.70	3	012689010
T15	12.80	3	012689015
T20	13.10	3	012689020
T25	13.50	3	012689025
T27	16.10	3	012689027
T30	16.50	3	012689030
T40	19.80	2	012689040

1269PZK

PZ	£		
0	10.20	5	012699000
1	12.70	5	012699001
2	15.00	5	012699002
3	21.30	3	012699003
4	26.00	3	012699004

1269N/PZK

PZ	£		
1	11.20	5	012699011
2	11.80	5	012699012

1290K

SxAxL mm	£		
0,4x2,5x50	11.40	5	012909003
0,4x2,5x75	11.70	5	012909006
0,5x3x75	11.80	10	012909009
0,5x3x100	11.90	10	012909012
0,6x3,5x75	12.80	10	012909018
0,6x3,5x100	13.00	10	012909021
0,8x4x100	13.10	10	012909030
0,8x4x125	13.40	10	012909033
0,8x4x150	14.30	10	012909036
1x5,5x100	14.20	10	012909039
1x5,5x150	14.70	10	012909042
1,2x6,5x100	16.70	10	012909048
1,2x6,5x150	17.50	10	012909051
1,2x8x150	22.20	3	012909057
1,2x8x200	22.90	3	012909060
1,6x10x200	26.00	3	012909066

1290NK

SxAxL mm	£		
0,8x4x30	13.60	5	012909103
1,2x6,5x30	14.80	5	012909106

1290K/INOX

SxAxL mm	£		
0,4x2,5x50	10.70	4	012909403
0,5x3x75	10.90	4	012909409
0,8x4x100	11.20	4	012909430
1,0x5,5x150	13.00	4	012909442
1,2x6,5x150	14.30	4	012909451

1292K

PHxDxL mm	£		
0x3x60	10.60	10	012929003
0x3x100	11.40	5	012929006
1x4,5x80	13.10	10	012929009
1x4,5x120	14.30	10	012929012
2x6x100	15.30	10	012929018
2x6x150	16.40	10	012929021
3x8x150	19.90	3	012929024
4x10x200	26.00	3	012929027

1292NK

PHxDxL mm	£		
1x4,5x30	12.50	5	012929103
2x6x30	13.10	5	012929106

1292K/INOX

PHxDxL mm	£		
0x3x60	9.20	4	012929403
1x4,5x80	11.20	4	012929409
2x6x100	12.70	4	012929418

1294K

SxDxL mm	£		
0,5x2,5x60	9.45	5	012949003
0,6x3x75	9.95	5	012949006
0,8x4x100	11.80	5	012949012
1x5x125	14.30	5	012949018

1298RTXK

⊛	£		
T9	16.40	5	012989009
T10	16.60	5	012989010
T15	18.40	5	012989015
T20	19.00	5	012989020
T25	19.30	5	012989025
T27	19.90	5	012989027
T30	20.70	5	012989030
T40	24.80	2	012989040

1299PZK

PZ	£		
0	12.60	5	012999000
1	14.50	5	012999003
2	17.50	5	012999006

1299N/PZK

PZ	£		
1	14.70	5	012999021
2	15.80	5	012999024

1472VW

L mm	£		
200	56.00	1	014720051

1473P

A Max mm	£		
53	33.00	1	014730020

1497BS



L mm	£		
230	29.50	1	014970190

1497SS

L mm	£		
245	27.00	1	014970195

1497RC

	£		
1497RC	113.50	1	014970351

1600Q 8

	£		
1600Q 8	42.00	1	016000008

1600Q 10

	£		
1600Q 10	54.00	1	016000010

1603K

mm2	£		
0÷8	15.30	5	016039001

1603BK

mm²	£		
0÷8	78.00	2	016039010

1651DGTB



A Max mm	£		
150	120.00	1	016510211
200	211.00	1	016510212
300	242.50	1	016510213

1651DGTB/IP



A Max mm	£		
150	210.00	1	016510711

1691BM

L m	£		
5	12.90	1	016910205
8	25.00	1	016910208
10	32.00	1	016910210

1691MG

L m	£		
5	14.40	1	016910405
8	23.60	1	016910408
10	28.50	1	016910410

1692

L m	£		
2	7.70	5	016920052
3	8.20	5	016920053
5	11.70	5	016920055
8	22.80	5	016920058

1693

IP54

H mm	£		
100	185.50	1	016930020

1729CG

L mm	£		
310	30.50	2	017290200

1729DM 450

L mm	£		
450	34.50	4	017290450

1741U

Ø mm	2,4	3	3,2	4	4,8
Aluminium	•	•	•	•	•
Steel	•	•	•	•	
Stainless steel	•	•	•	•	

	£		
1741U	60.00	1	017410450

1741B

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Stainless steel	•	•	•		

	£		
1741B	54.50	1	017410000

1760K

CE

CAT III-1000V

	£		
1760K	42.00	1	017600140

1762K

Ø mm	£		
2-2,5-3 3,5-4-4,5	35.50	2	017629001

1771

	£		
1771	12.30	10	017710000

1770BM

L mm	£		
140	18.30	10	017700050

1771BM

L mm	£		
170	28.50	10	017710050

1771HD

L mm	£		
190	30.50	5	017710100

1772R

L mm	£		
125	24.40	5	017720006

1773A

L mm	£		
180	16.70	10	017730000

1773S

L mm	£		
190	9.90	1	017730100

1777BMT

L mm	£		
170		5	017770050

1777T

L mm	£		
160	32.00	5	017770030

1778MT

L mm	£		
180	126.50	1	017780055

1783

L mm	£		
215	15.90	5	017830021
240	17.60	5	017830024

1820

CE

	£		
1820 30 30W L = 210mm	48.50	1	018200003
1820 60 60W L = 220mm	55.00	1	018200006
1820 80 80W L = 260mm	91.50	1	018200008

1822

	£		
1822 120 120W LxA = 250x125 mm	**147.00**	1	018220012
1822 180 180W LxA = 250x125mm	**154.00**	1	018220018
1822 320 320W LxA = 250x140mm	**196.50**	1	018220032

1833XSW

L mm	£		
145	**54.50**	1	018330011

1833S

L mm	£		
150	**47.50**	1	018330002

1833M

L mm	£		
162	**58.50**	1	018330003

1833MW

L mm	£		
160	**100.00**	1	018330013

1833L

L mm	£		
196	**102.00**	1	018330004

1833XL

L mm	£		
300	**126.00**	1	018330005

1833L/USB

L mm	£		
240	**152.00**	1	018330054

1836AW

	£		
1836AW	**72.00**	1	018360051

1836B

	£		
1836B	**191.00**	1	018360200

1837F

L mm	£		
460	**111.00**	1	018370050

1837F/USB

L mm	£		
460	**165.00**	1	018370060

1838COB

	£		
1838COB	**134.00**	1	018380010

1838P

	£		
1838P	114.00	1	018380005

1838POCKET

L mm	£		
98	92.50	1	018380080

1838SLIM



L mm	£		
307	77.00	1	018380221

1838SW

L mm	£		
260	138.50	1	018380142

1839BRW

L mm	£		
101	136.50	1	018390002

1860M

L max mm	£		
30	121.00	1	018600301

1875SP/K3

	£		
1875SP/K3	21.40	1	018750010

1949F2

g	£		
125	21.50	1	019490028

1949XS



g	£		
20	7.90	25	019490025

6888B1/4

blister support for 1/4" sockets

	£		
6888B1/4	0.72	50	068880900

6888B3/8

blister support for 3/8" sockets

	£		
6888B3/8	0.86	50	068880910

6888B1/2

blister support for 1/2" sockets

	£		
6888B1/2	0.86	50	068880920

DISPLAY **UNITS** FOR SALES POINTS

Beta SHOP in shop

BUILD your Beta corner

www.beta-tools.com/planner3d/

38/DS1

wall-mounted display
with 75 punches



495x260x332 mm

display with assortment		£		
38/DS1		**935.00**	1	000380701

		n.
30	Ø 2 - 3 - 4 - 5 - 6 mm	5
31	Ø 2 - 3 - 4 - 5 - 6 - 8 - 10 mm	5
32	Ø 3 - 4 - 5 mm	5

empty display		£		
38/DVS1		**129.50**	1	000380751

38/DS2

wall-mounted display
with 65 chisels



495x260x332 mm

display with assortment		£		
38/DS2		**1880.00**	1	000380702

		n.
34	125 - 150 - 175 mm	5
35	100 - 125 - 150 - 200 - 250 - 300 mm	5
36	125 - 150 mm	5
37	150 - 200 mm	5

empty display		£		
38/DVS2		**129.50**	1	000380752

942BX/DG

wall-mounted display
with 43 hi-torque hexagon nut spinners, short series

330x260x332 mm

display with assortment		£		
942BX/DG		**970.00**	1	009420701

			n.
◯	**942BX**	5 - 5,5 mm	3
		6 - 7 mm	6
		8 - 9 - 10 mm	5
		11 mm	2
		12 mm	3
		13 mm	5

empty display		£		
942BX/DVG		**119.00**	1	009420751

943BX/DG

wall-mounted display
with 43 hi-torque hexagon nut spinners, long series

330x260x332 mm

display with assortment		£		
943BX/DG		**1029.00**	1	009430701

			n.
◯	**943BX**	5 - 5,5 mm	3
		6 - 7 mm	6
		8 - 9 - 10 mm	5
		11 mm	2
		12 mm	3
		13 mm	5

empty display		£		
943BX/DVG		**119.00**	1	009430751

944BX/DG

wall-mounted display with 43 deep hi-torque hexagon nut spinners with handles, long series

330x260x332 mm

display with assortment		£		
944BX/DG		**1182.00**	1	009440701

			n.
◯	**944BX**	5 - 5,5 mm	3
		6 - 7 mm	6
		8 - 9 - 10 mm	5
		11 mm	2
		12 mm	3
		13 mm	5

empty display		£		
943BX/DVG		**119.00**	1	009430751

943MQ/BG

wall-mounted display
with 30 hexagon nut spinners

△**1000 V** ⓘ 330x260x332 mm

display with assortment		£		
943MQ/BG		**717.00**	1	009430281

			n.
◯	**943MQ**	5,5 - 6 - 7 - 8 - 10 - 13 mm	5

empty display		£		
943BG-MQ/DV		**119.00**	1	009430285

1203/E1P
wall-mounted display with 82 screwdrivers

495x260x310 mm

display with assortment	£		
1203E/E1P	**554.00**	1	012031301

		n.
1201	0,4x2,5x50 - 0,5x3x75 - 0,6x3,5x100 0,8x4x100 - 0,8x4x125 mm	7
	1,0x5,5x100 - 1,0x5,5x150 - 1,2x6,5x150 mm	6
	1,2x8x150 mm	5
1202	PH0x3x60 mm	7
	PH1x4,5x80 - PH2x6x100 mm	6
	PH3x8x150 mm	5

empty display	£		
1203E/EV1P	**141.50**	1	012031351

1203/E5P
wall-mounted display with 82 screwdrivers

495x260x310 mm

display with assortment	£		
1203E/E5P	**557.00**	1	012031305

		n.
1202	PH0x3x60 mm	7
	PH1x4,5x80 - PH1x4,5x120 PH2x6x100 - PH2x6x150 mm	6
	PH3x8x150 mm	5
1204	0,4x2,5x60 - 0,5x3x100 - 0,8x4x100 mm	7
	1,0x5x125 mm	6
1209PZ	PZ0x3x60 mm	7
	PZ1x4,5x80 - PZ2x6x100 mm	6

empty display	£		
1203E/EV5P	**141.50**	1	012031355

1263/E78
wall-mounted display with 78 screwdrivers

495x260x310 mm

display with assortment	£		
1263/E78	**926.00**	1	012630510

1260	2,5x75-3x75-3,5x100 mm	7
	4x100-4x125-5,5x100-5,5x150-6,5x150 mm	6
	8x150 mm	4
1262	PH0x60 mm	7
	PH1x80-PH2x100 mm	6
	PH3x150	4

empty display	£		
1263/EV78	**141.50**	1	012630511

1203/E4P
wall-mounted display with 85 screwdrivers

495x260x310 mm

display with assortment	£		
1203E/E4P	**518.00**	1	012031304

		n.
1201	0,4x2,5x50 - 0,5x3x75 - 0,8x4x125 mm	7
	1,0x5,5x100 - 1,0x5,5x150 - 1,2x6,5x150 mm	6
1204	0,4x2,5x60 - 0,5x3x100 - 0,8x4x100 mm	7
	1,0x5x125 mm	6
1209PZ	PZ0x3x60 mm	7
	PZ1x4,5x80 - PZ2x6x100 mm	6

empty display	£		
1203E/EV4P	**141.50**	1	012031354

1203/E10P
wall-mounted display with 80 screwdrivers

495x260x310 mm

display with assortment	£		
1203E/E10P	**591.00**	1	012031310

		n.
1207TX	T6	4
	T7	3
	T8	7
	T9 - T10 - T15 - T20 - T25	6
	T27 - T30	3
1208RTX	T9 - T10	3
	T15 - T20 - T25	6
	T27 - T30	3

empty display	£		
1203E/EV10P	**141.50**	1	012031360

1263/E74
wall-mounted display with 74 screwdrivers

495x260x310 mm

display with assortment	£		
1263/E74	**862.00**	1	012630540

1264	2,5x60 mm	7
	3x75 mm	3
	3x100 - 4x100 mm	4
	4x125 - 5x150 mm	2
	5x125 - 6,5x150 mm	4
1262	PH 8x150	3
	PH 3x60 - 3x100 mm	7
	PH 4,5x80 - 4,5x120 mm	6
	PH 6x100 mm	10
	PH 6x150 mm	5

empty display	£		
1263/EV74	**141.50**	1	012630541

1263/E85

wall-mounted display
with 85 screwdrivers

495x260x377 mm

display with assortment	£		
1263/E85	**1009.00**	1	012630550

		n.
1260	2,5x50 mm	7
	2,5x75 mm	6
	3x75 - 3x100 - 3,5x100 mm	7
	4x100 - 4x125 - 5,5x125 5,5x150 - 6,5x150 mm	6
	8x150 mm	4
1260E	10x200 mm	3
	12x250 mm	2
	4x30 - 6,5x30 mm	6

empty display	£		
1263/EV85	**141.50**	1	012630551

1263/E50

wall-mounted display
with 50 screwdrivers

330x260x269 mm

display with assortment	£		
1263/E50	**551.00**	1	012630570

		n.
1264	2,5x60 - 3x75 - 3x100 mm	7
	4x100 - 4x125 - 5x125 - 5x150 mm	6
	6,5x150 mm	5

empty display	£		
1263/EV50	**119.00**	1	012630571

1263/E39

wall-mounted display
with 39 screwdrivers

330x260x257 mm

display with assortment	£		
1263/E39	**513.00**	1	012630595

		n.
1268RTX	T9x60 - T10x80 - T15x80 T20x100 - T25x100 mm	6
	T27x115 mm	4
	T30x115 mm	3
	T40x130 mm	2

empty display	£		
1263/EV39	**119.00**	1	012630596

1263/E70

wall-mounted display
with 70 screwdrivers

495x260x327 mm

display with assortment	£		
1263/E70	**936.00**	1	012630560

		n.
1262	PH0x60 - PH0x100 mm	7
	PH1x80 - PH1x120 mm	6
	PH2x100 mm	9
	PH2x150 - PH3x150 mm	5
	PH4x200 mm	4
1262E	PH2x150 mm	5
	PH3x175 mm	4
1262N	PH1x30 - PH2x30 mm	6

empty display	£		
1263/EV70	**141.50**	1	012630561

1263/E62

wall-mounted display
with 62 screwdrivers

495x260x257 mm

display with assortment	£		
1263/E62	**755.00**	1	012630590

		n.
1267TX	T5	5
	T6	6
	T7	5
	T8	6
	T9	5
	T10 - T15 - T20	6
	T25	5
	T27 - T30	4
	T40 - T45	2

empty display	£		
1263/EV62	**141.50**	1	012630591

1263/E40

wall-mounted display
with 40 screwdrivers

330x260x327 mm

display with assortment	£		
1263/E40	**568.00**	1	012630580

		n.
1269	PZ0x60 mm	7
	PZ1x80 mm	6
	PZ2x100 - PZ3x150 - PZ4x200 mm	5
1269N	PZ1x30 - PZ2x30 mm	6

empty display	£		
1263/EV40	**119.00**	1	012630581

1273MQ/E1

wall-mounted display with 40 screwdrivers

1000 V 330x260x332 mm

display with assortment	£		
1273MQ/E1	**699.00**	1	012730312

		n.
1272MQ	PH0x60 - PH1x80 mm	5
	PH2x100 mm	3
	PH3x150 mm	2
1274MQ	3x100 - 4x100 - 5,5x125 - 6,5x150 mm	5
	8x175 mm	3
	10x200 mm	2

empty display	£		
1273BG-MQ/DV	**119.00**	1	012730651

1293BX/DA

wall-mounted display with 90 screwdrivers

495x260x332 mm

display with assortment	£		
1293BX/DA	**1240.00**	1	012930701

		n.
1290	3x75 - 3,5x100 - 4x100 - 4x125 5,5x100 - 5,5x150 mm	7
	6,5x150 mm	6
	8x150 mm	3
	10x200 mm	2
1290N	4x30 - 6,5x30 mm	3
1292	PH0x60 - PH1x80 mm	7
	PH2x100 mm	6
	PH3x150 mm	5
1292N	PH1x30 - PH2x30 mm	3

empty display	£		
1293BX/DVA	**141.50**	1	012930751

1293BX/DE

wall-mounted display with 42 screwdrivers

330x260x332 mm

display with assortment	£		
1293BX/DE	**725.00**	1	012930705

		n.
1299PZ	PZ0x60 - PZ1x80 mm	7
	PZ2x100 mm	6
	PZ3x150 - PZ4x200 mm	5
1299N/PZ	PZ1x30 - PZ2x30 mm	6

empty display	£		
1293BX/DVE	**119.00**	1	012930755

1273MQ/E4

wall-mounted display with 43 screwdrivers

1000 V 330x260x332 mm

	£		
1273MQ/E4	**809.00**	1	012730315

1272MQF	4,5x80 - 6x100 mm	3
1274MQF	3,5x100 - 4,5x100 - 5,5x125 - 6,5x150 mm	3
1275MQ/C	4,5x80 - 6x100 mm	5
1276MQ/C	4,5x80 - 6x100 mm	5
1279MQ/F	4,5x80 mm	3
	6x100 mm	2

	£		
1273BG-MQ/DV4	**119.00**	1	012730655

1293BX/DD

wall-mounted display with 48 screwdrivers

330x260x332 mm

display with assortment	£		
1293BX/DD	**570.00**	1	012930704

		n.
1294	2,5x60 - 3x75 - 3x100 - 4x100 4x150 - 5x125 mm	7
	6,5x150 mm	6

empty display	£		
1293BX/DVD	**119.00**	1	012930754

1293BX/DF

wall-mounted display with 59 screwdrivers

330x260x332 mm

display with assortment	£		
1293BX/DF	**970.00**	1	012930706

		n.
1297TX	T6 - T8 - T10 - T15 - T20 - T25	7
	T27 - T30	6
	T40	5

empty display	£		
1293BX/DVF	**119.00**	1	012930756

C68
Beta wall display, empty

1000x560x2200 mm

		£		
C68/1	1 m	2400.00	1	068000001
C68/2	2 m	4170.00	1	068000002
C68/3	3 m	5930.00	1	068000003
C68/4	4 m	7700.00	1	068000004
C68/5	5 m	9460.00	1	068000005
C68/6	6 m	11230.00	1	068000006
C68/7	7 m	12990.00	1	068000007
C68/8	8 m	14760.00	1	068000008
C68/9	9 m	16520.00	1	068000009
C68/10	10 m	18290.00	1	068000010

C68N
Beta wall display, empty

1000x560x2200 mm

		£		
C68N/1	1 m	2095.00	1	068000031
C68N/2	2 m	3900.00	1	068000032
C68N/3	3 m	5700.00	1	068000033
C68N/4	4 m	7500.00	1	068000034
C68N/5	5 m	9300.00	1	068000035
C68N/6	6 m	11100.00	1	068000036
C68N/7	7 m	12900.00	1	068000037
C68N/8	8 m	14700.00	1	068000038
C68N/9	9 m	16510.00	1	068000039
C68N/10	10 m	18310.00	1	068000040

C68 G
"gondola" display

1000x1120x1600 mm

		£		
C68G/1	1 m	2270.00	1	068000051
C68G/2	2 m	4180.00	1	068000052
C68G/3	3 m	6100.00	1	068000053
C68G/4	4 m	8010.00	1	068000054

C88 R/1
Robur wall display, empty

1000x560x2200 mm

		£		
C88R/1	1 m	2335.00	1	088000001

C88NR/1
Robur wall display, empty

1000x560x2200 mm

		£		
C88NR/1	1 m	1995.00	1	088000031

C88VE
display tray for display walls C88

suitable for housing coils of chains item 8120

	£		
C88VE	292.00	1	088000120

C88SE
display tray for Genovese chain reels

	£		
C88SE	523.00	1	088000130

1700x600x600 mm

6888

hooks for displays C60 - C61 - C68 - C88

		£		
6888S1		6.05	10	068880011
6888S2		6.15	10	068880012
6888D1		8.95	5	068880021
6888D2		9.10	5	068880022
6888D4		9.45	5	068880024
6888D5		9.70	5	068880025
6888T1		13.40	5	068880031
6888T2		13.40	5	068880032
6888CT		21.00	1	068880044
6888B		84.00	1	068880100
6888GA		30.50	3	068880120
6888S-1/4		55.50	1	068880605
6888S-3/8		56.00	1	068880610

6800 VE

showcase for wall displays C68 and C68 R/1



		£		
6800VE/1	1 m	1199.00	1	068000401
6800VE/2	2 m	1820.00	1	068000402
6800VE/3	3 m	2445.00	1	068000403
6800VE/4	4 m	3070.00	1	068000404
6800VE/5	5 m	3690.00	1	068000405

ACCESSORIES



	£		
6800AE	266.00	1	068000145
6800AI	585.00	1	068000140
6800AD/P	833.00	1	068000143



	£		
6800CB/100	275.00	1	068000104
6800FB/100	93.00	1	068000109
6800FO/100	70.50	1	068000108
6800PL	329.00	1	068000137
6800RP/100	98.00	1	068000150
6800GR/37	43.50	1	068000159

	£		
6800PM/40	88.50	1	068000171
6800PM/80	113.50	1	068000172

6600 M/14

assortment of 154 tools, with hooks without panel



	£		
6600 M/14	2920.00	1	066000014

6600 M/22

assortment of 108 tools, with hooks without panel

	£		
6600 M/22	2170.00	1	066000022

6600 M/27

assortment of 25 tools, with hooks without panel

	£		
6600 M/27	1365.00	1	066000027

6600 M/29

assortment of 173 tools, with hooks without panel



	£		
6600 M/29	2590.00	1	066000029

6600 M/33

assortment of 37 tools, with hooks without panel

	£		
6600 M/33	2005.00	1	066000033

6600 M/40
assortment of 100 tools,
with hooks without panel

	£		
6600 M/40	3240.00	1	066000040

6600 M/42
assortment of 65 tools,
with hooks without panel

	£		
6600 M/42	2100.00	1	066000042

6600 M/44
assortment of 48 tools,
with hooks without panel



	£		
6600 M/44	1815.00	1	066000044

6600 M/47
assortment of 65 tools,
with hooks without panel

	£		
6600 M/47	1995.00	1	066000047

6600 M/51
assortment of 257 tools
with hooks without panel

	£		
6600 M/51	3500.00	1	066000051

6600 M/52
assortment of 176 tools
with hooks without panel

	£		
6600 M/52	2155.00	1	066000052

6600 M/58
assortment of 150 tools
with hooks without panel

	£		
6600 M/58	2285.00	1	066000058

6600 M/59
assortment of 220 tools,
with hooks without panel

	£		
6600 M/59	2500.00	1	066000059

6600 M/61
assortment of 71 tools,
with hooks without panel



	£		
6600 M/61	3180.00	1	066000061

6600 M/62
assortment of 28 tools,
with hooks without panel

	£		
6600 M/62	746.00	1	066000062

6600 M/63
assortment of 110 tools
with hooks without panel



	£		
6600 M/63	2990.00	1	066000063

6600 M/73
assortment of 68 tools
with hooks without panel



	£		
6600 M/73	1245.00	1	066000073

6600 M/112
assortment of 329 tools,
with hooks without panel

	£		
6600 M/112	3020.00	1	066000112

6600 M/126
assortment of 58 tools,
with hooks without panel

	£		
6600 M/126	1087.00	1	066000126

6600 M/217
assortment of 74 tools,
with hooks without panel

	£		
6600 M/217	3410.00	1	066000217

6600 M/116
assortment of 306 tools,
with hooks without panel

	£		
6600 M/116	2800.00	1	066000116

6600 M/131
assortment of 92 tools,
with hooks without panel

	£		
6600 M/131	3130.00	1	066000131

6600 M/218
assortment of 58 tools,
with hooks without panel

INDUSTRIAL FINISHING

	£		
6600 M/218	1760.00	1	066000218

6600 M/120
assortment of 163 tools,
with hooks without panel

	£		
6600 M/120	2115.00	1	066000120

6600 M/174
assortment of 13 tools, with hooks without panel

	£		
6600 M/174	5040.00	1	066000174

6600 M/222
assortment of 74 tools,
with hooks without panel

	£		
6600 M/222	2650.00	1	066000222

6600 M/125
assortment of 133 tools,
with hooks without panel

	£		
6600 M/125	1840.00	1	066000125

6600 M/175
assortment of 12 tools,
with hooks without panel

	£		
6600 M/175	3980.00	1	066000175

6600 M/223
assortment of 58 tools,
with hooks without panel

INDUSTRIAL FINISHING

	£		
6600 M/223	2365.00	1	066000223

6600 M/230
assortment of 78 tools,
with hooks without panel

	£		
6600 M/230	2690.00	1	066000230

6600 M/253
assortment of 60 tools,
with hooks without panel

	£		
6600 M/253	2390.00	1	066000253

6600 M/326
assortment of 155 tools,
with hooks without panel

	£		
6600 M/326	1945.00	1	066000326

6600 M/236
assortment of 31 tools,
with hooks without panel

	£		
6600 M/236	1570.00	1	066000236

6600 M/311
assortment of 114 tools,
with hooks without panel

	£		
6600 M/311	1505.00	1	066000311

6600 M/327
assortment of 101 tools,
with hooks without panel

	£		
6600 M/327	1265.00	1	066000327

6600 M/241
assortment of 43 tools,
with hooks without panel

	£		
6600 M/241	1450.00	1	066000241

6600 M/315
assortment of 149 tools,
with hooks without panel

	£		
6600 M/315	2265.00	1	066000315

6600 M/330
assortment of 110 tools,
with hooks without panel

	£		
6600 M/330	1345.00	1	066000330

6600 M/242
assortment of 91 tools,
with hooks without panel

	£		
6600 M/242	3310.00	1	066000242

6600 M/320
assortment of 98 tools,
with hooks without panel

	£		
6600 M/320	2285.00	1	066000320

6600 M/371
assortment of 162 tools,
with hooks without panel

	£		
6600 M/371	1145.00	1	066000371

6600 M/380
assortment of 71 tools,
with hooks without panel

	£		
6600 M/380	880.00	1	066000380

6600 M/424
assortment of 36 tools, with hooks without panel

	£		
6600 M/424	1510.00	1	066000424

6600 M/456
assortment of 41 tools,
with hooks without panel

	£		
6600 M/456	1870.00	1	066000456

6600 M/406
assortment of 107 tools,
with hooks without panel

	£		
6600 M/406	1535.00	1	066000406

6600 M/427
assortment of 24 tools,
with hooks without panel

	£		
6600 M/427	1590.00	1	066000427

6600 M/465
assortment of 36 tools, with hooks without panel

	£		
6600 M/465	2405.00	1	066000465

6600 M/417
assortment of 43 tools,
with hooks without panel

	£		
6600 M/417	1375.00	1	066000417

6600 M/430
assortment of 29 tools,
with hooks without panel

	£		
6600 M/430	1480.00	1	066000430

6600 M/480
assortment of 18 tools,
with hooks without panel

	£		
6600 M/480	1565.00	1	066000480

6600 M/423
assortment of 30 tools, with hooks without panel

	£		
6600 M/423	1435.00	1	066000423

6600 M/440
assortment of 140 tools,
with hooks without panel

	£		
6600 M/440	2820.00	1	066000440

6600 M/485
assortment of 12 tools,
with hooks without panel

	£		
6600 M/485	1131.00	1	066000485

6600 M/510
assortment of 16 tools,
with hooks without panel

	£		
6600 M/510	1265.00	1	066000510

6600 M/548
assortment of 37 tools,
with hooks without panel



	£		
6600 M/548	1128.00	1	066000548

6600 M/650
assortment of 28 tools,
with hooks without panel



	£		
6600 M/650	3240.00	1	066000650

6600 M/532
assortment of 24 tools
with hooks without panel

	£		
6600 M/532	1210.00	1	066000532

6600 M/561
assortment of 60 tools,
with hooks without panel

	£		
6600 M/561	1725.00	1	066000561

6600 M/657
assortment of 17 tools,
with hooks without panel

	£		
6600 M/657	2330.00	1	066000657

6600 M/534
assortment of 51 tools,
with hooks without panel

	£		
6600 M/534	1910.00	1	066000534

6600 M/583
assortment of 22 tools
with hooks without panel

	£		
6600 M/583	1044.00	1	066000583

6600 M/658
assortment of 14 tools
with hooks without panel



	£		
6600 M/658	2940.00	1	066000658

6600 M/542
assortment of 53 tools,
with hooks without panel

	£		
6600 M/542	1225.00	1	066000542

6600 M/643
assortment of 90 tools,
with hooks without panel

	£		
6600 M/643	2500.00	1	066000643

6600 M/716
assortment of 64 tools,
with hooks without panel

	£		
6600 M/716	3310.00	1	066000716

6600 M/813
assortment of 25 tools, with hooks without panel

	£		
6600 M/813	1500.00	1	066000813

6600 M/842
assortment of 36 tools, with hooks without panel

	£		
6600 M/842	1900.00	1	066000842

6600 M/852
assortment of 560 hard abrasive discs,
with hooks without panel

	£		
6600 M/852	2060.00	1	066000852

6600 M/856
assortment of 560 hard abrasive discs,
with hooks without panel

	£		
6600 M/856	2175.00	1	066000856

6600 M/857
assortment of 560 hard abrasive discs,
with hooks without panel

	£		
6600 M/857	2135.00	1	066000857

6600 M/871
assortment of 120 abrasives
with hooks without panel

	£		
6600 M/871	1059.00	1	066000871

6600 M/878
assortment of 100 abrasives
with hooks without panel

	£		
6600 M/878	934.00	1	066000878

6600 M/881
assortment of 410 abrasives
with display tray

	£		
6600 M/881	2890.00	1	066000881

Robur

8600 R/11
assortment of 374 wire rope accessories, with hooks without panel

	£		
8600 R/11	1705.00	1	086000011

8600 R/12
assortment of 259 wire rope accessories,
with hooks without panel



	£		
8600 R/12	1725.00	1	086000012

8600 R/13

assortment of 230 wire rope accessories,
with hooks without panel

	£		
8600 R/13	1385.00	1	086000013

8600 R/113

assortment of 1862 wire rope accessories,
with hooks without panel

	£		
8600 R/113	2075.00	1	086000113

8600 R/114

assortment of 1045 wire rope accessories,
with hooks without panel

	£		
8600 R/114	1975.00	1	086000114

8600 R/225

assortment of 64 GRADE 8 accessories,
with hooks without panel

	£		
8600 R/225	1460.00	1	086000225

8600 R/412

assortment of 348 STAINLESS STEEL wire
rope accessories,
with hooks without panel



	£		
8600 R/412	2090.00	1	086000412

8600 R/511

assortment of 11 Genovese chain reels,
with display tray

	£		
8600 R/511	1685.00	1	086000511

8600 R/601

assortment of 50 tie down ratchets
with grids, shelf and hooks,
without panel

	£		
8600 R/601	1750.00	1	086000601
C88/R601	362.00	1	088000160

8600 R/611

assortment of 52 webslings
with grids, without panel

	£		
8600 R/611	1120.00	1	086000611
C88/R611	203.00	1	088000161

SAFETY FOOTWEAR

- With penetration-proof insole
- With toe cap
- Antistatic footwear
- Energy absorption of seat region
- Oil, hydrocarbon and solvent proof outsole
- Antislip outsole
- Repeated bending resistance > 60,000
- Contact heat resistant outsole (300 °C/min.)
- Nonmagnetic footwear, totally free from metal parts
- Footwear developed to ensure constant dissipation of electrostatic charges from the wearer's body to the ground
- Wide body footwear (11) for improved comfort
- Footwear developed to provide cold insulation (-20 °C)

WARNINGS

Before use make, sure that the footwear meets your use requirements and has a proper protection class, according to type and workplace.
The footwear manufactured by Beta Utensili complies with current EUROPEAN STANDARDS.
The employer shall ensure that suitable personal protective equipment is provided to the employees who may be exposed to a risk (characteristics and category of PPE)

OBSOLESCENCE

Because of the numerous factors involved (humidity during storage and structural changes in materials in time), the exact storage life of the shoe cannot be determined. Generally speaking, footwear made entirely of polyurethane or with polyurethane outsoles has an expected maximum life of three years from the manufacturing date. Footwear made entirely of PVC has an expected life of five years from the manufacturing date; whereas footwear with leather uppers and footwear made from rubber, thermoplastic material and EVA has an expected maximum life of ten years from the manufacturing date. Such periods apply to new footwear, packed and stored under controlled conditions – that is, avoiding abrupt changes in temperature and relative humidity.

EUROPEAN STANDARDS AND MEANINGS
EN ISO 20345:2011 - EN ISO 20347:2012

COMPLIANCE WITH EN ISO 20345:2011
This standard specifies basic and additional (optional) requirements for Safety Footwear for general purpose.
Footwear according to EN ISO 20345:2011 is marked “S” (= Safety), with toe caps resistant to an impact of 200 Joules.

COMPLIANCE WITH EN ISO 20347:2012
This standard specifies basic and additional (optional) requirements for occupational footwear that is not exposed to any mechanical risks (impact or compression). Footwear according to EN ISO 20347:2012 is marked “O” (= Occupational). It shares quite the same characteristics as the above footwear, although neither toe caps nor penetration-proof insoles are required.

As well as the basic requirements under EN ISO 20345:2011, footwear may also meet some additional requirements, which must be identified with symbols or classes and stated on the label applied to the tongue of the footwear.

EUROPEAN STANDARDS AND MEANINGS
EN ISO 20345:2022 - EN ISO 20347:2022

COMPLIANCE WITH EN ISO 20345:2022
This standard specifies basic and additional (optional) requirements for Safety Footwear for general purpose.
Footwear according to EN ISO 20345:2022 is marked “S” (= Safety), with toe caps resistant to an impact of 200 Joules.

COMPLIANCE WITH EN ISO 20347:2022
This standard specifies basic and additional (optional) requirements for occupational footwear that is not exposed to any mechanical risks (impact or compression). Footwear according to EN ISO 20347:2022 is marked “O” (= Occupational). It shares quite the same characteristics as the above footwear, although neither toe caps nor penetration-proof insoles are required.

As well as the basic requirements under EN ISO 20345:202, footwear may also meet some additional requirements, which must be identified with symbols or classes and stated on the label applied to the tongue of the footwear.

Information for footwear with perforation resistant inserts
The perforation resistance of this shoe was tested in the lab, by using standardised nails and force. Nails smaller in diameter and higher static or dynamic loads are associated with a higher risk of perforation. Under such circumstances, additional preventive measures must be considered. PPE footwear is currently available with three different types of perforation resistant inserts. These may be either metallic or non-metallic inserts and must be chosen on the basis of the risks associated with the type of work.
All of the three types of inserts provide protection against the risk of perforation; nevertheless, each has different advantages or disadvantages, including the following:

- **Metallic perforation resistant insert**: perforation resistance is less affected by the shape of the sharp object (e.g. diameter, geometry, pointed shape), but it does not cover the whole surface of the lower part of the shoe, due to limitations in the dimensions required for the production of footwear.
- **Non-metallic perforation resistant insert** : it is light, flexible and provides a large coverage area compared to a metallic one, but perforation resistance may vary to a larger extent, depending on the shape of the sharp object (e.g. diameter, geometry, pointed shape).
  Type PS provides greater protection against objects smaller in diameter than type PL.

EN ISO 20345:2011 - EN ISO 20347:2012
REQUISITI BASE + REQUISITI SUPPLEMENTARI CALZATURE

FOOTWEAR CLASSIFICATION

- **Class I**: Footwear made from leather and other materials, excluding all-rubber and all-polymeric footwear.
- **Class II footwear**: All-rubber footwear (i.e. entirely vulcanised) or all-polymeric (i.e. entirely moulded).

BASIC REQUIREMENTS

- **Whole footwear**: height of upper; heel area; constructional performance of outsole (construction and upper/outsole bond strength); toe protection and toe cap properties (except for footwear under EN ISO 20347), slip resistance.
- **Upper**: properties of materials of upper, lining, tongue, insole/insock (tear strength, abrasion resistance, tensile properties, water vapour permeability, pH, insole/footbed absorption and deabsorption).
- **Outsole**: construction and tear strength, abrasion resistance, flexing resistance, resistance to hydrolysis, interlayer bond strength and resistance to hydrocarbon oils

PROTECTION CLASS		EN ISO 20345:2011				EN ISO 20347:2012				EN ISO 20345:2011		EN ISO 20347:2012		MINIMUM REQUIRED VALUES
		SB	S1	S2	S3	0B	01	02	03	S4	S5	04	05	
	Closed seat region	O	X	X	X	O	X	X	X	X	X	X	X	
	Toe cap resistant to an impact of 200 Joules	X	X	X	X	–	–	–	–	X	X	–	–	
A	Antistatic footwear	O	X	X	X	O	X	X	X	X	X	X	X	Electrical resistance >100 kΩ, ≤1000 MΩ
E	Energy absorption of seat region	O	X	X	X	O	X	X	X	X	X	X	X	> 20 Joules
WRU	Water penetration and resistance of upper	O	–	X	X	O	–	X	X	–	–	–	–	Penetration: <0.2 g x 60 min Absorption: < 30% x 60 min.
P	Penetration resistance of outsole	O	O	–	X	O	O	–	X	O	X	O	X	> 1100 N
CI	Cold insulation	O	O	O	O	O	O	O	O	O	O	O	O	Temp. decrease of inner surface of sole: < 10° C
HI	Heat insulation	O	O	O	O	O	O	O	O	O	O	O	O	Temp. increase of inner surface of sole: < 22° C
HRO	Heat resistance of outsole	O	O	O	O	O	O	O	O	O	O	O	O	Resistant up to 300°
WR	Water resistance	O	O	O	O	O	O	O	O	–	–	–	–	Absorption: < 3 cm^2
FO	Resistance to hydrocarbons	O	X	X	X	O	O	O	O	X	X	O	O	Volume increase of sole sample < 12 %
SRC	Slip resistance of outsole	X	X	X	X	X	X	X	X					**SRA + SRB** requirement

X	**Mandatory** requirement for protection class
O	**Optional** requirement added to mandatory ones, if marked on marking
–	**Not mandatory** requirement, check footwear stamping

Antistatic footwear:
Antistatic footwear must be used when there is the need to minimize the accumulation of electrostatic charges, so as to rule out the danger of combustion of flammable substances and vapours and in case the risk of electric shocks from live parts should persist. Antistatic footwear does not provide protection against electric shock, as it only creates an electrical resistance between the floor and the foot. If the danger of electric shock cannot be completely ruled out, additional precautions must be taken as part of a periodic plan for accident prevention in the workplace. For antistatic requirements to be met, the footwear must not be modified.

Insulating footwear:
Insulating footwear provide electrical protection against accidental contacts with voltages up to 1000 V, provided that usage conditions are such as not to modify or alter electrical resistance under the influence of humidity. It should be pointed out that electrical resistance only refers to the bottom, and not to the upper, of the footwear.
Electrical classes for footwear:
Class 00 500V CA or 750V CC
Class 0 1000V CA or 1500V CC

Dissipative footwear for EPA environments:
Dissipative footwear, which is specially designed for EPA (ESDS) environments, allows electrostatic charges to be dissipated from the wearer's body in a continuous and controlled way, so as to protect electronic components and devices from electrostatic phenomena. The reference value of ground resistance according to CEI EN 61340-5-1: 2016, for wearer/footwear/floor, is <1 × 109 Ω.

EN ISO 20345:2022 - EN ISO 20347:2022
BASIC REQUIREMENTS + ADDITIONAL REQUIREMENTS FOR FOOTWEAR

FOOTWEAR CLASSIFICATION

- **Class I**: Footwear made from leather and other materials, excluding all-rubber and all-polymeric footwear.
- **Class II footwear**: All-rubber footwear (i.e. entirely vulcanised) or all-polymeric (i.e. entirely moulded).

BASIC REQUIREMENTS

- **Whole footwear**: height of upper; heel area; constructional performance of outsole (construction and upper/outsole bond strength); toe protection and toe cap properties (except for footwear under EN ISO 20347), slip resistance.
- **Upper**: properties of materials of upper, lining, tongue, insole/insock (tear strength, abrasion resistance, tensile properties, water vapour permeability, pH, insole/footbed absorption and deabsorption).
- **Outsole**: construction and tear strength, abrasion resistance, flexing resistance, resistance to hydrolysis, interlayer bond strength and resistance to hydrocarbon oils

PROTECTION CLASS		EN ISO 20345:2022										EN ISO 20347:2022						MINIMUM REQUIRED VALUES
		SB	S1	S2	S3	S3L	S3S	S6	S7	S7L	S7S	0B	01	02	03	03L	03S	
	Class	I o II	I	I	I	I	I	I	I	I	I	I o II	I	I	I	I	I	
	Closed seat region	0	X	X	X	X	X	X	X	X	X	0	X	X	X	X	X	
	Toe cap resistant to an impact of 200 Joules	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-	
	Cleated outsole	0	0	0	X	X	X	0	X	X	X	0	0	0	X	X	X	
P	Perforation resistance (metallic insert P) *	0	0	0	X	-	-	0	X	-	-	0	0	0	X	-	-	Perforation force ≥ 1100N
PL	Perforation resistance (non-metallic insert, test with nail, Ø 4.5 mm)	0	0	0	-	X	-	0	-	X	-	0	0	0	-	X	-	
PS	Perforation resistance (non-metallic insert, test with nail, Ø 3.0 mm)	0	0	0	-	-	X	0	-	-	X	0	0	0	-	-	X	
A	Antistatic footwear	0	X	X	X	X	X	X	X	X	X	0	X	X	X	X	X	Electrical resistance > 100 kΩ ≤ 1000 kΩ
HI	Heat insulation of insole complex	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Temperature increase ≤ 22 °C when placed on a plate at a temperature of 150 °C for 30'
CI	Cold insulation of insole complex	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Temperature decrease ≤ 10 °C in an environment at -17 °C for 30'
E	Energy absorption in heel area	0	X	X	X	X	X	X	X	X	X	0	X	X	X	X	X	> 20 Joules
WR	Water resistance	0	0	0	0	0	0	X	X	X	X	0	0	0	0	0	0	No water penetration
SC	Abrasion resistance of scuff cap	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	No hole throughout thickness after 8,000 cycles
SR	Slip resistance on ceramic floor with glycerin	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	Test on ceramic floor with glycerin.
WPA	Water penetration and absorption	0	0	X	X	X	X	-	-	-	-	0	0	X	X	X	X	H2O absorption after 60' ≤ 30%
HRO	Resistance to hot contact	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Contact at 300 °C for 60" - Does not melt
FO	Resistance to hydrocarbons	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Volume increase of sole sample < 12 %
LG	Ladder grip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Width of central outsole area > 35 mm

X	**Mandatory** requirement for protection class
O	**Optional** requirement added to mandatory ones, if marked on marking
–	**Not mandatory** requirement, check footwear stamping

Partially conductive footwear

Partially conductive footwear should be used if it is necessary to minimize electrostatic charges in the shortest possible time, e.g. when handling explosives.
Electrically conductive footwear should not be used if the risk of shock from any electrical apparatus or live parts with alternating or direct voltage has not been completely eliminated. In order to ensure that this footwear is partially conductive, it has been specified to have an upper limit of resistance of 100 kΩ in its new state

Antistatic footwear

Antistatic footwear must be used when there is the need to minimize the accumulation of electrostatic charges, so as to rule out the danger of combustion of flammable substances and vapours and in case the risk of electric shocks from live parts should persist. Antistatic footwear does not provide protection against electric shock, as it only creates an electrical resistance between the floor and the foot. If the danger of electric shock cannot be completely ruled out, additional precautions must be taken as part of a periodic plan for accident prevention in the workplace. For antistatic requirements to be met, the footwear must not be modified.

NB The certificates of the footwear certified in accordance with old standards will be effective until the expiration thereof.

EN ISO 20345:2011 S1P SRC

LINE	ITEM	REQUIREMENTS			RECOMMENDED SECTORS						
		ADDITIONAL REQUIREMENTS		METAL FREE	AUTOMOTIVE	BUILDING	ELECTRICITY	INDUSTRY	SERVICE LOGISTICS	EATING & PLUMBING	
FLEX	7212G	ESD		X	X		X	X	X	X	635
	7212B	ESD		X	X		X	X	X	X	634
	7213G	ESD		X	X		X	X	X	X	635
EASY PLUS	7222PEK			X	X	X	X	X	X	X	633
	7223PEK			X	X	X	X	X	X	X	633
BASIC	7241BK				X	X		X	X	X	630
	7243BK				X	X		X		X	630
	7246BK				X	X		X	X	X	632
	7247BK				X	X		X	X	X	632
EASY	7246E					X		X	X	X	629
TREKKING	7249GK	RS				X		X		X	638
ACTIVE	7314AF			X	X	X	X	X	X	X	639
	7316NB	ESD		X	X	X	X	X	X	X	639
	7316NG	ESD		X	X	X	X	X	X	X	640
	7317NA			X	X	X	X	X	X	X	640
0-GRAVITY	7352A	HRO		X	X		X	X	X	X	642
	7352B	HRO		X	X		X	X	X	X	642
	7352G	HRO ESD	X	X	X		X	X	X	X	642
	7353Y	HRO			X		X	X	X	X	643
	7372B	HRO	X	X	X		X	X	X	X	646
	7376A	HRO	X	X	X		X	X	X	X	646
0-GRAVITY LADY	7352LG	HRO		X	X		X	X	X	X	643

EN ISO 20347:2012 O1 SRC

0-GRAVITY	7362B	FO HRO		X	X		X	X			645

EN ISO 20345:2022 S1PS SR

0-GRAVITY	7371V	HRO FO ESD	X	X	X		X	X	X	X	645

EN ISO 20347:2012 O2 SRC

BASIC	7243FT	FO			X		X			X	631
0-GRAVITY	7363N	FO HRO		X	X		X	X			645

EN ISO 20345:2011 S3 SRC

LINE	ITEM	REQUIREMENTS			RECOMMENDED SECTORS								
		ADDITIONAL REQUIREMENTS		METAL FREE	AGRICULTURE	AUTOMOTIVE	BUILDING	INDUSTRY	ELECTRICITY	SERVICE LOGISTICS	OIL & GAS	EATING & PLUMBING	
FLEX	7214FN			X		X		X	X	X		X	635
	7214G	ESD		X		X		X	X	X	X	X	636
	7215FN			X		X		X	X	X		X	636
	7218FN	RS		X		X		X	X	X		X	636
	7218G	RS ESD		X		X		X	X	X	X	X	636
EASY PLUS	7220PEK			X	X	X	X	X	X	X		X	633
	7221PEK	RS		X	X	X	X	X	X	X		X	633
TREKKING	7236BK	RS			X		X	X				X	638
	7238WR	RS HRO WR			X		X	X				X	638
EASY	7241EN				X		X	X		X		X	629
	7243EN	RS			X		X	X				X	629
BASIC	7241CK				X	X	X	X		X		X	630
	7243CK	RS			X	X	X	X				X	631
	7243CR	RS HRO			X		X	X			X	X	631
	7245BK	RS			X	X	X	X				X	631
HEAVY DUTY	7293HM	HRO HI	X		X		X				X	X	647
	7294HM	HRO HI	X		X		X				X	X	647
	7294HMC	HRO HI CI WR	X		X		X				X	X	647
ACTIVE	7315AN			X		X	X	X	X	X		X	639
	7318AN			X		X	X	X	X	X		X	640
	7320NA			X	X	X	X	X	X	X		X	640
	7321NA	RS		X	X	X	X	X	X	X		X	641
	7322SA			X	X	X	X	X	X	X		X	641
	7323SA	RS		X	X	X	X	X	X	X		X	641
0-GRAVITY	7354N	HRO		X		X		X	X	X		X	643
	7355V	HRO		X		X		X	X	X		X	643
	7356G	HRO		X		X		X	X	X		X	644
	7357G	HRO		X		X		X	X	X		X	644
	7356V	HRO		X		X		X	X	X		X	644
	7357V	HRO		X		X		X	X	X		X	645
0-GRAVITY LADY	7356LN	HRO		X		X		X	X	X		X	644
0-GRAVITY	7381N	HRO WR	X	X	X	X	X	X	X	X	X	X	646
	7382N	HRO WR	X	X	X	X	X	X	X	X	X	X	646

EN ISO 20345:2011 S5 SRC

BASIC	7328A				X		X	X			X	X	632
	7328N				X		X	X			X	X	632

EASY

7241EN
leather shoe, water-repellent

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	230	58.00	1	072410835
36	3,5	237	58.00	1	072410836
37	4,5	244	58.00	1	072410837
38	5	250	58.00	1	072410838
39	6	257	58.00	1	072410839
40	6,5	264	58.00	1	072410840
41	7	270	58.00	1	072410841
42	8	277	58.00	1	072410842
43	9	284	58.00	1	072410843
44	10	290	58.00	1	072410844
45	10,5	297	58.00	1	072410845
46	11	304	58.00	1	072410846
47	12	310	58.00	1	072410847
48	13	317	58.00	1	072410848

CE S3 SRC

7243EN
leather ankle shoe, water-repellent, with quick opening system

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	230	59.50	1	072430835
36	3,5	237	59.50	1	072430836
37	4,5	244	59.50	1	072430837
38	5	250	59.50	1	072430838
39	6	257	59.50	1	072430839
40	6,5	264	59.50	1	072430840
41	7	270	59.50	1	072430841
42	8	277	59.50	1	072430842
43	9	284	59.50	1	072430843
44	10	290	59.50	1	072430844
45	10,5	297	59.50	1	072430845
46	11	304	59.50	1	072430846
47	12	310	59.50	1	072430847
48	13	317	59.50	1	072430848

CE S3 RS SRC

7246E
suede shoe, perforated

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	230	58.50	1	072460435
36	3,5	237	58.50	1	072460436
37	4,5	244	58.50	1	072460437
38	5	250	58.50	1	072460438
39	6	257	58.50	1	072460439
40	6,5	264	58.50	1	072460440
41	7	270	58.50	1	072460441
42	8	277	58.50	1	072460442
43	9	284	58.50	1	072460443
44	10	290	58.50	1	072460444
45	10,5	297	58.50	1	072460445
46	11	304	58.50	1	072460446
47	12	310	58.50	1	072460447
48	13	317	58.50	1	072460448

CE S1P SRC

BASIC

7241BK
leather shoe

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	65.50	1	072411235
36	3,5	235	65.50	1	072411236
37	4,5	242	65.50	1	072411237
38	5	248	65.50	1	072411238
39	6	255	65.50	1	072411239
40	6,5	262	65.50	1	072411240
41	7	268	65.50	1	072411241
42	8	275	65.50	1	072411242
43	9	282	65.50	1	072411243
44	10	288	65.50	1	072411244
45	10,5	295	65.50	1	072411245
46	11	302	65.50	1	072411246
47	12	308	65.50	1	072411247
48	13	315	65.50	1	072411248

CE S1P SRC

7241CK
leather shoe, water-repellent

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	69.50	1	072411535
36	3,5	235	69.50	1	072411536
37	4,5	242	69.50	1	072411537
38	5	248	69.50	1	072411538
39	6	255	69.50	1	072411539
40	6,5	262	69.50	1	072411540
41	7	268	69.50	1	072411541
42	8	275	69.50	1	072411542
43	9	282	69.50	1	072411543
44	10	288	69.50	1	072411544
45	10,5	295	69.50	1	072411545
46	11	302	69.50	1	072411546
47	12	308	69.50	1	072411547
48	13	315	69.50	1	072411548

CE S3 SRC

7243BK
leather ankle shoe

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	68.00	1	072431235
36	3,5	235	68.00	1	072431236
37	4,5	242	68.00	1	072431237
38	5	248	68.00	1	072431238
39	6	255	68.00	1	072431239
40	6,5	262	68.00	1	072431240
41	7	268	68.00	1	072431241
42	8	275	68.00	1	072431242
43	9	282	68.00	1	072431243
44	10	288	68.00	1	072431244
45	10,5	295	68.00	1	072431245
46	11	302	68.00	1	072431246
47	12	308	68.00	1	072431247
48	13	315	68.00	1	072431248

CE S1P SRC

7243CK

leather ankle shoe, water-repellent,
with quick opening system

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	**70.50**	1	072431335
36	3,5	235	**70.50**	1	072431336
37	4,5	242	**70.50**	1	072431337
38	5	248	**70.50**	1	072431338
39	6	255	**70.50**	1	072431339
40	6,5	262	**70.50**	1	072431340
41	7	268	**70.50**	1	072431341
42	8	275	**70.50**	1	072431342
43	9	282	**70.50**	1	072431343
44	10	288	**70.50**	1	072431344
45	10,5	295	**70.50**	1	072431345
46	11	302	**70.50**	1	072431346
47	12	308	**70.50**	1	072431347
48	13	315	**70.50**	1	072431348

CE **S3 RS SRC**

7243CR

leather ankle shoe, waterproof,
with durable rubber outsole
and quick opening system

- Steel toe cap
- Elastic steel penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	231	**99.50**	1	072430735
36	3,5	238	**99.50**	1	072430736
37	4,5	245	**99.50**	1	072430737
38	5	251	**99.50**	1	072430738
39	6	258	**99.50**	1	072430739
40	6,5	265	**99.50**	1	072430740
41	7	271	**99.50**	1	072430741
42	8	278	**99.50**	1	072430742
43	9	285	**99.50**	1	072430743
44	10	291	**99.50**	1	072430744
45	10,5	298	**99.50**	1	072430745
46	11	305	**99.50**	1	072430746
47	12	311	**99.50**	1	072430747
48	13	318	**99.50**	1	072430748

CE **S3 RS HRO SRC**

7243FT

leather ankle shoe, waterproof,
without toe cap and penetration proof insole

- Without toe cap
- Without penetration proof insole

EN ISO 20347 2012

EU	UK	mm	£		
35	2,5	228	**53.00**	1	072430635
36	3,5	235	**53.00**	1	072430636
37	4,5	242	**53.00**	1	072430637
38	5	248	**53.00**	1	072430638
39	6	255	**53.00**	1	072430639
40	6,5	262	**53.00**	1	072430640
41	7	268	**53.00**	1	072430641
42	8	275	**53.00**	1	072430642
43	9	282	**53.00**	1	072430643
44	10	288	**53.00**	1	072430644
45	10,5	295	**53.00**	1	072430645
46	11	302	**53.00**	1	072430646
47	12	308	**53.00**	1	072430647
48	13	315	**53.00**	1	072430648

CE **O2 FO SRC**

7245BK

lace-up leather ankle shoe, water-repellent, with quick opening system
and **front protection with strap closure**

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	**77.50**	1	072451235
36	3,5	235	**77.50**	1	072451236
37	4,5	242	**77.50**	1	072451237
38	5	248	**77.50**	1	072451238
39	6	255	**77.50**	1	072451239
40	6,5	262	**77.50**	1	072451240
41	7	268	**77.50**	1	072451241
42	8	275	**77.50**	1	072451242
43	9	282	**77.50**	1	072451243
44	10	288	**77.50**	1	072451244
45	10,5	295	**77.50**	1	072451245
46	11	302	**77.50**	1	072451246
47	12	308	**77.50**	1	072451247
48	13	315	**77.50**	1	072451248

CE **S3 RS SRC**

7246BK

suede shoe, perforated

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	69.50	1	072461235
36	3,5	235	69.50	1	072461236
37	4,5	242	69.50	1	072461237
38	5	248	69.50	1	072461238
39	6	255	69.50	1	072461239
40	6,5	262	69.50	1	072461240
41	7	268	69.50	1	072461241
42	8	275	69.50	1	072461242
43	9	282	69.50	1	072461243
44	10	288	69.50	1	072461244
45	10,5	295	69.50	1	072461245
46	11	302	69.50	1	072461246
47	12	308	69.50	1	072461247
48	13	315	69.50	1	072461248

CE S1P SRC

7247BK

leather sandal, perforated

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	67.50	1	072471235
36	3,5	235	67.50	1	072471236
37	4,5	242	67.50	1	072471237
38	5	248	67.50	1	072471238
39	6	255	67.50	1	072471239
40	6,5	262	67.50	1	072471240
41	7	268	67.50	1	072471241
42	8	275	67.50	1	072471242
43	9	282	67.50	1	072471243
44	10	288	67.50	1	072471244
45	10,5	295	67.50	1	072471245
46	11	302	67.50	1	072471246
47	12	308	67.50	1	072471247
48	13	315	67.50	1	072471248

CE S1P SRC

7328A

"top visibility" safety boot made from nitrile PVC. With self-cleaning anti-slip tread.

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
38	5	253	52.00	1	073280638
39	6	260	52.00	1	073280639
40	6.5	267	52.00	1	073280640
41	7	273	52.00	1	073280641
42	8	280	52.00	1	073280642
43	9	287	52.00	1	073280643
44	10	293	52.00	1	073280644
45	10.5	300	52.00	1	073280645
46	11	307	52.00	1	073280646
47	12	313	52.00	1	073280647

CE S5 SRC

7328N

safety boot made from nitrile PVC. With self-cleaning anti-slip tread.

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
38	5	253	52.00	1	073280838
39	6	260	52.00	1	073280839
40	6.5	267	52.00	1	073280840
41	7	273	52.00	1	073280841
42	8	280	52.00	1	073280842
43	9	287	52.00	1	073280843
44	10	293	52.00	1	073280844
45	10.5	300	52.00	1	073280845
46	11	307	52.00	1	073280846
47	12	313	52.00	1	073280847

CE S5 SRC

EASY PLUS

7220PEK

leather shoe, water-repellent, with nylon inserts and anti-abrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	**89.00**	1	072200235
36	3,5	235	**89.00**	1	072200236
37	4,5	242	**89.00**	1	072200237
38	5	248	**89.00**	1	072200238
39	6	255	**89.00**	1	072200239
40	6,5	262	**89.00**	1	072200240
41	7	268	**89.00**	1	072200241
42	8	275	**89.00**	1	072200242
43	9	282	**89.00**	1	072200243
44	10	288	**89.00**	1	072200244
45	10,5	295	**89.00**	1	072200245
46	11	302	**89.00**	1	072200246
47	12	308	**89.00**	1	072200247
48	13	315	**89.00**	1	072200248

CE

S3 SRC

7221PEK

leather ankle shoe, water-repellent, with nylon inserts, anti-abrasion reinforcement in toe cap area and quick opening system

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	**94.00**	1	072210235
36	3,5	235	**94.00**	1	072210236
37	4,5	242	**94.00**	1	072210237
38	5	248	**94.00**	1	072210238
39	6	255	**94.00**	1	072210239
40	6,5	262	**94.00**	1	072210240
41	7	268	**94.00**	1	072210241
42	8	275	**94.00**	1	072210242
43	9	282	**94.00**	1	072210243
44	10	288	**94.00**	1	072210244
45	10,5	295	**94.00**	1	072210245
46	11	302	**94.00**	1	072210246
47	12	308	**94.00**	1	072210247
48	13	315	**94.00**	1	072210248

CE

S3 RS SRC

7222PEK

suede shoe, perforated, with highly breathable mesh inserts

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	**86.50**	1	072220135
36	3,5	235	**86.50**	1	072220136
37	4,5	242	**86.50**	1	072220137
38	5	248	**86.50**	1	072220138
39	6	255	**86.50**	1	072220139
40	6,5	262	**86.50**	1	072220140
41	7	268	**86.50**	1	072220141
42	8	275	**86.50**	1	072220142
43	9	282	**86.50**	1	072220143
44	10	288	**86.50**	1	072220144
45	10,5	295	**86.50**	1	072220145
46	11	302	**86.50**	1	072220146
47	12	308	**86.50**	1	072220147
48	13	315	**86.50**	1	072220148

CE

S1P SRC

7223PEK

suede shoe with highly breathable mesh inserts and anti-abrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

METAL FREE

EU	UK	mm	£		
35	2,5	228	**93.00**	1	072230135
36	3,5	235	**93.00**	1	072230136
37	4,5	242	**93.00**	1	072230137
38	5	248	**93.00**	1	072230138
39	6	255	**93.00**	1	072230139
40	6,5	262	**93.00**	1	072230140
41	7	268	**93.00**	1	072230141
42	8	275	**93.00**	1	072230142
43	9	282	**93.00**	1	072230143
44	10	288	**93.00**	1	072230144
45	10,5	295	**93.00**	1	072230145
46	11	302	**93.00**	1	072230146
47	12	308	**93.00**	1	072230147
48	13	315	**93.00**	1	072230148

CE

S1P SRC

7212B

suede shoe, with mesh inserts, anti-abrasion insert in toe cap area
Remarkably flexible and lightweight - approximate weight for size 42: 490 g
Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

ESD

METAL FREE

EU	UK	mm	£		
35	2.5	228	**98.00**	1	072120235
36	3.5	235	**98.00**	1	072120236
37	4.5	242	**98.00**	1	072120237
38	5	248	**98.00**	1	072120238
39	6	255	**98.00**	1	072120239
40	6.5	262	**98.00**	1	072120240
41	7	268	**98.00**	1	072120241
42	8	275	**98.00**	1	072120242
43	9	282	**98.00**	1	072120243
44	10	288	**98.00**	1	072120244
45	10.5	295	**98.00**	1	072120245
46	11	302	**98.00**	1	072120246
47	12	308	**98.00**	1	072120247
48	13	315	**98.00**	1	072120248

CE

S1P SRC ESD



7212G

suede shoe, perforated. With anti-abrasion insert in toe cap area. Remarkably flexible and lightweight - approximate weight for size 42: 490 g Not recommended for heavy-duty jobs (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU		mm	£		
35	2.5	228	**98.00**	1	072120335
36	3.5	235	**98.00**	1	072120336
37	4.5	242	**98.00**	1	072120337
38	5	248	**98.00**	1	072120338
39	6	255	**98.00**	1	072120339
40	6.5	262	**98.00**	1	072120340
41	7	268	**98.00**	1	072120341
42	8	275	**98.00**	1	072120342
43	9	282	**98.00**	1	072120343
44	10	288	**98.00**	1	072120344
45	10.5	295	**98.00**	1	072120345
46	11	302	**98.00**	1	072120346
47	12	308	**98.00**	1	072120347
48	13	315	**98.00**	1	072120348

ESD METAL FREE

CE

S1P SRC ESD

7213G

suede shoe, perforated, with highly breathable mesh inserts Remarkably flexible and lightweight - approximate weight for size 42: 490 g Not recommended for heavy-duty jobs (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2.5	228	**98.00**	1	072130135
36	3.5	235	**98.00**	1	072130136
37	4.5	242	**98.00**	1	072130137
38	5	248	**98.00**	1	072130138
39	6	255	**98.00**	1	072130139
40	6.5	262	**98.00**	1	072130140
41	7	268	**98.00**	1	072130141
42	8	275	**98.00**	1	072130142
43	9	282	**98.00**	1	072130143
44	10	288	**98.00**	1	072130144
45	10.5	295	**98.00**	1	072130145
46	11	302	**98.00**	1	072130146
47	12	308	**98.00**	1	072130147
48	13	315	**98.00**	1	072130148

ESD METAL FREE

CE

S1P SRC ESD

7214FN

Action nubuck shoe, waterproof, with anti-abrasion insert in toe cap area Extremely flexible and lightweight - approximate weight size 42: 500 g Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	**110.00**	1	072140035
36	3,5	235	**110.00**	1	072140036
37	4,5	242	**110.00**	1	072140037
38	5	248	**110.00**	1	072140038
39	6	255	**110.00**	1	072140039
40	6,5	262	**110.00**	1	072140040
41	7	268	**110.00**	1	072140041
42	8	275	**110.00**	1	072140042
43	9	282	**110.00**	1	072140043
44	10	288	**110.00**	1	072140044
45	10,5	295	**110.00**	1	072140045
46	11	302	**110.00**	1	072140046
47	12	308	**110.00**	1	072140047
48	13	315	**110.00**	1	072140048

METAL FREE

CE

S3 SRC



7214G

Action nubuck shoe, water-repellent, with anti-abrasion insert in toe cap area Remarkably flexible and lightweight - approximate weight for size 42: 500 g Not recommended for heavy-duty jobs (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2.5	228	109.50	1	072140235
36	3.5	235	109.50	1	072140236
37	4.5	242	109.50	1	072140237
38	5	248	109.50	1	072140238
39	6	255	109.50	1	072140239
40	6.5	262	109.50	1	072140240
41	7	268	109.50	1	072140241
42	8	275	109.50	1	072140242
43	9	282	109.50	1	072140243
44	10	288	109.50	1	072140244
45	10.5	295	109.50	1	072140245
46	11	302	109.50	1	072140246
47	12	308	109.50	1	072140247
48	13	315	109.50	1	072140248

ESD METAL FREE

CE S3 SRC ESD

7215FN

Action nubuck moccasin, waterproof, with anti-abrasion insert in toe cap area Extremely flexible and lightweight - approximate weight, size 42: 490 g Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	114.00	1	072150135
36	3,5	235	114.00	1	072150136
37	4,5	242	114.00	1	072150137
38	5	248	114.00	1	072150138
39	6	255	114.00	1	072150139
40	6,5	262	114.00	1	072150140
41	7	268	114.00	1	072150141
42	8	275	114.00	1	072150142
43	9	282	114.00	1	072150143
44	10	288	114.00	1	072150144
45	10,5	295	114.00	1	072150145
46	11	302	114.00	1	072150146
47	12	308	114.00	1	072150147
48	13	315	114.00	1	072150148

METAL FREE

CE S3 SRC

7218FN

Action nubuck ankle shoe, water-repellent, with anti-abrasion insert in toe cap area and quick opening system Extremely flexible and lightweight - approximate weight, size 42: 510 g Not recommended for heavy-duty use (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	114.00	1	072180035
36	3,5	235	114.00	1	072180036
37	4,5	242	114.00	1	072180037
38	5	248	114.00	1	072180038
39	6	255	114.00	1	072180039
40	6,5	262	114.00	1	072180040
41	7	268	114.00	1	072180041
42	8	275	114.00	1	072180042
43	9	282	114.00	1	072180043
44	10	288	114.00	1	072180044
45	10,5	295	114.00	1	072180045
46	11	302	114.00	1	072180046
47	12	308	114.00	1	072180047
48	13	315	114.00	1	072180048

METAL FREE

CE S3 RS SRC

7218G

Action nubuck ankle shoe, water-repellent, with anti-abrasion insert in toe cap area and quick opening system Remarkably flexible and lightweight - approximate weight for size 42: 550 g Not recommended for heavy-duty jobs (building, agriculture, heavy industry)

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2.5	228	114.00	1	072180135
36	3.5	235	114.00	1	072180136
37	4.5	242	114.00	1	072180137
38	5	248	114.00	1	072180138
39	6	255	114.00	1	072180139
40	6.5	262	114.00	1	072180140
41	7	268	114.00	1	072180141
42	8	275	114.00	1	072180142
43	9	282	114.00	1	072180143
44	10	288	114.00	1	072180144
45	10.5	295	114.00	1	072180145
46	11	302	114.00	1	072180146
47	12	308	114.00	1	072180147
48	13	315	114.00	1	072180148

ESD METAL FREE

CE S3 RS SRC ESD

BASIC PLUS

7201BKK

full-grain leather ankle shoe, waterproof
NOT FOR SALE

- composite toe cap
- composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm		
35	2,5	228	1	072010435
36	3,5	235	1	072010436
37	4,5	242	1	072010437
38	5	248	1	072010438
39	6	255	1	072010439
40	6,5	262	1	072010440
41	7	268	1	072010441
42	8	275	1	072010442
43	9	282	1	072010443
44	10	288	1	072010444
45	10,5	295	1	072010445
46	11	302	1	072010446
47	12	308	1	072010447
48	13	315	1	072010448

CE S3 SRC

7210BKK

soft suede shoe, perforated
NOT FOR SALE

- composite toe cap
- composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm		
35	2,5	228	1	072100335
36	3,5	235	1	072100336
37	4,5	242	1	072100337
38	5	248	1	072100338
39	6	255	1	072100339
40	6,5	262	1	072100340
41	7	268	1	072100341
42	8	275	1	072100342
43	9	282	1	072100343
44	10	288	1	072100344
45	10,5	295	1	072100345
46	11	302	1	072100346
47	12	308	1	072100347
48	13	315	1	072100348



CE S1P SRC

7216BKK

soft suede sandal,
with strap closure
NOT FOR SALE

- composite toe cap
- composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm		
35	2,5	228	1	072160335
36	3,5	235	1	072160336
37	4,5	242	1	072160337
38	5	248	1	072160338
39	6	255	1	072160339
40	6,5	262	1	072160340
41	7	268	1	072160341
42	8	275	1	072160342
43	9	282	1	072160343
44	10	288	1	072160344
45	10,5	295	1	072160345
46	11	302	1	072160346
47	12	308	1	072160347
48	13	315	1	072160348



CE S1P SRC

TREKKING

7236BK

Action Nubuck ankle shoe, waterproof, with quick opening system and reinforcement polyurethane toe cap cover

- Steel toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	106.50	1	072360335
36	3,5	235	106.50	1	072360336
37	4,5	242	106.50	1	072360337
38	5	248	106.50	1	072360338
39	6	255	106.50	1	072360339
40	6,5	262	106.50	1	072360340
41	7	268	106.50	1	072360341
42	8	275	106.50	1	072360342
43	9	282	106.50	1	072360343
44	10	288	106.50	1	072360344
45	10,5	295	106.50	1	072360345
46	11	302	106.50	1	072360346
47	12	308	106.50	1	072360347
48	13	315	106.50	1	072360348

CE

S3 RS SRC

7238WR

suede ankle shoe with nylon inserts, durable rubber outsole and quick opening system
WR (water-resistant) footwear: after 1,000 steps in a tank with 3 cm of water, the wet internal surface has to be ≤3 cm2 (spot)

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	139.00	1	072380235
36	3,5	235	139.00	1	072380236
37	4,5	242	139.00	1	072380237
38	5	248	139.00	1	072380238
39	6	255	139.00	1	072380239
40	6,5	262	139.00	1	072380240
41	7	268	139.00	1	072380241
42	8	275	139.00	1	072380242
43	9	282	139.00	1	072380243
44	10	288	139.00	1	072380244
45	10,5	295	139.00	1	072380245
46	11	302	139.00	1	072380246
47	12	308	139.00	1	072380247
48	13	315	139.00	1	072380248

CE

S3 RS WR HRO SRC

7249GK

suede ankle shoe with nylon inserts, quick opening system and reinforcement polyurethane toe cap cover

- Steel toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	231	92.00	1	072490235
36	3,5	238	92.00	1	072490236
37	4,5	245	92.00	1	072490237
38	5	251	92.00	1	072490238
39	6	258	92.00	1	072490239
40	6,5	265	92.00	1	072490240
41	7	271	92.00	1	072490241
42	8	278	92.00	1	072490242
43	9	285	92.00	1	072490243
44	10	291	92.00	1	072490244
45	10,5	298	92.00	1	072490245
46	11	305	92.00	1	072490246
47	12	311	92.00	1	072490247
48	13	318	92.00	1	072490248

CE

S1P RS SRC

ACTIVE

7314AF

suede shoe
with nylon mesh and carbon inserts

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	141.50	1	073140235
36	3,5	235	141.50	1	073140236
37	4,5	242	141.50	1	073140237
38	5	248	141.50	1	073140238
39	6	255	141.50	1	073140239
40	6,5	262	141.50	1	073140240
41	7	268	141.50	1	073140241
42	8	275	141.50	1	073140242
43	9	282	141.50	1	073140243
44	10	288	141.50	1	073140244
45	10,5	295	141.50	1	073140245
46	11	302	141.50	1	073140246
47	12	308	141.50	1	073140247
48	13	315	141.50	1	073140248

METAL FREE

CE

S1P SRC

7315AN

suede and microfibre shoe,
water-repellent, with carbon inserts

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	164.00	1	073150535
36	3,5	235	164.00	1	073150536
37	4,5	242	164.00	1	073150537
38	5	248	164.00	1	073150538
39	6	255	164.00	1	073150539
40	6,5	262	164.00	1	073150540
41	7	268	164.00	1	073150541
42	8	275	164.00	1	073150542
43	9	282	164.00	1	073150543
44	10	288	164.00	1	073150544
45	10,5	295	164.00	1	073150545
46	11	302	164.00	1	073150546
47	12	308	164.00	1	073150547
48	13	315	164.00	1	073150548

METAL FREE

CE

S3 SRC

7316NB

mesh and suede shoe, highly breathable,
with heel stability support

- Composite toe cap
- Composite fibre penetration-proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2.5	228	109.50	1	073160735
36	3.5	235	109.50	1	073160736
37	4.5	242	109.50	1	073160737
38	5	248	109.50	1	073160738
39	6	255	109.50	1	073160739
40	6.5	262	109.50	1	073160740
41	7	268	109.50	1	073160741
42	8	275	109.50	1	073160742
43	9	282	109.50	1	073160743
44	10	288	109.50	1	073160744
45	10.5	295	109.50	1	073160745
46	11	302	109.50	1	073160746
47	12	308	109.50	1	073160747
48	13	315	109.50	1	073160748

ESD

METAL FREE

CE

S1P SRC ESD

7316NG

mesh and suede shoe, highly breathable,
with heel stability support

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK	mm	£		
35	2.5	228	109.50	1	073160635
36	3.5	235	109.50	1	073160636
37	4.5	242	109.50	1	073160637
38	5	248	109.50	1	073160638
39	6	255	109.50	1	073160639
40	6.5	262	109.50	1	073160640
41	7	268	109.50	1	073160641
42	8	275	109.50	1	073160642
43	9	282	109.50	1	073160643
44	10	288	109.50	1	073160644
45	10.5	295	109.50	1	073160645
46	11	302	109.50	1	073160646
47	12	308	109.50	1	073160647
48	13	315	109.50	1	073160648

CE

S1P SRC ESD

7317NA

suede shoe, perforated,
with microfibre reinforcement in heel area

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	103.00	1	073170135
36	3,5	235	103.00	1	073170136
37	4,5	242	103.00	1	073170137
38	5	248	103.00	1	073170138
39	6	255	103.00	1	073170139
40	6,5	262	103.00	1	073170140
41	7	268	103.00	1	073170141
42	8	275	103.00	1	073170142
43	9	282	103.00	1	073170143
44	10	288	103.00	1	073170144
45	10,5	295	103.00	1	073170145
46	11	302	103.00	1	073170146
47	12	308	103.00	1	073170147
48	13	315	103.00	1	073170148

CE

S1P SRC

7318AN

suede and microfibre ankle shoe,
water-repellent, with carbon inserts

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	167.00	1	073180535
36	3,5	235	167.00	1	073180536
37	4,5	242	167.00	1	073180537
38	5	248	167.00	1	073180538
39	6	255	167.00	1	073180539
40	6,5	262	167.00	1	073180540
41	7	268	167.00	1	073180541
42	8	275	167.00	1	073180542
43	9	282	167.00	1	073180543
44	10	288	167.00	1	073180544
45	10,5	295	167.00	1	073180545
46	11	302	167.00	1	073180546
47	12	308	167.00	1	073180547
48	13	315	167.00	1	073180548

CE

S3 SRC

7320NA

nubuck shoe, water-repellent,
with antiabrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK	mm	£		
35	2,5	228	108.50	1	073200435
36	3,5	235	108.50	1	073200436
37	4,5	242	108.50	1	073200437
38	5	248	108.50	1	073200438
39	6	255	108.50	1	073200439
40	6,5	262	108.50	1	073200440
41	7	268	108.50	1	073200441
42	8	275	108.50	1	073200442
43	9	282	108.50	1	073200443
44	10	288	108.50	1	073200444
45	10,5	295	108.50	1	073200445
46	11	302	108.50	1	073200446
47	12	308	108.50	1	073200447
48	13	315	108.50	1	073200448

CE

S3 SRC

7321NA

nubuck shoe, water-repellent,
with quick opening system and antiabrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011



CE

S3 RS SRC

EU	UK	mm	£		
35	2,5	228	112.00	1	073210435
36	3,5	235	112.00	1	073210436
37	4,5	242	112.00	1	073210437
38	5	248	112.00	1	073210438
39	6	255	112.00	1	073210439
40	6,5	262	112.00	1	073210440
41	7	268	112.00	1	073210441
42	8	275	112.00	1	073210442
43	9	282	112.00	1	073210443
44	10	288	112.00	1	073210444
45	10,5	295	112.00	1	073210445
46	11	302	112.00	1	073210446
47	12	308	112.00	1	073210447
48	13	315	112.00	1	073210448

7322SA

fabric shoe, highly resistant to abrasion,
with heel stability support

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011



CE

S3 SRC

EU	UK	mm	£		
35	2,5	228	117.50	1	073220435
36	3,5	235	117.50	1	073220436
37	4,5	242	117.50	1	073220437
38	5	248	117.50	1	073220438
39	6	255	117.50	1	073220439
40	6,5	262	117.50	1	073220440
41	7	268	117.50	1	073220441
42	8	275	117.50	1	073220442
43	9	282	117.50	1	073220443
44	10	288	117.50	1	073220444
45	10,5	295	117.50	1	073220445
46	11	302	117.50	1	073220446
47	12	308	117.50	1	073220447
48	13	315	117.50	1	073220448

7323SA

fabric ankle shoe, highly resistant to abrasion,
with quick opening system and heel stability support

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011



CE

S3 RS SRC

EU	UK	mm	£		
35	2,5	228	121.50	1	073230435
36	3,5	235	121.50	1	073230436
37	4,5	242	121.50	1	073230437
38	5	248	121.50	1	073230438
39	6	255	121.50	1	073230439
40	6,5	262	121.50	1	073230440
41	7	268	121.50	1	073230441
42	8	275	121.50	1	073230442
43	9	282	121.50	1	073230443
44	10	288	121.50	1	073230444
45	10,5	295	121.50	1	073230445
46	11	302	121.50	1	073230446
47	12	308	121.50	1	073230447
48	13	315	121.50	1	073230448



O-GRAVITY

ESSENTIAL

NUBES

EXTREME

7352A

mesh fabric shoe, highly breathable, with TPU inserts
Heel stability support, stretch slip-on collar
and EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight, size 42: 450 g

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	165.00	1	073520038
39	6	261	165.00	1	073520039
40	6,5	268	165.00	1	073520040
41	7	274	165.00	1	073520041
42	8	281	165.00	1	073520042
43	9	288	165.00	1	073520043
44	10	294	165.00	1	073520044
45	10,5	301	165.00	1	073520045
46	11	308	165.00	1	073520046
47	12	314	165.00	1	073520047
48	13	321	165.00	1	073520048

CE S1P HRO SRC

7352B

mesh fabric shoe, highly breathable, with TPU inserts
Heel stability support, stretch slip-on collar
and EVA outsole with durable nitrile rubber tread

• Composite toe cap• Composite fibre penetration-proof insole• REMARKABLY LIGHTWEIGHT: approximate weight, size 42: 450 g

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	165.00	1	073520138
39	6	261	165.00	1	073520139
40	6,5	268	165.00	1	073520140
41	7	274	165.00	1	073520141
42	8	281	165.00	1	073520142
43	9	288	165.00	1	073520143
44	10	294	165.00	1	073520144
45	10,5	301	165.00	1	073520145
46	11	308	165.00	1	073520146
47	12	314	165.00	1	073520147
48	13	321	165.00	1	073520148

CE S1P HRO SRC

7352G

mesh fabric shoe, highly breathable, with TPU inserts
Heel stability support, traditional lacing, wide fit.
EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 450 grams

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	166.50	1	073520338
39	6	261	166.50	1	073520339
40	6,5	268	166.50	1	073520340
41	7	274	166.50	1	073520341
42	8	281	166.50	1	073520342
43	9	288	166.50	1	073520343
44	10	294	166.50	1	073520344
45	10,5	301	166.50	1	073520345
46	11	308	166.50	1	073520346
47	12	314	166.50	1	073520347
48	13	321	166.50	1	073520348

CE S1P HRO SRC ESD

7352LG

women's mesh fabric shoe, highly breathable, with TPU inserts
High-visibility reflective mesh upper
Heel stability support, stretch slip-on collar
and EVA outsole with durable nitrile rubber tread

• Fibreglass toe cap
• Composite fibre penetration proof insole
• REMARKABLY LIGHTWEIGHT: approximate weight for size 38: 390 grams

EN ISO 20345 2011

METAL FREE

EU	UK	mm	£		
34	2	228	170.50	1	073520234
35	2,5	234	170.50	1	073520235
36	3,5	241	170.50	1	073520236
37	4,5	248	170.50	1	073520237
38	5	254	170.50	1	073520238
39	6	261	170.50	1	073520239
40	6,5	268	170.50	1	073520240
41	7	274	170.50	1	073520241
42	8	281	170.50	1	073520242

CE S1P HRO SRC

7353Y

mesh fabric shoe, highly breathable, with TPU inserts
High-visibility reflective mesh upper
Heel stability support, stretch slip-on collar and EVA outsole
with durable nitrile rubber tread

• Carbon fibre toe cap• Composite fibre penetration-proof insole• REMARKABLY LIGHTWEIGHT: approximate weight, size 42: 420 g

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	223.50	1	073530038
39	6	261	223.50	1	073530039
40	6,5	268	223.50	1	073530040
41	7	274	223.50	1	073530041
42	8	281	223.50	1	073530042
43	9	288	223.50	1	073530043
44	10	294	223.50	1	073530044
45	10,5	301	223.50	1	073530045
46	11	308	223.50	1	073530046
47	12	314	223.50	1	073530047
48	13	321	223.50	1	073530048

CE S1P HRO SRC

7354N

mesh fabric shoe, waterproof, with TPU inserts
Heel stability support, stretch slip-on collar and EVA outsole
with durable nitrile rubber tread

• Composite toe cap• Composite fibre penetration-proof insole• REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 460 g

EN ISO 20345 2011

METAL FREE

EU	UK	mm	£		
38	5	254	176.00	1	073540038
39	6	261	176.00	1	073540039
40	6,5	268	176.00	1	073540040
41	7	274	176.00	1	073540041
42	8	281	176.00	1	073540042
43	9	288	176.00	1	073540043
44	10	294	176.00	1	073540044
45	10,5	301	176.00	1	073540045
46	11	308	176.00	1	073540046
47	12	314	176.00	1	073540047
48	13	321	176.00	1	073540048

CE S3 HRO SRC

7355V

mesh fabric ankle shoe, waterproof, with TPU inserts
Heel stability support, stretch slip-on collar and EVA outsole
with durable nitrile rubber tread

• Composite toe cap• Composite fibre penetration-proof insole• REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 465 g

EN ISO 20345 2011

METAL FREE

EU	UK	mm	£		
38	5	254	186.50	1	073550038
39	6	261	186.50	1	073550039
40	6,5	268	186.50	1	073550040
41	7	274	186.50	1	073550041
42	8	281	186.50	1	073550042
43	9	288	186.50	1	073550043
44	10	294	186.50	1	073550044
45	10,5	301	186.50	1	073550045
46	11	308	186.50	1	073550046
47	12	314	186.50	1	073550047
48	13	321	186.50	1	073550048

CE S3 HRO SRC

7356G

microfibre shoe, water-repellent, with TPU inserts
Heel stability support, stretch slip-on collar
and EVA sole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 460 grams

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	181.00	1	073560038
39	6	261	181.00	1	073560039
40	6,5	268	181.00	1	073560040
41	7	274	181.00	1	073560041
42	8	281	181.00	1	073560042
43	9	288	181.00	1	073560043
44	10	294	181.00	1	073560044
45	10,5	301	181.00	1	073560045
46	11	308	181.00	1	073560046
47	12	314	181.00	1	073560047
48	13	321	181.00	1	073560048

CE S3 HRO SRC

7356V

microfibre shoe, water-repellent, with TPU inserts
Heel stability support, stretch slip-on collar
and EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 460 grams

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	181.00	1	073560138
39	6	261	181.00	1	073560139
40	6,5	268	181.00	1	073560140
41	7	274	181.00	1	073560141
42	8	281	181.00	1	073560142
43	9	288	181.00	1	073560143
44	10	294	181.00	1	073560144
45	10,5	301	181.00	1	073560145
46	11	308	181.00	1	073560146
47	12	314	181.00	1	073560147
48	13	321	181.00	1	073560148

CE S3 HRO SRC

7356LN

women's microfibre shoe, water-repellent, with TPU inserts
Heel stability support, stretch slip-on collar
and EVA outsole with durable nitrile rubber tread

- Fibreglass toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 38: 400 grams

EN ISO 20345 2011

EU	UK	mm	£		
34	2	228	174.00	1	073560234
35	2,5	234	174.00	1	073560235
36	3,5	241	174.00	1	073560236
37	4,5	248	174.00	1	073560237
38	5	254	174.00	1	073560238
39	6	261	174.00	1	073560239
40	6,5	268	174.00	1	073560240
41	7	274	174.00	1	073560241
42	8	281	174.00	1	073560242

CE S3 HRO SRC

7357G

microfibre ankle shoe, water-repellent, with TPU inserts
Heel stability support, stretch slip-on collar and EVA sole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 480 grams

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	201.50	1	073570038
39	6	261	201.50	1	073570039
40	6,5	268	201.50	1	073570040
41	7	274	201.50	1	073570041
42	8	281	201.50	1	073570042
43	9	288	201.50	1	073570043
44	10	294	201.50	1	073570044
45	10,5	301	201.50	1	073570045
46	11	308	201.50	1	073570046
47	12	314	201.50	1	073570047
48	13	321	201.50	1	073570048

CE S3 HRO SRC

7357V

microfibre ankle shoe, water-repellent, with TPU inserts
Heel stability support, stretch-slip on collar
and EVA outsole with durable nitrile rubber tread

- Composite toe cap
- Composite fibre penetration proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 480 grams

EN ISO 20345 2011

EU	UK	mm	£		
38	5	254	201.50	1	073570138
39	6	261	201.50	1	073570139
40	6,5	268	201.50	1	073570140
41	7	274	201.50	1	073570141
42	8	281	201.50	1	073570142
43	9	288	201.50	1	073570143
44	10	294	201.50	1	073570144
45	10,5	301	201.50	1	073570145
46	11	308	201.50	1	073570146
47	12	314	201.50	1	073570147
48	13	321	201.50	1	073570148

CE

S3 HRO SRC

7362B

occupational shoe, made of mesh fabric, highly breathable, with TPU inserts
Heel stability support, stretch slip-on collar and EVA sole with durable nitrile rubber tread

- Without toe cap
- Without penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 330 grams

EN ISO 20347 2012

EU	UK	mm	£		
39	6	261	147.00	1	073620039
40	6,5	268	147.00	1	073620040
41	7	274	147.00	1	073620041
42	8	281	147.00	1	073620042
43	9	288	147.00	1	073620043
44	10	294	147.00	1	073620044
45	10,5	301	147.00	1	073620045
46	11	308	147.00	1	073620046
47	12	314	147.00	1	073620047
48	13	321	147.00	1	073620048

CE

O1 FO HRO SRC

7363N

occupational shoe, made of mesh fabric, water-repellent, with TPU inserts
Heel stability support, stretch slip-on collar and EVA sole with durable nitrile rubber tread

- Without toe cap
- Without penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 330 grams

EN ISO 20347 2012

EU	UK	mm	£		
39	6	261	154.00	1	073630039
40	6,5	268	154.00	1	073630040
41	7	274	154.00	1	073630041
42	8	281	154.00	1	073630042
43	9	288	154.00	1	073630043
44	10	294	154.00	1	073630044
45	10,5	301	154.00	1	073630045
46	11	308	154.00	1	073630046
47	12	314	154.00	1	073630047
48	13	321	154.00	1	073630048

CE

O2 FO HRO SRC

7371V

mesh fabric shoe, ultrabreathable.
Heel stability support, traditional lacing, wide fit.
EVA outsole with durable nitrile rubber tread.

- Composite toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight, size 42: 450 g

EN ISO 20345 2022

EU	UK	mm	£		
38	5	254	177.50	1	073710038
39	6	261	177.50	1	073710039
40	6.5	268	177.50	1	073710040
41	7	274	177.50	1	073710041
42	8	281	177.50	1	073710042
43	9	288	177.50	1	073710043
44	10	294	177.50	1	073710044
45	10.5	301	177.50	1	073710045
46	11	308	177.50	1	073710046
47	12	314	177.50	1	073710047
48	13	321	177.50	1	073710048

CE

S1PS HRO FO SR ESD

7372B

woven fabric shoe, hard-wearing and ultrabreathable.
Heel stability support, traditional lacing, wide fit.
EVA outsole with durable nitrile rubber tread.

- Composite toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 450 g

EN ISO 20345 2011

EU	UK		£		
38	5	254	171.00	1	073720038
39	6	261	171.00	1	073720039
40	6.5	268	171.00	1	073720040
41	7	274	171.00	1	073720041
42	8	281	171.00	1	073720042
43	9	288	171.00	1	073720043
44	10	294	171.00	1	073720044
45	10.5	301	171.00	1	073720045
46	11	308	171.00	1	073720046
47	12	314	171.00	1	073720047
48	13	321	171.00	1	073720048

CE S1P HRO SRC

7376A

microfibre and mesh sandal, perforated, and highly breathable
Heel stability support, traditional lacing, stretch-laced, wide fit.
EVA outsole with durable nitrile rubber tread.

- Composite toe cap
- Composite fibre penetration-proof insole
- REMARKABLY LIGHTWEIGHT: approximate weight for size 42: 490 g

EN ISO 20345 2011

EU	UK		£		
38	5	254	179.00	1	073760038
39	6	261	179.00	1	073760039
40	6.5	268	179.00	1	073760040
41	7	274	179.00	1	073760041
42	8	281	179.00	1	073760042
43	9	288	179.00	1	073760043
44	10	294	179.00	1	073760044
45	10.5	301	179.00	1	073760045
46	11	308	179.00	1	073760046
47	12	314	179.00	1	073760047
48	13	321	179.00	1	073760048

CE S1P HRO SRC

7381N

waterproof shoe made from highly abrasion-resistant fabric, with TPU inserts. Heel stability support, traditional lacing, wide fit. EVA outsole with durable nitrile rubber tread.

- Composite toe cap
- Composite fibre penetration-proof insole
- Beta TECH waterproofing membrane, with bootie system
- LIGHTWEIGHT: approximate weight for size 42: 500 g

EN ISO 20345 2011

EU	UK		£		
38	5	254	215.00	1	073810038
39	6	261	215.00	1	073810039
40	6,5	268	215.00	1	073810040
41	7	274	215.00	1	073810041
42	8	281	215.00	1	073810042
43	9	288	215.00	1	073810043
44	10	294	215.00	1	073810044
45	10,5	301	215.00	1	073810045
46	11	308	215.00	1	073810046
47	12	314	215.00	1	073810047
48	13	321	215.00	1	073810048

CE S3 SRC HRO WR

7382N

waterproof ankle shoe, made from highly abrasion-resistant fabric, with TPU inserts. Heel stability support, traditional lacing, wide fit. EVA outsole with durable nitrile rubber tread.

- Composite toe cap
- Composite fibre penetration-proof insole
- Beta TECH waterproofing membrane, with bootie system
- LIGHTWEIGHT: approximate weight for size 42: 550 g

EN ISO 20345 2011

EU	UK		£		
38	5	254	242.00	1	073820038
39	6	261	242.00	1	073820039
40	6,5	268	242.00	1	073820040
41	7	274	242.00	1	073820041
42	8	281	242.00	1	073820042
43	9	288	242.00	1	073820043
44	10	294	242.00	1	073820044
45	10,5	301	242.00	1	073820045
46	11	308	242.00	1	073820046
47	12	314	242.00	1	073820047
48	13	321	242.00	1	073820048

CE S3 SRC HRO WR

HEAVY DUTY

7293HM

greased full-grain leather shoe, water-repellent,
with high-performance VIBRAM® rubber tread, anti-abrasion insert on heel area
and reinforcement polyurethane toe cap cover

- Fibreglass toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK		£		
39	6	263	248.00	1	072930639
40	6,5	270	248.00	1	072930640
41	7	276	248.00	1	072930641
42	8	283	248.00	1	072930642
43	9	289	248.00	1	072930643
44	10	296	248.00	1	072930644
45	10,5	302	248.00	1	072930645
46	11	309	248.00	1	072930646
47	12	315	248.00	1	072930647
48	13	322	248.00	1	072930648

CE S3 HRO HI SRC

7294HM

greased full-grain leather ankle shoe, water-repellent,
with high-performance VIBRAM® rubber tread, anti-abrasion insert on heel area
and reinforcement polyurethane toe cap cover

- Fibreglass toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK		£		
39	6	263	265.00	1	072940639
40	6,5	270	265.00	1	072940640
41	7	276	265.00	1	072940641
42	8	283	265.00	1	072940642
43	9	289	265.00	1	072940643
44	10	296	265.00	1	072940644
45	10,5	302	265.00	1	072940645
46	11	309	265.00	1	072940646
47	12	315	265.00	1	072940647
48	13	322	265.00	1	072940648

CE S3 HRO HI SRC

7294HMC

greased full-grain leather ankle shoe, water-repellent,
with high-performance VIBRAM® rubber tread, anti-abrasion insert on heel area and reinforcement polyurethane toe cap cover.
With Tepor membrane, waterproof, windproof, highly breathable

- Fibreglass toe cap
- Composite fibre penetration proof insole

EN ISO 20345 2011

EU	UK		£		
39	6	263	296.00	1	072940739
40	6,5	270	296.00	1	072940740
41	7	276	296.00	1	072940741
42	8	283	296.00	1	072940742
43	9	289	296.00	1	072940743
44	10	296	296.00	1	072940744
45	10,5	302	296.00	1	072940745
46	11	309	296.00	1	072940746
47	12	315	296.00	1	072940747
48	13	322	296.00	1	072940748

CE S3 HRO HI CI WR SRC

ACCESSORIES

7398 0/G

anatomically shaped underfoot covers made of EVA foam,
with cushioning heel pad
(spare part recommended for 0-Gravity footwear range)

EU	UK	£		
38	5	9.15	1	073981238
39	6	9.15	1	073981239
40	6,5	9.15	1	073981240
41	7	9.15	1	073981241
42	8	9.15	1	073981242
43	9	9.15	1	073981243
44	10	9.15	1	073981244
45	10,5	9.15	1	073981245
46	11	9.15	1	073981246
47	12	9.15	1	073981247
48	13	9.15	1	073981248

7398ESD

anatomically shaped, breathable underfoot cover, antibacterial top layer preventing bad odours.
Replacement for ESD (ElectroStatic Discharge) certified footwear

EU	UK	£		
35	2.5	10.40	1	073981435
36	3.5	10.40	1	073981436
37	4.5	10.40	1	073981437
38	5	10.40	1	073981438
39	6	10.40	1	073981439
40	6.5	10.40	1	073981440
41	7	10.40	1	073981441
42	8	10.40	1	073981442
43	9	10.40	1	073981443
44	10	10.40	1	073981444
45	10.5	10.40	1	073981445
46	11	10.40	1	073981446
47	12	10.40	1	073981447
48	13	10.40	1	073981448

7398T

anatomically shaped underfoot covers WINTHERM insulation. 70% aluminized polyester, 30% polyethylene, bonded to non-woven synthetic fibres.
Antistatic, breathable, rapidly absorbing, anti-odour, antibacterial, antifungicide.

WINDTHERM

EU	UK	£		
35	2,5	19.00	1	073981335
36	3,5	19.00	1	073981336
37	4,5	19.00	1	073981337
38	5	19.00	1	073981338
39	6	19.00	1	073981339
40	6,5	19.00	1	073981340
41	7	19.00	1	073981341
42	8	19.00	1	073981342
43	9	19.00	1	073981343
44	10	19.00	1	073981344
45	10,5	19.00	1	073981345
46	11	19.00	1	073981346
47	12	19.00	1	073981347
48	13	19.00	1	073981348

7398U

anatomically shaped underfoot covers made of TPR GEL with high cushioning effect, plantar arch support and heel pad

EU	UK	£		
36 - 40	3,5 - 6,5	16.40	1	073980058
41 - 46	7 - 11	16.40	1	073980063

7398UP

anatomically shaped underfoot covers made of citrus-fragrant TPE GEL, with plantar arch support

EU	UK	£		
36 - 40	3,5 - 6	15.30	1	073980076
41 - 46	7 - 11	15.30	1	073980081

7398GEL

anatomically shaped underfoot covers with gel insets

EU	UK	£		
35	2,5	5.65	1	073980835
36	3,5	5.65	1	073980836
37	4,5	5.65	1	073980837
38	5	5.65	1	073980838
39	6	5.65	1	073980839
40	6,5	5.65	1	073980840
41	7	5.65	1	073980841
42	8	5.65	1	073980842
43	9	5.65	1	073980843
44	10	5.65	1	073980844
45	10,5	5.65	1	073980845
46	11	5.65	1	073980846
47	12	5.65	1	073980847
48	13	5.65	1	073980848

7398EF

anatomically shaped underfoot covers made of polyurethane foam,
with cushioning heel lift

EU	UK	£		
35	2,5	9.25	1	073981135
36	3,5	9.25	1	073981136
37	4,5	9.25	1	073981137
38	5	9.25	1	073981138
39	6	9.25	1	073981139
40	6,5	9.25	1	073981140
41	7	9.25	1	073981141
42	8	9.25	1	073981142
43	9	9.25	1	073981143
44	10	9.25	1	073981144
45	10,5	9.25	1	073981145
46	11	9.25	1	073981146
47	12	9.25	1	073981147
48	13	9.25	1	073981148

7399 A/N...

pack of 10 pairs of laces

cm	£		
100	21.30	1	073990010
120	24.20	1	073990012
140	24.80	1	073990017

Prices refer to 10 pairs

7421

knee-length socks made from elastic compression terry,
with nylon and cotton reinforcements on toe and heel areas
Soles made from hard-wearing, antimycotic, breathable bamboo fibre

	EU	£		
M	39-42	22.00	1	074210002
L	43-46	22.00	1	074210004

7422P

calf-length socks made from recycled terry cotton, with tremor-effect terry cloth in toe and heel areas
2 pairs
colour variants:
black with grey, orange and brown inserts
grey with black, orange and brown inserts

	EU	£		
M	39-42	15.00	1	074220102
L	43-46	15.00	1	074220104

7425

ankle-length socks with breathable texture inserts and nylon/cotton reinforcements on toe and heel areas
Soles made from nylon woven with hard-wearing, antimycotic, breathable bamboo fibre

	EU	£		
M	39-42	14.10	1	074250002
L	43-46	14.10	1	074250004

7426P

maxi sneaker socks made from recycled terry cotton, with terry cotton in sole area and tremor effect in toe and heel areas
2 pairs
colour variants:
grey with black and electric blue inserts
black with electric blue and grey inserts

	EU	£		
M	39-42	14.00	1	074260102
L	43-46	14.00	1	074260104

7427

maxi sneaker socks with protective, breathable inserts on shinbone and instep areas.
Nylon and cotton reinforcements on toe and heel areas and soles made from hard-wearing, antimycotic, breathable fibre

	EU	£		
M	39-42	12.70	1	074270002
L	43-46	12.70	1	074270004

7430T

sneaker socks made from recycled cotton, with tremor-effect terry cloth in toe and heel areas
3 pairs
colour variants:
melange grey with black and bordeaux inserts
black with grey inserts
melange grey with black inserts

	EU	£		
M	39-42	18.00	1	074300202
L	43-46	18.00	1	074300204

7431P

two pairs of sneaker socks with breathable texture inserts and nylon/cotton reinforcements on toe and heel areas

Soles made from nylon woven with hard-wearing, antimycotic, breathable bamboo fibre. One pair in black/orange colour and one pair in black/grey colour.

	EU	£		
M	39-42	11.10	1	074310102
L	43-46	11.10	1	074310104

WORKWEAR

Over the years the workwear line has gained confidence and popularity among the most demanding professionals.
The success of the product has translated into the ongoing development and expansion of the range.

The items of clothing produced by Beta Utensili S.p.a. comply with the following standard: **EN ISO 13688:2013**
Personal protective equipment protects the user from limited physical hazards, including small abrasions, sunbeams, wind, cold, non-harmful powders and dirt from nontoxic materials. Such protection is related to the first category of Italian Parliamentary Bill n°. 475 of 04/12/1992.

USE AND STORAGE INSTRUCTIONS

The garment should be worn correctly, so that it can protect the user's body parts. It should be stored in a cool, dry place, in its original packaging, away from heat sources, sunlight, dust and adverse weather.

SHRINKAGE

All natural fibres shrink after being washed.
The degree of shrinkage may range from 1% to 5%, depending on several parameters, which include the type of fibres and the temperature of water.

SIZE CORRESPONDENCE

MEN'S CLOTHING

	I	F	D	E	UK	USA
XS	46	38	42	40	30	32
S	48	40	44	42	32	34
M	50	42	46	44	34	36
L	52	44	48	46	36	38
XL	54	46	50	48	38	40
2XL	56	48	52	50	40	42
3XL	58	50	54	52	42	44
4XL	60	52	56	54	44	46
5XL	62	54	58	56	46	48

WOMEN'S CLOTHING

	I	F	D	E	UK	USA
XS	38	34	32	34	6	2
S	40	36	34	36	8	4
M	42	38	36	38	10	6
L	44	40	38	40	12	8
XL	46	42	40	42	14	10
2XL	48	44	42	44	16	12
3XL	50	46	44	46	18	14

ANATOMICAL SIZES EN ISO 13688:2013



MEN'S CLOTHING

	XS	S	M	L	XL	2XL	3XL	4XL	5XL
A	88-92	92-96	96-104	104-108	108-116	116-124	124-132	132-140	140-148
B	79-83	83-87	87-91	91-95	95-100	100-107	107-112	112-120	120-128
H	158-164	164-170	170-176	176-182	182-188	188-194	194-200	200-206	206-212



WOMEN'S CLOTHING

	XS	S	M	L	XL	2XL	3XL
B	72-77	77-82	82-87	87-93	93-99	99-105	105-111
H	162-165	164-167	168-171	170-173	172-175	174-177	176-179

GUIDE TO CHOOSING CLOTHING – PRICE LIST 2024

Category	Line	Item Number	Page	Colour	Recommended combinations (same fabric and colour as trousers)									
					Bermuda shorts	Page	Bib and brace	Page	Overalls	Page	Sleeveless jacket	Page	Jacket	Page
WORK TROUSERS, LIGHTWEIGHT	7610G	Trekking	653		7611G	657								
	7610N		653											
	7660B	Top Line	653		7661B	657								
	7660G		653		7661G	657								
	7830SN	Stretch	654		7831SN	657								
	7860G	Beta Easy	655		7861G	658	7863G	658	7865G	659	7867G	661	7869G	660
	7860B		655		7861B	658			7865B	659	7867B	661		
	7930MG	Cotton	656		7931MG	658			7935MG	659	7937MG	662		
WORK TROUSERS, 4 SEASONS	7600G	Trekking	652											
	7600N		652											
	7650	Top Line	653										7653G	660
	7650B		653											
	7818BL		654											
	7818CM		654		7815CM	657								
	7818G		654											
	7819G		654											
	7830ST	Stretch	655		7831ST	657								
	7840BL	Beta Easy	655										7849BL	660
	7850G		655											
	7880SC	Stretch	655											
	7900B	Beta Easy	656										7909B	660
	7900G		656		7901G	658	7903G	659	7905G	659	7907G	662	7909G	660
	7900P		656				7903P	659					7909P	660
	7900V		656										7909V	660
	7940	Multiprotection	656										7949	661
	7818LN	Lady	654											

GUIDE TO CHOOSING CLOTHING – PRICE LIST 2024

Category	Item Number	Line	Page	Colour	Recommended combinations (same fabric and colour as trousers)									
					Bermuda shorts	Page	Bib&braces	Page	Overalls	Page	Sleeveless jacket	Page	Jacket	Page
WORK JEANS	7530		652											
	7528		652		**7529**	657								
	7527		652											
POLO SHIRTS	7547AZ		664		MATCH ALL OTHER ITEMS ACCORDING TO COLOUR COMBINATIONS									
	7547BL		665											
	7547G		665											
	7547N		665											
	7547R		665											
	7557BL		666											
T-SHIRTS	7548M		665		MATCH ALL OTHER ITEMS ACCORDING TO COLOUR COMBINATIONS									
	7548C		665											
	7549AZ		665											
	7549BL		665											
	7549G		665											
	7549N		666											
	7549NE		666											
	7549R		666											
	7550G	Top Line	666											
	7550N	Top Line	666											
SHIRTS	7545F		664											
SWEATSHIRTS	7637G		663		MATCH ALL OTHER ITEMS ACCORDING TO COLOUR COMBINATIONS									
	7642G		663											
	7664G	Top Line	664											
	7664N	Top Line	664											
	7665G	Top Line	664											
	7665N	Top Line	664											
FLEECE/ MICROFLEECE PULLOVERS	7636N		663											
	7654B	Top Line	663											
	7654N	Top Line	664											
	7657B	Top Line	664											
	7657N	Top Line	667											
SLEEVELESS JACKETS	7575N		661		MATCH ALL OTHER ITEMS ACCORDING TO COLOUR COMBINATIONS									
	7579QN		661											
	7673NG	Top Line	661											
JACKETS AND SOFTSHELLS	7658CM	Top Line	662		MATCH ALL OTHER ITEMS ACCORDING TO COLOUR COMBINATIONS									
	7659N	Top Line	662											
	7669N	Top Line	662											
PADDED JACKETS	7670G	Top Line	662		MATCH ALL OTHER ITEMS ACCORDING TO COLOUR COMBINATIONS									
	7674NG	Top Line	663											
	7780QN		663											
	7750N		663											

GUIDE TO CHOOSING CLOTHING – PRICE LIST 2024

Category	Item Number	Item type	Page	Colour	Recommended combinations (same fabric and colour as trousers)									
					Bermuda shorts	Page	Bib&braces	Page	Overalls	Page	Sleeveless jacket	Page	Jacket	Page
RAINPROOF CLOTHING	7970	Trousers	666										**7979**	667
	7971L	Trousers	667										**7978L**	667
	7981N	Rainproof hat	668											
ACCESSORIES	7980NC	Cap	668											
	7980RN	Cap	668											
	7980L	Cap with light	668											
	7982N	Cap	668											
	7984EG	Belt	668											
	7984G	Belt	668											
	7985N	Snood	668											
	7996N	Technical underwear set	667											



7527

work jeans,
made from 70% cotton, 27% polyester and 3% stretch fabric
Regular fit

		£		
XS	46	77.00	1	075270046
S	48	77.00	1	075270048
M	50	77.00	1	075270050
L	52	77.00	1	075270052
XL	54	77.00	1	075270054
XXL	56	77.00	1	075270056
XXXL	58	77.00	1	075270058

7528

stretch work jeans trousers,
98% cotton, 2% stretch fabric,
slim fit

		£		
XS	46	80.00	1	075280046
S	48	80.00	1	075280048
M	50	80.00	1	075280050
L	52	80.00	1	075280052
XL	54	80.00	1	075280054
XXL	56	80.00	1	075280056
XXXL	58	80.00	1	075280058

7530

stretch work jeans,
98% cotton and 2% stretch fabric, with polyester reinforcements
Slim fit

		£		
XS	46	95.00	1	075300046
S	48	95.00	1	075300048
M	50	95.00	1	075300050
L	52	95.00	1	075300052
XL	54	95.00	1	075300054
XXL	56	95.00	1	075300056
XXXL	58	95.00	1	075300058

7600G

"work trekking" trousers, HEAVY,
90% nylon, 10% stretch fabric, 265 g/m²,
reinforced fabric on knees and back, stretch leg bottoms with vertical zip closure
Dark grey, with fluorescent green details
Slim fit

		£		
XS	46	112.00	1	076000000
S	48	112.00	1	076000001
M	50	112.00	1	076000002
L	52	112.00	1	076000003
XL	54	112.00	1	076000004
XXL	56	112.00	1	076000005
XXXL	58	112.00	1	076000006

7600N

"work trekking" trousers, HEAVY
90% nylon, 10% stretch fabric, 265 g/m²,
reinforced fabric on knees and back, stretch leg bottoms with vertical zip closure
Black with fluorescent green details
Slim fit

		£		
XS	46	112.00	1	076000100
S	48	112.00	1	076000101
M	50	112.00	1	076000102
L	52	112.00	1	076000103
XL	54	112.00	1	076000104
XXL	56	112.00	1	076000105
XXXL	58	112.00	1	076000106

7610G

"work trekking" trousers, LIGHT
90% nylon, 10% stretch fabric, 140 g/m², reinforced fabric on knees and back, stretch leg bottoms and drawstring
Dark grey with yellow details
Slim fit

		£		
XS	46	102.00	1	076100000
S	48	102.00	1	076100001
M	50	102.00	1	076100002
L	52	102.00	1	076100003
XL	54	102.00	1	076100004
XXL	56	102.00	1	076100005
XXXL	58	102.00	1	076100006

7610N

"work trekking" trousers, LIGHT
90% nylon, 10% stretch fabric, 140 g/m², reinforced fabric on knees and back, stretch leg bottoms and drawstring
Black with yellow details
Slim fit

		£		
XS	46	102.00	1	076100100
S	48	102.00	1	076100101
M	50	102.00	1	076100102
L	52	102.00	1	076100103
XL	54	102.00	1	076100104
XXL	56	102.00	1	076100105
XXXL	58	102.00	1	076100106

7650

stretch work trousers, multipocket style
90% nylon - 10% spandex, 260 g/m², anthracite grey
Knee pad pockets, rear pockets and leg bottoms reinforced in polyester 600D, tearproof crotch

		£		
XS	46	132.50	1	076500000
S	48	132.50	1	076500001
M	50	132.50	1	076500002
L	52	132.50	1	076500003
XL	54	132.50	1	076500004
XXL	56	132.50	1	076500005
XXXL	58	132.50	1	076500006

7650B

stretch work trousers, multipocket style, 90% nylon - 10% spandex, 260 g/m², blue
Knee pad pockets, rear pockets and leg bottoms reinforced in polyester 600D, tearproof crotch

		£		
XS	46	132.50	1	076500100
S	48	132.50	1	076500101
M	50	132.50	1	076500102
L	52	132.50	1	076500103
XL	54	132.50	1	076500104
XXL	56	132.50	1	076500105
XXXL	58	132.50	1	076500106

7660B

stretch work trousers, lightweight, multipocket style,
86% nylon - 14% spandex, 140 g/m², blue
Knee pad pockets, rear pockets reinforced in polyester 300D, tearproof crotch
Slim fit

		£		
XS	46	109.00	1	076600100
S	48	109.00	1	076600101
M	50	109.00	1	076600102
L	52	109.00	1	076600103
XL	54	109.00	1	076600104
XXL	56	109.00	1	076600105
XXXL	58	109.00	1	076600106

7660G

stretch work trousers, lightweight, multipocket style, 86% nylon - 14% spandex, 140 g/m², anthracite grey
Knee pad pockets, rear pockets reinforced in polyester 300D, tearproof crotch
Slim fit

		£		
XS	46	109.00	1	076600000
S	48	109.00	1	076600001
M	50	109.00	1	076600002
L	52	109.00	1	076600003
XL	54	109.00	1	076600004
XXL	56	109.00	1	076600005
XXXL	58	109.00	1	076600006

7818G

work trousers, multipocket style, in T/C canvas, 260 g/m², grey
Knee pad pockets and bottom legs reinforced in polyester 300D, tearproof crotch and stretch fabric insert in inside leg and lumbar region for easier movements

		£		
XS	46	86.50	1	078180000
S	48	86.50	1	078180001
M	50	86.50	1	078180002
L	52	86.50	1	078180003
XL	54	86.50	1	078180004
XXL	56	86.50	1	078180005
XXXL	58	86.50	1	078180006

7818BL

work trousers, multipocket style, in T/C canvas, 260 g/m², blue
With stretch fabric insert in inside leg
Knee pad pockets and leg bottoms reinforced in polyester 300D, tearproof crotch and stretch fabric insert in inside leg and lumbar region for easier movements

		£		
XS	46	86.50	1	078180100
S	48	86.50	1	078180101
M	50	86.50	1	078180102
L	52	86.50	1	078180103
XL	54	86.50	1	078180104
XXL	56	86.50	1	078180105
XXXL	58	86.50	1	078180106

7818CM

work trousers, multipocket style, made from T/C canvas, 260 g/m², camouflage grey
Knee pad pockets and leg bottoms reinforced in polyester 300D, tearproof crotch and stretch fabric inserts in inside leg and in lumbar region for easier movements

		£		
XS	46	100.00	1	078180300
S	48	100.00	1	078180301
M	50	100.00	1	078180302
L	52	100.00	1	078180303
XL	54	100.00	1	078180304
XXL	56	100.00	1	078180305
XXXL	58	100.00	1	078180306

7818LN

women's work trousers, multipocket style, black with pink details,
100% stretch cotton, 220 g/m²
Knee pad pockets and leg bottoms reinforced in polyester 300D, tearproof crotch and stretch fabric insert in inside leg for easier movements

		£		
XS	38	86.50	1	078180200
S	40	86.50	1	078180201
M	42	86.50	1	078180202
L	44	86.50	1	078180203
XL	46	86.50	1	078180204
XXL	48	86.50	1	078180205
XXXL	50	86.50	1	078180206

7819G

work trousers, multipocket style, with detachable flying pockets, T/C canvas, 260 g/m², grey
Knee pad pockets and leg bottoms reinforced in polyester 300D, tearproof crotch and stretch fabric inserts in inside legs and lumbar region for easier movements

		£		
XS	46	86.00	1	078190000
S	48	86.00	1	078190001
M	50	86.00	1	078190002
L	52	86.00	1	078190003
XL	54	86.00	1	078190004
XXL	56	86.00	1	078190005
XXXL	58	86.00	1	078190006

7830SN

stretch work trousers,
in T/C twill, 200 g/m², black
Slim fit, tearproof crotch and stretch waistband on sides

		£		
XS	46	81.00	1	078300100
S	48	81.00	1	078300101
M	50	81.00	1	078300102
L	52	81.00	1	078300103
XL	54	81.00	1	078300104
XXL	56	81.00	1	078300105
XXXL	58	81.00	1	078300106

7830ST

stretch work trousers,
T/C twill, 250 g/m², grey
Slim fit, tearproof crotch and stretch waistband on sides

		£		
XS	46	86.50	1	078300000
S	48	86.50	1	078300001
M	50	86.50	1	078300002
L	52	86.50	1	078300003
XL	54	86.50	1	078300004
XXL	56	86.50	1	078300005
XXXL	58	86.50	1	078300006

7840BL

work trousers, T/C twill, 245 g/m², blue
Stretch waistband on sides

		£		
XS	46	62.50	1	078400100
S	48	62.50	1	078400101
M	50	62.50	1	078400102
L	52	62.50	1	078400103
XL	54	62.50	1	078400104
XXL	56	62.50	1	078400105
XXXL	58	62.50	1	078400106
XXXXL	60	62.50	1	078400107

7850G

cargo work trousers,
100% cotton, 240 g/m²,
stretch waistband on sides and large side pockets with reflex inserts,
grey with fluorescent green details
Slim fit

		£		
XS	46	60.00	1	078500100
S	48	60.00	1	078500101
M	50	60.00	1	078500102
L	52	60.00	1	078500103
XL	54	60.00	1	078500104
XXL	56	60.00	1	078500105
XXXL	58	60.00	1	078500106
XXXXL	60	60.00	1	078500107

7860B

work trousers, lightweight,
made from T/C twill, 180 g/m², with Oxford inserts, blue

		£		
XS	46	65.00	1	078600700
S	48	65.00	1	078600701
M	50	65.00	1	078600702
L	52	65.00	1	078600703
XL	54	65.00	1	078600704
XXL	56	65.00	1	078600705
XXXL	58	65.00	1	078600706
XXXXL	60	65.00	1	078600707
5XL	62	65.00	1	078600708

7860G

work trousers, lightweight,
in T/C twill, 180 g/m², with Oxford inserts, grey
New design - Improved fit

		£		
XS	46	65.00	1	078600800
S	48	65.00	1	078600801
M	50	65.00	1	078600802
L	52	65.00	1	078600803
XL	54	65.00	1	078600804
XXL	56	65.00	1	078600805
XXXL	58	65.00	1	078600806
XXXXL	60	65.00	1	078600807
5XL	62	65.00	1	078600808

7880SC

stretch work trousers,
T/C canvas, 290 g/m², black
Slim fit, tearproof crotch and stretch waistband on sides

		£		
XS	46	88.00	1	078800000
S	48	88.00	1	078800001
M	50	88.00	1	078800002
L	52	88.00	1	078800003
XL	54	88.00	1	078800004
XXL	56	88.00	1	078800005
XXXL	58	88.00	1	078800006

7900B

work trousers,
in T/C canvas, 260 g/m², with Oxford inserts,
blue

		£		
XS	46	78.00	1	079000700
S	48	78.00	1	079000701
M	50	78.00	1	079000702
L	52	78.00	1	079000703
XL	54	78.00	1	079000704
XXL	56	78.00	1	079000705
XXXL	58	78.00	1	079000706
XXXXL	60	78.00	1	079000707

7900G

work trousers,
in T/C canvas, 260 g/m², with Oxford inserts,
grey
New design - Improved fit

		£		
XS	46	78.00	1	079000800
S	48	78.00	1	079000801
M	50	78.00	1	079000802
L	52	78.00	1	079000803
XL	54	78.00	1	079000804
XXL	56	78.00	1	079000805
XXXL	58	78.00	1	079000806
XXXXL	60	78.00	1	079000807

7900P

work trousers,
in T/C canvas, 260 g/m², with Oxford inserts,
petrol blue

		£		
XS	46	78.00	1	079000600
S	48	78.00	1	079000601
M	50	78.00	1	079000602
L	52	78.00	1	079000603
XL	54	78.00	1	079000604
XXL	56	78.00	1	079000605
XXXL	58	78.00	1	079000606
XXXXL	60	78.00	1	079000607

7900V

work trousers,
in T/C canvas, 260 g/m², with Oxford inserts,
green

		£		
XS	46	78.00	1	079000500
S	48	78.00	1	079000501
M	50	78.00	1	079000502
L	52	78.00	1	079000503
XL	54	78.00	1	079000504
XXL	56	78.00	1	079000505
XXXL	58	78.00	1	079000506
XXXXL	60	78.00	1	079000507

7930MG

work trousers, multipocket style, 97% cotton,
3% stretch fabric, 220 g/m², grey

		£		
XS	46	84.00	1	079300400
S	48	84.00	1	079300401
M	50	84.00	1	079300402
L	52	84.00	1	079300403
XL	54	84.00	1	079300404
XXL	56	84.00	1	079300405
XXXL	58	84.00	1	079300406

7940

multi-protection work trousers
T/C twill, 250 g/m², blue,
for protection from heat, flames, electric arc effects, welding hazards and chemicals.

DPI: III^ Categoria
EN ISO 11611:2015 - Classe 1
EN ISO 11612:2015 - A1 B1 C1
EN 1149-5:2018
EN13034:2005+A1:2009 - Type 6
IEC 61482-2:2018 - APC 1

		£		
XS	46	109.00	1	079400000
S	48	109.00	1	079400001
M	50	109.00	1	079400002
L	52	109.00	1	079400003
XL	54	109.00	1	079400004
XXL	56	109.00	1	079400005
XXXL	58	109.00	1	079400006
XXXXL	60	109.00	1	079400007

BERMUDA



7529

stretch work jeans bermuda shorts,
98% cotton, 2% stretch fabric,
slim fit

		£		
XS	46	63.50	1	075290046
S	48	63.50	1	075290048
M	50	63.50	1	075290050
L	52	63.50	1	075290052
XL	54	63.50	1	075290054
XXL	56	63.50	1	075290056
XXXL	58	63.50	1	075290058

7611G

"work trekking" Bermuda shorts, LIGHT
90% nylon, 10% stretch fabric, 140 g/m²,
reinforced fabric on back.
Dark grey with yellow details
Slim fit

		£		
XS	46	82.00	1	076110000
S	48	82.00	1	076110001
M	50	82.00	1	076110002
L	52	82.00	1	076110003
XL	54	82.00	1	076110004
XXL	56	82.00	1	076110005
XXXL	58	82.00	1	076110006

7661B

stretch work Bermuda shorts, lightweight, multipocket style,
86% nylon - 14% spandex, 140 g/m², blue
Rear pockets reinforced in polyester 300D, tearproof crotch
Slim fit

		£		
XS	46	93.50	1	076610100
S	48	93.50	1	076610101
M	50	93.50	1	076610102
L	52	93.50	1	076610103
XL	54	93.50	1	076610104
XXL	56	93.50	1	076610105
XXXL	58	93.50	1	076610106

7661G

stretch work Bermuda shorts, lightweight, multipocket style,
86% nylon - 14% spandex, 140 g/m²,
anthracite grey
Rear pockets reinforced in polyester 300D, tearproof crotch
Slim fit

		£		
XS	46	93.50	1	076610000
S	48	93.50	1	076610001
M	50	93.50	1	076610002
L	52	93.50	1	076610003
XL	54	93.50	1	076610004
XXL	56	93.50	1	076610005
XXXL	58	93.50	1	076610006

7815CM

work Bermuda shorts, multipocket style, made from T/C canvas, 260 g/m², camouflage grey, tearproof crotch and stretch fabric inserts in inside leg and in lumbar region for easier movements

		£		
XS	46	85.00	1	078150300
S	48	85.00	1	078150301
M	50	85.00	1	078150302
L	52	85.00	1	078150303
XL	54	85.00	1	078150304
XXL	56	85.00	1	078150305
XXXL	58	85.00	1	078150306

7831SN

stretch Bermuda shorts,
in T/C twill, 200 g/m², black
Slim fit, tearproof crotch and stretch waistband on sides

		£		
XS	46	62.50	1	078310100
S	48	62.50	1	078310101
M	50	62.50	1	078310102
L	52	62.50	1	078310103
XL	54	62.50	1	078310104
XXL	56	62.50	1	078310105
XXXL	58	62.50	1	078310106

7831ST

stretch work Bermuda shorts,
T/C twill, 250 g/m², grey
Slim fit, tearproof crotch and stretch waistband on sides

		£		
XS	46	62.50	1	078310000
S	48	62.50	1	078310001
M	50	62.50	1	078310002
L	52	62.50	1	078310003
XL	54	62.50	1	078310004
XXL	56	62.50	1	078310005
XXXL	58	62.50	1	078310006

7861G

work Bermuda shorts, lightweight,
in T/C twill, 180 g/m², with Oxford inserts, grey
New design - Improved fit

		£		
XS	46	55.00	1	078610800
S	48	55.00	1	078610801
M	50	55.00	1	078610802
L	52	55.00	1	078610803
XL	54	55.00	1	078610804
XXL	56	55.00	1	078610805
XXXL	58	55.00	1	078610806
XXXXL	60	55.00	1	078610807
5XL	62	55.00	1	078610808

7861B

work bermuda shorts, lightweight,
made from T/C twill, 180 g/m², with Oxford inserts, blue

		£		
XS	46	55.00	1	078610700
S	48	55.00	1	078610701
M	50	55.00	1	078610702
L	52	55.00	1	078610703
XL	54	55.00	1	078610704
XXL	56	55.00	1	078610705
XXXL	58	55.00	1	078610706
XXXXL	60	55.00	1	078610707
5XL	62	55.00	1	078610708

7901G

work Bermuda shorts,
in T/C canvas, 260 g/m², with Oxford inserts, grey
New design - Improved fit

		£		
XS	46	65.00	1	079010800
S	48	65.00	1	079010801
M	50	65.00	1	079010802
L	52	65.00	1	079010803
XL	54	65.00	1	079010804
XXL	56	65.00	1	079010805
XXXL	58	65.00	1	079010806
XXXXL	60	65.00	1	079010807

7931MG

work bermuda shorts, 97% cotton, 3% stretch fabric, 220 g/m², grey

		£		
XS	46	68.00	1	079310400
S	48	68.00	1	079310401
M	50	68.00	1	079310402
L	52	68.00	1	079310403
XL	54	68.00	1	079310404
XXL	56	68.00	1	079310405
XXXL	58	68.00	1	079310406

7863G

work bib and brace overalls, lightweight,
in T/C twill, 180 g/m², with Oxford inserts, grey
New design - Improved fit

	£		
XS	80.00	1	078630800
S	80.00	1	078630801
M	80.00	1	078630802
L	80.00	1	078630803
XL	80.00	1	078630804
XXL	80.00	1	078630805
XXXL	80.00	1	078630806
XXXXL	80.00	1	078630807
5XL	80.00	1	078630808

7903G

work bib and brace overalls,
in T/C canvas, 260 g/m², with Oxford inserts,
grey
New design - Improved fit

	£		
XS	98.00	1	079030800
S	98.00	1	079030801
M	98.00	1	079030802
L	98.00	1	079030803
XL	98.00	1	079030804
XXL	98.00	1	079030805
XXXL	98.00	1	079030806
XXXXL	98.00	1	079030807

7903P

work bib and brace overalls,
in T/C canvas, 260 g/m², with Oxford inserts,
petrol blue

	£		
XS	98.00	1	079030600
S	98.00	1	079030601
M	98.00	1	079030602
L	98.00	1	079030603
XL	98.00	1	079030604
XXL	98.00	1	079030605
XXXL	98.00	1	079030606
XXXXL	98.00	1	079030607

7865B

work overalls, lightweight,
made from T/C twill, 180 g/m², with Oxford
inserts, blue

	£		
XS	100.00	1	078650700
S	100.00	1	078650701
M	100.00	1	078650702
L	100.00	1	078650703
XL	100.00	1	078650704
XXL	100.00	1	078650705
XXXL	100.00	1	078650706
XXXXL	100.00	1	078650707
5XL	100.00	1	078650708

7865G

work overalls, lightweight,
in T/C twill, 180 g/m², with Oxford inserts, grey
New design - Improved fit

	£		
XS	100.00	1	078650800
S	100.00	1	078650801
M	100.00	1	078650802
L	100.00	1	078650803
XL	100.00	1	078650804
XXL	100.00	1	078650805
XXXL	100.00	1	078650806
XXXXL	100.00	1	078650807
5XL	100.00	1	078650808

7905G

work overalls
in T/C canvas, 260 g/m², with Oxford inserts,
grey
New design - Improved fit

	£		
XS	126.00	1	079050800
S	126.00	1	079050801
M	126.00	1	079050802
L	126.00	1	079050803
XL	126.00	1	079050804
XXL	126.00	1	079050805
XXXL	126.00	1	079050806
XXXXL	126.00	1	079050807

7935MG

work overalls, 97% cotton, 3% stretch fabric,
220 g/m², grey

	£		
XS	149.00	1	079350400
S	149.00	1	079350401
M	149.00	1	079350402
L	149.00	1	079350403
XL	149.00	1	079350404
XXL	149.00	1	079350405
XXXL	149.00	1	079350406

WORK JACKETS



7653G

stretch work jacket, multipocket style,
90% nylon -10% spandex, 260 g/m²,
anthracite grey

	£		
XS	126.50	1	076530000
S	126.50	1	076530001
M	126.50	1	076530002
L	126.50	1	076530003
XL	126.50	1	076530004
XXL	126.50	1	076530005
XXXL	126.50	1	076530006

7849BL

work jacket, T/C twill, 245 g/m², blue
Stretch waistband

	£		
XS	68.00	1	078490100
S	68.00	1	078490101
M	68.00	1	078490102
L	68.00	1	078490103
XL	68.00	1	078490104
XXL	68.00	1	078490105
XXXL	68.00	1	078490106
XXXXL	68.00	1	078490107

7869G

work jacket, lightweight,
in T/C twill, 180 g/m², with Oxford inserts, grey
New design - Improved fit

	£		
XS	80.50	1	078690800
S	80.50	1	078690801
M	80.50	1	078690802
L	80.50	1	078690803
XL	80.50	1	078690804
XXL	80.50	1	078690805
XXXL	80.50	1	078690806
XXXXL	80.50	1	078690807
5XL	80.50	1	078690808

7909B

work jacket,
in T/C canvas, 260 g/m², with Oxford inserts, blue

	£		
XS	88.50	1	079090700
S	88.50	1	079090701
M	88.50	1	079090702
L	88.50	1	079090703
XL	88.50	1	079090704
XXL	88.50	1	079090705
XXXL	88.50	1	079090706
XXXXL	88.50	1	079090707

7909G

work jacket,
in T/C canvas, 260 g/m², with Oxford inserts, grey
New design - Improved fit

	£		
XS	88.50	1	079090800
S	88.50	1	079090801
M	88.50	1	079090802
L	88.50	1	079090803
XL	88.50	1	079090804
XXL	88.50	1	079090805
XXXL	88.50	1	079090806
XXXXL	88.50	1	079090807

7909P

work jacket,
in T/C canvas, 260 g/m², with Oxford inserts, petrol blue

	£		
XS	88.50	1	079090600
S	88.50	1	079090601
M	88.50	1	079090602
L	88.50	1	079090603
XL	88.50	1	079090604
XXL	88.50	1	079090605
XXXL	88.50	1	079090606
XXXXL	88.50	1	079090607

7909V

work jacket,
in T/C canvas, 260 g/m², with Oxford inserts, green

	£		
XS	88.50	1	079090500
S	88.50	1	079090501
M	88.50	1	079090502
L	88.50	1	079090503
XL	88.50	1	079090504
XXL	88.50	1	079090505
XXXL	88.50	1	079090506
XXXXL	88.50	1	079090507

7949

multi-protection work jacket,
T/C twill 250 g/m², blue,
for protection from heat, flames, electric arc effects, welding hazards and chemicals.

DPI: III^ Categoria
EN ISO 11611:2015 - Classe 1
EN ISO 11612:2015 - A1 B1 C1
EN 1149-5:2018
EN13034:2005+A1:2009 - Type 6
IEC 61482-2:2018 - APC 1

	£		
XS	126.00	1	079490000
S	126.00	1	079490001
M	126.00	1	079490002
L	126.00	1	079490003
XL	126.00	1	079490004
XXL	126.00	1	079490005
XXXL	126.00	1	079490006
XXXXL	126.00	1	079490007

7575N

sleeveless softshell jacket,
90% nylon, 10% stretch fabric, 250 g/m²

	£		
S	115.50	1	075750301
M	115.50	1	075750302
L	115.50	1	075750303
XL	115.50	1	075750304
XXL	115.50	1	075750305
XXXL	115.50	1	075750306

7579QN

sleeveless work jacket, multipocket style,
made from double material.
100% waterproof nylon 300D and softshell fabric, 96% polyester, 4% spandex, polyester-padded, 160 g/m²
black/anthracite grey

	£		
S	99.00	1	075790201
M	99.00	1	075790202
L	99.00	1	075790203
XL	99.00	1	075790204
XXL	99.00	1	075790205
XXXL	99.00	1	075790206

7673NG

sleeveless work jacket with GRAPHENE padding, 80 g/m²,
front reinforced in softshell fabric - 96% polyester, 4% spandex; back made of 100% nylon 20D
anthracite grey (front), black (back)
Stretch insert on armhole
Antistatic, antibacterial, windproof

	£		
S	116.00	1	076730001
M	116.00	1	076730002
L	116.00	1	076730003
XL	116.00	1	076730004
XXL	116.00	1	076730005
XXXL	116.00	1	076730006

7867B

sleeveless work jacket, lightweight,
made from T/C twill, 180 g/m², with Oxford inserts, blue

	£		
XS	60.00	1	078670700
S	60.00	1	078670701
M	60.00	1	078670702
L	60.00	1	078670703
XL	60.00	1	078670704
XXL	60.00	1	078670705
XXXL	60.00	1	078670706
XXXXL	60.00	1	078670707
5XL	60.00	1	078670708

7867G

sleeveless work jacket, lightweight,
in T/C twill, 180 g/m², with Oxford inserts, grey
New design - Improved fit

	£		
XS	60.00	1	078670800
S	60.00	1	078670801
M	60.00	1	078670802
L	60.00	1	078670803
XL	60.00	1	078670804
XXL	60.00	1	078670805
XXXL	60.00	1	078670806
XXXXL	60.00	1	078670807
5XL	60.00	1	078670808

7907G

sleeveless work jacket,
in T/C canvas, 260 g/m², with Oxford inserts, grey
New design - Improved fit

CE

	£		
XS	74.50	1	079070800
S	74.50	1	079070801
M	74.50	1	079070802
L	74.50	1	079070803
XL	74.50	1	079070804
XXL	74.50	1	079070805
XXXL	74.50	1	079070806
XXXXL	74.50	1	079070807

7937MG

sleeveless work jacket, 97% cotton, 3% stretch fabric, 220 g/m², grey

CE

	£		
XS	61.50	1	079370400
S	61.50	1	079370401
M	61.50	1	079370402
L	61.50	1	079370403
XL	61.50	1	079370404
XXL	61.50	1	079370405
XXXL	61.50	1	079370406



7658CM

softshell jacket, 94% polyester, 6% spandex, 290 g/m², camouflage grey
With waterproof, windproof, breathable TPU membrane
(resistance to water columns up to 8,000 mm - breathability 8,000 mvp)

	£		
S	139.50	1	076580101
M	139.50	1	076580102
L	139.50	1	076580103
XL	139.50	1	076580104
XXL	139.50	1	076580105
XXXL	139.50	1	076580106

7659N

softshell jacket, 94% polyester, 6% spandex, 290 g/m², with detachable hood and sleeves, black With waterproof, windproof, breathable TPU membrane (resistance to water columns up to 8,000 mm - breathability 8,000 mvp)

	£		
S	215.00	1	076590001
M	215.00	1	076590002
L	215.00	1	076590003
XL	215.00	1	076590004
XXL	215.00	1	076590005
XXXL	215.00	1	076590006

7669N

stretch work jacket, lightweight, multipocket style, 86% nylon, 14% spandex, 140 g-m2, black
With detachable sleeves and retractable hood.
Water-resistant, wind-stopping

	£		
XS	142.00	1	076690000
S	142.00	1	076690001
M	142.00	1	076690002
L	142.00	1	076690003
XL	142.00	1	076690004
XXL	142.00	1	076690005
XXXL	142.00	1	076690006

7670G

Anorak jacket made of Oxford polyester 300D, waterproof, PU-coated, anthracite grey
With detachable hood and reinforced sleeves.
Waterproof, windproof and breathable
(resistance to water columns up to 2,000 mm - breathability 2,000 mvp)
Polyester 210T lining, polyester padding, 120 g/m² body, 100 g/m² sleeves

CE

	£		
S	125.50	1	076700001
M	125.50	1	076700002
L	125.50	1	076700003
XL	125.50	1	076700004
XXL	125.50	1	076700005
XXXL	125.50	1	076700006

7674NG

work quilted jacket with GRAPHENE padding, 80 g/m²,
front and forearms reinforced in softshell fabric - 96% polyester, 4% spandex, back and sleeves made of 100% nylon 20D
anthracite grey (front), black (back)
stretch cuffs
Antistatic, antibacterial, windproof

CE TOP line

	£		
S	139.50	1	076740001
M	139.50	1	076740002
L	139.50	1	076740003
XL	139.50	1	076740004
XXL	139.50	1	076740005
XXXL	139.50	1	076740006

7780QN

work bomber jacket, multipocket style, made from double material.
100% waterproof nylon 300D and softshell fabric, 96% polyester, 4% spandex, polyester padding, 160 g/m²
with fixed hood
black/anthracite grey

CE

	£		
S	165.00	1	077800201
M	165.00	1	077800202
L	165.00	1	077800203
XL	165.00	1	077800204
XXL	165.00	1	077800205
XXXL	165.00	1	077800206

7750N

work bomber jacket, multipocket style, 100% polyester, 100% polyester padding, 120 g/m², black

CE

	£		
XS	95.00	1	077500000
S	95.00	1	077500001
M	95.00	1	077500002
L	95.00	1	077500003
XL	95.00	1	077500004
XXL	95.00	1	077500005
XXXL	95.00	1	077500006
XXXXL	95.00	1	077500007

7636N

microfleece sweater, short-zipped, 180 g/m²
black with reflex details

	£		
XS	31.50	1	076360500
S	31.50	1	076360501
M	31.50	1	076360502
L	31.50	1	076360503
XL	31.50	1	076360504
XXL	31.50	1	076360505
XXXL	31.50	1	076360506

7637G

technical sweatshirt, long-zipped, 250 g/m², with hood
fleece, 100% polyester, with inserts made from softshell fabric 100D, with bound fleece, 270 g/m²
melange grey/black

	£		
XS	121.00	1	076370000
S	121.00	1	076370001
M	121.00	1	076370002
L	121.00	1	076370003
XL	121.00	1	076370004
XXL	121.00	1	076370005
XXXL	121.00	1	076370006

7642G

crew-neck sweatshirt, 240 g/m²,
60% cotton, 40% polyester,
melange grey, black inserts

	£		
XS	38.50	1	076420000
S	38.50	1	076420001
M	38.50	1	076420002
L	38.50	1	076420003
XL	38.50	1	076420004
XXL	38.50	1	076420005
XXXL	38.50	1	076420006

7654B

stretch microfleece sweater, short-zipped, 180 g/m², blue
95% polyester, 5% spandex

4-WAY STRETCH
TOP line

	£		
XS	63.50	1	076540100
S	63.50	1	076540101
M	63.50	1	076540102
L	63.50	1	076540103
XL	63.50	1	076540104
XXL	63.50	1	076540105
XXXL	63.50	1	076540106

7654N
stretch microfleece sweater, short-zipped, 180 g/m², black
95% polyester, 5% spandex

	£		
XS	63.50	1	076540000
S	63.50	1	076540001
M	63.50	1	076540002
L	63.50	1	076540003
XL	63.50	1	076540004
XXL	63.50	1	076540005
XXXL	63.50	1	076540006

7657B
stretch fleece sweater, long-zipped, 280 g/m², blue
95% polyester, 5% spandex

	£		
XS	80.50	1	076570100
S	80.50	1	076570101
M	80.50	1	076570102
L	80.50	1	076570103
XL	80.50	1	076570104
XXL	80.50	1	076570105
XXXL	80.50	1	076570106

7657N
stretch fleece sweater, long-zipped, 280 g/m², black
95% polyester, 5% spandex

	£		
XS	80.50	1	076570000
S	80.50	1	076570001
M	80.50	1	076570002
L	80.50	1	076570003
XL	80.50	1	076570004
XXL	80.50	1	076570005
XXXL	80.50	1	076570006

7664G
sweatshirt, long-zipped, 280 g/m², grey
60% cotton, 40% polyester

	£		
XS	63.50	1	076640100
S	63.50	1	076640101
M	63.50	1	076640102
L	63.50	1	076640103
XL	63.50	1	076640104
XXL	63.50	1	076640105
XXXL	63.50	1	076640106

7664N
sweatshirt, long-zipped, 280 g/m², black
60% cotton, 40% polyester

	£		
XS	63.50	1	076640000
S	63.50	1	076640001
M	63.50	1	076640002
L	63.50	1	076640003
XL	63.50	1	076640004
XXL	63.50	1	076640005
XXXL	63.50	1	076640006

7665G
hoodie, long-zipped, 280 g/m², grey
60% cotton, 40% polyester

	£		
XS	69.50	1	076650100
S	69.50	1	076650101
M	69.50	1	076650102
L	69.50	1	076650103
XL	69.50	1	076650104
XXL	69.50	1	076650105
XXXL	69.50	1	076650106

7665N
hoodie, long-zipped, 280 g/m², black
60% cotton, 40% polyester

	£		
XS	69.50	1	076650000
S	69.50	1	076650001
M	69.50	1	076650002
L	69.50	1	076650003
XL	69.50	1	076650004
XXL	69.50	1	076650005
XXXL	69.50	1	076650006

SHIRT & T-SHIRT

7545F
flannel check work shirt,
made from 100% cotton, 190 g/m²

	£		
XS	55.00	1	075450200
S	55.00	1	075450201
M	55.00	1	075450202
L	55.00	1	075450203
XL	55.00	1	075450204
XXL	55.00	1	075450205
XXXL	55.00	1	075450206

7547AZ
three-button polo shirt,
100% cotton, 200 g/m², light blue

	£		
XS	36.00	2	075470500
S	36.00	2	075470501
M	36.00	2	075470502
L	36.00	2	075470503
XL	36.00	2	075470504
XXL	36.00	2	075470505
XXXL	36.00	2	075470506

7547BL
three-button polo shirt,
100% cotton, 200 g/m², blue

	£		
XS	36.00	2	075470200
S	36.00	2	075470201
M	36.00	2	075470202
L	36.00	2	075470203
XL	36.00	2	075470204
XXL	36.00	2	075470205
XXXL	36.00	2	075470206

7547G
three-button polo shirt,
100% cotton, 200 g/m², grey

	£		
XS	36.00	2	075470300
S	36.00	2	075470301
M	36.00	2	075470302
L	36.00	2	075470303
XL	36.00	2	075470304
XXL	36.00	2	075470305
XXXL	36.00	2	075470306

7547N
three-button polo shirt,
100% cotton, 200 g/m², black

	£		
XS	36.00	2	075470400
S	36.00	2	075470401
M	36.00	2	075470402
L	36.00	2	075470403
XL	36.00	2	075470404
XXL	36.00	2	075470405
XXXL	36.00	2	075470406

7547R
three-button polo shirt,
100% cotton, 200 g/m², red

	£		
XS	36.00	2	075470600
S	36.00	2	075470601
M	36.00	2	075470602
L	36.00	2	075470603
XL	36.00	2	075470604
XXL	36.00	2	075470605
XXXL	36.00	2	075470606

7548M
modern print t-shirt, 100% cotton, 150 g/m²

	£		
XS	32.50	1	075480400
XL	32.50	1	075480404
S	32.50	1	075480401
M	32.50	1	075480402
L	32.50	1	075480403
XXL	32.50	1	075480405
XXXL	32.50	1	075480406

7548C
classic print t-shirt, 100% cotton, 150 g/m²

	£		
XS	32.50	1	075480500
S	32.50	1	075480501
M	32.50	1	075480502
L	32.50	1	075480503
XL	32.50	1	075480504
XXL	32.50	1	075480505
XXXL	32.50	1	075480506

7549AZ
work t-shirt, 100% cotton, 150 g/m², light blue

	£		
XS	23.40	5	075490500
S	23.40	5	075490501
M	23.40	5	075490502
L	23.40	5	075490503
XL	23.40	5	075490504
XXL	23.40	5	075490505
XXXL	23.40	5	075490506

7549BL
work t-shirt, 100% cotton, 150 g/m², blue

	£		
XS	23.40	5	075490200
S	23.40	5	075490201
M	23.40	5	075490202
L	23.40	5	075490203
XL	23.40	5	075490204
XXL	23.40	5	075490205
XXXL	23.40	5	075490206

7549G
work t-shirt, 100% cotton, 150 g/m², grey

	£		
XS	23.40	5	075490300
S	23.40	5	075490301
M	23.40	5	075490302
L	23.40	5	075490303
XL	23.40	5	075490304
XXL	23.40	5	075490305
XXXL	23.40	5	075490306

7549NE
work t-shirt, made from 100% cotton, 150 g/m², black

	£		
XS	23.40	5	075490700
S	23.40	5	075490701
M	23.40	5	075490702
L	23.40	5	075490703
XL	23.40	5	075490704
XXL	23.40	5	075490705
XXXL	23.40	5	075490706

7549N
work t-shirt, 100% cotton, 150 g/m², black

	£		
XS	23.40	5	075490400
S	23.40	5	075490401
M	23.40	5	075490402
L	23.40	5	075490403
XL	23.40	5	075490404
XXL	23.40	5	075490405
XXXL	23.40	5	075490406

7549R
work t-shirt, 100% cotton, 150 g/m², red

	£		
XS	23.40	5	075490600
S	23.40	5	075490601
M	23.40	5	075490602
L	23.40	5	075490603
XL	23.40	5	075490604
XXL	23.40	5	075490605
XXXL	23.40	5	075490606

7550G
technical work t-shirt, made from polyester, 120 g/m², with 37.5® technology, grey with black, orange and reflex details

	£		
XS	55.00	1	075500400
S	55.00	1	075500401
M	55.00	1	075500402
L	55.00	1	075500403
XL	55.00	1	075500404
XXL	55.00	1	075500405
XXXL	55.00	1	075500406

7550N
technical work t-shirt, made from polyester, 120 g/m² with 37.5® technology, black with grey, orange and reflex details

	£		
XS	55.00	1	075500500
S	55.00	1	075500501
M	55.00	1	075500502
L	55.00	1	075500503
XL	55.00	1	075500504
XXL	55.00	1	075500505
XXXL	55.00	1	075500506

7557BL
three-button polo shirt, long-sleeved, 100% cotton, 200 g/m², blue

	£		
XS	42.00	1	075570200
S	42.00	1	075570201
M	42.00	1	075570202
L	42.00	1	075570203
XL	42.00	1	075570204
XXL	42.00	1	075570205
XXXL	42.00	1	075570206

7970
trousers, waterproof, made of PVC tricot, blue
WHILE STOCKS LAST

CE

EN 343

	£		
XS	51.50	1	079700000
S	51.50	1	079700001
M	51.50	1	079700002
L	51.50	1	079700003
XL	51.50	1	079700004
XXL	51.50	1	079700005
XXXL	51.50	1	079700006

7971L

waterproof trousers, made of PVC-coated polyester,
with thermo-taped seams, blue
With elastic waistband and adjustable press-stud leg bottom

CE

EN 343

	£		
XS	32.50	1	079710100
S	32.50	1	079710101
M	32.50	1	079710102
L	32.50	1	079710103
XL	32.50	1	079710104
XXL	32.50	1	079710105
XXXL	32.50	1	079710106

7978L

waterproof full-length jacket, made of PVC-coated polyester, with fixed hood and thermo-taped seams, blue
Fitted with press studs for use as a 3/4 length jacket

CE

EN 343

	£		
XS	45.50	1	079780100
S	45.50	1	079780101
M	45.50	1	079780102
L	45.50	1	079780103
XL	45.50	1	079780104
XXL	45.50	1	079780105
XXXL	45.50	1	079780106

7979

jacket, waterproof, made of PVC tricot, blue
WHILE STOCKS LAST

CE

EN 343

	£		
S	88.00	1	079790001
M	88.00	1	079790002
L	88.00	1	079790003
XL	88.00	1	079790004
XXL	88.00	1	079790005
XXXL	88.00	1	079790006

UNDERWEAR

7996N

technical underwear set - technical undershirt, long-sleeved + technical underpants, 92% polyester, 8% spandex, 160 g/m², black

	£		
XS-S	52.50	1	079960000
M-L	52.50	1	079960002
XL-XXL	52.50	1	079960004

ACCESSORIES

7800G
work knee pads pair

	£		
7800G	16.60	1	078000500

7980L
winter cap with rechargeable LED light and 100% acrylic cuff
LED light with 3 brightness settings, up to 60 lumens
one size fits all
black

- Rechargeable via USB port
- Light brightness: up to 60 lumens
- Charging time: 80 minutes
- Battery life: 85 ÷ 290 minutes

	£		
7980L	15.60	10	079800200

7980NC
fleece winter cap, 100% polyester, reversible (double-faced), camouflage black

	£		
7980NC	15.50	10	079800112

7980RN
cuffed winter cap, 100% acrylic, lined with 3M Thinsulate™,
one size only
black

	£		
7980RN	15.50	10	079800120

7981N
rainproof cap,
100% PU-coated nylon,
with water-repellent treatment

	£		
L = Ø 58 cm	27.00	1	079810158
XL = Ø 60 cm	27.00	1	079810160

7982N
curved visor cap, 100% polyester, strap closure
black

	£		
7982N	10.90	10	079820000

7984EG
work belt made of stretch fabric, with satin-finished zinc metal hook,
one size fits all, 120 cm, can be shortened,
width 37 mm,
grey

	£		
7984EG	29.50	1	079840520

7984G
work belt, 100% TPE, with chrome-plated zinc metal buckle
one size fits all; length: 125 cm, can be shortened; width: 35 mm,
black

	£		
7984G	20.40	1	079840525

7985N
microfleece neck warmer with string adjuster, can also be used as a cap,
black with grey and reflex details

	£		
7985N	15.50	10	079850000

7104 90
plastic posts with fillable bases

	H mm	£		
7104 90	90	34.00	4	071040004

7105 6
plastic barrier chain

	Ø mm	L m	£		
7105 6	6	25	80.00	1	071050006

7109A
aluminium warning signs

	H mm	£		
7109A 1	140	14.70	1	071090001
7109A 2	140	14.70	1	071090002
7109A 3	140	14.70	1	071090003
7109A 4	140	14.70	1	071090004

7109D
prohibition signs

	H mm	£		
7109D 1	115	14.70	1	071090051
7109D 2	115	14.70	1	071090052
7109D 3	115	14.70	1	071090053

7061TC
safety glasses with clear polycarbonate lenses

CE EASY

EN166:2001
EN170
2C-1.2 1F

	£		
7061TC	11.60	1	070610001

7076BC
safety glasses with clear polycarbonate lenses

CE SPORT

EN166:2001
EN172
5-1.7 1F

	£		
7076BC	22.80	1	070760009

7076BD
safety glasses with polycarbonate lenses

CE SPORT

EN166:2001
EN172
5-3.1 1F

	£		
7076BD	22.80	1	070760019

7076BP
safety glasses with polarized polycarbonate lenses

CE SPORT

EN ISO 12312-1:2013+A1:2015
EN 1836
3P

	£		
7076BP	33.50	1	070760029

7076BU
safety glasses with orange polycarbonate lenses

CE

EN ISO 12311:2013
UV 500

	£		
7076BU	20.60	1	070760039

7093BC
safety glasses with clear polycarbonate lenses

CE IMPACT

EN166:2001
EN170
2C-1.2 1F

	£		
7093BC	33.50	1	070930009

7093BD
safety glasses with dark polycarbonate lenses

CE IMPACT

EN166:2001
EN172
5-3.1 1F

	£		
7093BD	33.00	1	070930019

C62M/WW
mannequin, realistic size, metal base

	£		
C62M/WW	277.00	1	062000362

C64
wall display for clothing and footwear, empty

L	£		
1 m	1515.00	1	064000021
2 m	2740.00	1	064000022
3 m	3960.00	1	064000023
4 m	5180.00	1	064000024

C64G

"gondola" display for clothing and footwear, empty



L	£		
1 m	1900.00	1	064000051
2 m	3440.00	1	064000052

C64CW

dressing room

	£		
C64CW	769.00	1	064000610

6200AP/S10

set of 10 hangers

	£		
6200AP/S10	53.50	1	062000331

6800BA

	£		
6800BA	142.50	1	068000130

6800RS

	£		
6800RS	133.50	1	068000135

6888GS

footwear hook for display C64

	£		
6888GS	31.00	2	068880122

170x120 mm

6888GW

hook for display C64

	£		
6888GW	8.50	2	068880121

400 mm

9562TB

mat for trying on shoes, with anti-skid, rubber-coated bottom

	L mm	H mm	£		
9562TB	800	600	70.00	1	095620500

9565S

sheet steel drum with seat made of removable imitation leather

	H cm	ø cm	£		
9565S	60	38	315.00	1	095650300

Robur

Since 1930 Robur has been manufacturing accessory lines for cables according to the acknowledged quality standards of Beta Utensili, whose products are complementary to those of Robur.

Expertise, organization and technology are the key ingredients of ongoing growth resulting from awareness of market requirements.

Since 1984 Robur has been headquartered in a state-of-the-art production facility in Sulmona.

Special free service boxes

MAXIMUM WORKING LOAD

WLL: working load limit (for lifting accessories)

WFL: workforce limit (for accessories other than lifting accessories)

BF: maximum force achieved by the itemduring the static traction test

LC: lashing capacity

new item 2024

8134

permanent magnetic lifters

CE

EN13155

Technical data:
- Safety factor: 3
- Identification tag

Available certificates:
- Manufacturer's Certificate
- Declaration of Conformity with Machinery Directive 2006/42/EC
- Test Report UNI EN10204 type 2.2
- Operation and maintenance manual

size

n.° of tools per box

price

code number

WLL kg	A mm	B mm	C mm	£		
100	70	64	92	540.00	1	081340010
300	96	88	165	950.00	1	081340030
600	120	118	230	1770.00	1	081340060
1000	168	168	264	2920.00	1	081340100

8105
eye and eye turnbuckles
high tensile steel, hot dip galvanized

CE

TECHNICAL DATA
- safety factor: 5
- heat treatment, body: normalizing
- heat treatment, eyes: hardening and tempering

LABORATORY TESTS
- chemical analysis
- tensile test
- proof load test 2 x WFL

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ØxE "	≈ mm	WLL kg	£		
3/8x6	M10x150	540	14.60	5	081050010
1/2x6	M12x150	1000	22.60	5	081050011
1/2x9	M12x230	1000	28.50	5	081050012
5/8x6	M16x150	1590	34.50	2	081050014
5/8x9	M16x230	1590	43.00	2	081050016
5/8X12	M16X300	1590	56.00	2	081050015
3/4x6	M20x150	2360	55.50	2	081050017
3/4x9	M20x230	2360	65.50	2	081050020
3/4x12	M20x300	2360	77.00	2	081050018
3/4x18	M20x460	2360	100.00	2	081050021
7/8x12	M22x300	3270	109.50	1	081050022
1x6	M24x150	4540	116.00	1	081050024
1x12	M24x300	4540	165.00	1	081050025
1x18	M24X460	4540	207.00	1	081050026
1.1/4x12	M33x300	6900	279.00	1	081050031
1.1/4x18	M33x460	6900	286.00	1	081050032
1.1/4x24	M33x610	6900	385.00	1	081050033
1.1/2x12	M39x300	9710	350.00	1	081050034
1.1/2x18	M39x460	9710	411.00	1	081050035
1.3/4x18	M45x460	12700	623.00	1	081050036

Other sizes available upon request

special free service boxes

ØxE "		£		
3/8x6	1	15.70	1	081059010
1/2x9	1	30.50	1	081059012

8109
jaw and jaw turnbuckles
high tensile steel, hot dip galvanized

CE



TECHNICAL DATA
- safety factor: 5
- heat treatment, body: normalizing
- heat treatment, jaws: hardening and tempering

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ØxE "	≈ mm	WLL kg	£		
3/8x6	M10x150	540	18.10	5	081090010
1/2x6	M12X150	1000	28.50	5	081090011
1/2x9	M12x230	1000	36.50	5	081090012
1/2x12	M12x300	1000	45.50	5	081090013
5/8x6	M16x150	1590	55.50	2	081090015
5/8x9	M16x230	1590	65.00	2	081090016
5/8X12	M16X300	1590	78.50	2	081090017
3/4x6	M20x150	2360	75.50	2	081090018
3/4x9	M20x230	2360	86.00	2	081090020
3/4x12	M20x300	2360	95.00	2	081090019
3/4x18	M20x460	2360	116.00	2	081090021
7/8x12	M22x300	3270	146.00	1	081090022
7/8x18	M22x460	3270	173.50	1	081090023
1x6	M24x150	4540	142.50	1	081090024
1x12	M24x300	4540	209.00	1	081090025
1x18	M24x460	4540	236.50	1	081090026
* 1.1/4x12	M33x300	6900	339.00	1	081090031
* 1.1/4x18	M33x460	6900	369.00	1	081090032
* 1.1/4x24	M33x610	6900	510.00	1	081090033
* 1.1/2X12	M39x300	9710	479.00	1	081090034
* 1.1/2x18	M39x460	9710	523.00	1	081090038
* 1.1/2x24	M39x610	9710	624.00	1	081090039
* 1.3/4X18	M45x460	12700	767.00	1	081090036

special free service boxes

ØxE "		£		
3/8x6	1	19.40	1	081099010
1/2x9	1	37.00	1	081099012

8110
eye and jaw turnbuckles, high-tensile steel,
hot dip galvanized

CE



TECHNICAL DATA
- safety factor: 5
- turnbuckle body treatment: normalizing
- turnbuckle eye treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

ØxE "	≈ mm	WLL kg	£		
3/8x6	M10X150	540	18.70	5	081100004
1/2x6	M12x150	1000	28.00	5	081100006
1/2x9	M12x230	1000	33.00	5	081100010
5/8x6	M16x150	1590	45.00	2	081100014
5/8x9	M16X230	1590	53.50	2	081100015
5/8x12	M16x300	1590	60.50	2	081100016
3/4x6	M20x150	2360	67.50	2	081100019
3/4x9	M20x230	2360	77.00	2	081100020
3/4x12	M20x300	2360	87.00	2	081100021
7/8X12	M22x300	3270	141.00	1	081100022
1x6	M24x150	4540	131.00	1	081100027
1x12	M24x300	4540	186.50	1	081100029
*1.1/4x12	M33x300	6900	308.00	1	081100034
*1.1/4x18	M33X460	6900	392.00	1	081100035
*1.1/4x24	M33X610	6900	528.00	1	081100036
*1.1/2x12	M39x300	9710	435.00	1	081100038
*1.1/2x18	M39x460	9710	492.00	1	081100039
*1.3/4x18	M45x460	12700	736.00	1	081100044

*** Jaw with through pin and split pin**

TURNBUCKLES

The original design of **Robur**'s established turnbuckles is extremely popular among Italian designers and structural engineers, based on precise dimensional tolerances, strength values higher than models DIN 1480 as well as traceability guaranteed by both the manufacturer and the identification code on the bodies.
First-rate electrolytic galvanizing, with uniform deposits free from hexavalent chromium, results in good weathering resistance and neat appearance of exposed structural elements.

8005Z

eye and eye turnbuckles, galvanized

CE



TECHNICAL DATA
- **safety factor: 4**

LABORATORY TESTS
- **chemical analysis**
- **tensile test**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**
- **CE Declaration of Conformity**

Ø mm	≈ "	L min mm	WFL kg	£		
M5	3/16	118	115	**2.50**	400	080050105
M6	1/4	130	160	**2.78**	300	080050106
M8	5/16	158	300	**4.20**	200	080050108
M10	3/8	192	470	**6.10**	100	080050110
M11	7/16	206	580	**8.05**	80	080050111
M12	1/2	226	690	**9.30**	60	080050112
M14	9/16	256	940	**12.40**	15	080050114
M16	5/8	290	1290	**20.00**	10	080050116
M18	11/16	358	1660	**28.50**	1	080050118
M20	3/4	358	2130	**32.50**	1	080050120
M22	7/8	400	2630	**43.00**	1	080050122
M24	1"	436	3060	**54.50**	1	080050124
M27	1"1/8	474	4000	**79.00**	1	080050125
M30	1"3/16	498	4860	**95.50**	1	080050130
M33	1"1/4	516	6040	**109.50**	1	080050126
M36	1"3/8	532	6500	**137.50**	1	080050136
M39	1"1/2	544	7900	**159.00**	1	080050139

Whitworth thread subject to availability
New batches with metric thread

special packaging

Ø mm	"		£		
M5	3/16	30	**84.50**	1	080050705
M6	1/4	30	**94.00**	1	080050706
M8	5/16	20	**94.50**	1	080050708
M10	3/8	15	**103.00**	1	080050710
M11	7/16	15	**136.00**	1	080050711
M12	1/2	15	**157.00**	1	080050712

special free service boxes

Ø mm		£		
M5	2	**5.95**	1	080059305
M6	2	**6.25**	1	080059306
M8	1	**5.45**	1	080059108
M10	1	**7.05**	1	080059110
M11	1	**9.20**	1	080059111
M12	1	**10.10**	1	080059112
M14	1	**13.00**	1	080059114
M16	1	**20.40**	1	080059116

8005TZ

hot-forged eye and eye turnbuckles pipe bodies,galvanized

CE

TECHNICAL DATA
- **safety factor: 4**

LABORATORY TESTS
- **chemical analysis**
- **tensile test**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**
- **CE Declaration of Conformity**

Ø mm	≈ "	WFL kg	£		
M12	1/2	690	**13.40**	15	080050512
M16	5/8	1290	**22.80**	1	080050516
M20	3/4	2130	**36.50**	1	080050520
M24	1"	3060	**60.50**	1	080050524
M27	1.1/8	4000	**84.50**	1	080050527
M30	1.3/16	4860	**95.50**	1	080050530
M36	1.3/8	6500	**150.00**	1	080050536

special free service boxes

Ø mm		£		
M12	1	**15.60**	1	080059512

8006Z

hook and eye turnbuckles, galvanized

CE



TECHNICAL DATA
- **safety factor: 4**

LABORATORY TESTS
- **chemical analysis**
- **tensile test**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**
- **CE Declaration of Conformity**

Ø mm	≈ "	L min mm	WFL kg	£		
M5	3/16	121	25	**2.22**	400	080060105
M6	1/4	132	45	**2.50**	250	080060106
M8	5/16	170	95	**4.05**	180	080060108
M10	3/8	204	140	**6.10**	100	080060110
M11	7/16	221	165	**8.45**	15	080060111
M12	1/2	244	300	**9.55**	15	080060112
M14	9/16	284	420	**14.00**	10	080060114
M16	5/8	322	570	**20.70**	1	080060116
M18	11/16	373	700	**32.00**	1	080060118
M20	3/4	391	900	**37.50**	1	080060120
M22	7/8	433	1100	**48.00**	1	080060122
M24	1"	470	1300	**65.50**	1	080060124
M27	1"1/8	503	2300	**88.50**	1	080060127

special packaging

Ø mm	≈ "		£		
M5	3/16	30	**75.00**	1	080060705
M6	1/4	30	**84.50**	1	080060706
M8	5/16	20	**91.00**	1	080060708
M10	3/8	15	**103.00**	1	080060710

special free service boxes

Ø mm		£		
M5	2	**5.85**	1	080069305
M6	2	**6.45**	1	080069306
M8	1	**5.55**	1	080069108
M10	1	**7.70**	1	080069110
M11	1	**9.55**	1	080069111
M12	1	**11.00**	1	080069112
M14	1	**15.50**	1	080069114

8007Z

hook and hook turnbuckles, galvanized



TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	L min mm	WFL kg	£		
M5	3/16	124	25	2.64	30	080070105
M6	1/4	134	45	2.78	30	080070106
M8	5/16	181	95	4.45	20	080070108
M10	3/8	211	140	6.70	15	080070110
M11	7/16	231	165	8.75	15	080070111
M12	1/2	262	300	10.20	15	080070112
M14	9/16	312	420	16.10	1	080070114
M16	5/8	354	570	23.50	1	080070116
M18	11/16	388	700	34.00	1	080070118
M20	3/4	424	900	43.00	1	080070120
M22	7/8	466	1100	54.50	1	080070122
M24	1"	504	1300	78.00	1	080070124
M27	1"1/8	532	2300	98.50	1	080070127

special free service boxes

Ø mm		£		
M5	2	5.85	1	080079305
M6	2	6.45	1	080079306
M8	1	5.65	1	080079108
M10	1	7.80	1	080079110
M11	1	9.75	1	080079111
M12	1	11.10	1	080079112

8008N

stub and stub turnbuckles self-coloured



TECHNICAL DATA
- safety coefficient: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	L min mm	WFL kg	£		
M5	3/16	160	115	1.95	30	080080205
M6	1/4	180	160	2.09	30	080080206
M8	5/16	210	300	3.35	20	080080208
M10	3/8	250	470	5.00	15	080080210
M12	1/2	280	690	6.80	15	080080212
M14	9/16	340	940	10.00	5	080080214
M16	5/8	380	1290	13.50	5	080080216
M18	11/16	410	1660	20.50	3	080080218
M20	3/4	440	2130	23.60	3	080080220
M22	7/8	480	2630	31.50	2	080080222
M24	1"	520	3060	36.50	2	080080224
M27	1"1/8	560	4000	59.50	1	080080227
M30	1"3/16	560	4860	73.00	1	080080230
M33	1"1/4	600	6040	79.00	1	080080233
M36	1"3/8	600	6500	98.50	1	080080236
M39	1"1/2	600	7900	115.00	1	080080239

Whitworth thread subject to availability
New batches with metric thread

special free service boxes

Ø mm		£		
M5	2	5.65	1	080089305
M6	2	5.95	1	080089306
M8	1	4.85	1	080089208
M10	1	6.80	1	080089210
M12	1	8.45	1	080089212
M14	1	11.60	1	080089214

8008TZN

stub and stub turnbuckles, pipe bodies DIN 1478, self-coloured terminals, galvanised bodies

TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Product specifications
- Test report type 2.2 UNI EN10204
- CE Declaration of Conformity

Ø mm	≈ "	WFL kg	£		
M12	1/2	690	9.90	10	080080512
M16	5/8	1290	16.80	1	080080516
M20	3/4	2130	26.00	1	080080520
M24	1	3060	44.50	1	080080524
M27	1.1/8	4000	64.00	1	080080527
M30	1.3/16	4860	78.00	1	080080530
M36	1.3/8	6500	119.50	1	080080536

8009Z

jaw and jaw turnbuckles, galvanized



TECHNICAL DATA
- safety coefficient: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	L min mm	WFL kg	£		
M8	5/16	192	300	8.75	15	080090008
M10	3/8	234	470	14.10	15	080090010
M12	1/2	274	690	21.40	15	080090012
M14	9/16	342	940	32.00	1	080090014
M16	5/8	372	1290	38.50	1	080090016
M18	11/16	406	1660	54.50	1	080090018
M20	3/4	406	2130	58.00	1	080090020
M22	7/8	466	2630	79.00	1	080090022
M24	1"	486	3060	87.00	1	080090024
M27	1"1/8	510	4000	131.50	1	080090027
M30	1"3/16	566	4860	175.50	1	080090030

special packaging

Ø mm	≈ "		£		
M8	5/16	5	49.00	1	080090708
M10	3/8	5	79.50	1	080090710
M12	1/2	5	120.50	1	080090712

special free service boxes

Ø mm		£		
M8	1	9.90	1	080099008
M10	1	15.40	1	080099010
M12	1	22.80	1	080099012

8009TZ

jaw and jaw turnbuckles, pipe bodies, DIN 1478 galvanized

TECHNICAL DATA
- safety coefficient: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	WFL kg	£		
M12	1/2	690	24.00	10	080090512
M16	5/8	1290	40.00	1	080090516
M20	3/4	2130	56.50	1	080090520
M24	1	3060	88.50	1	080090524
M27	1.1/8	4000	121.00	1	080090527
M30	1.3/16	4860	161.50	1	080090530

special free service boxes

Ø mm		£		
M12	1	25.00	1	080099512

8010Z

eye and jaw turnbuckles, galvanized



TECHNICAL DATA
- safety coefficient: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	L min mm	WFL kg	£		
M8	5/16	175	300	6.60	20	080100008
M10	3/8	215	470	10.10	15	080100010
M12	1/2	250	690	15.40	10	080100012
M14	9/16	299	940	21.90	10	080100014
M16	5/8	331	1290	27.50	1	080100016
M18	11/16	382	1660	42.00	1	080100018
M20	3/4	382	2130	44.50	1	080100020
M22	7/8	433	2630	62.00	1	080100022
M24	1"	461	3060	71.50	1	080100024
M27	1"1/8	492	4000	108.50	1	080100027
M30	1"3/16	529	4860	139.00	1	080100030

special free service boxes

Ø mm		£		
M8	1	7.90	1	080109008
M10	1	11.30	1	080109010
M12	1	16.10	1	080109012
M14	1	23.60	1	080109014

8010TZ

eye and jaw turnbuckles, pipe bodies DIN 1478, galvanised

TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS • chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Production specifications
- Test report type 2.2 UNI EN10204
- CE Declaration of Conformity

Ø mm	≈ "	WFL kg	£		
M12	1/2	690	17.50	10	080100612
M16	5/8	1290	31.00	1	080100616
M20	3/4	2130	45.50	1	080100620
M24	1	3060	75.00	1	080100624
M27	1.1/8	4000	103.50	1	080100627
M30	1.3/16	4860	127.00	1	080100630

8011Z

hook and jaw turnbuckles, galvanized

TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Product specification
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity CE

Ø mm	≈ "	L min mm	WFL kg	£		
M12	1/2	270	300	15.00	1	080110112
M16	5/8	360	570	31.00	1	080110116
M20	3/4	420	900	51.50	1	080110120
M24	1"	490	1300	86.00	1	080110124
M27	1"1/8	500	2300	119.00	1	080110127

8011TZ

hook and jaw turnbuckles, pipe bodies DIN 1478, galvanized

TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Product specification
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	L min mm	WFL kg	£		
M12	1/2	260	300	17.20	1	080110612
M16	5/8	350	570	31.50	1	080110616
M20	3/4	400	900	48.00	1	080110620
M24	1"	490	1300	82.50	1	080110624
M27	1"1/8	500	2300	109.50	1	080110627

8001Z

turnbuckle bodies, galvanized

TECHNICAL DATA
- safety factor: 4
- traceability code

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	L mm	WFL kg	£		
M5	3/16	80	115	1.22	100	080010105
M6	1/4	80	160	1.28	100	080010106
M8	5/16	105	300	2.22	25	080010108
M10	3/8	125	470	2.93	20	080010110
M11	7/16	135	580	3.85	15	080010111
M12	1/2	140	690	4.05	20	080010112
M14	9/16	170	940	5.65	15	080010114
M16	5/8	190	1290	7.90	15	080010116
M18	11/16	205	1660	12.20	10	080010118
M20	3/4	220	2130	13.90	10	080010120
M22	7/8	240	2630	17.60	8	080010122
M24	1"	260	3060	22.10	5	080010124
M27	1"1/8	270	4000	34.50	1	080010127
M30	1"3/16	280	4860	44.50	1	080010130
M33	1"1/4	290	6040	47.00	1	080010133
M36	1"3/8	300	6500	60.50	1	080010198
M39	1"1/2	300	7900	73.00	1	080010199

Whitworth thread subject to availability
New batches with metric thread

special free service boxes

Ø mm		£		
M5	2	4.35	1	080019305
M6	2	4.85	1	080019306
M8	1	3.75	1	080019108
M10	1	4.45	1	080019110
M11	1	5.45	1	080019111
M12	1	5.55	1	080019112
M14	1	7.20	1	080019114
M16	1	9.55	1	080019116
M18	1	14.00	1	080019118
M20	1	15.40	1	080019120
M22	1	20.00	1	080019122
M24	1	23.60	1	080019124

8001TZ

pipe turnbuckle bodies, galvanized

DIN 1478

TECHNICAL DATA
- safety factor: 4
- traceability code

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	≈ "	L mm	WFL kg	£		
M12	1/2	125	690	6.70	10	080010512
M16	5/8	170	1290	10.40	5	080010516
M20	3/4	200	2130	13.60	5	080010520
M24	1	255	3060	24.30	3	080010524
* M27	1.1/8	255	4000	32.50	1	080010527
M30	1.3/16	255	4860	36.50	1	080010530
M36	1.3/8	295	6500	67.00	1	080010536
M42	1.5/8	330	9700	90.00	1	080010542

* Sizes not contemplated by the standard

special free service boxes

Ø mm		£		
M12	1	7.90	1	080019512
M16	1	11.20	1	080019516
M20	1	15.00	1	080019520
M24	1	26.00	1	080019524

8002ZD

turnbuckle eyes
right thread, galvanized



TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	≈ "	E mm	WFL kg	£		
M5	3/16	37	115	0.53	200	080020105
M6	1/4	40	160	0.62	150	080020106
M8	5/16	52	300	0.92	100	080020108
M10	3/8	60	470	1.54	100	080020110
M11	7/16	65	580	1.95	1	080020111
M12	1/2	72	690	2.51	50	080020112
M14	9/16	85	940	3.05	1	080020114
M16	5/8	95	1290	5.25	1	080020116
M18	11/16	103	1660	7.90	1	080020118
M20	3/4	110	2130	8.90	1	080020120
M22	7/8	120	2630	12.20	1	080020122
M24	1"	130	3060	15.60	1	080020124
M27	1"1/8	135	4000	22.10	1	080020127
M30	1"3/16	140	4860	26.00	1	080020130
M33	1"1/4	148	6040	31.50	1	080020133
M36	1"3/8	150	6500	38.50	1	080020198
M39	1"1/2	150	7900	44.50	1	080020199

Whitworth thread subject to availability
New batches with metric thread

left-handed thread

Ø mm	≈ "	E mm	WFL kg	£		
M5	3/16	37	115	0.53	1	080020305
M6	1/4	40	160	0.62	1	080020306
M8	5/16	52	300	0.92	1	080020308
M10	3/8	60	470	1.54	1	080020310
M11	7/16	65	580	1.95	1	080020311
M12	1/2	72	690	2.51	1	080020312
M14	9/16	85	940	3.05	1	080020314
M16	5/8	95	1290	5.25	1	080020316
M18	11/16	103	1660	7.90	1	080020318
M20	3/4	110	2130	8.90	1	080020320
M22	7/8	120	2630	12.20	1	080020322
M24	1"	130	3060	15.60	1	080020324
M27	1"1/8	135	4000	22.10	1	080020327
M30	1"3/16	140	4860	26.00	1	080020330
M33	1"1/4	148	6040	31.50	1	080020333
M36	1"3/8	150	6500	38.50	1	080020398
M39	1"1/2	150	7900	44.50	1	080020399

8003ZD

turnbuckle hooks
right thread, galvanized

TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	≈ "	E mm	WFL kg	£		
M5	3/16	40	25	0.51	150	080030105
M6	1/4	40	45	0.68	120	080030106
M8	5/16	52	95	1.11	100	080030108
M10	3/8	60	140	1.82	70	080030110
M11	7/16	65	165	2.64	1	080030111
M12	1/2	70	300	3.35	30	080030112
M14	9/16	85	420	5.35	1	080030114
M16	5/8	95	570	7.90	1	080030116
M18	11/16	103	700	10.60	1	080030118
M20	3/4	110	900	14.10	1	080030120
M22	7/8	120	1100	17.50	1	080030122
M24	1"	130	1300	28.00	1	080030124
M27	1"1/8	135	2300	34.00	1	080030127

left-handed thread

Ø mm	≈ "	WFL kg	E mm	£		
M5	3/16	40	25	0.51	1	080030305
M6	1/4	40	45	0.68	1	080030306
M8	5/16	52	95	1.11	1	080030308
M10	3/8	60	140	1.82	1	080030310
M11	7/16	65	165	2.64	1	080030311
M12	1/2	70	300	3.35	1	080030312
M14	9/16	85	420	5.35	1	080030314
M16	5/8	95	570	7.90	1	080030316
M18	11/16	103	700	10.60	1	080030318
M20	3/4	110	900	14.10	1	080030320
M22	7/8	120	1100	17.50	1	080030322
M24	1"	130	1300	28.00	1	080030324
M27	1"1/8	135	2300	34.00	1	080030327

8004ND

turnbuckle stubs
right-handed thread, self-coloured

TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	≈ "	E mm	WFL kg	£		
M5	3/16	40	115	0.50	1	080040005
M6	1/4	44	160	0.50	1	080040006
M8	5/16	53	300	0.61	1	080040008
M10	3/8	63	470	1.07	1	080040010
M12	1/2	70	690	1.66	1	080040012
M14	9/16	85	940	2.37	1	080040014
M16	5/8	95	1290	3.45	1	080040016
M18	11/16	103	1660	4.55	1	080040018
M20	3/4	110	2130	5.95	1	080040020
M22	7/8	120	2630	6.95	1	080040022
M24	1"	130	3060	9.90	1	080040024
M27	1"1/8	135	4000	16.10	1	080040027
M30	1"3/16	140	4860	19.80	1	080040030
M33	1"1/4	150	6040	20.40	1	080040033
M36	1"3/8	150	6500	26.50	1	080040098
M39	1"1/2	150	7900	28.50	1	080040099

Whitworth thread subject to availability
New batches with metric thread

left-handed thread

Ø mm	≈ "	E mm	WFL kg	£		
M5	3/16	40	115	0.50	1	080040105
M6	1/4	44	160	0.50	1	080040106
M8	5/16	53	300	0.61	1	080040108
M10	3/8	63	470	1.07	1	080040110
M12	1/2	70	690	1.66	1	080040112
M14	9/16	85	940	2.37	1	080040114
M16	5/8	95	1290	3.45	1	080040116
M18	11/16	103	1660	4.55	1	080040118
M20	3/4	110	2130	5.95	1	080040120
M22	7/8	120	2630	6.95	1	080040122
M24	1"	130	3060	9.90	1	080040124
M27	1"1/8	135	4000	16.10	1	080040127
M30	1"3/16	140	4860	19.80	1	080040130
M33	1"1/4	150	6040	20.40	1	080040133
M36	1"3/8	150	6500	26.50	1	080040198
M39	1"1/2	150	7900	28.50	1	080040199



8009FD

turnbuckle jaws
right-handed thread, galvanized

TECHNICAL DATA
- safety factor: 4

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	≈ "	E mm	WFL kg	£		
M8	5/16	53	300	3.60	1	080090208
M10	3/8	63	470	5.45	1	080090210
M12	1/2	70	690	8.45	1	080090212
M14	9/16	85	940	13.00	1	080090214
M16	5/8	95	1290	14.60	1	080090216
M18	11/16	103	1660	21.30	1	080090218
M20	3/4	110	2130	22.10	1	080090220
M22	7/8	120	2630	31.00	1	080090222
M24	1"	130	3060	33.50	1	080090224
M27	1"1/8	135	4000	48.00	1	080090227
M30	1"3/16	140	4860	65.50	1	080090230

left-handed thread

Ø mm	≈ "	WFL kg	G mm	£		
M8	5/16	53	300	3.60	1	080090408
M10	3/8	63	470	5.45	1	080090410
M12	1/2	70	690	8.45	1	080090412
M14	9/16	85	940	13.00	1	080090414
M16	5/8	95	1290	14.60	1	080090416
M18	11/16	103	1660	21.30	1	080090418
M20	3/4	110	2130	22.10	1	080090420
M22	7/8	120	2630	31.00	1	080090422
M24	1"	130	3060	33.50	1	080090424
M27	1"1/8	135	4000	48.00	1	080090427
M30	1"3/16	140	4860	65.50	1	080090430

8048

eye tie rods right thread
self-coloured

UNI 6058

ØxL mm	WFL kg	F mm	E mm	£		
M8x50	430	6	39	3.60	20	080480108
M8x65	430	6	54	4.20	20	080480109
M10x80	690	8	66	7.20	10	080480110
M10x100	690	8	86	7.70	10	080480210
M10x130	690	8	116	7.80	10	080480111
M12x70	1020	10	53	7.30	8	080480212
M12x95	1020	10	78	7.70	8	080480112
M12x125	1020	10	108	7.70	8	080480113
M14x110	1420	12	91	8.05	6	080480114
M16x100	1980	14	79	9.30	6	080480115
M16x130	1980	14	109	9.55	6	080480116
M18x150	2390	16	126	19.40	2	080480118
M20x160	3100	18	134	22.90	2	080480120
M22x180	3890	18	152	33.50	1	080480122
M24x200	4460	20	168	40.00	1	080480124
M24x220	4460	20	188	48.00	1	080480125
M27x220	5900	22	185	53.50	1	080480127

8302Z

fastening eye bolts,
right thread, galvanized

TECHNICAL DATA
- safety factor: 4

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	E mm	F mm	WFL kg	£		
M5	48	8	115	0.61	200	083020005
M6	55	10	160	0.73	150	083020006
M8	60	12	300	1.08	100	083020008
M10	73	14	470	1.66	100	083020010
M12	90	17	690	3.05	50	083020012

special packaging

Ø mm	E mm		£		
M5	48	100	68.50	1	083020705
M6	55	75	61.50	1	083020706
M8	60	50	60.50	1	083020708
M10	73	50	93.50	1	083020710
M12	90	25	85.50	1	083020712

8303Z

fastening hooks
right thread, galvanized

TECHNICAL DATA
- safety factor: 4

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	C mm	E mm	WFL kg	£		
M5	6,0	48	25	0.67	120	083030005
M6	8,0	55	45	0.87	100	083030006
M8	10,0	60	95	1.22	75	083030008
M10	12,5	73	140	2.09	50	083030010
M12	16,0	90	220	3.10	20	083030012

special packaging

Ø mm	C mm		£		
M5	6,0	60	45.00	1	083030705
M6	8,0	50	49.00	1	083030706
M8	10,0	30	41.00	1	083030708
M10	12,5	25	58.50	1	083030710
M12	16,0	10	35.00	1	083030712

8702N - 8702Z - 8702ZC

swage sockets made from forged steel

closed
black

TECHNICAL DATA
- traceability code

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1

M	ø B mm	ø A mm	ø D mm	£		
6	6,8	13	19	47.00	1	087020106
8	8,8	20	22	56.50	1	087020108
9	9,8	20	22	56.50	1	087020109
10	10,8	20	22	56.50	1	087020110
11	11,8	25	27	71.00	1	087020111
12	12,8	25	27	71.00	1	087020112
13	13,8	25	27	71.00	1	087020113
14	14,8	32	32	98.00	1	087020114
15	15,9	32	32	98.00	1	087020115
16	17,0	32	32	98.00	1	087020116
18	19,0	39	37	126.00	1	087020118
19	20,0	39	37	126.00	1	087020119
20	21,1	39	37	126.00	1	087020120
22	23,2	43	43	177.00	1	087020122
24	25,4	50	52	202.50	1	087020124
25	26,4	50	52	202.50	1	087020125
26	27,4	50	52	202.50	1	087020126

Socket swaging requires suitable presses and dies and can only be performed by trained staff.

8702Z galvanized

M	ø B mm	ø A mm	ø D mm	£		
6	6,8	13	19	49.00	1	087020306
8	8,8	20	22	60.00	1	087020308
9	9,8	20	22	60.00	1	087020309
10	10,8	20	22	60.00	1	087020310
11	11,8	25	27	73.50	1	087020311
12	12,8	25	27	73.50	1	087020312
13	13,8	25	27	73.50	1	087020313
14	14,8	32	32	102.50	1	087020314
15	15,9	32	32	102.50	1	087020315
16	17,0	32	32	102.50	1	087020316
18	19,0	39	37	132.50	1	087020318
19	20,0	39	37	132.50	1	087020319
20	21,1	39	37	132.50	1	087020320
22	23,2	43	43	176.00	1	087020322
24	25,4	50	52	211.00	1	087020324
25	26,4	50	52	211.00	1	087020325
26	27,4	50	52	211.00	1	087020326

8702ZC hot-dip galvanized

M	ø B mm	ø A mm	ø D mm	£		
6	6,8	13	19	51.50	1	087020206
8	8,8	20	22	64.00	1	087020208
9	9,8	20	22	64.00	1	087020209
10	10,8	20	22	64.00	1	087020210
11	11,8	25	27	82.00	1	087020211
12	12,8	25	27	82.00	1	087020212
13	13,8	25	27	82.00	1	087020213
14	14,8	32	32	117.00	1	087020214
15	15,9	32	32	117.00	1	087020215
16	17,0	32	32	117.00	1	087020216
18	19,0	39	37	153.50	1	087020218
19	20,0	39	37	153.50	1	087020219
20	21,1	39	37	153.50	1	087020220
22	23,2	43	43	207.50	1	087020222
24	25,4	50	52	243.50	1	087020224
25	26,4	50	52	243.50	1	087020225
26	27,4	50	52	243.50	1	087020226

8709N - 8709Z - 8709ZC

swage sockets made from forged steel open black

TECHNICAL DATA
- traceability code

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1

M	ø B mm	ø A mm	ø C mm	£		
6	6,8	13	17	63.50	1	087090106
8	8,8	20	21	83.00	1	087090108
9	9,8	20	21	83.00	1	087090109
10	10,8	20	21	83.00	1	087090110
11	11,8	25	25	103.50	1	087090111
12	12,8	25	25	103.50	1	087090112
13	13,8	25	25	103.50	1	087090113
14	14,8	32	30	146.00	1	087090114
15	15,9	32	30	146.00	1	087090115
16	17,0	32	30	146.00	1	087090116
18	19,0	39	35	189.00	1	087090118
19	20,0	39	35	189.00	1	087090119
20	21,1	39	35	189.00	1	087090120
22	23,2	43	41	240.00	1	087090122
24	25,4	50	51	245.00	1	087090124
25	26,4	50	51	245.00	1	087090125
26	27,4	50	51	245.00	1	087090126

Socket swaging requires suitable presses and dies and can only be performed by trained staff.

8709Z galvanized

M	ø B mm	ø A mm	ø C mm	£		
6	6,8	13	17	66.50	1	087090306
8	8,8	20	21	87.00	1	087090308
9	9,8	20	21	87.00	1	087090309
10	10,8	20	21	87.00	1	087090310
11	11,8	25	25	109.50	1	087090311
12	12,8	25	25	109.50	1	087090312
13	13,8	25	25	109.50	1	087090313
14	14,8	32	30	152.50	1	087090314
15	15,9	32	30	152.50	1	087090315
16	17,0	32	30	152.50	1	087090316
18	19,0	39	35	198.00	1	087090318
19	20,0	39	35	198.00	1	087090319
20	21,0	39	35	198.00	1	087090320
22	23,2	43	41	259.00	1	087090322
24	25,4	50	51	259.00	1	087090324
25	26,4	50	51	259.00	1	087090325
26	27,4	50	51	259.00	1	087090326

8709ZC hot-dip galvanized

M	ø B mm	ø A mm	ø C mm	£		
6	6,8	13	17	70.50	1	087090206
8	8,8	20	21	94.00	1	087090208
9	9,8	20	21	94.00	1	087090209
10	10,8	20	21	94.00	1	087090210
11	11,8	25	25	117.00	1	087090211
12	12,8	25	25	117.00	1	087090212
13	13,8	25	25	117.00	1	087090213
14	14,8	32	30	172.00	1	087090214
15	15,9	32	30	172.00	1	087090215
16	17,0	32	30	172.00	1	087090216
18	19,0	39	35	221.50	1	087090218
19	20,0	39	35	221.50	1	087090219
20	21,1	39	35	221.50	1	087090220
22	23,2	43	41	282.00	1	087090222
24	25,4	50	51	305.00	1	087090224
25	26,4	50	51	305.00	1	087090225
26	27,4	50	51	305.00	1	087090226

WIRE ROPE CLIPS

Professional wire rope clips make it possible to obtain slots of strand wire ropes with steel cores, for use with tie-down and tensioning systems. Unlike many commercially available products, our wire rope clips DO NOT have cast iron bodies.

Indeed, in order to ensure optimal mechanical performance in heavy duty jobs, the bases are hot forged and are on average heavier than similar items.
First-rate electrolytic galvanizing, free from hexavalent chromium, provides good corrosion resistance and enhances appearance.

During the several decades of the Company's history, all these hallmarks have made item 8016 into the icon of the Robur brand, allowing 'Italian-style' wire rope clips to stand out worldwide.

8015

wire rope clips, American type, steel body, hot-dip galvanized

CE



dimensioni EN 13411-5 tipo B

TECHNICAL DATA
- traceability code

LABORATORY TESTS
- chemical analysis
- torque test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate UNI EN13411-5
- CE Declaration of Conformity

ø mm	ø "	NxT	Nm	£		
8	5/16	3x133	40,7	2.37	12	080150808
10	3/8	3x165	61	3.25	12	080150810
13	1/2	3x292	88	4.90	6	080150813
16	5/8	3x305	129	7.05	6	080150816
20	3/4	4x460	176	9.65	6	080150820
22	7/8	4x480	305	15.40	6	080150822
26	1	5x660	305	16.90	5	080150826
30	1-1/8	6x860	305	18.60	2	080150830

8016

wire rope clips, hot forged steel body, galvanized

CE



TECHNICAL DATA
- chemical analysis
- torque test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Certificate of Conformity

ø mm	ø "	N x T	Nm	£		
3	1/8	3x80	1,53	0.65	500	080160003
5	3/16	3x110	3,02	0.84	300	080160005
6	1/4	3x120	5,19	0.91	200	080160006
8	5/16	5x210	5,19	1.08	150	080160008
10	3/8	5x240	12,54	1.66	70	080160010
11	7/16	5x260	12,54	1.82	70	080160011
12-13	1/2	5x300	24,76	2.50	40	080160013
14	9/16	5x295	24,76	2.64	35	080160014
16	5/8	5x335	24,76	3.20	30	080160016
18	11/16	5x380	42,42	4.20	30	080160018
20	3/4	5x540	42,42	4.45	30	080160020
22	7/8	7x595	42,42	5.35	25	080160022
24-26	1"	7x700	67,56	7.55	15	080160026
28	1"1/16	8x840	67,56	9.10	5	080160028
30-32	1"1/8	8x990	67,56	9.30	5	080160030
34-36	1"1/4	8x1155	105,80	12.10	4	080160034
38-40	1"1/2	8x1320	105,80	16.10	2	080160040
45-50	2"	8x1500	206	25.50	1	080160050

special packaging

ø mm	ø "	N x T	Nm	£		
3	1/8	100		73.00	1	080160703
5	3/16	50		47.00	1	080160705
6	1/4	50		51.00	1	080160706
8	5/16	30		36.50	1	080160708
10	3/8	30		56.00	1	080160710
11	7/16	25		51.00	1	080160711
12-13	1/2	15		42.00	1	080160713

special free service boxes

ø mm		£		
3	6	5.55	1	080169403
5	4	4.85	1	080169405
6	4	5.35	1	080169406
8	4	6.10	1	080169408
10	2	4.85	1	080169410
11	1	3.35	1	080169011
12-13	1	4.20	1	080169013
14	1	4.05	1	080169014
16	1	4.45	1	080169016
18	1	5.65	1	080169018
20	1	6.10	1	080169020
22	1	6.70	1	080169022
24-26	1	9.10	1	080169026

8016FR

wire rope clips,
cold pressed steel body,
galvanized



LABORATORY TESTS
- chemical analysis

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Certificate of Conformity

Ø mm	Ø mm	N x T	Nm	£		
3	1/8	3x80	1,25	0.56	500	080160253
5	3/16	3x110	2,46	0.73	300	080160255
6	1/4	3x120	4,24	0.89	200	080160256
8	5/16	5x210	4,24	1.11	150	080160258

8018E

wire rope clips, ENEL type,
hot forged steel body, hot-dip galvanized
U-bolts and nuts with chemical galv. protection

LABORATORY TESTS
- chemical analysis

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	A mm	L mm	Nm	£		
4÷6	M6	34	4,24	1.22	100	080180001

Robur

Robur

8016U2

wire rope clips
malleable cast iron body
galvanized



dimensioni EN 13411-5 tipo A

TECHNICAL DATA
- traceability code

LABORATORY TESTS
- chemical analysis
- torque test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate UNI EN13411-5
- CE Certificate of Conformity

Ø mm	Ø "	N x T	Nm	£		
5	3/16	3x156	2,0	0.31	300	080160855
6,5	1/4	3x192	3,5	0.50	150	080160856
8	5/16	4x320	6	0.92	70	080160858
10	3/8	4x320	9	1.08	60	080160860
12	1/2	4x384	20	1.82	25	080160862
14	9/16	4x448	33	2.93	15	080160864
16	5/8	4x512	49	4.35	10	080160866
19	3/4	4x512	68	4.85	10	080160869
22	7/8	5x680	107	7.05	10	080160872
26	1	5x760	147	12.70	5	080160876
30	1.1/8	6x984	212	16.70	5	080160880
34	1.1/4	6x1080	296	22.30	5	080160884
40	1.1/2	6x1176	363	28.50	5	080160890

special free service boxes

Ø mm		£		
5	4	4.55	1	080169805
6	4	5.45	1	080169806
8	4	8.20	1	080169808
10	2	5.35	1	080169810
12	1	4.85	1	080169612
14	1	6.45	1	080169614
16	1	8.75	1	080169616
19	1	9.55	1	080169619
22	1	12.80	1	080169622
26	1	19.90	1	080169626

8016UGK

wire rope clips,
made of malleable cast iron,
HOT DIP GALVANIZED body,
GEOMET-GEOKOTE U-bolts and nuts



- high corrosion resistance
- traceability code

dimensioni EN 13411-5 tipo A

TECHNICAL DATA
- traceability code

LABORATORY TESTS
- chemical analysis
- torque test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate UNI EN13411-5
- CE Declaration of conformity

Ø mm	Ø "	N x T	Nm	£		
8	5/16	4x320	6	1.42	70	080160758
10	3/8	4x320	9	1.55	60	080160760
12	1/2	4x448	33	2.85	25	080160762
14	9/16	4x384	20	4.70	15	080160764
16	5/8	4x512	49	6.70	10	080160766
19	3/4	4x512	68	7.80	10	080160769
22	7/8	5x680	107	11.20	10	080160772
26	1	5x760	147	19.70	5	080160776
30	1,1/8	6x984	212	23.60	1	080160780
34	1,1/4	6x1080	296	33.50	1	080160784
40	1,1/2	6x1176	363	42.00	1	080160790

8018T

wire rope clips, TELECOM type
malleable cast iron body
galvanized

RUM-MU-21:1980

LABORATORY TESTS
- chemical analysis

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	A mm	L mm	Nm	£		
8÷10	M8	42	10,20	1.30	200	080180003

Robur

8020A

thimbles, Italian light type, galvanized



AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø mm	F mm	B mm	D mm	£		
2-3	1,0	20	18	0.24	150	080200503
4	1,2	23	19	0.24	150	080200504
5	1,2	24	23	0.30	100	080200505
6	1,2	27	28	0.31	100	080200506
8	1,4	33	32	0.61	50	080200508
10	1,8	41	38	0.76	30	080200510
12	2,2	44	45	1.01	30	080200512
14	2,2	52	49	1.32	50	080200514
16	3,0	58	58	1.72	50	080200516
18	3,7	64	68	2.12	50	080200518
20	3,7	73	74	3.05	35	080200520
22	3,7	83	79	3.35	30	080200522
24	3,7	93	88	4.45	20	080200525

special packaging

ø mm	S mm		£		
2-3	0,8	150	36.00	1	080200703
4	1,0	150	36.00	1	080200704
5	1,0	100	30.00	1	080200705
6	1,0	100	31.00	1	080200706
8	1,2	50	30.50	1	080200708
10	1,5	30	22.80	1	080200710

Robur

8021A

thimbles, heavy type, galvanized



AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø mm	S mm	B mm	D mm	£		
2-3	0,6	15	16	0.43	150	080210103
5	1,7	29	28	0.75	120	080210105
6	1,8	33	30	0.77	100	080210106
8	2,5	36	37	1.07	100	080210108
10	2,5	42	43	1.31	80	080210110
12	2,5	48	50	1.55	100	080210112
14	2,7	58	57	1.95	70	080210114
16	3	61	62	2.37	50	080210116
18	3,5	71	71	3.05	70	080210118
20	4	79	79	4.40	30	080210120
22	4	87	84	5.35	25	080210122
24	4	93	92	5.90	25	080210124
26	4	103	103	7.25	20	080210126
28	5	107	116	17.70	1	080210128
30	5	118	121	18.10	1	080210130
32	5,5	138	135	20.90	1	080210132
35	6	140	147	29.00	1	080210135
40	6,0	174	170	40.00	1	080210140

SHACKLES

Unlike similar products, Robur's high-tensile shackles are made entirely from hardened and tempered chrome molybdenum alloy steel, and designed to exceed 20,000 full-load cycles in laboratory tests. Therefore, they stand out in their category, as the best option for heavy-duty jobs, with a safety factor exceeding requirements under reference standards (6:1 instead of 5:1) and excellent resilience at low temperatures.

Robur's mild steel shackles are synonymous with reliability and effectiveness in time, based on top-quality raw material, exquisite mechanical workmanship and heat treatment (normalizing), which allow a high work load and safety factor to be reached compared to those of similar commercially available products.

Clear, indelible marking on each piece makes it possible to identify the origin of the shackle, e.g. in case of inspections by auditing companies or competent bodies.

8026R

straight shackles with screw collar pin, high-tensile alloy steel, GRADE 6, hot-dipped galvanized body

CE



EN 13889

TECHNICAL DATA
- minimum safety factor: 6
- heat treatment: hardening and tempering
- traceability code on both pin and body

LABORATORY TESTS
- chemical analysis • metallographic analysis
- tensile test • fatigue test (min. 20,000 cycles)
- proof load test (2 x WLL)

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- Inspection Certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

ØD mm	ØA mm	H mm	WLL kg	£		
11	10	17	1000	6.65	5	080260210
16	13	21	2000	12.20	5	080260212
19	16	27	3250	20.70	3	080260216
22	19	32	4750	30.50	2	080260219
25	22	37	6500	45.50	2	080260222

special free service boxes

ØD mm		£		
16	1	13.90	1	080269212
19	1	23.50	1	080269216

8029R

bow shackles with screw collar pins, high-tensile alloy steel, GRADE 6, hot-dipped galvanized body

CE

EN 13889

TECHNICAL DATA
- minimum safety factor: 6
- heat treatment: hardening and tempering
- traceability code on pin and body

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (2 x WLL)

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- Inspection Certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

ØD mm	ØA mm	H mm	WLL kg	£		
8	6	13	500	3.80	20	080290106
10	8	13,5	750	4.60	15	080290108
11	10	17	1000	6.65	15	080290110
13	11	18,5	1500	8.90	10	080290111
16	13	20,5	2000	10.60	8	080290112
19	16	27	3250	17.30	8	080290116
22	19	32	4750	26.00	4	080290120
25	22	37	6500	38.50	4	080290122
28	26	43,5	8500	56.00	1	080290124

ØD mm	ØA mm	H mm	WLL kg	£		
32	29	48	9500	86.00	1	080290128
35	32	53	12000	115.00	1	080290132
38	35	59	13500	154.00	1	080290135
42	38	62	17000	199.50	1	080290138
50	45	75	25000	340.00	1	080290145
57	50	83	35000	624.00	1	080290150
65	57	95	42500	1068.00	1	080290157
70	65	105	55000	1220.00	1	080290165

special free service boxes

ØD mm		£		
8	1	5.35	1	080299106
10	1	5.85	1	080299108
11	1	7.80	1	080299110
13	1	10.00	1	080299111
16	1	12.10	1	080299112
19	1	20.70	1	080299116

special packaging

ØD mm	ØA mm		£		
8	6	10	42.50	1	080290706
10	8	10	51.50	1	080290708
11	10	10	75.00	1	080290710
13	11	5	50.00	1	080290711
16	13	4	47.50	1	080290712
19	16	4	78.00	1	080290716
22	19	2	58.50	1	080290720
25	22	2	86.50	1	080290722

8031R

bow shackles with safety bolt, EN13889
high-tensile alloy steel, GRADE 6,
hot-dip galvanized body

CE

EN 13889

TECHNICAL DATA
- minimum safety factor: 6
- heat treatment: hardening and tempering
- traceability code on pin and body

LABORATORY TESTS
- chemical analysis • metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (2 x WLL)

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- Inspection Certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

ØD mm	ØA mm	H mm	WLL kg	£		
11	10	17	1000	7.70	5	080310110
13	11	18	1500	11.60	5	080310111
16	13	21	2000	11.90	5	080310112
19	16	27	3250	21.00	3	080310116
22	19	32	4750	30.50	2	080310120
25	22	37	6500	42.00	2	080310122
28	26	43	8500	58.50	1	080310124

ØA mm	ØD mm	H mm	WLL kg	£		
29	32	48	9500	91.50	1	080310128
32	35	53	12000	119.00	1	080310132
35	38	59	13500	168.00	1	080310135
38	42	62	17000	204.00	1	080310138
45	50	75	25000	367.00	1	080310145
50	57	83	35000	652.00	1	080310150
65	70	105	55000	1325.00	1	080310165
75	83	127	85000	2075.00	1	080310183

special free service boxes

ØD mm		£		
16	1	14.70	1	080319112
19	1	23.50	1	080319116

8032

bow shackles with square sunken hole screw pin,
high-tensile alloy steel, GRADE 6,
hot-dip galvanized body

CE



TECHNICAL DATA
- minimum safety factor: 6
- heat treatment: hardening and tempering
- traceability code on pin and body

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (2 x WLL)

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- Inspection Certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

ØD mm	ØA mm	H mm	WLL kg	£		
11	10	17	1000	9.25	5	080320010
16	13	21	2000	11.60	5	080320012
19	16	27	3250	20.50	3	080320016
22	19	32	4750	34.50	2	080320020
25	22	37	6500	51.50	2	080320022

special free service boxes

ØD mm		£		
16	1	13.90	1	080329012
19	1	22.30	1	080329016

8025

lifting LARGE DEE shackles,
hot forged carbon steel,
galvanized

CE

TECHNICAL DATA
- safety factor: 5
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm	≈ "	B x C mm	WLL kg	£		
5	3/16	21x10	70	1.53	250	080250005
6	1/4	25x12	100	1.99	250	080250006
8	5/16	33x16	250	3.60	150	080250008
10	3/8	42x20	400	3.85	180	080250010
11	7/16	46x22	500	4.60	130	080250011
12	1/2	50x24	600	4.85	100	080250012
14	9/16	57x28	800	6.25	70	080250014
16	5/8	61x32	1000	8.35	10	080250016
18	11/16	65x36	1300	12.20	10	080250018
20	3/4	70x40	1600	13.90	10	080250020
22	7/8	74x44	2000	18.70	10	080250022
25	1"	80x48	2800	26.00	2	080250025

special packaging

Ø mm	"		£		
5	3/16	25	43.00	1	080250705
6	1/4	25	56.00	1	080250706
8	5/16	25	101.00	1	080250708
10	3/8	15	65.00	1	080250710
11	7/16	12	62.00	1	080250711
12	1/2	12	65.50	1	080250712
14	9/16	10	70.50	1	080250714

special free service boxes

Ø mm		£		
5	4	7.55	1	080259205
6	4	9.75	1	080259206
8	2	8.35	1	080259208
10	2	8.90	1	080259210
11	1	5.95	1	080259011
12	1	6.45	1	080259012
14	1	7.80	1	080259014
16	1	9.75	1	080259016
18	1	14.60	1	080259018
20	1	16.60	1	080259020
22	1	20.70	1	080259022
25	1	27.50	1	080259025

8026A

lifting DEE shackles,
hot forged carbon steel,
UNI 1947 type A, galvanized

CE



TECHNICAL DATA
- safety factor: 5
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm	≈ "	B x C mm	WLL kg	£		
12	1/2	42x20	630	4.85	35	080260012
14	9/16	46x22	800	6.10	30	080260014
16	5/8	50x24	1000	7.55	20	080260016
18	11/16	54x26	1300	10.80	15	080260018
20	3/4	58x28	1600	13.90	10	080260020
22	7/8	69x32	2000	17.40	10	080260022
25	1"	79x36	2500	25.50	5	080260025
28	1.1/8	90x40	3150	33.00	2	080260028
32	1.1/4	100x45	4000	45.50	1	080260032
36	1.3/8	110x50	5000	64.00	1	080260036
40	1.9/16	120x55	6300	93.00	1	080260040
42	1.5/8	131x60	8000	129.50	1	080260042
45	1.3/4	143x65	10000	173.50	1	080260045
50	2"	155x70	12500	215.00	1	080260050

special free service boxes

Ø mm		£		
12	1	5.95	1	080269012
14	1	7.30	1	080269014
16	1	8.60	1	080269016
18	1	12.90	1	080269018
20	1	15.70	1	080269020
22	1	20.00	1	080269022
25	1	27.50	1	080269025

8028

lifting BOW shackles,
hot forged carbon steel,
galvanized

CE



TECHNICAL DATA
- safety factor: 5
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm	"	B x C mm	WLL kg	£		
5	3/16	20x16	80	1.32	100	080280105
6	1/4	24x20	100	2.12	70	080280106
8	5/16	32x24	200	3.50	35	080280108
10	3/8	40x33	300	4.05	25	080280110
12	1/2	48x39	500	6.45	15	080280112
14	9/16	56x46	600	9.10	7	080280114
16	5/8	64x46	800	13.00	10	080280116
18	11/16	71x59	950	16.70	5	080280118
20	3/4	80x65	1100	23.20	5	080280120
22	7/8	88x72	1500	28.50	5	080280122
25	1"	100x81	2000	44.00	2	080280125
28	1.1/8	112x91	2600	69.50	1	080280128
32	1.1/4	128x104	3200	93.00	1	080280132
38	1.1/2	152x124	4500	186.00	1	080280138

special free service boxes

Ø mm		£		
5	4	6.80	1	080289305
6	4	9.75	1	080289306
8	2	8.35	1	080289308
10	2	9.25	1	080289310
12	1	8.05	1	080289112
14	1	10.40	1	080289114
16	1	14.60	1	080289116
18	1	18.30	1	080289118
20	1	24.50	1	080289120
22	1	31.00	1	080289122

8049 WLL (t)

	A°	M8	M10	M12	M16	M20	M24	M30
	0°	0,3	0,6	1	1,6	2,5	4	6,3
	0°	0,6	1,2	2	3,2	5	8	12,6
	90°	0,3	0,6	1	1,6	2,5	4	6,3
	90°	0,6	1,2	2	3,2	5	8	12,6
	0° 45°	0,4	0,8	1,4	2,2	3,5	5,6	8,8
	46° 60°	0,3	0,6	1	1,6	2,5	4	6,3
	0° 45°	0,6	1,3	2,1	3,4	5,3	8,4	13,2
	46° 60°	0,3	0,6	1	1,6	2,3	4	6,3

8049

adjustable lifting eyebolts,
double swivel ring,
high-tensile alloy steel

CE



TECHNICAL DATA
- safety factor: 5
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (20,000 cycles)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm	A mm	L1 mm	WLL 90° kg	£		
M8	31,5	14	300	130.50	1	080490008
M10	31,5	17	600	136.50	1	080490010
M12	31,5	21	1000	139.00	1	080490012
M16	45	27	1600	158.00	1	080490016
M20	45	30	2500	163.00	1	080490020
M24	60,5	36	4000	278.00	1	080490024
M30	60,5	45	6300	287.00	1	080490030

8049A WLL (kg)

	ß°	M6	M8	M10	M12	M16	M20	M24	M30	M36
WLL 1	0°	400	600	900	1000	2000	4000	6300	10600	11800
WLL 2	0°	800	1200	1800	2000	4000	8000	12600	21200	23600
WLL 3	90°	200	300	450	500	1120	2000	3150	5300	8000
WLL 4	90°	400	600	900	1000	2000	4000	6300	10600	16000
WLL 5	0° 45°	250	400	600	700	1400	2800	4250	7100	10700
	46° 60°	200	300	450	500	1120	2000	3150	5300	8000
WLL 7	0° 45°	400	600	900	1000	2100	4200	6300	11200	16000
	46° 60°	250	400	600	750	1500	3000	4750	8000	10700

8049A

lifting eyebolts,
double swivel ring, turnable under load,
with welded ring,
high-tensile alloy steel

CE

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (20,000 cycles)
- testing load (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm	E mm	A mm	WLL 90° kg	£		
M6	13	30	200	51.50	1	080490106
M8	13	30	300	54.00	1	080490108
M10	19	30	450	56.00	1	080490110
M12	19	30	500	58.00	1	080490112
M16	20	30	1120	62.00	1	080490116
M20	30	40	2000	93.50	1	080490120
M24	30	40	3150	135.50	1	080490124
M30	35	50	5300	234.00	1	080490130
M36	54	50	8000	211.00	1	080490136

Robur

8049V

lifting eyebolts
with offset brackets,
high-tensile alloy steel

360° swivel eyebolt and swivel bracket

CE

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (20,000 cycles)
- test load (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm	E mm	B mm	WLL kg	£		
M10	13,5	37	630	80.00	1	080490310
M12	18	37,5	1000	94.00	1	080490312
M16	24	37,5	1500	102.00	1	080490316
M20	35,5	54	2500	147.50	1	080490320
M24	35,5	54	4000	151.50	1	080490324

8068S

weld-on brackets for load lifting,
single-based, with positioning springs,
high tensile alloy steel body

- Compact dimensions for lifting operations
- Tested to withstand 20,000 work cycles at full load
- Test load applied to 100% of parts before sale
- Safety factor: 4, in all directions

CE

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (20,000 cycles)
- load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL Kg	B mm	M mm	A mm	£		
1500	78	37	41	10.30	1	080680115
2500	88	40	42	13.40	1	080680125
4000	94	42	45	19.20	1	080680140
6700	118	51	55	35.50	1	080680167

Caution:
- Coupling element must ensure proper mechanical resistance and be suitable for welding.
- Welding must be performed by trained personnel.

8041

lifting eyebolts,
high-tensile alloy steel

CE

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (20,000 cycles)
- proof load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm	mm	E mm	WLL kg	£		
M6	1	11	400	3.00	10	080410206
* M8	1,25	13	800	3.35	10	080410208
* M10	1,5	17	1000	5.35	6	080410210
* M12	1,75	20,5	1600	8.35	4	080410212
M14	2	20,5	3000	11.10	2	080410214
M16	2,5	27	4000	16.50	2	080410217
M18	2,5	27	5000	16.50	2	080410218
M20	3,0	30	6000	38.50	2	080410221
M22	2,5	30	7000	40.00	2	080410222
M24	3	36	8000	47.00	2	080410225
M27	3	41	10000	59.00	1	080410227
* M30	3,5	45	12000	71.50	1	080410230

(*) Dimensional specifications DIN 580:2010
WLL increased according to Robur Technical Product Specifications

special free service boxes

Ø mm		£		
* M8	1	5.55	1	080419208
* M10	1	7.70	1	080419210
* M12	1	10.70	1	080419212

Robur

8043

lifting eye nuts,
high-tensile alloy steel

CE

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test
- fatigue test (20,000 cycles)
- proof load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm		F mm	WLL kg	£		
M6	1	20	400	2.89	10	080430206
* M8	1,25	20	800	3.45	10	080430208
* M10	1,50	25	1000	5.35	6	080430210
* M12	1,75	30	1600	8.05	4	080430212
M14	2	35	3000	11.20	2	080430214
M16	2	40	4000	18.80	2	080430217
M18	2,5	40	5000	20.00	2	080430218
M20	2,5	50	6000	31.00	2	080430221
M22	2,5	50	7000	31.00	2	080430222
M24	3	55	8000	40.00	2	080430225
M27	3	60	10000	55.00	1	080430227
* M30	3,5	60	12000	68.00	1	080430230

(*) Dimensional specifications DIN 582:2010
WLL increased according to Robur Technical Product Specifications

special free service boxes

Ø mm		£		
* M8	1	5.35	1	080439208
* M10	1	7.70	1	080439210
* M12	1	10.40	1	080439212

LIFTING EYE NUTS AND BOLTS

Robur's lifting eye nuts and bolts are made from mild carbon steel, with the addition of a minimum aluminium content, and must meet strict parameters relating to the grain size of the material, in accordance with DIN580-582.

Exquisite mechanical workmanship also makes a role in making a difference: the relief groove of the collars at the base of the lifting eyes/nuts results in improved grip and full contact with the surface of the body to lift. Based on these hallmarks, our lifting eye nuts/bolts are ideal for complex lifting tasks and intensive use, e.g. in environments with continuous cycle operation or a temperature range of -20 °C ÷ +200 °C.

8040EZ

lifting eye bolts,
galvanized

CE



DIN 580:2018-04(**)

TECHNICAL DATA
- safety factor: 6
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm		E mm	WLL kg	£		
* M6	1	11	90	1.36	60	080400406
M8	1,25	13	140	1.58	60	080400408
M10	1,5	17	230	2.51	40	080400410
M12	1,75	20,5	340	3.70	20	080400412
* M14	2	20,5	480	4.60	20	080400414
M16	2	27	700	5.85	10	080400416
* M18	2,5	27	930	7.20	10	080400418
M20	2,5	30	1200	8.75	10	080400420
* M22	2,5	30	1450	11.30	10	080400422
M24	3	36	1800	16.10	5	080400424
* M27	3	41	2400	20.50	5	080400427
M30	3,5	45	3200	33.50	2	080400430
* M33	3,5	54	3900	47.00	2	080400433
* M33F	2	54	3900	47.00	2	080400434
M36	4	54	4600	49.50	2	080400436
* M36F	3	54	4600	49.50	2	080400437
M42	4,5	63	6300	90.00	1	080400442
* M42F	3	63	6300	90.00	1	080400443
M48	5	68	8600	146.00	1	080400448
* M48F	3	68	8600	146.00	1	080400449
M56	5,5	78	11500	235.50	1	080400456
* M56F	4	78	11500	235.50	1	080400457
M64	6	90	16000	338.00	1	080400464
* M64F	4	90	16000	338.00	1	080400465

***Sizes dimensioned according to Robur Technical File**

special packaging

Ø mm			£		
M6	1	20	30.50	1	080400906
M8	1,25	20	35.50	1	080400908
M10	1,5	20	56.50	1	080400910
M12	1,75	15	62.50	1	080400912

special free service boxes

Ø mm		£		
M6	4	6.45	1	080409606
M8	4	7.20	1	080409608
M10	2	6.45	1	080409610
M12	1	5.35	1	080409412
* M14	1	6.25	1	080409414
M16	1	7.20	1	080409416
* M18	1	8.75	1	080409418
M20	1	10.40	1	080409420
* M22	1	13.50	1	080409422
M24	1	18.40	1	080409424
* M27	1	22.10	1	080409427
M30	1	34.00	1	080409430

8040EN

lifting eye bolts,
self-coloured

CE

DIN 580:2018-04(**)

TECHNICAL DATA
- safety factor: 6
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm		E mm	WLL kg	£		
* M6	1	11	90	1.30	60	080400306
M8	1,25	13	140	1.39	60	080400308
M10	1,5	17	230	2.26	40	080400310
M12	1,75	20,5	340	3.50	20	080400312
* M14	2	20,5	480	4.35	20	080400314
M16	2	27	700	5.35	10	080400316
* M18	2,5	27	930	6.60	10	080400318
M20	2,5	30	1200	8.35	10	080400320
* M22	2,5	30	1450	10.80	10	080400322
M24	3	36	1800	14.60	5	080400324
* M27	3	41	2400	18.90	5	080400327
M30	3,5	45	3200	31.50	2	080400330
* M33	3,5	54	3900	43.00	2	080400333
* M33F	2	54	3900	43.00	2	080400334
M36	4	54	4600	47.00	2	080400336
* M36F	3	54	4600	47.00	2	080400337
M42	4,5	63	6300	86.00	1	080400342
* M42F	3	63	6300	86.00	1	080400343
M48	5	68	8600	141.50	1	080400348
* M48F	3	68	8600	141.50	1	080400349
M56	5,5	78	11500	220.50	1	080400356
* M56F	4	78	11500	220.50	1	080400357
M64	6	90	16000	316.00	1	080400364
* M64F	4	90	16000	316.00	1	080400365

***Sizes dimensioned according to Robur Technical File**

special free service boxes

Ø mm		£		
M6	4	6.25	1	080409506
M8	4	6.45	1	080409508
M10	2	5.85	1	080409510
M12	1	4.85	1	080409312
* M14	1	5.85	1	080409314
M16	1	6.80	1	080409316
* M18	1	8.20	1	080409318
M20	1	9.45	1	080409320
* M22	1	13.00	1	080409322
M24	1	16.80	1	080409324
* M27	1	21.20	1	080409327
M30	1	33.00	1	080409330

8042EZ

lifting eye nuts, galvanized

CE



DIN582:2018-04(**)

TECHNICAL DATA
- safety factor: 6
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm		mm	F mm	WLL kg	£		
* M6	1	14	90	1.39	60	080420406
M8	1,25	20	140	1.58	60	080420408
M10	1,5	25	230	2.51	40	080420410
M12	1,75	30	340	3.65	30	080420412
* M14	2	30	480	4.45	30	080420414
M16	2	35	700	5.65	20	080420416
* M18	2,5	35	930	6.80	20	080420418
M20	2,5	40	1200	8.75	10	080420420
* M22	2,5	40	1450	11.10	10	080420422
M24	3	50	1800	16.30	5	080420424
* M27	3	55	2400	20.50	5	080420427
M30	3,5	60	3200	32.50	3	080420430
M36	4	70	4600	49.50	2	080420436
* M36F	3	70	4600	49.50	2	080420437
M42	4,5	80	6300	93.00	1	080420442
* M42F	3	80	6300	93.00	1	080420443
M48	5	90	8600	148.50	1	080420448
* M48F	3	90	8600	148.50	1	080420449

***Sizes dimensioned according to Robur Technical File**

special packaging

Ø mm			£		
M6	1	20	29.00	1	080420906
M8	1,25	20	31.00	1	080420908
M10	1,5	20	51.00	1	080420910
M12	1,75	15	59.00	1	080420912

special free service boxes

Ø mm		£		
M6	4	6.60	1	080429606
M8	4	7.55	1	080429608
M10	2	6.25	1	080429610
M12	1	5.35	1	080429412
* M14	1	5.85	1	080429414
M16	1	7.20	1	080429416
* M18	1	8.45	1	080429418
M20	1	10.00	1	080429420
* M22	1	12.80	1	080429422
M24	1	20.10	1	080429424
* M27	1	22.20	1	080429427
M30	1	33.50	1	080429430

8042EN

lifting eye nuts, self-coloured

CE

DIN582:2018-04(**)

TECHNICAL DATA
- safety factor: 6
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm		F mm	WLL kg	£		
* M6	1	14	90	1.30	60	080420306
M8	1,25	20	140	1.36	60	080420308
M10	1,5	25	230	2.22	40	080420310
M12	1,75	30	340	3.35	30	080420312
* M14	2	30	480	4.35	30	080420314
M16	2	35	700	5.35	20	080420316
* M18	2,5	35	930	6.70	20	080420318
M20	2,5	40	1200	8.35	10	080420320
* M22	2,5	40	1450	11.20	10	080420322
M24	3	50	1800	15.40	5	080420324
* M27	3	55	2400	18.90	5	080420327
M30	3,5	60	3200	31.00	3	080420330
M36	4	70	4600	47.00	2	080420336
* M36F	3	70	4600	47.00	2	080420337
M42	4,5	80	6300	88.50	1	080420342
* M42F	3	80	6300	88.50	1	080420343
M48	5	90	8600	146.00	1	080420348
* M48F	3	90	8600	146.00	1	080420349

***Sizes dimensioned according to Robur Technical File**

special free service boxes

Ø mm		£		
M6	4	6.25	1	080429506
M8	4	6.60	1	080429508
M10	2	5.65	1	080429510
M12	1	4.55	1	080429312
* M14	1	5.55	1	080429314
M16	1	6.70	1	080429316
* M18	1	7.90	1	080429318
M20	1	9.75	1	080429320
* M22	1	12.20	1	080429322
M24	1	17.30	1	080429324
* M27	1	20.70	1	080429327
M30	1	32.00	1	080429330

8044

lifting eye nuts, UNI 2948 self-coloured

CE

UNI 2948

TECHNICAL DATA
- safety factor: 4
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

Ø mm		WLL kg	£		
M8	1,25	80	1.95	4	080440008
M10	1,5	160	3.45	4	080440010
M12	1,75	250	5.65	4	080440012
M14	2	250	12.30	2	080440014
M16	2	400	13.30	2	080440016
M20	2,5	630	18.50	2	080440020
M24	3	1000	37.50	2	080440024

WLL Ton UNI EN 818

Ø D mm	WLL 1	WLL 2 0° < ß ≤ 45°	WLL 2 45° < ß ≤ 60°
6	1,12	1,6	1,12
7	1,5	2,12	1,5
8	2	2,8	2
10	3,15	4,25	3,15
13	5,3	7,5	5,3
16	8	11,2	8

Ø D mm	WLL 3 0° < ß ≤ 45°	WLL 3 45° < ß ≤ 60°
6	2,36	1,7
7	3,15	2,24
8	4,25	3
10	6,7	4,75
13	11,2	8
16	17	11,2

8091

lifting chain slings, 1 leg
grade 8

CE



UNI EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,12	110.50	1	080910001
6*	2	1,12	134.50	1	080910002
6*	3	1,12	158.50	1	080910003
6*	4	1,12	182.50	1	080910004
7*	1	1,5	120.50	1	080910021
7*	2	1,5	151.50	1	080910022
7*	3	1,5	182.50	1	080910023
7*	4	1,5	213.50	1	080910024
8*	1	2	135.50	1	080910041
8*	2	2	173.00	1	080910042
8*	3	2	210.50	1	080910043
8*	4	2	262.00	1	080910044
10*	1	3,15	162.00	1	080910051
10*	2	3,15	216.50	1	080910052
10*	3	3,15	285.00	1	080910053
10*	4	3,15	340.00	1	080910054
13*	1	5,3	262.00	1	080910131
13*	2	5,3	352.00	1	080910132
13*	3	5,3	442.00	1	080910133
13*	4	5,3	532.00	1	080910134
16*	1	8	458.00	1	080910161
16*	2	8	585.00	1	080910162
16*	3	8	712.00	1	080910163
16*	4	8	839.00	1	080910164
20	1	12,5	830.00	1	080910171
20	2	12,5	1025.00	1	080910172
20	3	12,5	1220.00	1	080910173
20	4	12,5	1415.00	1	080910174

*** packed in plastic case**

8091SL

lifting chain slings,
1 leg, self-locking hook,
grade 8

CE



UNI EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,12	136.00	1	080910201
6*	2	1,12	160.00	1	080910202
6*	3	1,12	184.00	1	080910203
6*	4	1,12	208.00	1	080910204
7*	1	1,5	151.50	1	080910221
7*	2	1,5	182.50	1	080910222
7*	3	1,5	213.50	1	080910223
7*	4	1,5	244.50	1	080910224
8*	1	2	166.50	1	080910241
8*	2	2	196.50	1	080910242
8*	3	2	241.50	1	080910243
8*	4	2	293.00	1	080910244
10*	1	3,15	207.00	1	080910251
10*	2	3,15	262.00	1	080910252
10*	3	3,15	330.00	1	080910253
10*	4	3,15	401.00	1	080910254
13*	1	5,3	350.00	1	080910331
13*	2	5,3	467.00	1	080910332
13*	3	5,3	530.00	1	080910333
13*	4	5,3	647.00	1	080910334
16*	1	8	624.00	1	080910361
16*	2	8	789.00	1	080910362
16*	3	8	878.00	1	080910363
16*	4	8	1043.00	1	080910364
20	1	12,5	1275.00	1	080910401
20	2	12,5	1470.00	1	080910402
20	3	12,5	1665.00	1	080910403
20	4	12,5	1855.00	1	080910404

*** Packed in plastic case**

8092

lifting chains sling, 2 legs
grade 8

CE

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,6	159.50	1	080920001
6*	2	1,6	207.50	1	080920002
6*	3	1,6	256.00	1	080920003
6*	4	1,6	318.00	1	080920004
7*	1	2,12	185.50	1	080920021
7*	2	2,12	247.50	1	080920022
7*	3	2,12	324.00	1	080920023
7*	4	2,12	386.00	1	080920024
8*	1	2,8	210.50	1	080920041
8*	2	2,8	285.00	1	080920042
8*	3	2,8	374.00	1	080920043
8*	4	2,8	449.00	1	080920044
10*	1	4,25	283.00	1	080920051
10*	2	4,25	392.00	1	080920052
10*	3	4,25	501.00	1	080920053
10*	4	4,25	610.00	1	080920054
13*	1	7,5	456.00	1	080920131
13*	2	7,5	636.00	1	080920132
13	3	7,5	786.00	1	080920133
13	4	7,5	1024.00	1	080920134
16*	1	11,2	824.00	1	080920161
16	2	11,2	1107.00	1	080920162
16	3	11,2	1360.00	1	080920163
16	4	11,2	1615.00	1	080920164
20	2	17,0	2010.00	1	080920172
20	3	17,0	2400.00	1	080920173
20	4	17,0	2790.00	1	080920174

*** packed in plastic case**

Robur

8092SL

lifting chain slings,
2 legs, self-locking hook,
grade 8

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,6	211.00	1	080920201
6*	2	1,6	249.50	1	080920202
6*	3	1,6	297.00	1	080920203
6*	4	1,6	369.00	1	080920204
7*	1	2,12	247.00	1	080920221
7*	2	2,12	297.00	1	080920222
7*	3	2,12	385.00	1	080920223
7*	4	2,12	447.00	1	080920224
8*	1	2,8	257.00	1	080920241
8*	2	2,8	347.00	1	080920242
8*	3	2,8	422.00	1	080920243
8*	4	2,8	512.00	1	080920244
10*	1	4,25	405.00	1	080920251
10*	2	4,25	482.00	1	080920252
10*	3	4,25	591.00	1	080920253
10*	4	4,25	732.00	1	080920254
13*	1	7,5	686.00	1	080920331
13*	2	7,5	740.00	1	080920332
13*	3	7,5	1016.00	1	080920333
13*	4	7,5	1255.00	1	080920334
16*	1	11,2	1230.00	1	080920361
16*	2	11,2	1515.00	1	080920362
16*	3	11,2	1770.00	1	080920363
16*	4	11,2	2025.00	1	080920364
20	2	17,0	3190.00	1	080920402
20	3	17,0	3580.00	1	080920403
20	4	17,0	3970.00	1	080920404

*** Packed in plastic case**

8094

lifting chain sling, 4 legs
grade 8

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	2,36	323.00	1	080940001
6*	2	2,36	434.00	1	080940002
6*	3	2,36	530.00	1	080940003
6*	4	2,36	626.00	1	080940004
7*	1	3,15	379.00	1	080940021
7*	2	3,15	503.00	1	080940022
7*	3	3,15	627.00	1	080940023
7*	4	3,15	751.00	1	080940024
8*	1	4,25	457.00	1	080940041
8*	2	4,25	607.00	1	080940042
8*	3	4,25	757.00	1	080940043
8	4	4,25	935.00	1	080940044
10*	1	6,7	573.00	1	080940051
10	2	6,7	798.00	1	080940052
10	3	6,7	1038.00	1	080940053
10	4	6,7	1255.00	1	080940054
13	1	11,2	971.00	1	080940131
13	2	11,2	1330.00	1	080940132
13	3	11,2	1690.00	1	080940133
13	4	11,2	2050.00	1	080940134
16	1	17	1735.00	1	080940161
16	2	17	2245.00	1	080940162
16	3	17	2750.00	1	080940163
16	4	17	3260.00	1	080940164
20	2	26,5	3620.00	1	080940172
20	3	26,5	4400.00	1	080940173
20	4	26,5	5180.00	1	080940174

*** packed in plastic case**

8094SL

lifting chain slings,
4 legs, self-locking hook,
grade 8

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	2,36	426.00	1	080940201
6*	2	2,36	536.00	1	080940202
6*	3	2,36	632.00	1	080940203
6*	4	2,36	728.00	1	080940204
7*	1	3,15	502.00	1	080940221
7*	2	3,15	626.00	1	080940222
7*	3	3,15	750.00	1	080940223
7*	4	3,15	874.00	1	080940224
8*	1	4,25	551.00	1	080940241
8*	2	4,25	701.00	1	080940242
8*	3	4,25	881.00	1	080940243
8	4	4,25	1060.00	1	080940244
10*	1	6,7	764.00	1	080940251
10	2	6,7	978.00	1	080940252
10	3	6,7	1230.00	1	080940253
10	4	6,7	1445.00	1	080940254
13	1	11,2	1340.00	1	080940331
13	2	11,2	1700.00	1	080940332
13	3	11,2	2060.00	1	080940333
13	4	11,2	2420.00	1	080940334
16	1	17	2425.00	1	080940361
16	2	17	2930.00	1	080940362
16	3	17	3440.00	1	080940363
16	4	17	3950.00	1	080940364
20	2	26,5	5400.00	1	080940402
20	3	26,5	6180.00	1	080940403
20	4	26,5	6960.00	1	080940404

*** Packed in plastic case**

8096

lifting chain sling, 1 leg
with clevis grab hook,
grade 8

CE

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,12	130.50	1	080960001
6*	2	1,12	154.50	1	080960002
6*	3	1,12	178.50	1	080960003
6*	4	1,12	197.50	1	080960004
7*	1	1,5	143.50	1	080960021
7*	2	1,5	174.50	1	080960022
7*	3	1,5	199.50	1	080960023
7*	4	1,5	230.50	1	080960024
8*	1	2	159.50	1	080960041
8*	2	2	197.00	1	080960042
8*	3	2	234.50	1	080960043
8*	4	2	286.00	1	080960044
10*	1	3,15	207.00	1	080960051
10*	2	3,15	276.00	1	080960052
10*	3	3,15	330.00	1	080960053
10*	4	3,15	385.00	1	080960054
13*	1	5,3	340.00	1	080960131
13*	2	5,3	403.00	1	080960132
13*	3	5,3	493.00	1	080960133
13*	4	5,3	610.00	1	080960134
16*	1	8	630.00	1	080960161
16*	2	8	675.00	1	080960162
16*	3	8	802.00	1	080960163
16	4	8	957.00	1	080960164
20	1	12,5	1105.00	1	080960171
20	2	12,5	1300.00	1	080960172
20	3	12,5	1495.00	1	080960173
20	4	12,5	1690.00	1	080960174

* packed in plastic case

8096SL

lifting chain slings,
1 leg, with self-locking and clevis grab hooks,
grade 8

CE

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,12	151.50	1	080960201
6*	2	1,12	175.50	1	080960202
6*	3	1,12	199.50	1	080960203
6*	4	1,12	223.50	1	080960204
7*	1	1,5	168.00	1	080960221
7*	2	1,5	199.00	1	080960222
7*	3	1,5	230.00	1	080960223
7*	4	1,5	261.00	1	080960224
8*	1	2	183.00	1	080960241
8*	2	2	220.50	1	080960242
8*	3	2	258.00	1	080960243
8*	4	2	310.00	1	080960244
10*	1	3,15	252.00	1	080960251
10*	2	3,15	321.00	1	080960252
10*	3	3,15	375.00	1	080960253
10*	4	3,15	430.00	1	080960254
13*	1	5,3	428.00	1	080960331
13*	2	5,3	518.00	1	080960332
13*	3	5,3	608.00	1	080960333
13*	4	5,3	698.00	1	080960334
16*	1	8	752.00	1	080960361
16*	2	8	879.00	1	080960362
16*	3	8	1006.00	1	080960363
16	4	8	1123.00	1	080960364
20	1	12,5	1550.00	1	080960401
20	2	12,5	1745.00	1	080960402
20	3	12,5	1940.00	1	080960403
20	4	12,5	2130.00	1	080960404

* Packed in plastic case

8097

lifting chain sling, 2 legs
with clevis grab hooks,
grade 8

CE

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,6	200.00	1	080970001
6*	2	1,6	238.00	1	080970002
6*	3	1,6	296.00	1	080970003
6*	4	1,6	348.00	1	080970004
7*	1	2,12	231.00	1	080970021
7*	2	2,12	295.00	1	080970022
7*	3	2,12	357.00	1	080970023
7*	4	2,12	419.00	1	080970024
8*	1	2,8	258.00	1	080970041
8*	2	2,8	333.00	1	080970042
8*	3	2,8	423.00	1	080970043
8*	4	2,8	498.00	1	080970044
10*	1	4,25	372.00	1	080970051
10*	2	4,25	481.00	1	080970052
10*	3	4,25	590.00	1	080970053
10*	4	4,25	699.00	1	080970054
13*	1	7,5	613.00	1	080970131
13*	2	7,5	793.00	1	080970132
13	3	7,5	947.00	1	080970133
13	4	7,5	1127.00	1	080970134
16	1	11,2	1140.00	1	080970161
16	2	11,2	1285.00	1	080970162
16	3	11,2	1540.00	1	080970163
16	4	11,2	1795.00	1	080970164
20	2	17,0	2300.00	1	080970172
20	3	17,0	2690.00	1	080970173
20	4	17,0	3080.00	1	080970174

* packed in plastic case

Robur

8097SL

lifting chain slings,
2 legs, with self-locking and clevis grab hooks,
grade 8

CE

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	1,6	241.50	1	080970201
6*	2	1,6	280.00	1	080970202
6*	3	1,6	338.00	1	080970203
6*	4	1,6	400.00	1	080970204
7*	1	2,12	280.00	1	080970221
7*	2	2,12	344.00	1	080970222
7*	3	2,12	406.00	1	080970223
7*	4	2,12	468.00	1	080970224
8*	1	2,8	306.00	1	080970241
8*	2	2,8	380.00	1	080970242
8*	3	2,8	470.00	1	080970243
8*	4	2,8	545.00	1	080970244
10*	1	4,25	462.00	1	080970251
10*	2	4,25	571.00	1	080970252
10*	3	4,25	680.00	1	080970253
10*	4	4,25	789.00	1	080970254
13*	1	7,5	789.00	1	080970331
13*	2	7,5	969.00	1	080970332
13	3	7,5	1177.00	1	080970333
13	4	7,5	1305.00	1	080970334
16	1	11,2	1440.00	1	080970361
16	2	11,2	1695.00	1	080970362
16	3	11,2	1950.00	1	080970363
16	4	11,2	2125.00	1	080970364
20	2	17,0	3190.00	1	080970402
20	3	17,0	3580.00	1	080970403
20	4	17,0	3970.00	1	080970404

*** Packed in plastic case**

8098

lifting chain sling, 4 legs
with clevis grab hooks,
grade 8

CE

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	2,36	404.00	1	080980001
6*	2	2,36	495.00	1	080980002
6*	3	2,36	591.00	1	080980003
6*	4	2,36	687.00	1	080980004
7*	1	3,15	470.00	1	080980021
7*	2	3,15	570.00	1	080980022
7*	3	3,15	694.00	1	080980023
7*	4	3,15	818.00	1	080980024
8*	1	4,25	523.00	1	080980041
8*	2	4,25	673.00	1	080980042
8*	3	4,25	823.00	1	080980043
8	4	4,25	1002.00	1	080980044
10*	1	6,7	687.00	1	080980051
10	2	6,7	934.00	1	080980052
10	3	6,7	1152.00	1	080980053
10	4	6,7	1370.00	1	080980054
13	1	11,2	1177.00	1	080980131
13	2	11,2	1535.00	1	080980132
13	3	11,2	1915.00	1	080980133
13	4	11,2	2255.00	1	080980134
16	1	17	2095.00	1	080980161
16	2	17	2600.00	1	080980162
16	3	17	3110.00	1	080980163
16	4	17	3620.00	1	080980164
20	2	26,5	4540.00	1	080980172
20	3	26,5	5320.00	1	080980173
20	4	26,5	6090.00	1	080980174

*** packed in plastic case**

8098SL

lifting chain slings,
4 legs, with self-locking and clevis grab hooks,
grade 8

CE

EN 818-4

TECHNICAL DATA
- safety factor: 4
- chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate UNI EN818-4
- CE Declaration of Conformity

AVAILABLE CERTIFICATES
- Technical product specifications

D mm	L m	WLL ton	£		
6*	1	2,36	487.00	1	080980201
6*	2	2,36	598.00	1	080980202
6*	3	2,36	674.00	1	080980203
6*	4	2,36	790.00	1	080980204
7*	1	3,15	568.00	1	080980221
7*	2	3,15	668.00	1	080980222
7*	3	3,15	792.00	1	080980223
7*	4	3,15	916.00	1	080980224
8*	1	4,25	648.00	1	080980241
8*	2	4,25	768.00	1	080980242
8	3	4,25	918.00	1	080980243
8*	4	4,25	1096.00	1	080980244
10*	1	6,7	867.00	1	080980251
10	2	6,7	1114.00	1	080980252
10	3	6,7	1330.00	1	080980253
10	4	6,7	1550.00	1	080980254
13	1	11,2	1530.00	1	080980331
13	2	11,2	1890.00	1	080980332
13	3	11,2	2265.00	1	080980333
13	4	11,2	2610.00	1	080980334
16	1	17	2790.00	1	080980361
16	2	17	3290.00	1	080980362
16	3	17	3800.00	1	080980363
16	4	17	4280.00	1	080980364
20	2	26,5	6310.00	1	080980402
20	3	26,5	7090.00	1	080980403
20	4	26,5	7870.00	1	080980404

*** Packed in plastic case**

8100
lifting chains,
high-tensile alloy steel



EN 818-2

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- Manufacturer's Certificate EN818-2
- CE Declaration of Conformity

WLL kg	Ø mm	A mm	B min mm	£/m		
1120	6	18	7,8	24.00	1	081000011
1500	7	21	11,0	31.00	1	081000016
2000	8	24	12,0	37.50	1	081000020
3150	10	30	14,5	54.50	1	081000032
5300	13	39	20,0	90.00	1	081000053
8000	16	48	20,8	127.00	1	081000080
12500	20	60	26,0	194.50	1	081000125

8085R
lifting master links,
high-tensile alloy steel

EN 1677-4

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test
- fatigue test (min. 20,000 cycles)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	A mm	B mm	£		
* 1600	7	110	60	11.20	1	080850215
2120	8	110	60	16.40	1	080850220
3150	10	135	75	22.10	1	080850232
5300	13	160	90	38.50	1	080850253
8000	16	180	100	73.00	1	080850280
11200	19	200	110	118.50	1	080850311
16000	20	260	140	194.00	1	080850316
17000	22	300	160	275.00	1	080850317

The working load refers toslings 3 or 4 arms and angle ß less than 45°.
(*) Combined with ø 6mmchain, WLL= 2360 kg

8086
lifting master link assemblies
alloy steel, painted



EN 1677-4

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test
- fatigue test (min. 20,000 cycles)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	B mm	C mm	£		
* 3150	7	135	75	76.50	1	080860021
4250	8	160	90	116.00	1	080860042
6700	10	180	100	148.50	1	080860067
11200	13	200	110	240.50	1	080860100
17000	16	260	140	360.00	1	080860117
21200	18	340	180	590.00	1	080860121
26500	20	350	190	850.00	1	080860126

The working load refers toslings 3 or 4 arms and angle ß less than 45°.
(*) Combined with ø 6mmchain, WLL= 2360 kg

8090R
lifting connecting links
alloy steel, painted

EN 1677-1

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test
- fatigue test (min. 20,000 cycles)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	ØC max	A mm	£		
1120	6	13	7,5	11.00	1	080900111
1500	7	18	9	13.90	1	080900115
2000	8	18	11	17.30	1	080900120
3150	10	22	13,0	20.50	1	080900131
5300	13	30	16	38.50	1	080900153
8000	16	32	22	68.00	1	080900180
12500	20	40	25	161.00	1	080900312

8060R
Clevis chain hooks,
high-tensile alloy steel

EN 1677-2

TECHNICAL DATA
- safety coefficient: 4
- heat treatment: hardening and tempering
- Traceability code on pin, safety latch, body

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test
- fatigue test (min. 20,000 cycles)

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- Inspection Certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	C mm	£		
1120	6	19	19.10	1	080600111
1500	7	19	21.00	1	080600115
2000	8	21	21.90	1	080600120
3150	10	27	31.50	1	080600132
5300	13	35	58.00	1	080600153
8000	16	48	164.00	1	080600180
12500	20	54	301.00	1	080600225

8058R
self-locking lifting hooks,
Clevis type,
high-tensile alloy steel

EN 1677-3

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	J min mm	£		
1120	6	28	40.00	1	080580112
2000	7-8	34	45.50	1	080580120
3150	10	44	76.50	1	080580132
5300	13	52	146.00	1	080580153
8000	16	67	330.00	1	080580180
12500	20	77	745.00	1	080580225

8061R

Clevis grab hooks
with safety latch,
high-tensile alloy steel

EN 1677-1

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	E mm	£		
1120	6	8	15.30	1	080610211
2000	7-8	11	16.60	1	080610220
3150	10	13	28.50	1	080610231
5300	13	17	51.50	1	080610253
8000	16	20	110.00	1	080610280
12500	20	24	228.50	1	080610312

8052

wire rope eye hooks,
high-tensile alloy steel

EN 1677-2

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (2 x WLL)

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- Inspection Certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

	WLL kg	C mm	£		
8052 0,8	800	18	6.90	1	080520008
8052 1,12	1120	22,5	9.40	1	080520011
8052 2	2000	30	20.10	1	080520020
8052 3,15	3150	36	30.50	1	080520031
8052 4	4000	39,5	42.00	1	080520040
8055S 5,4	5400	32	80.50	1	080550145
8055S 8,0	8000	43	131.00	1	080550170
8055S 11,5	11500	53	261.00	1	080550215
8055S 16,0	16000	58	345.00	1	080550260
8055S 22,0	22000	78	810.00	1	080550320

8057R

self-locking lifting hooks,
eye type,
high-tensile alloy steel



EN 1677-3

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	J min mm	ØB mm	£		
1120	6	28	22	32.00	1	080570112
2000	7-8	34	25	38.50	1	080570120
3150	10	44	32	68.00	1	080570132
5300	13	54	40	240.00	1	080570153

8063

lifting swivel hooks
(in unloaded condition)
high-tensile alloy steel



EN 1677-1

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- proof load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	A mm	E mm	£		
800	32	20,5	16.10	1	080630008
1120	38	20,5	19.90	1	080630011
2000	44,5	22	23.80	1	080630020
3150	44,5	27	31.00	1	080630031

8063SL

self-locking swivel hooks
(not under load)
high-tensile alloy steel
grade 8

EN 1677-1

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- tensile test
- fatigue test (min. 20,000 cycles)
- load test (100% of batch)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	B mm	J mm	£		
1120	6	32	45	42.50	1	080630311
2000	8	35	59	58.00	1	080630320
3150	10	42	54	101.00	1	080630331
5300	13	49	83	154.00	1	080630353

8064S

swivel lifting hooks
(not under load)
carbon steel, painted



EN 1677-5

TECHNICAL DATA
- safety factor: 5
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test
- fatigue test (min. 20,000 cycles)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	B mm	C mm	£		
800	31	20	37.50	1	080640107
1000	40	22	52.50	1	080640110
1600	47	23	67.50	1	080640115
2000	47	27	75.50	1	080640120
3200	64	35	126.50	1	080640130
5000	77	43	231.50	1	080640150
7500	90	53	329.00	1	080640175
10000	96	58	563.00	1	080640199

8065SC

swivel load lifting hooks
carbon steel, painted

EN 1677-5

TECHNICAL DATA
- safety factor: 5
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test
- fatigue test (min. 20,000 cycles)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	B mm	C mm	£		
800	38	20	78.00	1	080650107
1000	38	22	83.00	1	080650110
1600	47	23	101.00	1	080650115
2000	47	27	114.00	1	080650120
3200	54	35	202.50	1	080650130
5000	72	43	297.00	1	080650150
7500	82	53	508.00	1	080650175

8062

slip hooks
alloy steel, painted

TECHNICAL DATA
- safety factor: 5
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	C mm	F mm	£		
1500	19	10-13	45.50	1	080620013
2000	21	16	64.00	1	080620016
3000	26	18	109.50	1	080620018

8051S

lifting eye hooks,
carbon steel, galvanized

TECHNICAL DATA
- safety factor: 4
- heat treatment: normalizing
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	C mm	F mm	£		
250	14	12	3.35	10	080510202
500	18	16,5	7.45	5	080510205

special free service boxes

WLL kg		£		
250	1	4.60	1	080519202
500	1	9.50	1	080519205

8134

permanent magnetic lifters



EN13155

Technical data:
- Safety factor: 3
- Identification tag

Available certificates:
- Manufacturer's Certificate
- Declaration of Conformity with Machinery Directive 2006/42/EC
- Test Report UNI EN10204 type 2.2
- Operation and maintenance manual

WLL kg	A mm	B mm	C mm	£		
100	70	64	92	540.00	1	081340010
300	96	88	165	950.00	1	081340030
600	120	118	236	1770.00	1	081340060
1000	168	168	264	2920.00	1	081340100

8135

steel plate lifting clamps
with articulated lifting eyes

EN13155

TECHNICAL DATA
- Safety factor: 3
- Serial number identification plate

AVAILABLE CERTIFICATES
- Manufacturer's Certificate
- CE Declaration of Conformity
- Test report UNI EN10204 type 2.2
- Technical product specifications

WLL t	A mm	E mm	kg	£		
0,75	0-15	2	2	152.00	1	081350005
1,0	0-20	5	5	199.50	1	081350010
2,0	0-25	8	8	281.00	1	081350020
3,0	0-30	15	15	463.00	1	081350032
5,0	0-50	23	23	651.00	1	081350050

8143

hand chain blocks

EN13157
Certificato TUV

Technical Data:
- Safety factor: 4
- Identification tag

Available Certificates:
- Manufacturer's Certificate
- CE Declaration of Conformity
- Test Report UNI EN10204 type 2.2
- Technical Product Specifications

WLL t	L m	sforzo / effort kg	£		
0,5	3	27	206.50	1	081430005
1	3	44	245.00	1	081430010
1,5	3	44	363.00	1	081430015
2	3	44	355.00	1	081430020
3	3	45	459.00	1	081430030
5	3	47	693.00	1	081430050

0,5	6	27	**317.00**	1	081430105
1	6	44	**356.00**	1	081430110
1,5	6	44	**509.00**	1	081430115
2	6	44	**504.00**	1	081430120
3	6	45	**715.00**	1	081430130
5	6	47	**1016.00**	1	081430150

8146
lever hoists

EN13157
Certificato TUV

TECHNICAL DATA
safety factor: 4
identification tag
AVAILABLE CERTIFICATES
Manufacturer's Certificate
CE Declaration of Conformity
Test Report UNI EN10204 type 2.2
Technical Product Specifications

WLL t	L m	sforzo / effort kg	£		
0,75	1,5	21*	**239.50**	1	081460008
1,5	1,5	41*	**351.00**	1	081460015
3,0	1,5	41	**483.00**	1	081460030
6,0	1,5	46	**785.00**	1	081460060
0,75	3,0	21*	**288.00**	1	081460108
1,5	3,0	41*	**409.00**	1	081460115
3,0	3,0	41	**565.00**	1	081460130
6,0	3,0	46	**956.00**	1	081460160

H= minimum distance between hooks
(*) equipped with overload protection system

8146C
lever hoist, compact



EN13157
Certificato TUV

Technical data:
- **Safety factor: 4**
- **Identification tag**

Available Certificates:
- **Manufacturer's Certificate**
- **CE Declaration of Conformity**
- **Test Report UNI EN10204 type 2.2**
- **Technical Product Specifications**

WLL t	L m	sforzo / effort kg	£		
0,25	1,5	20,7	**233.00**	1	081460002

H= minimum distance between hooks

8147C
chain trolleys
for manual hoists
suitable for structural beams (INP, IPB, IPE, HEA, HEB etc.)

EN 13157

Technical data:
- **Safety factor: 4**
- **Identification tag**

Available certificates:
- **Manufacturer's Certificate**
- **CE Declaration of Conformity**
- **Test report UNI EN10204 type 2.2**
- **Technical product specifications**

WLL t	L min mm	L max mm	Lm	£		
1,0	58	220	3	**291.00**	1	081470510
2,0	66	220	3	**372.00**	1	081470520
3,0	74	220	3	**569.00**	1	081470530
5,0	90	220	3	**785.00**	1	081470550

Item supplied disassembled: it must be assembled before use in accordance with instruction manual.

8147S
push trolleys
for manual beam clamps
suitable for structural beams (INP, IPB, IPE, HEA, HEB etc.)

EN 13157

Technical data:
- **Safety factor: 4**
- **Identification tag**

Available certificates:
- **Manufacturer's Certificate**
- **CE Declaration of Conformity**
- **Test report UNI EN10204 type 2.2**
- **Technical product specifications**

WLL t	L min mm	L max mm	øF mm	£		
0,5	50	220	25	**187.00**	1	081470005
1,0	58	220	30	**239.50**	1	081470010
2,0	66	220	40	**305.00**	1	081470020

Item supplied disassembled: it must be assembled before use in accordance with instruction manual.

8147P
beam clamps for manual hoists

suitable for structural beams (INP, IPB, IPE, HEA, HEB etc.)



Technical data:
- **Safety factor: 4**
- **Identification tag**

Available certificates:
- **Manufacturer's Certificate**
- **CE Declaration of Conformity**
- **Test report UNI EN10204 type 2.2**
- **Technical product specifications**

WLL t	A min mm	A max mm	£		
1,0	90	180	**123.50**	1	081470210
2,0	90	190	**149.50**	1	081470220
3,0	85	280	**252.00**	1	081470230
5,0	85	280	**368.00**	1	081470250

8148

manual rope winch,
aluminium alloy body,
complete with operating lever, rope and hook

Lightweight and portable, the Robur manual rope winch complies with EN 13157, is made from high-quality materials and is suitable for lifting, pulling, tensioning and fixing loads in all directions through the operating lever.
Generally connected to a fixed lashing point, it allows for highly precise load positioning and ensures safe operation in all directions - horizontal, vertical and tilted. Based on its compact, handy design, it is easy to install and use.
The Robur manual winch makes it possible to use ropes in any length, and its capacity can be increased by a factor of 2, 3, 4 or more - provided that its frame is inspected -, by using guide rollers and hooks with blocks in accordance with the reference standard.

CE



EN 13157

- **Safety factor: 4:1**

WLL t	L m	A mm	ø f mm	£		
0,8	20	426	8,3	384.00	1	081480008
1,6	20	545	11	601.00	1	081480016
3,2	20	660	16	1095.00	1	081480032
0,8	30	426	8,3	384.00	1	081480108
1,6	30	545	11	644.00	1	081480116
3,2	30	660	16	1090.00	1	081480132
0,8	50	426	8,3	503.00	1	081480308
1,6	50	545	11	794.00	1	081480316
3,2	50	660	16	1410.00	1	081480332

8148F

strand rope made from galvanized steel
wound on a crosspiece
with high tensile hook

CE

WLL t	L m	ØF	£		
0,8	20	8,3	138.50	1	081480520
1,6	20	11	173.50	1	081480521
3,2	20	16	421.00	1	081480523
0,8	30	8,3	138.50	1	081480530
1,6	30	11	216.50	1	081480531
3,2	30	16	416.00	1	081480533
0,8	50	8,3	257.00	1	081480550
1,6	50	11	367.00	1	081480551
3,2	50	16	737.00	1	081480553

8120

Genovese chains
for static connections,
galvanised

TECHNICAL DATA
- **safety factor: 4**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**

Ø mm	nr	WFL kg	m	£		
1,5	10	8	150	207.50	1	081200015
1,6	12	15	150	218.50	1	081200016
2,2	14	25	75	124.50	1	081200022
2,7	16	40	75	155.50	1	081200027
3,0	17	55	75	170.50	1	081200030
3,4	18	100	60	170.50	1	081200034
3,8	19	110	50	157.50	1	081200038
4,4	20	200	40	154.00	1	081200044
4,8	21	250	30	144.00	1	081200048
5,5	22	300	25	144.00	1	081200055
5,8	23	310	25	164.00	1	081200058
6,5	24	400	25	185.50	1	081200065
7,0	25	450	25	228.50	1	081200070
7,5	26	550	20	202.50	1	081200075
* 8,0	27	600	25	265.00	1	081200080
* 9,0	28	800	25	333.00	1	081200090
* 10,0	30	1000	20	338.00	1	081200100
* 12,0	32	1400	15	356.00	1	081200120

Caution: product NOT designed for lifting purposes

(*) available in COILS

8120B

Genovese chains
for static connections,
galvanised

TECHNICAL DATA
- **safety factor: 4**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report type 2.2 UNI EN10204**

Ø mm	nr	WFL kg	m	£		
1,5	10	8	200	258.00	1	081200315
1,6	12	15	200	275.00	1	081200316
2,2	14	25	100	164.00	1	081200322
2,7	16	40	100	210.50	1	081200327
3,0	17	55	75	176.50	1	081200330
3,4	18	100	100	284.00	1	081200334
3,8	19	110	75	237.00	1	081200338
4,4	20	200	50	190.50	1	081200344
4,8	21	250	50	240.50	1	081200348
5,5	22	300	40	227.50	1	081200355
5,8	23	310	30	194.50	1	081200358
6,5	24	400	30	222.00	1	081200365
7,0	25	450	25	250.00	1	081200370
7,5	26	550	25	248.00	1	081200375
8,0	27	600	15	180.50	1	081200380
9,0	28	800	15	210.50	1	081200390
10,0	30	1000	10	172.00	1	081200400
12,0	32	1400	8	199.50	1	081200420

Caution: NOT for lifting

8121MZC

Genovese chains
for static connections,
hot-dip galvanized

AVAILABLE CERTIFICATES
- **Product specification**
- **Test report UNI EN10204 type 2.2**

Ø mm	nr	WFL kg	m	£		
6,0	23	310	50	389.00	1	081210306
8,0	27	600	50	664.00	1	081210308
10,0	30	1000	50	1050.00	1	081210310
12,0	32	1400	50	1510.00	1	081210312
14,0	34	1800	50	2120.00	1	081210314

8120D

calibrated chains DIN766
electrolytic galvanized
available in any length on request (>30m)

TECHNICAL DATA
- **safety factor: 4**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**

Ø mm	P mm	WFL kg	m	£		
4	16	200	30	128.50	1	081200640
5	18,5	320	30	181.50	1	081200650
6	18,5	400	30	274.00	1	081200660
7	22	630	30	329.00	1	081200670
8	24	800	30	438.00	1	081200680
10	28	1250	30	668.00	1	081200700

calibrated chains DIN766
HOT-DIP galvanized

Ø mm	P mm	WFL kg	m	£		
4	16	200	30	160.00	1	081200840
5	18,5	320	30	219.50	1	081200850
6	18,5	400	30	326.00	1	081200860
7	22	630	30	383.00	1	081200870
8	24	800	30	507.00	1	081200880
10	28	1250	30	768.00	1	081200900

8129

barrier chain,
made of galvanized metal painted in red and white

Ø mm	m	£		
5	30	306.00	1	081290050

Caution: NOT for lifting or anchoring

8130

antitheft chains, made of alloy steel, case-hardened, tempered, galvanised

AVAILABLE CERTIFICATES:
Test report UNI EN10204 type 2.2

Ø mm	L mm	£		
6	800	16.40	1	081300068
8	1000	34.00	1	081300081
8	1200	40.00	1	081300082
10	1500	62.00	1	081300105

8074

carabine hooks, galvanized



DIN 5299 tipo C

TECHNICAL DATA
• safety factor: 4
AVAILABLE CERTIFICATES
• Technical product specifications
• Test report UNI EN10204 type 2.2

DxL mm	A mm	WFL kg	£		
* 4x40	6	20	0.79	100	080740040
5x50	7	30	0.84	100	080740050
6x60	8	40	0.89	100	080740060
7x70	9	60	1.12	50	080740070
8x80	11	75	1.32	50	080740080
9x90	12	100	1.69	25	080740090
10x100	13	120	2.12	25	080740100
11x120	16	140	2.99	20	080740101
12x140	22	140	4.15	15	080740102
13x160	24	200	5.45	10	080740103
* 14x180	32	250	11.30	5	080740104

special packaging

DxL mm	A mm		£		
6x60	8	50	50.00	1	080740760
7x70	9	25	31.50	1	080740770
8x80	11	25	37.00	1	080740780
9x90	12	15	28.50	1	080740790
10x100	13	15	35.50	1	080740800
11x120	16	10	33.50	1	080740801
12x140	22	10	46.50	1	080740802

8074A

ring carabine hooks, galvanized



DIN 5299 tipo A

TECHNICAL DATA
• safety factor: 4
AVAILABLE CERTIFICATES
• Technical product specifications
• Test report UNI EN10204 type 2.2

øAxL mm	D mm	WFL kg	£		
5x50	7,4	30	1.01	50	080740405
6x60	8,7	40	1.10	50	080740406
8x80	10,5	75	1.54	25	080740408
10x100	13,3	120	2.78	10	080740410

8074G

carabine hooks with screw nut, galvanized

TECHNICAL DATA
• safety factor: 4
AVAILABLE CERTIFICATES
• Technical product specifications
• Test report UNI EN10204 type 2.2

øAxL mm	D mm	WFL kg	£		
5x50	7,5	30	1.10	50	080740305
6x60	8,5	40	1.20	50	080740306
8x80	10,3	75	1.65	25	080740308
10x100	10,6	120	2.90	10	080740310

8080

quick links, galvanized



TECHNICAL DATA
• safety factor: 4
AVAILABLE CERTIFICATES
• Technical product specifications
• Test report UNI EN10204 type 2.2

DxL mm	A mm	WFL kg	£		
3,5x36	5	20	0.61	100	080800003
4x40	6	30	0.67	100	080800004
5x49	6	50	0.87	100	080800005
6x57	8	60	1.05	100	080800006
7x66	8	100	1.32	50	080800007
8x74	11	140	1.58	50	080800008
9x80	11	160	2.26	25	080800009
10x89	11	220	2.32	25	080800010
12x105	15	300	4.30	20	080800012
14x122	16,5	400	8.90	3	080800014

8080FM

missing links, galvanized



TECHNICAL DATA
• safety coefficient: 4
AVAILABLE CERTIFICATES
• Technical product specifications
• Test report UNI EN10204 type 2.2

M	ød mm	b mm	t mm	£		
4	3,8	8,6	21,5	0.37	100	080800204
5	4,7	11,1	25,8	0.69	50	080800205
6	5,3	13,8	32,0	1.32	30	080800206
7	6,5	16,8	37,0	1.53	10	080800207
8	8,0	18,0	38,0	2.27	10	080800208

8082

rings galvanised steel



AVAILABLE CERTIFICATES:
Test Report UNI EN10204 type 2.2

Ø mm	ØD mm	WFL kg	£		
4	20	75	0.42	50	080820004
5	30	125	0.48	20	080820005
6	40	185	0.85	10	080820006
7	50	265	1.32	5	080820007
8	60	350	1.66	5	080820008

8083
S-hooks
galvanised steel



AVAILABLE CERTIFICATES:
Test report UNI EN10204 type 2.2

Ø mm	L mm	WFL kg	£		
3	33	4	0.08	100	080830003
4	40	5	0.15	60	080830004
5	47	12	0.24	50	080830005
6	59	18	0.46	30	080830006
8	79	33	1.17	10	080830008

8114
oblong eye swivels,
galvanized



TECHNICAL DATA
- **safety factor: 4**
- **traceability code**

LABORATORY TESTS
- **tensile test**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**
- **Inspection certificate UNI EN10204 type 3.1**

A mm	B mm	D mm	WFL kg	£		
8	30	16	250	4.40	10	081140008
10	38	18	300	7.90	10	081140010
12	42	20	650	11.20	5	081140012
14	48	22	820	17.40	5	081140014
16	57	24	1000	23.60	3	081140016
18	64	26	1600	28.00	3	081140018
20	72	30	2000	42.00	1	081140020
22	80	34	2500	58.00	1	081140022

8116
oblong eye & eye swivels,
galvanized



TECHNICAL DATA
- **safety factor: 4**
- **traceability code**

LABORATORY TESTS
- **tensile test**

AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**
- **Inspection certificate UNI EN10204 type 3.1**

A mm	B mm	WFL kg	£		
6	23	140	4.85	10	081160006
8	30	250	6.10	10	081160008
10	38	300	10.80	5	081160010
12	42	650	17.30	5	081160012
14	48	820	26.00	3	081160014
16	57	1000	32.00	3	081160016
18	64	1600	39.50	1	081160018
20	72	2000	55.00	1	081160020
22	80	2500	84.50	1	081160022

8317SZ
simplex wire rope clips
galvanized

AVAILABLE CERTIFICATES
- **Test report UNI EN10204 type 2.2**

Ø mm	L mm	L1 mm	£		
2	15	14	0.29	100	083170102
3	18	16	0.37	100	083170103
4	20	19	0.43	100	083170104
5	24	23	0.51	50	083170105
6	30	27	0.59	30	083170106
8	36	34	1.08	20	083170108
10	42	37	1.54	10	083170110

8317DZ
duplex wire rope clips
galvanized

AVAILABLE CERTIFICATES
- **Test report UNI EN10204 type 2.2**

Ø mm	L mm	L1 mm	£		
2	30	14	0.36	50	083170002
3	35	15	0.43	50	083170003
4	40	18	0.50	50	083170004
5	50	21	0.65	25	083170005
6	60	25	0.92	20	083170006
8	76	33	1.95	10	083170008
10	95	37	2.93	10	083170010

8381SL
U bolts for pipes, light type,
galvanized



AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**

D mm	D gas	E mm	£		
11	1/8"	M6	0.50	100	083810201
14	1/4"	M6	0.50	100	083810202
18	3/8"	M6	0.50	100	083810203
22	1/2"	M6	0.56	100	083810204
27	3/4"	M6	0.56	100	083810205
34	1"	M6	0.65	100	083810206
43	1"1/4	M6	0.65	100	083810207
49	1"1/2	M8	1.30	50	083810208
61	2"	M8	1.44	50	083810209
77	2"1/2	M8	1.54	25	083810210
89	3"	M8	1.66	25	083810211
102	3"1/2	M8	1.95	25	083810212
115	4"	M8	2.09	25	083810213
140	5"	M8	4.50	25	083810215
168	6"	M10	4.85	25	083810218
220	8"	M10	11.70	10	083810220

8381SP
U bolts for pipes, heavy type,
galvanized



AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**

D mm	D gas	E mm	£		
22	1/2"	M8	1.02	100	083810301
27	3/4"	M8	1.08	100	083810302
34	1"	M8	1.09	100	083810303
43	1"1/4	M8	1.30	100	083810304
49	1"1/2	M10	2.22	25	083810305
61	2"	M10	2.37	25	083810306
77	2"1/2	M10	2.78	25	083810307
89	3"	M10	2.93	25	083810308
102	3"1/2	M12	4.70	25	083810309
115	4"	M12	5.25	15	083810310
140	5"	M12	7.05	15	083810312
168	6"	M16	13.30	15	083810315
220	8"	M16	22.90	10	083810320
274	10"	M16	24.40	1	083810374
274	10"	M20	36.50	1	083810375
324	12"	M20	71.50	1	083810386
408	16"	M24	106.00	1	083810508

8383C
square U bolts,
hot galvanized
Flanged nuts



AVAILABLE CERTIFICATES
- **Technical Product Specifications**
- **Test Report UNI EN10204 type 2.2**

A mm	E mm	B mm	D mm	£		
70	M10	110	8,55	**2.22**	130	083830070
80	M10	120	8,55	**2.50**	110	083830080
90	M10	130	8,55	**2.78**	100	083830090
100	M10	155	8,55	**3.45**	90	083830100
120	M10	175	8,55	**3.85**	70	083830120

8383P
plates for square U bolts
hot galvanized



AVAILABLE CERTIFICATES
- **Technical product specifications**
- **Test report UNI EN10204 type 2.2**

	L mm	£		
8383P 150 8383C/70-80 /90-100	150	**2.78**	150	083830214
8383P 170 8383C/100-120	170	**3.35**	120	083830217

8515Z
wire tenders, galvanized

Available Certificates
- **Test Report UNI EN10204 type 2.2**

D mm	H mm	L mm	£		
20	25	93	**1.54**	50	085150002
24,5	30	100	**2.22**	50	085150003

8515V
wire tenders,
painted

Available Certificates
- **Test Report UNI EN10204 type 2.2**

D mm	H mm	L mm	£		
20	25	93	**1.82**	50	085150102
24,5	30	100	**2.37**	50	085150103

8515CH
wire tender keys,
galvanized

L mm	A mm	B mm	£		
90	8	7,5	**0.70**	20	085150901

8531
dee FISHING shackles,
hot-dip galvanized



AVAILABLE CERTIFICATES
- **Test report UNI EN10204 type 2.2**

Ø mm	D mm	WFL kg	£		
20	18	1600	**18.80**	1	085310018
22	20	2500	**26.50**	1	085310020

8532
dee FISHING shackles
with square head screw pin,
black painted

AVAILABLE CERTIFICATES
- **Test report UNI EN10204 type 2.2**

Ø mm	D mm	WFL kg	£		
20	20	1600	**9.40**	1	085320020
22	22	2500	**13.90**	1	085320022

8535
fishing hooks,
galvanized



AVAILABLE CERTIFICATES
- **Test report UNI EN10204 type 2.2**

R mm	C mm	F mm	L mm	£		
26	27,5	34	156	**21.60**	1	085350006
30	36,5	40	185	**30.50**	1	085350007

8050 D1÷D45
safety locks and spare parts kit for eye hooks

	£		
8050D1 8064S-8065SC/800-8055S/1250	**9.75**	1	080500945
8050D2 8064S-8065SC/1000 8062/1500-8055S/1600	**10.00**	1	080500946
8050D3 8064S-8065SC/1600-2000 8055S/2500-3200	**10.70**	1	080500947
8050D4 8064S-8065SC/3200-8055S/5400	**17.30**	1	080500948
8050D5 8064S-8065SC/5000-8055S/8000	**21.60**	1	080500949
8050D6 8064S/7500-8055S/11500	**32.50**	1	080500950
8050D11 8062/2000	**18.00**	1	080500955
8050D12 8062/3000	**20.00**	1	080500956
8050D13 8062/5000	**35.00**	1	080500957
8050D22 8064S/10000 8055S/16000	**47.00**	1	080500966
8050D23 8055S/22000	**65.50**	1	080500967
8050D24 8051S/250	**0.87**	1	080500969
8050D25 8051S/500	**0.92**	1	080500970
8050D30 8061F/8000	**24.40**	1	080500975
8050D32 8060/8000	**36.50**	1	080500977
8050D 33 8052/800	**3.60**	1	080500978
8050D 34 8052/1120	**4.15**	1	080500979
8050D 35 8052/2000	**4.75**	1	080500980
8050D 36 8052/3150	**5.45**	1	080500981
8050D 37 8052/4000	**6.50**	1	080500982
8050D38 8060R/1120	**2.37**	1	080500983
8050D53 8060R/1500	**3.30**	1	080500994
8050D39 8060R/2000	**3.05**	1	080500984
8050D40 8060R/3150	**5.45**	1	080500985
8050D41 8060R/5300	**8.35**	1	080500986
8050D42 8063/800	**0.87**	1	080500987
8050D43 8063/1120	**1.19**	1	080500988
8050D44 8063/2000	**1.54**	1	080500989
8050D45 8063/3150	**1.99**	1	080500990

8050D46 8061R/1120	**2.64**	1	080500991
8050D47 8061R/2000	**2.64**	1	080500992
8050D48 8061R/3150	**3.20**	1	080500993
8050D54 8061R/5300	**3.60**	1	080500995

8050D49 8057R - 8058R - 8063SL /1120	**5.85**	1	080500849
8050D50 8057R - 8058R - 8063SL /2000	**6.45**	1	080500850
8050D51 8057R - 8058R - 8063SL /3150	**6.95**	1	080500851
8050D52 8057R - 8058R - 8063SL /5300	**15.10**	1	080500852

8058R/PS
pin kit for hooks item 8058R-8061R

	Ø mm	£		
8058R/PS 1,12	6	9.30	1	080580512
8058R/PS 2,0	7-8	10.80	1	080580520
8058R/PS 3,15	10	21.60	1	080580532
8058R/PS 5,3	13	37.00	1	080580553

8060R/PS
pin kit for hooks item 8060R

	Ø mm	£		
8060R/PS 1,12	6	9.30	1	080600511
8060R/PS 1,5	7	10.80	1	080600515
8060R/PS 2,0	8	10.80	1	080600520
8060R/PS 3,15	10	21.60	1	080600532
8060R/PS 5,3	13	37.00	1	080600553

8135/KLA1
operating lever kit
for lifting clamps 8135

8135 t	£		
0,75	17.80	1	081350605
1,00	22.00	1	081350610
2,00	25.50	1	081350615
3,00	31.00	1	081350620
5,00	47.50	1	081350625

Responsibility for repairs rests with repairer.

8135/KM0
spring kit for lifting clamps 8135

8135 t	£		
0,75	7.90	1	081350655
1,00	11.50	1	081350660
2,00	15.00	1	081350665
3,00	19.30	1	081350670
5,00	29.00	1	081350675

Responsibility for repairs rests with repairer.

8143/RKL
kit of upper and lower hook latches
for hand chain hoists 8143

8143 WLL t	£		
0,5	1.60	1	081430500
1,0	1.84	1	081430501
2,0	2.78	1	081430502
3,0	3.25	1	081430503
5,0	3.80	1	081430504

8143/RPC
kit of hook chain block pins
for hand chain hoists 8143

8143 WLL t	£		
0,5	1.92	1	081430510
1,0	2.62	1	081430511
2,0	2.83	1	081430512
3,0	4.65	1	081430513
5,0	5.05	1	081430514

8143/RPF
kit of stop pins
for hand chain blocks 8143

8143 WLL t	£		
0,5	0.87	1	081430520
1,0	0.93	1	081430521
2,0	1.30	1	081430522
3,0	1.03	1	081430523
5,0	1.60	1	081430524

8143/RKCI
kit of lower hook bodies
for hand chain hoists 8143

8143 WLL t	£		
0,5	12.40	1	081430560
1,0	16.20	1	081430561
2,0	30.50	1	081430562
3,0	99.00	1	081430563
5,0	136.50	1	081430564

8146/RK
safety locks, pins and stops
for hand LEVER hoists 8146C-8146

8146C WLL t	£		
0,25	6.25	1	081460902

8146/RKL
kit of upper and lower hook latches
for hand lever hoists 8146

8146 WLL t	£		
0,75	1.84	1	081460500
1,5	2.12	1	081460501
3,0	3.25	1	081460502
6,0	3.70	1	081460503

8146/RPC
kit of hook chain block pins
for hand lever hoists 8146

8146 WLL t	£		
0,75	1.92	1	081460510
1,5	2.83	1	081460511
3,0	2.99	1	081460512
6,0	2.99	1	081460513

8146/RKFC
kit of stops
for hand lever hoists 8146

8146 WLL t	£		
0,75	5.10	1	081460520
1,5	6.50	1	081460521
3,0	6.95	1	081460522
6,0	8.15	1	081460523

8146/RKCI
kit of lower hook bodies
for hand lever hoists 8146

8146 WLL t	£		
0,75	14.10	1	081460560
1,5	30.50	1	081460561
3,0	99.00	1	081460562
6,0	187.00	1	081460563

8148/RA
crosspiece for wire ropes of manual rope winches 8148

8148 t	£		
0,8	19.40	1	081480900
1,6	26.00	1	081480901
3,2	33.50	1	081480902

8148/RKS
set of 3 overload shear pins
for manual rope winches 8148

8148 t	£		
0,8	3.60	1	081480903
1,6 - 3,2	4.50	1	081480904

8148/RKCM
set of 2 handle caps
for manual rope winches 8148

	£		
8148/RKCM	1.70	1	081480905

8148/RKCL
set of 2 lever caps
for manual rope winches 8148

	£		
8148/RKCL	1.80	1	081480906

8148/RP
anchor pins
for manual rope winches 8148

8148 t	£		
0,8	14.90	1	081480907
1,6	20.00	1	081480908
3,2	25.00	1	081480909

8148/RKG
set of 2 protective sheaths
for manual rope winches 8148

8148 t	£		
0,8	15.40	1	081480910
1,6	17.50	1	081480911
3,2	18.40	1	081480912

8149
lifting chains, high-tensile alloy steel

CE



EN 818-7

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2
- CE Declaration of Conformity

Ø mm	WLL Kg	P mm	W min	£/m		
4	500	12	4,8	19.70	1	081490012
5	800	15	6,0	23.40	1	081490015
6	1100	18	7,2	27.50	1	081490018
6,3	1200	19	7,6	30.50	1	081490019
8	2000	24	9,6	40.00	1	081490024
10	3200	30	12	63.50	1	081490030

8149CM
hand chains for chain blocks 8143

Ø mm	B mm	t mm	£/m		
4,8	8,2	22,2	6.50	1	081490901

*** CAUTION: Product is delivered in one length of chain, unless otherwise specified in order!**

8149CM/RA
spare welded ring
hand chain for chain blocks 8143

L m	Ø mm	B mm	£		
3	4,8	8,2	66.00	1	081490903
6	4,8	8,2	99.50	1	081490906

***Welded closed ring. Please read manual carefully before replacing chain.**

STAINLESS STEEL

Robur INOX STAINLESS STEEL

Unlike general-purpose steel (AISI 304), steel AISI 316 as selected by Beta provides high resistance to weathering as well as to saline corrosion and salt and organic acid corrosion. Stainless steel AISI 316 has a high content of:

- **Chromium** (it forms a surface film which protects the underlying material from oxidation)
- **Molybdenum** (it increases corrosion resistance of chlorides, e.g. sea water and defrosting products)
- **Nickel** (it allows the steel frame to be kept stable in time)

In addition, the low carbon content makes this steel more resistant to intergranular corrosion (a particular type of corrosion that can hardly be detected on the surface of the accessory and can trigger sudden breaks in corrosive environments).

Steel AISI 316 can boast some additional hallmarks: it is easy to clean, has an excellent hygienic coefficient, nonmagnetic properties, and good mechanical performance at low temperatures.

No doubt uniform, constant quality was, and still is, the main reliability factor of Robur's stainless steel products, as it ensures the same performance levels are achieved for all the production batches – yesterday as today and tomorrow.

8205

eye and eye turnbuckle
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	B mm	ø F mm	WFL kg	£		
M4	62	8	75	6.45	10	082050204
M5	72	11	115	7.70	10	082050205
M6	92	12	160	10.00	8	082050206
M8	122	14	300	15.30	8	082050208
M10	150	16	470	23.60	4	082050210
M12	201	18	690	42.00	1	082050212
M14	225	22	940	98.50	1	082050214
M16	244	26	1290	102.50	1	082050216
M20	295	29	2130	147.50	1	082050220
M24	350	33	3000	337.00	1	082050224

special packaging

A mm	B mm		£		
M4	62	5	36.00	1	082050704
M5	72	5	43.50	1	082050705
M6	92	4	45.00	1	082050706
M8	122	4	69.00	1	082050708
M10	150	2	53.00	1	082050710

8206

hook and eye turnbuckle
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	B mm	ø F mm	WFL kg	£		
M5	72	11	25	7.80	10	082060205
M6	92	12	45	10.60	5	082060206
M8	122	14	95	16.40	5	082060208
M10	150	16	140	24.60	1	082060210
M12	201	18	300	42.00	1	082060212
M14	225	22	420	100.00	1	082060214
M16	244	26	570	101.00	1	082060216
M20	295	29	875	148.50	1	082060220

8207

hook and hook turnbuckle
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	B mm	C mm	WFL kg	£		
M5	72	9	25	8.20	10	082070205
M6	92	9	45	10.70	5	082070206
M8	122	10	95	16.40	5	082070208
M10	150	12	140	25.00	1	082070210
M12	201	14	300	42.00	1	082070212
M14	225	15	420	102.50	1	082070214
M16	244	16	570	106.00	1	082070216
M20	295	19	875	154.00	1	082070220

8209

jaw and jaw turnbuckle
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	B mm	ø F mm	WFL kg	£		
M5	72	5	115	13.60	5	082090205
M6	92	6	160	15.70	5	082090206
M8	122	8	300	22.90	5	082090208
M10	150	10	470	37.50	1	082090210
M12	201	12	690	60.50	1	082090212
M14	225	14	940	81.50	1	082090214
M16	244	16	1290	124.00	1	082090216
M20	295	20	2130	218.50	1	082090220
M24	350	24	3060	525.00	1	082090224

8210

jaw and jaw pipe turnbuckle
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	B mm	ø F mm	WFL kg	£		
M5	81	5	115	17.40	3	082100205
M6	92	6	160	20.10	3	082100206
M8	112	8	300	30.50	1	082100208
M10	121	10	470	47.00	1	082100210
M12	150	12	690	78.00	1	082100212
M14	169	14	940	100.00	1	082100214
M16	190	16	1290	150.00	1	082100216
M20	220	20	2130	258.00	1	082100220

8210FTP

rigging screws with fixed jaw and press-fitting terminal
pipe turnbuckle bodies
AISI 316 stainless steel

Steel with Nickel, Chromium and Molybdenum for increased corrosion resistance.



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø mm	A mm	øD mm	WFL kg	£		
M5	159	2,70	150	19.80	2	082100605
M6	179	3,30	250	23.50	2	082100606
M8	216	4,30	350	32.00	1	082100608
M10	241	5,30	550	49.00	1	082100610
M12	300	6,30	1000	71.50	1	082100612
M14	345	7,30	1350	108.50	1	082100614
M16	383	8,30	1625	158.00	1	082100616
M20	484	10,50	2125	269.00	1	082100620

8201T

pipe bodies
AISI 316

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2

ø mm	Ø "	WFL kg	L mm	£		
M6	1/4	160	95	3.85	5	082010406
M8	5/16	300	105	5.65	5	082010408
M10	3/8	470	125	9.55	3	082010410
M12	1/2	690	150	16.60	3	082010412
M14	9/16	940	165	18.00	1	082010414
M16	5/8	1290	190	30.50	1	082010416
M20	3/4	2130	210	44.50	1	082010420

8210F

turnbuckle jaws,
stainless steel AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø mm	≈ "	G mm	WFL kg	£		
M5	3/16	38,5	115	6.50	4	082100305
M6	1/4	49	160	7.30	4	082100306
M8	5/16	56	300	10.60	4	082100308
M10	3/8	61	470	18.30	2	082100310
M12	1/2	81	690	28.50	2	082100312
M14	9/16	93	940	45.50	2	082100314

left-handed thread

Ø mm	≈ "	G mm	WFL kg	£		
M5	3/16	38,5	115	6.50	4	082100405
M6	1/4	49	160	7.30	4	082100406
M8	5/16	56	300	10.60	4	082100408
M10	3/8	61	470	18.30	2	082100410
M12	1/2	81	690	28.50	2	082100412
M14	9/16	93	940	45.50	2	082100414

8248

eye tie rods,
stainless steel 316L,
right thread

UNI 6058

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2

ØxL mm	F mm	£		
8X120	6	7.30	1	082480008
10x80	8	9.90	1	082480010
10x130	8	12.90	1	082480012
12x95	10	14.70	1	082480016
12x125	10	17.60	1	082480018

8249

fastening eyebolts, right thread
AISI 316

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	WFL kg	D mm	£		
M5	100	50	2.78	10	082490205
M6	160	55	3.35	10	082490206
M8	300	60	5.55	5	082490208
M10	470	80	9.75	5	082490210
M12	690	120	16.70	2	082490212

8249G

fastening hooks
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2

A mm	E mm	ø F mm	WFL kg	£		
M5	39	9	25	1.36	5	082490305
M6	43	10,5	45	1.54	5	082490306
M8	57	14,5	95	2.78	3	082490308

8216

wire rope clips
AISI 316

CE



LABORATORY TESTS
- chemical analysis
- torque test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- CE Certificate of Conformity

ø F mm	"	T	N	£		
2	5/64	80	3	3.20	20	082160202
3	1/8	80	3	3.35	20	082160203
4	5/32	80	3	3.45	20	082160204
5	3/16	110	3	4.20	20	082160205
6	1/4	120	5	4.55	10	082160206
8	5/16	210	5	6.25	10	082160208
10	3/8	240	5	8.60	8	082160210
12-13	1/2	300	5	12.10	5	082160213
16	5/8	335	5	17.40	5	082160216
20	3/4	540	5	22.70	5	082160220
22	7/8	595	7	36.50	3	082160222

special packaging

ø F mm	"	£		
2	5/64	36.00	1	082160702
3	1/8	37.50	1	082160703
4	5/32	39.00	1	082160704
5	3/16	47.00	1	082160705
6	1/4	25.50	1	082160706
8	5/16	35.00	1	082160708
10	3/8	38.50	1	082160710

special free service boxes

ø F mm		£		
2	4	13.50	1	082169402
3	4	13.60	1	082169403
4	4	15.30	1	082169404
5	2	9.30	1	082169405
6	2	10.40	1	082169406
8	2	13.40	1	082169408
10	2	18.30	1	082169410

Robur

8220
thimbles
AISI 316



LABORATORY TESTS
- chemical analysis

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø F mm	D mm	A mm	C mm	£		
2	4,5	21	7,5	1.01	15	082200202
3	6	24	10	1.18	15	082200203
4	6,6	28	11	1.29	10	082200204
5	8,5	30	13	1.54	10	082200205
6	10	37	15	1.82	10	082200206
8	12,5	51	23	2.93	5	082200208
10	14,6	56	27	3.60	5	082200210
12	18	68	32	4.70	5	082200212
14	19	69	34	6.25	5	082200214
16	22	83	37	6.95	5	082200216
18	23	81	38	8.20	1	082200218
20	27,8	105	45	9.75	1	082200220
22	29,6	112	45	12.40	1	082200222

8225
dee shackles
AISI 316

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø D mm	"	A mm	WFL kg	£		
4	5/32	8	50	3.45	20	082250204
5	3/16	11	70	3.75	20	082250205
6	1/4	13	100	4.35	10	082250206
8	5/16	17	250	6.80	10	082250208
10	3/8	21	400	9.75	8	082250210
12	1/2	25	600	15.80	3	082250212
16	5/8	32	1000	33.50	1	082250216
19	3/4	38	1600	56.50	1	082250219
22	7/8	43	2000	87.00	1	082250222
25	1	46	2800	127.00	1	082250225

special packaging

ø D mm	"		£		
4	5/32	10	39.00	1	082250704
5	3/16	10	42.00	1	082250705
6	1/4	5	24.50	1	082250706
8	5/16	5	38.00	1	082250708
10	3/8	4	44.00	1	082250710

8227
long dee shackles
AISI 316

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø D mm	"	A mm	WFL kg	£		
4	5/32	8	50	3.20	10	082270204
5	3/16	10	70	3.70	10	082270205
6	1/4	13,5	100	4.60	5	082270206
8	5/16	17	250	7.60	5	082270208
10	3/8	21	400	12.40	2	082270210
12	1/2	25	600	19.90	1	082270212

8228
bow shackles
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø D mm	A mm	B mm	WFL kg	£		
4	13	20	60	2.90	10	082280204
5	17	23	80	3.30	10	082280205
6	20	27	100	3.80	10	082280206
8	28	36	200	6.20	5	082280208
10	36	44	300	9.65	5	082280210
12	41	53	500	14.60	5	082280212
16	54	74	800	33.50	1	082280216
19	66	86	1100	60.00	1	082280219

Robur

8240F
lifting eye bolts, FORGED
stainless steel A4

CE

TECHNICAL DATA
- safety factor: 6
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

ø mm	P mm	WLL kg	£		
M6	1,0	120	8.20	4	082400406
* M8	1,25	200	9.10	4	082400408
* M10	1,5	400	15.20	4	082400410
* M12	1,75	600	25.00	4	082400412
* M14	2	1000	40.00	2	082400414
* M16	2	1200	40.00	2	082400416
* M20	2,5	2000	65.50	2	082400420
* M24	3	2700	124.00	2	082400424
* M30	3,5	4000	263.00	1	082400430

(*) WLL increased compared to DIN standard according to Technical Specifications R/FT/8240F (guaranteed for stainless steel / stainless steel fits)

8240
eye bolts,
stainless steel AISI 316

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	B mm	ø C mm	WFL kg	£		
M6	41	15	90	2.57	10	082400206
M8	50	20	140	3.70	10	082400208
M10	62	25	230	7.10	5	082400210
M12	74	30	340	12.70	5	082400212

8242F
lifting eye nuts, FORGED
stainless steel A4

CE

TECHNICAL DATA
- safety factor: 6
- traceability code

LABORATORY TESTS
- chemical analysis
- metallographic analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of conformity

ø mm	mm	WLL kg	£		
M6	1,0	120	8.20	4	082420406
* M8	1,25	200	9.10	4	082420408
* M10	1,5	400	15.10	4	082420410
* M12	1,75	600	25.00	4	082420412
* M14	2	1000	40.00	2	082420414
* M16	2	1200	40.00	2	082420416
* M20	2,5	2000	65.50	2	082420420
* M24	3	2700	124.00	2	082420424
* M30	3,5	4000	263.00	1	082420430

(*) WLL ø M10÷M24
- increased according to Technical File R/FT/8242F
- guaranteed with stainless steel coupling

8242
eye nuts
stainless steel AISI 316

A mm	B mm	ø C mm	WFL kg	£		
M6	27	15	90	2.57	10	082420206
M8	36	20	140	3.70	10	082420208
M10	45	25	230	7.10	5	082420210
M12	55	30	340	12.70	5	082420212

8274
carabine hooks
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø A x L mm	ø C mm	D mm	WFL kg	£		
4,5x40	6,5	6	20	3.05	20	082740204
5x50	7	6,5	30	3.05	20	082740205
6x60	8,5	7,5	40	3.20	10	082740206
7x70	10	9	60	4.35	10	082740207
8x80	12	10	75	5.65	10	082740208
9x90	12,5	10,5	100	7.80	10	082740209
10x100	15	13	120	9.55	8	082740210
11x120	19	18	140	13.80	1	082740211
12x140	22	21	140	18.70	1	082740212
13x160	22	26	200	23.60	1	082740213

special packaging

ø A x L mm	ø C mm		£		
4,5x40	6,5	10	34.50	1	082740704
5x50	7	10	34.50	1	082740705
6x60	8,5	5	18.00	1	082740706
7x70	10	5	24.50	1	082740707
8x80	12	5	31.50	1	082740708
9x90	12,5	5	44.00	1	082740709
10x100	15	4	43.00	1	082740710

8274A
ring carabine hooks
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical Product Specifications
- Test Report UNI EN10204 type 2.2

ø A x L mm	ø C mm	D mm	WFL kg	£		
5x50	6,5	7	30	3.45	10	082740405
6x60	7,5	7,5	40	4.05	5	082740406
8x80	9,5	10	75	6.70	5	082740408

8274G
carabine hooks with screw nut
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø A x L mm	ø C mm	D mm	WFL kg	£		
6x60	8,5	6,5	40	4.35	5	082740306
8x80	12	8,5	75	7.90	5	082740308
10x100	15	12	120	15.10	3	082740310

8276
asymmetric carabine hooks
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø A x L mm	ø C mm	D mm	WFL kg	£		
6x60	8,5	10	40	4.05	5	082760206
8x80	12	14	75	6.80	5	082760208
10x100	15	18	120	12.30	3	082760210

8276G

asymmetric carabine hooks with screw nut
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø A x L mm	ø C mm	D mm	WFL kg	£		
6x60	8,5	9	40	5.25	3	082760306
8x80	12	12,5	75	9.20	3	082760308
10x100	15	16	120	16.40	3	082760310

8278

trapezoidal carabine hooks
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø A x L mm	B mm	C mm	WFL kg	£		
8x80	45	14	75	13.60	3	082780208
10x100	55	16	120	21.60	3	082780210

Robur

Robur

8280

quick links
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø D x L mm	A mm	B mm	WFL kg	£		
3,5x35	17	5	20	3.60	10	082800203
4x40	19	6	30	3.75	10	082800204
5x50	23	7	50	4.45	5	082800205
6x60	26	8	60	5.45	5	082800206
7x70	30	9	100	6.25	5	082800207
8x80	33	10	140	8.60	2	082800208
10x90	40	12	220	14.00	2	082800210
12x100	47	14	300	21.60	1	082800212

8250

spring snap-casting eye end
AISI 316

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

L mm	A mm	ø B mm	WFL kg	£		
50	25	8	40	4.45	5	082500205
70	31	12,5	90	6.60	5	082500207
100	47	20	190	10.80	2	082500210

8264

swivel eye bolt snap
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

B mm	L mm	C mm	WFL kg	£		
12	88	12	60	12.00	5	082640212
16	90	12	60	12.10	5	082640216
19	93	12	60	12.30	2	082640219

8267

swivel eye snap
AISI 316

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

A mm	L mm	B mm	WFL kg	£		
10	87	21	30	10.10	5	082670210
12	118	22	70	17.30	2	082670213

Robur

8272
eye and eye swivels
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø D mm	A mm	L mm	WFL kg	£		
4	11	50	90	5.85	5	082720204
5	13	60	115	7.80	5	082720205
6	15	66	140	9.55	5	082720206
8	19	90	250	15.10	3	082720208
10	23	112	300	23.60	1	082720210
13	33	148	650	47.00	1	082720213
16	38	184	1000	88.50	1	082720216
19	40	223	1600	156.00	1	082720219

8273
quick-release hooks
with swivel eyes
AISI 316 stainless steel



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø C x L mm	B mm	WFL kg	BF kg	£		
12x70	12	230	1100	19.90	1	082730012
16x85	14,50	440	2000	27.00	1	082730016
22x120	20	700	3500	43.00	1	082730022

8282S
S-hooks, symmetric
AISI 316 stainless steel



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Product specifications
- Test report type 2.2 UNI EN10204

ø D mm	B mm	A mm	WFL kg	£		
3	5,5	34	4	0.33	40	082820303
4	7,0	40	5	0.65	30	082820304
5	9,0	46	12	1.08	20	082820305
6	10	54	18	1.66	15	082820306

8284
pelican hooks terminals
AISI 316 stainless steel

LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø C mm	B mm	L mm	WFL kg	£		
6	11	73	200	16.40	3	082840006
8	14	98	300	22.20	3	082840008
10	23	143	450	45.50	1	082840010

8285
jaw terminals
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø A M	ø C mm	ø D mm	WFL kg	£		
3	6,3	6	180	4.05	5	082850203
4	7,5	8	200	6.10	3	082850204
5	9	10	330	8.35	2	082850205
6	12,5	12	720	17.30	2	082850206
7	12,5	12	850	15.80	2	082850207
8	15,5	16	1120	25.50	2	082850208
10	18	16	1300	30.00	2	082850210
12	20	19	2400	35.50	2	082850212

Robur

8286
eye terminals
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø D M	ø A mm	ø C mm	WFL kg	£		
3	6,5	6,3	180	4.05	5	082860203
4	8,5	7,5	200	4.55	3	082860204
5	10	9	330	5.85	2	082860205
6	12,5	12,6	720	9.90	2	082860206
7	12,5	14,2	850	9.20	2	082860207
8	14,5	16	1120	18.00	2	082860208
10	16,4	18	1300	27.00	2	082860210
12	19,3	20	2400	38.50	2	082860212

8287
swage studs
AISI 316



LABORATORY TESTS
- chemical analysis
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø D M	ø A mm	E mm	WFL kg	£		
3	6,2	M6	180	3.45	5	082870203
4	7,5	M8	200	5.00	3	082870204
5	8,7	M10	330	6.80	2	082870205
6	12,6	M12	720	12.40	2	082870206
7	12,6	M14	850	14.70	2	082870207
8	16	M16	1120	25.00	2	082870208
10	18	M16	1300	23.50	2	082870210
12	20	M20	2400	32.50	2	082870212

8290
pad eyes
AISI 316



LABORATORY TESTS
- chemical analysis

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

ø A mm	B mm	ø C mm	L mm	£		
5	18	4,3	40	1.25	5	082900205
6	22	5,2	44	1.66	5	082900206
8	23	5,2	51	2.78	5	082900208

8381SX

U bolts for pipes



AISI 304

LABORATORY TESTS
- chemical analysis

AVAILABLE CERTIFICATES
- Test report UNIEN10204 type 2.2

D mm	D gas	E mm	£		
11	1/8"	M6	2.50	20	083810401
14	1/4"	M6	2.78	20	083810402
18	3/8"	M6	2.78	20	083810403
22	1/2"	M6	2.78	20	083810404
27	3/4"	M6	3.05	20	083810405
34	1"	M6	3.20	20	083810406
43	1"1/4	M6	3.75	20	083810407
49	1"1/2	M8	6.60	10	083810408
61	2"	M8	6.95	10	083810409
77	2"1/2	M8	8.60	10	083810410
89	3"	M8	9.20	10	083810412
115	4"	M8	11.60	10	083810413
168	6"	M10	24.80	1	083810416
220	8"	M10	29.00	1	083810418

8279

Genovese chains
for static connections,
AISI 304 stainless steel

TECHNICAL DATA
- safety factor: 4

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

Ø mm	nr	WFL kg	m	£		
2	13	20	50	269.00	1	082790020
3	17	55	50	505.00	1	082790030
4	19	100	50	708.00	1	082790040
5	21	250	40	760.00	1	082790050
6	23	310	30	782.00	1	082790060
8	27	400	15	735.00	1	082790080
10	30	1000	10	1152.00	1	082790400

Caution: product NOT designed for lifting purposes

Robur

8293

ratchet tie downs AISI 304
high-tenacity polyester belt, LC 300 kg,
with hooks

hangable



L m	L2 mm	L1 mm	STF daN	£		
6	5700	300	100	78.00	1	082930106

LC = 300 kg

8297C

ratchet tie downs,
with mini-ratchets, AISI 304
high-tenacity polyester belt, LC 700 kg

hangable



L m	H mm	£		
5	25	40.00	1	082970350

8297F

2 cam buckle straps,
AISI 304,
high-tenacity polyester belt, LC 250 kg

hangable



L m	H mm	£		
3	25	40.00	1	082970230

LC = 250 kg

POLYESTER SLINGS
TECHNICAL DATA
- safety factor: 7
- traceability code

LABORATORY TESTS
- tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Manufacturer's Certificate UNI EN1492
- CE Declaration of Conformity

				β= 0°÷45°	β= 45°÷60°
	1t	0,8t	2t	1,4t	1t
	2t	1,6t	4t	2,8t	2t
	3t	2,4t	6t	4,2t	3t
	4t	3,2t	8t	5,6t	4t
	5t	4t	10t	7t	5t
	6t	4,8t	12t	8,4t	6t
	8t	6,4t	16t	11,2t	8t
	10t	8t	20t	14t	10t
	12t	9,6t	24t	16,8t	12t
	15t	12t	30t	21t	15t
	20t	16t	40t	28t	20t
	25t	20t	50t	35t	25t
	30t	24t	60t	42t	30t
	40t	32t	80t	56t	40t
	50t	40t	100t	70t	50t

8150

lifting web slings, purple 1t
two layers with reinforced eyes
high-tenacity polyester (PES) belt

CE

EN 1492-1

L m	H mm	WLL ton	£		
0,5	30	1	6.20	1	081500005
1	30	1	7.80	1	081500010
1,5	30	1	10.10	1	081500015
2	30	1	11.10	1	081500020
2,5	30	1	12.80	1	081500025
3	30	1	14.00	1	081500030
3,5	30	1	12.30	1	081500035
4	30	1	18.30	1	081500040
5	30	1	21.30	1	081500050
6	30	1	24.60	1	081500060
8	30	1	32.50	1	081500080

8153

lifting web slings, green 2t
two layers with reinforced eyes
high-tenacity polyester (PES) belt

CE

EN 1492-1

L m	H mm	WLL ton	£		
1	60	2	12.40	1	081530010
1,5	60	2	16.70	1	081530015
2	60	2	18.90	1	081530020
2,5	60	2	22.60	1	081530025
3	60	2	26.00	1	081530030
3,5	60	2	23.70	1	081530035
4	60	2	32.00	1	081530040
5	60	2	38.50	1	081530050
6	60	2	45.50	1	081530060
8	60	2	58.00	1	081530080
10	60	2	70.50	1	081530100

8156

lifting web slings, yellow 3t
two layers with reinforced eyes
high-tenacity polyester (PES) belt

CE

EN 1492-1

L m	H mm	WLL ton	£		
1	90	3	17.50	1	081560010
1,5	90	3	23.20	1	081560015
2	90	3	28.00	1	081560020
2,5	90	3	34.00	1	081560025
3	90	3	40.00	1	081560030
3,5	90	3	34.50	1	081560035
4	90	3	48.50	1	081560040
5	90	3	59.50	1	081560050
6	90	3	69.50	1	081560060
8	90	3	90.00	1	081560080
10	90	3	109.50	1	081560100
12	90	3	137.50	1	081560120

8157

lifting web slings, grey 4t
two layers with reinforced eyes
high-tenacity polyester (PES) belt

CE

EN 1492-1

L m	H mm	WLL ton	£		
2	120	4	38.50	1	081570020
3	120	4	53.50	1	081570030
4	120	4	67.00	1	081570040
5	120	4	80.50	1	081570050
6	120	4	94.00	1	081570060
8	120	4	124.00	1	081570080
10	120	4	150.00	1	081570100
12	120	4	188.50	1	081570120

8158

lifting web slings, red 5t
two layers with reinforced eyes
high-tenacity polyester (PES) belt

CE

EN 1492-1

L m	H mm	WLL ton	£		
2	150	5	54.50	1	081580020
3	150	5	71.50	1	081580030
4	150	5	92.00	1	081580040
5	150	5	108.50	1	081580050
6	150	5	129.50	1	081580060
8	150	5	165.00	1	081580080
10	150	5	201.00	1	081580100
12	150	5	255.00	1	081580120

8159

lifting web slings, brown 6t
two layers with reinforced eyes
high-tenacity polyester (PES)

CE

EN 1492-1

L m	H mm	WLL ton	£		
2	180	6	67.00	1	081590020
3	180	6	98.50	1	081590030
4	180	6	127.00	1	081590040
5	180	6	155.00	1	081590050
6	180	6	180.50	1	081590060
8	180	6	234.50	1	081590080
10	180	6	293.00	1	081590100

8160

lifting web slings, blue 8t
two layers with reinforced eyes
high-tenacity polyester (PES)

CE

EN 1492-1

L m	H mm	WLL ton	£		
3	240	8	137.50	1	081600030
4	240	8	173.50	1	081600040
5	240	8	207.50	1	081600050
6	240	8	248.00	1	081600060
8	240	8	319.00	1	081600080
10	240	8	393.00	1	081600100

8161

lifting web slings, orange,
10t two-layer flat sling,
20t four-layer flat sling,
reinforced eyes

CE



EN 1492-1

L m	H mm	WLL ton	£		
3	300	10	192.00	1	081610030
4	300	10	278.00	1	081610040
5	300	10	330.00	1	081610050
6	300	10	391.00	1	081610060
8	300	10	509.00	1	081610080
10	300	10	623.00	1	081610100
12	300	10	749.00	1	081610120
3	300	20	611.00	1	081612030
4	300	20	767.00	1	081612040
5	300	20	925.00	1	081612050
6	300	20	1081.00	1	081612060
8	300	20	1395.00	1	081612080
10	300	20	1705.00	1	081612100
12	300	20	2025.00	1	081612120

8170

lifting round slings, purple 1t
high-tenacity polyester (PES) belt

CE

EN 1492-2

L m	WLL ton	H mm	£		
0,5	1	45	5.95	1	081700010
1	1	45	8.05	1	081700020
1,5	1	45	11.20	1	081700030
2	1	45	14.40	1	081700040
2,5	1	45	13.70	1	081700050
3	1	45	21.10	1	081700060
4	1	45	28.00	1	081700080
5	1	45	36.50	1	081700100

8173

lifting round slings, green 2t
high-tenacity polyester (PES) belt

CE



EN 1492-2

L m	H mm	WLL ton	£		
0,5	50	2	7.90	1	081730010
1	50	2	12.10	1	081730020
1,5	50	2	17.30	1	081730030
2	50	2	22.90	1	081730040
2,5	50	2	28.50	1	081730050
3	50	2	34.00	1	081730060
4	50	2	45.50	1	081730080
5	50	2	56.50	1	081730100
6	50	2	68.00	1	081730120
8	50	2	88.50	1	081730160

8176

lifting round slings, yellow 3t
high-tenacity polyester (PES) belt

CE

EN 1492-2

L m	H mm	WLL ton	£		
0,5	60	3	6.70	1	081760010
1	60	3	15.70	1	081760020
1,5	60	3	23.50	1	081760030
2	60	3	30.50	1	081760040
2,5	60	3	37.50	1	081760050
3	60	3	44.50	1	081760060
4	60	3	59.50	1	081760080
5	60	3	75.00	1	081760100
6	60	3	90.00	1	081760120
8	60	3	119.50	1	081760160

8177

lifting round slings, grey 4t
high-tenacity polyester (PES) belt

CE

EN 1492-2

L m	H mm	WLL ton	£		
0,5	65	4	13.30	1	081770010
1	65	4	18.90	1	081770020
1,5	65	4	28.00	1	081770030
2	65	4	36.50	1	081770040
2,5	65	4	45.50	1	081770050
3	65	4	54.50	1	081770060
4	65	4	70.50	1	081770080
5	65	4	90.00	1	081770100
6	65	4	108.50	1	081770120
8	65	4	141.50	1	081770160

8178

lifting round slings, red 5t
high-tenacity polyester (PES) belt

CE



EN 1492-2

L m	H mm	WLL ton	£		
0,5	70	5	20.90	1	081780010
1	70	5	24.00	1	081780020
1,5	70	5	34.00	1	081780030
2	70	5	45.50	1	081780040
2,5	70	5	55.50	1	081780050
3	70	5	67.00	1	081780060
4	70	5	88.50	1	081780080
5	70	5	112.00	1	081780100
6	70	5	131.50	1	081780120
8	70	5	177.50	1	081780160

8179M

lifting round slings, brown 6t
high-tenacity polyester (PES) belt

CE

EN 1492-2

L m	H mm	WLL ton	£		
1	80	6	22.40	1	081790020
1,5	80	6	33.00	1	081790030
2	80	6	43.00	1	081790040
2,5	80	6	53.00	1	081790050
3	80	6	81.50	1	081790060
4	80	6	109.50	1	081790080
5	80	6	105.00	1	081790100
6	80	6	164.00	1	081790120
8	80	6	219.50	1	081790160

8179B

lifting round slings, blue, 8 t,
high-tenacity polyester (PES) belt

CE

EN 1492-2



L m	H mm	WLL ton	£		
1	85	8	37.50	1	081790220
1,5	85	8	43.00	1	081790230
2	85	8	57.50	1	081790240
2,5	85	8	71.00	1	081790250
3	85	8	109.50	1	081790260
4	85	8	146.00	1	081790280
5	85	8	141.50	1	081790300
6	85	8	218.50	1	081790320
8	85	8	290.00	1	081790360

Robur

8179A

lifting round slings, orange, 10t÷50t,
high-tenacity polyester (PES) belt

CE

EN 1492-2

L m	H mm	WLL ton	£		
1	95	10	52.50	1	081790502
1,5	95	10	59.50	1	081790503
2	95	10	104.50	1	081790504
2,5	95	10	98.00	1	081790505
3	95	10	160.00	1	081790506
4	95	10	214.00	1	081790508
5	95	10	188.50	1	081790510
6	95	10	317.00	1	081790512
8	95	10	387.00	1	081790516
10	95	10	528.00	1	081790520
12	95	10	578.00	1	081790524
2	100	12	187.00	1	081791204
2,5	100	12	221.00	1	081791205
3	100	12	255.00	1	081791206
3,5	100	12	288.00	1	081791207
4	100	12	322.00	1	081791208
4,5	100	12	327.00	1	081791209
5	100	12	391.00	1	081791210
5,5	100	12	424.00	1	081791211
6	100	12	459.00	1	081791212
6,5	100	12	492.00	1	081791213
7	100	12	526.00	1	081791214
7,5	100	12	560.00	1	081791215
8	100	12	594.00	1	081791216
8,5	100	12	627.00	1	081791217
9	100	12	662.00	1	081791218
9,5	100	12	695.00	1	081791219
10	100	12	729.00	1	081791220
2	110	15	263.00	1	081791504
2,5	110	15	307.00	1	081791505
3	110	15	352.00	1	081791506
3,5	110	15	396.00	1	081791507
4	110	15	440.00	1	081791508
4,5	110	15	485.00	1	081791509
5	110	15	529.00	1	081791510
5,5	110	15	573.00	1	081791511
6	110	15	618.00	1	081791512
6,5	110	15	662.00	1	081791513
7	110	15	706.00	1	081791514
7,5	110	15	750.00	1	081791515
8	110	15	794.00	1	081791516
8,5	110	15	838.00	1	081791517
9	110	15	883.00	1	081791518
9,5	110	15	938.00	1	081791519
10	110	15	971.00	1	081791520
2	130	20	309.00	1	081792004
2,5	130	20	364.00	1	081792005
3	130	20	417.00	1	081792006
3,5	130	20	471.00	1	081792007
4	130	20	525.00	1	081792008
4,5	130	20	579.00	1	081792009
5	130	20	631.00	1	081792010
5,5	130	20	686.00	1	081792011
6	130	20	739.00	1	081792012
6,5	130	20	793.00	1	081792013
7	130	20	847.00	1	081792014
7,5	130	20	901.00	1	081792015
8	130	20	954.00	1	081792016
8,5	130	20	1009.00	1	081792017
9	130	20	1062.00	1	081792018
9,5	130	20	1115.00	1	081792019
10	130	20	1169.00	1	081792020
2	135	25	342.00	1	081792504
2,5	135	25	410.00	1	081792505
3	135	25	477.00	1	081792506
3,5	135	25	545.00	1	081792507
4	135	25	612.00	1	081792508
4,5	135	25	679.00	1	081792509
5	135	25	746.00	1	081792510
5,5	135	25	813.00	1	081792511
6	135	25	881.00	1	081792512
6,5	135	25	948.00	1	081792513
7	135	25	1015.00	1	081792514
7,5	135	25	1084.00	1	081792515
8	135	25	1151.00	1	081792516
8,5	135	25	1220.00	1	081792517
9	135	25	1285.00	1	081792518
9,5	135	25	1355.00	1	081792519
10	135	25	1420.00	1	081792520
2	160	30	403.00	1	081793004
2,5	160	30	485.00	1	081793005
3	160	30	568.00	1	081793006
3,5	160	30	649.00	1	081793007
4	160	30	732.00	1	081793008
4,5	160	30	813.00	1	081793009
5	160	30	895.00	1	081793010
5,5	160	30	977.00	1	081793011
6	160	30	1058.00	1	081793012
6,5	160	30	1141.00	1	081793013
7	160	30	1220.00	1	081793014
7,5	160	30	1305.00	1	081793015
8	160	30	1385.00	1	081793016
8,5	160	30	1470.00	1	081793017
9	160	30	1545.00	1	081793018
9,5	160	30	1635.00	1	081793019
10	160	30	1715.00	1	081793020
2	165	40	535.00	1	081794004
2,5	165	40	597.00	1	081794005
3	165	40	695.00	1	081794006
3,5	165	40	793.00	1	081794007
4	165	40	892.00	1	081794008
4,5	165	40	990.00	1	081794009
5	165	40	1088.00	1	081794010
5,5	165	40	1186.00	1	081794011
6	165	40	1285.00	1	081794012
6,5	165	40	1380.00	1	081794013
7	165	40	1480.00	1	081794014
7,5	165	40	1580.00	1	081794015
8	165	40	1670.00	1	081794016
8,5	165	40	1770.00	1	081794017
9	165	40	1870.00	1	081794018
9,5	165	40	1970.00	1	081794019
10	165	40	2070.00	1	081794020
3	180	50	807.00	1	081795006
3,5	180	50	920.00	1	081795007
4	180	50	1032.00	1	081795008
4,5	180	50	1143.00	1	081795009
5	180	50	1255.00	1	081795010
5,5	180	50	1365.00	1	081795011
6	180	50	1480.00	1	081795012
6,5	180	50	1590.00	1	081795013
7	180	50	1705.00	1	081795014
7,5	180	50	1815.00	1	081795015
8	180	50	1925.00	1	081795016
8,5	180	50	2040.00	1	081795017
9	180	50	2150.00	1	081795018
9,5	180	50	2265.00	1	081795019
10	180	50	2370.00	1	081795020

Robur

8166

anti-abrasion sheaths for slings,
high-tenacity polyester (PES),
with elastomer underlayer

H mm	ø mm	L m	£		
70	45	3	31.00	1	081660073
80	52	3	36.50	1	081660083
110	70	3	44.50	1	081660103
155	100	3	93.00	1	081660153
170	110	3	103.50	1	081660170
235	150	4	259.00	1	081660235

H mm			
70	8150	8170-8173	081660073
80	8153	8176	081660083
110	8153-8156	8177-8178	081660103
155	8157	8178-8179A 8179B-8179M	081660153
170	8158	-	081660170
235	8159	-	081660235

8090F

lifting connecting links for polyester slings,
alloy steel, painted



EN 1677-1

TECHNICAL DATA
- safety factor: 4
- heat treatment: hardening and tempering
- traceability code

LABORATORY TESTS
- chemical analysis, metallographic analysis
- proof load test (WLL x 2.5)
- tensile test
- fatigue test (min. 20,000 cycles)

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1
- CE Declaration of Conformity

WLL kg	Ø mm	A mm	C mm	£		
2000	7-8	10,5	40	36.00	1	080900220
3150	10	12	50	44.50	1	080900232
5300	13	17	60	69.00	1	080900253
8000	16	21	75	106.00	1	080900280

RATCHET TIE DOWNS

TECHNICAL DATA
- safety factor: 2
- traceability code

LABORATORY TESTS
- ratchet pretensioning test
- metal parts deformation test
- complete system tensile test

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2

8180

ratchet tie down with single hook, LC 750kg
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
4	3750	250	200	19.90	1	081800004
6	5750	250	200	22.60	1	081800006
8	7750	250	200	25.50	1	081800008

LC = 750 kg

8181

ratchet tie down with single hook, LC 1000kg
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
4	3600	400	180	24.00	1	081810004
6	5600	400	180	28.00	1	081810006
8	7600	400	180	31.00	1	081810008

LC = 1000 kg

8181 6/S4

kit of 4 tie downs, LC 1000 kg,
with waterproof polyester rucksack

EN 12195-2

L mm	L1 mm	L2 mm	STF daN	£		
6	400	5600	180	127.50	1	081810906

8181S

ratchet tie down with double hook, LC 1000kg,
high-tenacity polyester (PES) belt

EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
6	5600	400	180	27.00	1	081810206

LC = 1000 kg

8182E

ratchet tie downs for van and truck interiors,
LC 1000 kg,
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
4	3500	500	220	28.00	1	081820440

LC = 1000 kg

	L2 mm	L1 mm	£		
8182EL 2500	2500		9.10	1	081820942
8182EC 1500		1500	18.90	1	081820945

8182T

ratchet tie down with double hook, LC 1500kg,
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
8,5	8100	400	300	43.00	1	081821085
10,5	10100	400	300	47.00	1	081821105

LC = 1500 kg

8182TS

ratchet tie down with single hook, LC 1500kg,
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
8,5	8100	400	300	43.00	1	081821285
10,5	10100	400	300	47.00	1	081821305

LC = 1500 kg

8182

ratchet tie down with single hook, LC 2000kg high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
4,5	4100	400	300	32.50	1	081820045
6,5	6100	400	300	45.50	1	081820065
8,5	8100	400	300	51.50	1	081820085
10,5	10100	400	300	55.50	1	081820105
14,5	14100	400	300	65.50	1	081820145
16,5	16100	400	300	68.00	1	081820165

LC = 2000 kg

	L2 mm	L1 mm	£		
8182LP 8100	8100		27.00	1	081820902
8182SP 400		400	27.00	1	081820905

8182 8,5/S2

kit of 2 tie downs, LC 2000 kg, with waterproof polyester rucksack

EN 12195-2

L mm	L1 mm	L2 mm	STF daN	£		
8,5	400	8100	300	118.50	1	081821985

8182S

ratchet tie down with double hook, LC 2000kg high-tenacity polyester (PES) belt



EN 12195-2

L m	L1 mm	L2 mm	STF daN	£		
6,5	400	6100	300	42.00	1	081820265
8,5	400	8100	300	49.50	1	081820285
10,5	400	10100	300	56.50	1	081820305

LC = 2000 kg

	L2 mm	L1 mm	£		
8182SLP 8100	8100	-	26.50	1	081820912
8182SSP 400		400	26.50	1	081820915

8182GD

ratchet tie down with delta hook, LC 2000 kg, high-tenacity polyester belt (PES)

EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
8,5	8100	400	300	41.00	1	081820485

LC = 2000 kg

8182A

ratchet tie downs with 2 eyes, high-tenacity polyester (PES) belt, LC 2000 kg

EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
8,5	8100	400	300	49.50	1	081820585

LC = 2000 kg

8182H

ratchet tie down with single hook, LC 2500kg, high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
6,5	6100	400	300	47.00	1	081820406
8,5	8100	400	300	53.50	1	081820408
10,5	10100	400	300	59.50	1	081820410
14,5	14100	400	300	73.00	1	081820414

LC = 2500 kg

8182H/2

ratchet tie down with double hook, LC 2500 kg, high-tenacity polyester belt (PES)



EN 12195-2

L m	L1 mm	L2 mm	STF daN	£		
8,5	8100	400	300	40.00	1	081820385

LC = 2500 kg

8184

reverse ratchet tie down, long lever, with single hook, LC 2500 kg, high-tenacity polyester (PES) belt

EN12195-2

L m	L2 mm	L1 mm	STF daN	£		
6,5	6100	400	500	42.00	1	081840065
8,5	8100	400	500	43.00	1	081840085
10,5	10100	400	500	47.00	1	081840105

LC = 2500 kg

8183

ratchet tie down with single hook, LC 5000 kg, high-tenacity polyester (PES) belt

EN 12195-2

L m	L2 mm	L1 mm	STF daN	£		
8,5	8000	500	500	153.00	1	081830085
12,5	12000	500	500	186.00	1	081830125

LC = 5000 kg

8190
ratchet load binder with 2 hooks
Grade 8

EN12195/3

TECHNICAL DATA
- Safety factor: 2
- Heat treatment: hardening and tempering
- Traceability code

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN10204 type 2.2
- Inspection certificate UNI EN10204 type 3.1

Ø mm	LC daN	Ø mm	LC daN	£		
10	6300	8	4000	**137.50**	1	081900010
13	10000	-	-	**126.50**	1	081900013

*** CAUTION: The product can be used with an 8-mm chain, provided WLL is reduced (LC 4000 daN)**

8190B
lashing chains

EN12195/3

TECHNICAL DATA
- Safety factor: 2
- Heat treatment: hardening tempering
- Chain-sling identification tag

ATTACHED CERTIFICATES
- Manufacturer's Certificate

AVAILABLE CERTIFICATES
- Technical product specifications
- Test report UNI EN 10204 type 2.2

Ø mm	LC daN	L m	L1 m	£		
8	4000	3,5	3,30	**225.00**	1	081901308
10	6300	3,5	3,28	**318.00**	1	081901310
13	10000	3,5	3,23	**465.00**	1	081901313

8185
ring ratchet tie down, LC 1500kg
high-tenacity polyester (PES) belt

EN 12195-2

L m	STF daN	£		
5	200	**16.30**	1	081850005
8	200	**20.00**	1	081850008

8186
ring ratchet tie down, LC 2000kg
high-tenacity polyester (PES) belt

EN 12195-2

L m	STF daN	£		
5	180	**20.20**	1	081860005
8	180	**25.50**	1	081860008

8187
ring ratchet tie down, LC 4000kg
high-tenacity polyester (PES) belt

EN 12195-2

L m	STF daN	£		
5	350	**36.50**	1	081870005
8	350	**43.00**	1	081870008

8188C
ring ratchet tie downs, LC 750 kg,
high-tenacity polyester (PES) belt

EN 12195-2

L m	STF daN	£		
1,5	72	**5.35**	3	081880315
2,5	72	**5.50**	3	081880325
5	72	**9.30**	3	081880350

8188CG/25
ratchet tie downs with S-hooks and Eyes,
LC 400 kg
high-tenacity polyester (PES) strap

EN 12195-2

L m	L1 mm	L2 mm	STF daN	£		
3	480	170	120	**13.80**	1	081880430
5	480	170	120	**14.60**	1	081880450

8188CU/25

ratchet tie downs with single hooks,
LC 400 kg,
high-tenacity polyester belt (PES)

EN 12195-2

L m	L1 mm	L2 mm	£		
5	300	4700	13.90	1	081880750

8188F

cam buckle straps, LC 200 kg,
high-grade polypropylene (PP) belt

EN 12195-2

L m	£		
1,5	3.45	10	081880215
2,0	3.85	10	081880220
2,5	4.35	10	081880225
3,0	4.55	10	081880230
5,0	5.85	6	081880250

8188F35

cam buckle straps, LC 500 kg,
high-tenacity polypropylene (PP) belt



EN 12195-2

L m	£		
5	12.10	1	081880295

8188FG2

cam buckle strap with S-hooks and Eyes,
LC 250 kg
high-grade polypropylene (PP) belt

EN 12195-2

L m	L1 mm	L2 mm	£		
3	450	110	18.30	1	081881530

8188/K8

tie down kit
with 8 accessories

	£		
8188/K8	49.50	1	081880801

8488K	0,65m - 7kg
8488K	0,80m - 7kg
8188CL	4m - 500kg
8188FP	2,5m - 250kg

8189

polyester belt (PES)
for ratchet tie downs

H mm	L m	LC kg	£		
25	100	750	108.50	1	081890902
35	100	1000	133.00	1	081890903
50	100	2000	207.50	1	081890905

8189A

non-slip mat
for fixing loads

L m	H mm	S mm	μ	£		
5	250	8	0,6	91.50	1	081890525

8189PA

2 angular guards
for polyester belts



L1xL2 mm	H1 mm	H2 mm	£		
135x90	60	18	5.35	1	081890090

Item	Test Report 2.2 (UNI EN 10204)	Test Certificate 3.1(UNI EN 10204)	Manufacturer's Certificate	CE Declaration of Conformity
8001Z	✓	✓		✓
8001TZ	✓	✓		✓
8002ZD	✓			
8003ZD	✓			
8004ND	✓			
8005Z	✓			✓
8005TZ	✓			✓
8006Z	✓			✓
8007Z	✓			✓
8008N	✓			✓
8008TZN	✓			✓
8009FD	✓			
8009Z	✓			✓
8009TZ	✓			✓
8010Z	✓			✓
8010TZ	✓			✓
8011Z	✓			✓
8011TZ	✓			✓
8015	✓		✓	✓
8016	✓			✓
8016DA	✓			✓
8016FR	✓			
8016U2	✓		✓	✓
8016UGK	✓		✓	✓
8018E	✓			
8018T	✓			
8020A	✓			
8021A	✓			
8025	✓	✓		✓
8026A	✓	✓		✓
8026R	✓	✓		✓
8028	✓	✓		✓
8029R	✓	✓		✓
8031R	✓	✓		✓
8032	✓	✓		✓
8040EN	✓	✓		✓
8040EZ	✓	✓		✓
8042EN	✓	✓		✓
8042EZ	✓	✓		✓
8041	✓	✓		✓
8043	✓	✓		✓
8044	✓	✓		✓
8048	✓			
8049	✓	✓		✓
8049A	✓	✓		✓
8049V	✓	✓		✓
8051S	✓	✓		✓
8052	✓	✓		✓
8057R	✓	✓		✓
8058R	✓	✓		✓
8060R	✓	✓		✓
8061R	✓	✓		✓
8062	✓	✓		✓
8063	✓	✓		✓
8063SL	✓	✓		✓
8064S	✓	✓		✓
8065SC	✓	✓		✓
8068S	✓	✓		✓
8074	✓			
8074A	✓			
8074G	✓			
8080	✓			
8080FM	✓			
8085R	✓	✓		✓
8086	✓	✓		✓

Item	Test Report 2.2 (UNI EN 10204)	Test Certificate 3.1(UNI EN 10204)	Manufacturer's Certificate	CE Declaration of Conformity
8090	✓	✓		✓
8090F	✓	✓		✓
8090R	✓	✓		✓
8091			✓	✓
8091SL			✓	✓
8092			✓	✓
8092SL			✓	✓
8094			✓	✓
8094SL			✓	✓
8096			✓	✓
8096SL			✓	✓
8097			✓	✓
8097SL			✓	✓
8098			✓	✓
8098SL			✓	✓
8100	✓	✓		✓
8105	✓	✓		✓
8109	✓	✓		✓
8110	✓			
8114	✓			
8116	✓			
8120 - 8120D	✓			
8120B	✓			
8121MZC	✓			
8134	✓		✓	✓
8135	✓		✓	✓
8143	✓		✓	✓
8146	✓		✓	✓
8146C	✓		✓	✓
8147C-S-P	✓		✓	✓
8148	✓		✓	✓
8149	✓			✓
8150	✓		✓	✓
8153	✓		✓	✓
8156	✓		✓	✓
8157	✓		✓	✓
8158	✓		✓	✓
8159	✓		✓	✓
8160	✓		✓	✓
8161	✓		✓	✓
8166	✓			
8170	✓		✓	✓
8173	✓		✓	✓
8176	✓		✓	✓
8177	✓		✓	✓
8178	✓		✓	✓
8179M-B-A	✓		✓	✓
8180	✓			
8181	✓			
8181S	✓			
8182	✓			
8182A-GD	✓			
8182E	✓			
8182H-H2	✓			
8182M	✓			
8182S	✓			
8182T	✓			
8182T-TS	✓			
8182TS	✓			
8185	✓			
8186	✓			
8187	✓			
8188C	✓			
8188CG/25	✓			
8188CU	✓			

Item	Test Report 2.2 (UNI EN 10204)	Test Certificate 3.1(UNI EN 10204)	Manufacturer's Certificate	CE Declaration of Conformity
8188F	✓			
8188VF/35	✓			
8188FG2	✓			
8190	✓	✓		
8190B	✓		✓	
8302Z	✓			
8303Z	✓			
8317DZ	✓			
8317SZ	✓			
8381SL	✓			
8381SP	✓			
8383C	✓			
8383P	✓			
8515V	✓			
8515Z	✓			
8531	✓			
8532	✓			
8535	✓			
8201T	✓			
8205	✓			
8206	✓			
8207	✓			
8209	✓			
8210	✓			
8210F	✓			
8210FTP	✓			
8216	✓			✓
8220	✓			
8225	✓			
8227	✓			
8228	✓			
8240	✓			
8240F	✓	✓		✓
8242	✓			
8242F	✓	✓		✓
8248	✓			
8249	✓			
8249G	✓			
8250	✓			
8264	✓			
8267	✓			
8272	✓			
8273	✓			
8274	✓			
8274A	✓			
8274G	✓			
8276	✓			
8276G	✓			
8278	✓			
8280	✓			
8282	✓			
8282S	✓			
8284	✓			
8285	✓			
8286	✓			
8287	✓			
8290	✓			
8293	✓			
8297C	✓			
8297F	✓			
8381SX	✓			
8702...	✓	✓		
8709...	✓	✓		

A range of exclusive products designed and developed to epitomize Beta's character, it comprises over 200 original, first-rate items: sports equipment, technical clothing and a variety of tailored objects.
An ideal medium for promotional actions, a must for recreational moments.

9500TL

softshell jacket, made of 100% polyester, 320 g/m², three-layered, microfibre outer shell, waterproof, breathable intermediate membrane, fleece interior

	£		
S	288.00	1	095000051
M	288.00	1	095000052
L	288.00	1	095000053
XL	288.00	1	095000054
XXL	288.00	1	095000055

9501TLD

women's sweatshirt, made of cotton (80%) and polyester (20%), 320 g/m²

	£		
S	132.50	1	095010061
M	132.50	1	095010062
L	132.50	1	095010063
XL	132.50	1	095010064

9501TL

men's sweatshirt, made of cotton (80%) and polyester (20%), 320 g/m²

	£		
S	165.00	1	095010051
M	165.00	1	095010052
L	165.00	1	095010053
XL	165.00	1	095010054
XXL	165.00	1	095010055

9502TL
polo shirt, 100% pique cotton, 210 g/m²

	£		
S	95.00	1	095020051
M	95.00	1	095020052
L	95.00	1	095020053
XL	95.00	1	095020054
XXL	95.00	1	095020055

9503TL
t-shirt, 100% jersey cotton, 160 g/m²

	£		
S	62.50	1	095030051
M	62.50	1	095030052
L	62.50	1	095030053
XL	62.50	1	095030054
XXL	62.50	1	095030055

9504TL
jacket with 100% polyester exterior, waterproof treatment

	£		
S	191.00	1	095040051
M	191.00	1	095040052
L	191.00	1	095040053
XL	191.00	1	095040054
XXL	191.00	1	095040055

9505TL
sleeveless jacket with 100% polyester exterior, waterproof treatment, padding 100 g/m², interior pocket

	£		
S	235.50	1	095050051
M	235.50	1	095050052
L	235.50	1	095050053
XL	235.50	1	095050054
XXL	235.50	1	095050055

9572LB
Beta-March t-shirt, 100% cotton, 200 g/m² orange, with black inserts

	£		
S	69.00	1	095720801
M	69.00	1	095720802
L	69.00	1	095720803
XL	69.00	1	095720804
XXL	69.00	1	095720805

9510W
men's stretch shirt, long-sleeved, 120 g/m², 97% cotton, 3% elastane. White, with black logo. Rear yoke with two side pleats, semi-French collar. White buttons, two cuff buttons. Slim fit

	£		
XS	112.00	1	095100100
S	112.00	1	095100101
M	112.00	1	095100102
L	112.00	1	095100103
XL	112.00	1	095100104
XXL	112.00	1	095100105

9534WO
two-button polo shirt, made of jersey cotton, 200 g/m², white with orange inserts

	£		
S	82.50	1	095340031
M	82.50	1	095340032
L	82.50	1	095340033
XL	82.50	1	095340034
XXL	82.50	1	095340035

9534BO
two-button polo shirt, made of jersey cotton, 200 g/m², blue with grey inserts

	£		
S	82.50	1	095340071
M	82.50	1	095340072
L	82.50	1	095340073
XL	82.50	1	095340074
XXL	82.50	1	095340075

9537TL
fleece pullover, 100% polyester

	£		
S	91.50	1	095370051
M	91.50	1	095370052
L	91.50	1	095370053
XL	91.50	1	095370054
XXL	91.50	1	095370055

9580S
sunglasses "Summer" style

CE

EN ISO 12312-1:2013+A1:2015
UV400
FILTER CAT. III

	£		
9580S	49.00	1	095800100

9593S
smartwatch, touchscreen, fitness tracker, silicone strap

	£		
9593 S	229.50	1	095930200

9593SB
multifunction smart bracelet, touchscreen, fitness tracker, heart rate monitor, pedometer, sleep monitoring, with silicone strap, black

Compatibility: IOS 8.2 or above/ Android 4.4 or above
Bluetooth 4.2
IP67

CE

IP67

	£		
9593SB	142.50	1	095930205

9593M
automatic watch, steel case, 5 ATM water resistant, steel wristband

	£		
9593M	514.00	1	095930120

9593A
chronograph, steel case, 5 ATM water resistant, silicone strap

	£		
9593A	448.00	1	095930050

9593W
analogue watch, soft touch plastic case with metal ring, 3 ATM water resistant, silicone strap

	£		
9593W	88.50	1	095930150

9544C
cabin-size trolley with 4 double wheels, TSA lock, USB port + 3.5-mm jack

	L cm	S cm	H cm	£		
9544C	40	20	55	195.50	1	095440101

9557J 2.0
bag made of coated polyester/Oxford 600D polyester fabric, dimensions 47x28x25 cm

	L cm	S cm	H cm	£		
9557J 2.0	47	25	28	144.00	1	095570020

9541F

rucksack made of coated polyester/Oxford 600D polyester fabric, dimensions 50x33x16 cm

	L cm	S cm	H cm	£		
9541F	33	16	50	139.00	1	095410011

9541PC

work rucksack, multipocket style, with interior computer pocket,
made from 100% polyester

- rucksack with 3 compartments, each with waterproof exterior zip
- first compartment with PC pocket
- padded top handle
- USB port
- side mesh pocket for bottle/umbrella
- insert for glasses on shoulder strap
- adjustable chest strap

	L cm	S cm	H cm	£		
9541PC	34	18	52	88.00	1	095410041

9541S

Rucksack with casing, made of waterproof 210D polyester, 33x45 cm

	L cm	H cm	£		
9541S	33	45	15.60	1	095410031

9541BIKE

rucksack made of Oxford polyester, dimensions 41x24x16 cm

	L cm	S cm	H cm	£		
9541BIKE	24	16	41	31.50	1	095410021

95740

work gloves, with stretch-elastic cuffs, reinforced thumbs and index fingers, made from touchscreen capable synthetic leather

CE

	£		
M	44.50	1	095740202
L	44.50	1	095740203
XL	44.50	1	095740204
XXL	44.50	1	095740205

9574B

work gloves, with stretch-elastic cuffs, reinforced thumbs and index fingers, made from touchscreen capable synthetic leather

CE

	£		
M	44.50	1	095740102
L	44.50	1	095740103
XL	44.50	1	095740104
XXL	44.50	1	095740105

9525CM

camouflage racing cap with flat visor, 100% polyester, rear holes, snapback style

	£		
9525CM	25.00	1	095250098

9525TR

trucker cap with curved visor, 50% cotton, 50% polyester, rear mesh, snapback style, black

	£		
9525TR	24.30	1	095250011

9525WB

baseball cap with curved visor, 100% polyester, holes on crown, with strap adjuster, white

	£		
9525WB	19.10	1	095251032

9520P

umbrella stand, made from galvanized metal, with laser-cut logo and drip tray, black

	£		
9520P	92.00	1	095200100

9521

umbrella, made of nylon T210, 3-section aluminium frame, black, automatic open/close mechanism

	£		
9521	48.00	1	095210000

9521OB

umbrella made of nylon 210T, diameter 100 cm

	ø cm	£		
9521OB	100	49.00	1	095210021

9599CB-N2

Atala® city bike, Hi-Ten Tig TKK 700c frame, Shimano® Tourney RD-TZ50 derailleur, 6-speed, V-Brakes®, 28" aluminium rims, with pannier rack, stand and bell, matt black

	£		
9599CB-N2	1225.00	1	095990031

9599CB-WN

Atala® city bike, aluminium frame, Shimano® 6-speed gear shifter, V-Brake® brakes, 28" aluminium rims, grey

- **Aluminium frame**
- **Hi-Ten Tig TKK 700c fork**
- **Shimano Tourney RD-TZ50 6-speed gear shifter**
- **Aluminium V-brake brakes**
- **28" aluminium rims**
- **Colour: grey**

	£		
9599CB-WN	1225.00	1	095990024

9597TRIOWAY

TRIOWAY BY ATALA®

TRIOWAY by ATALA® auxiliary thrust system, electric, can be hooked to REHA COMFORT wheelchair (included), lithium battery built into frame, handlebar with direction and speed controls, with built-in wheelchair hook-on system

CE

FRAME
- Quick hook/release system for lever wheelchair
- Folding dual hinge frame
- Vertically adjustable handlebar
- Disc brake, 180 mm
- Front LED light
- Front wheel with rubber tyre

PERFORMANCE
- Adjustable speed, up to 15 km/h
- Forward and reverse button
- Range: 20 km
- Lever accelerator on handlebar

BATTERY
- 7Ah rechargeable lithium battery
- Battery built into frame, removable
- 230V 50Hz charging cable (included)

ACCESSORIES
- Multifunctional display, with battery residual capacity and charge level indicator
- Bell
- Direction indicators
- Mobile phone holder (included)
- On/Off button
- Preinstalled QUICK HOOK SYSTEM UNDER WHEELCHAIR

REHA COMFORT WHEELCHAIR (included)
- Folding dual hinge frame
- 24" wheels with solid PU tyres
- Removable armrests
- Adjustable, removable footboards
- Nylon seat with rear pocket

9597TRIOWAY	1	095970200

9598W-N

Whistle® mountain bike, aluminium frame, Suntour XCT30 fork, 29" 100 mm, Shimano RD-TX500 derailleur, 7-speed, hydraulic Shimano BR-M200 brakes and 29" aluminium rims,
fluorescent orange / matt anthracite grey

	£		
9598W M-N	1735.00	1	095980130
9598W L-N	1735.00	1	095980132

9598WHP-N

Whistle® mountain bike, aluminium frame, Suntour XCM PL fork, 29" 100 mm, with remote lockout, Shimano XT RD-M8100 Shadow Plus derailleur, 12-speed, hydraulic Shimano BL-MT201/BR-MT200 brakes and 29" aluminium rims,
white / matt red

	£		
9598WHP M-N	3160.00	1	095980140
9598WHP L-N	3160.00	1	095980142

9539CB

protective road and mountain bike cycling helmet with detachable chin guard - adjustable sizes

	£		
S-M	261.00	1	095390010
L-XL	261.00	1	095390011

9542M

short-sleeved jersey, breathable microfibre fabric,
long, covered zip, three rear pockets, including one with zip,
silicone elastic at jersey end

	£		
S	185.50	1	095420051
M	185.50	1	095420052
L	185.50	1	095420053
XL	185.50	1	095420054
XXL	185.50	1	095420055
XXXL	185.50	1	095420056

9542C

Lycra bib shorts, silicone elastic at leg end, antibacterial seat padding

	£		
S	184.50	1	095420061
M	184.50	1	095420062
L	184.50	1	095420063
XL	184.50	1	095420064
XXL	184.50	1	095420065
XXXL	184.50	1	095420066

9542GW

winter jacket, made from highly breathable, winder breaker fabric and raised fabric;
long zip, silicone-free elastic waistband;
close-fitting Lycra cuffs; refractive rear inserts;
3 exterior rear pockets, including 1 with zip

	£		
S	334.00	1	095420101
M	334.00	1	095420102
L	334.00	1	095420103
XL	334.00	1	095420104
XXL	334.00	1	095420105
XXXL	334.00	1	095420106

9542G

winter jersey, breathable fabric, raised inside, long zip, three rear pockets, silicone elastic at jersey end

	£		
S	176.50	1	095420012
M	176.50	1	095420013
L	176.50	1	095420014
XL	176.50	1	095420015
XXL	176.50	1	095420016
XXXL	176.50	1	095420017

9542S

winter underpants, raised Lycra, antibacterial, high-breathability seat padding

	£		
S	241.00	1	095420022
M	241.00	1	095420023
L	241.00	1	095420024
XL	241.00	1	095420025
XXL	241.00	1	095420026
XXXL	241.00	1	095420027

9542AT

sleeveless wind stopper jacket, breathable bound fabric, long zip

	£		
S	144.50	1	095420072
M	144.50	1	095420073
L	144.50	1	095420074
XL	144.50	1	095420075
XXL	144.50	1	095420076
XXXL	144.50	1	095420077

9542AL

waterproof windbreaker, long-sleeved, made of breathable fabric

	£		
S	233.00	1	095420042
M	233.00	1	095420043
L	233.00	1	095420044
XL	233.00	1	095420045
XXL	233.00	1	095420046
XXXL	233.00	1	095420047

9543C

tubular neck scarf, multipurpose, 100% polyester microfibre, seamless

	L cm	H cm	£		
9543C	25	50	12.40	1	095430100

9523T

thermal bottle, made of stainless steel, 500 ml, double-layer technology, no air between walls, leak-proof cap,
orange

- keeps cold drinks cold for 24 hours
- keeps hot drinks hot for 12 hours

EC1935/EC2023

	ml	L mm	£		
9523T	500	255	28.50	1	095230050

9528B

Polyethylene flask, 500 ml

	ml	£		
9528B	500	10.20	1	095280005

9597P

column pump with gauge

	£		
9597P	93.50	1	095970100

9524SC

miniature Beta garage for collectors

	£		
1:18	153.50	1	095240018

9548KB

balance bike, aluminium frame, 12" wheel with inner tube; recommended for children from 3 years; maximum weight: 30 kg

	£		
9548KB	234.00	1	095480110

9548KB 20

Atala® 20" children's mountain bike, Hi-Ten Tig 20" steel frame, 30-mm suspension fork, RD-TY21SS 6V derailleur, aluminium V-brakes and 36-hole aluminium rims,
fluorescent yellow / matt blue

	£		
9548KB 20	820.00	1	095480120

9548KB 24

Atala® 24" children's mountain bike, Hi-Ten Tig 24" steel frame, suspension fork, Shimano Tourney RD-TYZ50 6V derailleur, aluminium V-brakes and 36-hole aluminium rims,
matt fluorescent orange

	£		
9548KB 24	871.00	1	095480122

9547WSK

"Kinder Work Station", workbench with tools, for children from 3 years of age

CE

	H cm	£		
9547WSK	74	171.00	1	095473801

9547T

"Kinder trolley", tool trolley, for children from 3 years of age, complete with tools

CE

	£		
9547T	100.50	1	095470100

9548G

"Kinder Garage", 6-storey, with car wash, lift and ramps

	H cm	£		
9548 G	69	102.00	1	095480100

9561V 2,5

sail flag 2.5x0.50 m
with aluminium pole,
cross base with weighted ring

	L mt	H mt	£		
9561V 2,5	0,50	2,5	383.00	1	095610200

9561VV 2,5

sail flag, 2x0.50 m,
with pole

	L mt	H mt	£		
9561VV 2,5	0,50	2,5	295.00	1	095610201

9561VV

sail flag, 3.50x0.75 m,
with pole

	L mt	H mt	£		
9561VV 4,0	0,75	3,50	449.00	1	095610101

9561V

sail flag, 4x0.75 m,
with chrome-plated metal pole,
grit concrete base, 50 cm

	L mt	H mt	£		
9561V	0,75	4	740.00	1	095610001

9559

one-sided banner, TNT; modules: 3x0.8 m

	L m	H m	£		
9559	3	0,8	34.50	1	095591001

9559/30MT

nonwoven fabric roll of 10 Beta logos

	£		
9559/30MT	296.00	1	095591031

9590B

flag, made of screen-printed nylon
40 x 215 cm

	L cm	H cm	£		
9590B	215	140	201.00	1	095900000

9577R

work overalls, racing style, made from 4 way stretch fabric, 260 g/m²,
black and orange, with white and reflex inserts

CE

		£		
S	48	185.00	1	095770151
M	50	185.00	1	095770152
L	52	185.00	1	095770153
XL	54	185.00	1	095770154
XXL	56	185.00	1	095770155
XXXL	58	185.00	1	095770156

9579C

work jacket, polyester/cotton

	£		
M	95.50	1	095791002
L	95.50	1	095791003
XL	95.50	1	095791004

9565T

sheet steel table drum with varnished multi-ply birch top

Supplied with a double KIT of spacing tubes (7 cm or 20 cm) for vertical adjustment.

	H cm	ø cm	£		
9565T	95→108 cm	70	642.00	1	095650200

9565S

sheet steel drum with seat made of removable imitation leather

	H cm	ø cm	£		
9565S	60	38	315.00	1	095650300

9565K

drum table with two seats

	£		
9565K	1270.00	1	095650500

9563G

office armchairs, for guests

	£		
9563G	227.50	1	095630050

9563U

office armchair, ergonomic

	£		
9563U	458.00	1	095630020

9549ABW

wireless BT V5.0 earphones, with built-in microphone, magnetic charging, USB-C charging base, black

CE

	L mm	H mm	S mm	£		
9549ABW	61	34,5	41	42.50	1	095490091

9549SBW

wireless BT speaker, portable, 6 functions

BT version 5.0
FUNCTIONS:
- **BT play**
- **TF card play**
- **USB play**
- **audio jack 3.5 mm**
- **radio FM**
- **call function**

CE

	L mm	S mm	H mm	£		
9549SBW	73	73	124	51.50	1	095490072

9549BP

portable battery, 10000mAh

	£		
9549BP	32.50	1	095490052

9549CR

4-in-1 multi charging cable, made from braided nylon,
quick charge option

- **USB type A power supply connector**

- **Lightning connector to Apple devices**
- **Micro USB charging connector**
- **USB-C charging connector**
- **USB-C charging and data transmission connector**

	L mm	£		
9549CR	120	22.50	1	095490042

9549MPC

multi-port charging base,
6 USB ports, for multiple charging up to a maximum absorbed power of 65 W

- **4 USB ports, 5V 2.4A**
- **1 USB port, Q.C 3.0**
- **1 USB-C port, 20W PD**

with separate ON/OFF switch,
LED display for checking total wattage, port number and current intensity

CE

	L mm	S mm	H mm	£		
9549MPC	110	72	35	63.50	1	095490082

9549BRW

wireless charging base,
with quick charger function and charge level indicator

- **Supplied with USB-USB Type C cable, for connection to transformer, 1 m long**
- **Compatible with all devices supporting wireless charging**
- **Input: DC 5V/2A, 9V/2A, 12V/1.5A**
- **Output: 5W/ 7.5W/ 10W/ 15W**

CE

	Ø mm	H mm	£		
9549BRW	58	6	36.50	1	095490100

9549C

USB key, 32 GB

	£		
9549C	23.90	1	095490062

9547

desk calculator

CE

	£		
9547	28.50	1	095470000

9594

clock complete with thermometer and hygrometer, 26 cm in diameter

	Ø cm	£		
9594	26	44.00	1	095940051

9526F

mini fridge, energy efficiency class F, capacity 63 l, black

CE

	£		
9526F	717.00	1	095260005

9526P

capsule espresso coffee machine.
(capsules not inclued)

Compatible with Lavazza™ and Espresso Point™ capsules for professional use

	£		
9526P	553.00	1	095260010

9527 6T

set of 6 coffee cups

	£		
9527 6T	169.00	1	095270001

9522A

bottle opener with ergonomic handle

	£		
9522A	27.50	1	095220010

9523A

aluminium flask, 500 ml

	ml	£		
9523A	500	17.30	1	095230005

9586K

multipurpose steel knife,
10 functions

	£		
9586K	22.70	1	095860100

9526RMN

set of 2 packs of 55 rummy playing cards by Modiano®

	£		
9526RMN	43.00	1	095260001

9592B/C50

set of 50 pens

	£		
9592B/C50	80.50	1	095920050

9592B/P

customised pens

	£		
9592B/P	1.79	500	095920051

9592MB

Parker® ballpoint pen

	£		
9592MB	117.50	1	095920060

9592M/50
set of 50 pencils

	£		
9592M/50	81.50	1	095920100

9588M
soft foam tray with 1 pen and 2 notebooks

	£		
9588M	30.00	1	095880011

9596
badge holder, polyester, with metal clip and mobile phone string

	£		
9596	7.05	10	095961001

9595C
leather key ring

	£		
9595C	12.80	1	095950011

9595T
metal chrome-plated key ring, in velvet pouch

	£		
9595T	12.70	1	095950021

9569P
shopper, made of polyethylene, folded sides

	L cm	H cm	£		
9569P	34	44	1.07	50	095691001

9569S
TNT shopper with folded sides, 38x42 cm

	L cm	H cm	£		
9569S	38	42	3.80	50	095690051

9569MS-2
shopper, made of hard-wearing polypropylene

	L cm	H cm	£		
9569MS-2	45	40	9.25	5	095690055

9569MS
shopper, made of hard-wearing polypropylene, with double handles

	L cm	H cm	£		
9569MS	60	40	9.85	5	095690052

9587 9x14
notebook, 9x14 cm

	L cm	H cm	£		
9587 9X14	9	14	21.30	5	095870009

9587 13x21
notebook, 13x21 cm

	L cm	H cm	£		
9587 13X21	13	21	28.50	5	095870013

9588S/10...
set of 10 notepads

	£		
9588S/10A 21x29 cm	**36.00**	1	095881001
9588S/10B 15x21 cm	**34.00**	1	095881002
9588S/10C 10x15 cm	**23.80**	1	095881003
9588S/10D 7,5x10,5 cm	**18.40**	1	095880054

9588/10PI
set of 10 notepads with adhesive sheets

	£		
9588S/10PI 7,5x7,5 cm	**45.00**	1	095880055

9589A/36
pack of 36 rolls of packaging adhesive tape, with Beta logo, tawny

	£		
9589A/36	**219.50**	1	095890035

9589B/36
pack of 36 rolls of packaging adhesive tape, with Beta logo, white

	£		
9589B/36	**219.50**	1	095890036

9562TB
mat for trying on shoes, with anti-skid, rubber-coated bottom

	L mm	H mm	£		
9562TB	800	600	**70.00**	1	095620500

9562T2
workbench mat, 200x160 cm

• protects floor from oil and petrol leaks, environmentally friendly
• easy to clean, anti-skid, rubber-coated bottom



	L cm	H cm	£		
9562T2	200	160	**356.00**	1	095620200

9562T1
garage mat, 100X80 cm

particularly suitable for use under motorcycle tyre levers BETA 3071 and 3071B
• easy to clean, anti-skid rubber coated bottom

	L cm	H cm	£		
9562T1	100	80	**115.50**	1	095620150

9562T3
garage mat , 300x160 cm

- particularly suitable for use under motorcycle jacks

- protects floor from oil and petrol leaks, environmentally friendly
- easy to clean, anti-skid, rubber-coated bottom

	L cm	H cm	£		
9562T3	300	160	**524.00**	1	095620300

9562P2
logo mat, 200x80 cm

• particularly suitable for use with workshop equipment item C55 or under motorcycles

	L cm	H cm	£		
9562P2	200	80	**252.00**	1	095620400

9562P12
multilogo mat roll, 12 m x 80 cm

Allows mat length to be customized as needed

	L m	H cm	£		
9562P12	12	80	**1315.00**	1	095620425

ELIMINATED ITEMS – SUBSTITUTE/RECOMMENDED ITEMS

ELIMINATED ITEM
SUBSTITUTE ITEM
RECOMMENDED ITEM

96AS 5/8	000960736		
96AS 3/4	000960738		
97BTX 50	000970150		
97BTX 55	000970155		
98XZN 14	000980014		
98XZN 16	000980016		
310/1	003100001		
310/C4	003100104		
353N	003530201		
353NM 10	003530210		
353NM 12	003530212		
353NM 14	003530214		
353NM 16	003530216		
353NM 18	003530218		
353NM 22	003530222		
353N/C6	003530300		
386A/3	003860003	386A/1	003860001
386A/4	003860004	386A/2	003860002
386A3/RC	003860013	386A1/RC	003860011
386A4/RC	003860014	386A2/RC	003860012
412 C3,00	004120288		
412 C3,25	004120289		
412 C3,50	004120290		
412 C4,00	004120292		
412 C4,50	004120294		
412 C5,00	004120296		
412 C5,50	004120298		
412 C6,00	004120300		
412 C6,50	004120301		
412 C7,00	004120302		
412 C7,50	004120303		
412 C8,00	004120304		
415 C3,00	004150288		
415 C3,25	004150289		
415 C3,50	004150290		
415 C4,00	004150292		
415 C4,50	004150294		
415 C5,00	004150296		
415 C5,50	004150298		
415 C6,00	004150300		
415 C6,50	004150301		
415 C7,00	004150302		
415 C7,50	004150303		
415 C8,00	004150304		
420A M3	004200003		
420A M4	004200004		
420A M5	004200005		
420A M6	004200006		
420A M8	004200008		
420A M10	004200010		
420B M3	004200053		
420B M4	004200054		
420B M5	004200055		
420B M6	004200056		
420B M8	004200058		
420B M10	004200060		
437K/10	004370030		
666N/2	006660002	666/2	006660702
666N/2X	006660003	666/2X	006660703
666N/5	006660005	666/5	006660705
666N/10	006660010	666/10	006660710
666N/10X	006660011	666/10X	006660711
666N/20	006660020	666/20	006660720
666N/30	006660030	666/30	006660730
666N-LBF.IN/5	006660055		
666N-LBF.IN/10	006660070		
666N-LBF.IN/10X	006660071		
666N-LBF.IN/20	006660072		
666N-LBF.IN/30	006660073		
666HS/5	006664005	666ZR-HS/5	006664705
666HS/10	006664010	666ZR-HS/10	006664710
666HS/20LC	006664021	666ZR-HS/20LC	006664721
666HS/30LC	006664031	666ZR-HS/30LC	006664731
667N/20	006670020	667/20	006670720
667N/30	006670030	667/30	006670730
667N/40	006670040	667/40	006670740
956L 20,8	009560221		
960S 22	009600022		
960T/D	009600035		
960T/E	009600036		
960T/I	009600040		
960T/L	009600041		
960T/M	009600042		
960BT/B 29	009600128		
960AVL	009600210		
960CMB	009600250		
960CMB/R2	009600252		
960CMD	009600270		
960CMD/R1	009600271		
960BC 25	009600285		
960BC 27	009600287		
960BC/P 28	009600288		
960BC 29	009600289		
960BC 30	009600290		
960EPC	009600790		
960SN 11	009600837		
960SN 12	009600838		
1044F 250	010440015	1044N 250	010440025
1044 250	010440250	1044N 250	010440025
1044FK 250	010449015	1044NK 250	010449025
1044K 250	010449250	1044NK 250	010449025
1134A/RL	011340145		
1150MQ 160	011500096	1150MQ 160	011500496
1150MQ 180	011500098	1150MQ 180	011500498
1150MQ 200	011500100	1150MQ 200	011500500
1150MQ 220	011500102	1150MQ 220	011500502
1229LP 1,0	012290210		
1229LP 1,2	012290212	1257LP 1,2	012570012
1229LP 1,4	012290214		
1229LP 1,8	012290218	1257LP 1,8	012570018
1229LP 2,0	012290220	1257LP 2,0	012570020
1229LP 2,4	012290224		
1229LP 3,0	012290230	1257LP 3,0	012570030
1229PH 0	012290250	1257PH 0	012570063
1229PH 1	012290251	1257PH 1	012570066
1366S	013660000	1366SH	013660400
1366S-KIT	013660001		
1438DCT	014380300		
1461/C5G	014610053		
1461/C6B	014610063		
1461/C6G	014610064		
1461/C7B	014610072		
1461/C8B	014610083		
1461/C9B	014610092		
1461/C11A	014610111		
1461/C12A	014610123		
1461/C13B	014610134		
1461/C18B	014610182		
1461/C29B	014610209		
1461/C20G	014610221		
1461/C21G	014610222		
1461/C23B	014610224		
1461/C24B	014610225		
1461/C25G	014610226		
1461/C27G	014610228		
1461/C28B	014610229		
1461/C30G	014610231		
1461/C32G	014610233		
1461/C33B	014610234		
1462/KD	014620060		
1462/KMRC	014620070		
1462PIM	014620502		
1468N/1	014680011		
1468N/2	014680012		
1468N/3	014680013		
1478/3P	014780151		
1486/10	014860110		
1486/20	014860120		
1486/30	014860130		
1486/40	014860140		
1486/50	014860150		
1486/60	014860160		
1486/70	014860170		
1486/80	014860180		
1486/90	014860190		
1493 68-L14	014930206		
1493 75/77-L15	014930212		
1493 76-L8	014930214		
1493 95-L15	014930244		
1493AL 94,5-L15	014930345		
1493AL/CF 27	014930427		
1498TC	014980450		
1696A 800	016960108		
1716Q	017160010		
1739B	017390151	1739C	017390152
1740A	017400101	1740AN	017400103
1742	017420001	1742N	017420002
1742/C4	017420005	1742N/C4	017420006
1742KR M3	017420043	1742N/KR M3	017420063
1742KR M4	017420044	1742N/KR M4	017420064
1742KR M5	017420045	1742N/KR M5	017420065
1742KR M6	017420046	1742N/KR M6	017420066
1742A	017420100	1742AN	017420101
1742A/C	017420105	1742AN/C	017420106
1742A/KR M5	017420143	1742AN/KR M5	017420155
1742A/KR M6	017420144	1742AN/KR M6	017420156
1742A/KR M8	017420145	1742AN/KR M8	017420158
1742A/KR M10	017420146	1742AN/KR M10	017420160
1751NR	017510110		
1752 700	017520007		
1752R	017520020		
1753 200	017530002		
1753 300	017530003		
1753 500	017530005		
1753 700	017530007		
1753R	017530020		
1755 30	017550003		
1755 80	017550008		
1755 150	017550015		
1834RR	018340520		
1840BM	018400101		
1882	018820010	1882N	018820110
1883	018830035	1883N	018830036
1889	018890200	1889N	018890220
1915B 11X16	019150013		
1915C 11X16	019150016		
1915D 11X16	019150018		
1927PAL	019270009		
1946T	019460021	1946	019460001
1949BC/RU	019490122	1949BC/RUL	019490123
1972/12	019720012	1972/K12V-10	019720112
1984/18QM	019840018	1984/K600	019840060
2009ID	020091013	2109MT ID/1	021091026
2032TEL/A	020321314		
2051N	020510215	2051N	020510225
2258-O	022580011	2258N-O	022580021
TV250	024000408		
TV290	024000455	TV294	024000491
TV255	024000467		

ELIMINATED ITEM
SUBSTITUTE ITEM
RECOMMENDED ITEM

TV79	024000490		
TV121	024000767	TV122	024000768
T13	024240013		
T53	024240053		
T57	024240057		
T79	024240079		
T121	024240121	T122	024240122
T250	024240250		
T256	024240256		
T285	024240285	T279	024240279
T289	024240289	T294	024240294
T289	024240289	M294	024500294
TV57	024249907		
TV13	024249913		
M285	024500285		
M289	024500289		
MV115	024510115	MV116	024510116
MV285	024510285		
MV289	024510289	MV294	024510294
MM61	024580061		
MM140	024580141		
MMV61	024590061		
MMV142	024590142		
3008	030080100	3008N	030080110
3025	030250001	3025N 1,0	030250110
3025/PF	030250011	3025N/PF	030250111
3025/RF	030250901		
3025/RG	030250902		
3027 10	030270010	3027N 10	030270101
3027 20	030270020	3027N 20	030270102
3027 30	030270030	3027N 30	030270103
3027 50	030270050	3027N 50	030270105
3027 100	030270100	3027N 100	030270110
3027/KP10	030270510	3027N/KP10-20	030270511
3027/KP20	030270520	3027N/KP10-20	030270511
3027/KP30	030270530	3027N/KP30	030270531
3027/KP50	030270550	3027N/KP50	030270541
3027/KP100	030270551	3027N/KP100	030270552
3027/KPP50	030270555	3027N/KPP50	030270565
C45LMP	045000320	5000 RSC50/PLED	050001714
C54S-G	054000302		
C54S-R	054000303		
C55C	055000400		
C58M/PA	058000350		
5910VG/3T	059101068		
5945VU/M	059451001	5945VUM	059451011
5980ID	059801085	5980ID/1	059801086
C62M/W	062000360	C62M/WW	062000362
6200M/B	062000361		
7195A	071950004		
7200BKK 35	072000235		
7200BKK 36	072000236		
7200BKK 37	072000237		
7200BKK 38	072000238		
7200BKK 39	072000239		
7200BKK 40	072000240		
7200BKK 41	072000241		
7200BKK 42	072000242		
7200BKK 43	072000243		
7200BKK 44	072000244		
7200BKK 45	072000245		
7200BKK 46	072000246		
7200BKK 47	072000247		
7200BKK 48	072000248		
7201BKK 35	072010435		
7201BKK 36	072010436		
7201BKK 37	072010437		
7201BKK 38	072010438		
7201BKK 39	072010439		
7201BKK 40	072010440		
7201BKK 41	072010441		
7201BKK 42	072010442		
7201BKK 43	072010443		
7201BKK 44	072010444		
7201BKK 45	072010445		
7201BKK 46	072010446		
7201BKK 47	072010447		
7201BKK 48	072010448		
7210BKK 35	072100335		
7210BKK 36	072100336		
7210BKK 37	072100337		
7210BKK 38	072100338		
7210BKK 39	072100339		
7210BKK 40	072100340		
7210BKK 41	072100341		
7210BKK 42	072100342		
7210BKK 43	072100343		
7210BKK 44	072100344		
7210BKK 45	072100345		
7210BKK 46	072100346		
7210BKK 47	072100347		
7210BKK 48	072100348		
7212LG 34	072120134		
7212LG 35	072120135		
7212LG 36	072120136		
7212LG 37	072120137		
7212LG 38	072120138		
7212LG 39	072120139		
7212LG 40	072120140		
7212LG 41	072120141		
7212LG 42	072120142		
7214LN 34	072140134		
7214LN 35	072140135		
7214LN 36	072140136		
7214LN 37	072140137		
7214LN 38	072140138		
7214LN 39	072140139		
7214LN 40	072140140		
7214LN 41	072140141		
7214LN 42	072140142		
7216BKK 35	072160335		
7216BKK 36	072160336		
7216BKK 37	072160337		
7216BKK 38	072160338		
7216BKK 39	072160339		
7216BKK 40	072160340		
7216BKK 41	072160341		
7216BKK 42	072160342		
7216BKK 43	072160343		
7216BKK 44	072160344		
7216BKK 45	072160345		
7216BKK 46	072160346		
7216BKK 47	072160347		
7216BKK 48	072160348		
7224PEK 35	072240235		
7224PEK 36	072240236		
7224PEK 37	072240237		
7224PEK 38	072240238		
7224PEK 39	072240239		
7224PEK 40	072240240		
7224PEK 41	072240241		
7224PEK 42	072240242		
7224PEK 43	072240243		
7224PEK 44	072240244		
7224PEK 45	072240245		
7224PEK 46	072240246		
7224PEK 47	072240247		
7224PEK 48	072240248		
7225PEK 35	072250135		
7225PEK 36	072250136		
7225PEK 37	072250137		
7225PEK 38	072250138		
7225PEK 39	072250139		
7225PEK 40	072250140		
7225PEK 41	072250141		
7225PEK 42	072250142		
7225PEK 43	072250143		
7225PEK 44	072250144		
7225PEK 45	072250145		
7225PEK 46	072250146		
7225PEK 47	072250147		
7225PEK 48	072250148		
7235BK 35	072350335		
7235BK 36	072350336		
7235BK 37	072350337		
7235BK 38	072350338		
7235BK 39	072350339		
7235BK 40	072350340		
7235BK 41	072350341		
7235BK 42	072350342		
7235BK 43	072350343		
7235BK 44	072350344		
7235BK 45	072350345		
7235BK 46	072350346		
7235BK 47	072350347		
7235BK 48	072350348		
7239B 39	072390339		
7239B 40	072390340		
7239B 41	072390341		
7239B 42	072390342		
7239B 43	072390343		
7239B 44	072390344		
7239B 45	072390345		
7239B 46	072390346		
7239B 47	072390347		
7239B 48	072390348		
7248GK 35	072480235		
7248GK 36	072480236		
7248GK 37	072480237		
7248GK 38	072480238		
7248GK 39	072480239		
7248GK 40	072480240		
7248GK 41	072480241		
7248GK 42	072480242		
7248GK 43	072480243		
7248GK 44	072480244		
7248GK 45	072480245		
7248GK 46	072480246		
7248GK 47	072480247		
7248GK 48	072480248		
7293HN 39	072930839		
7293HN 40	072930840		
7293HN 41	072930841		
7293HN 42	072930842		
7293HN 43	072930843		
7293HN 44	072930844		
7293HN 45	072930845		
7293HN 46	072930846		
7293HN 47	072930847		
7294HN 39	072940839		
7294HN 40	072940840		
7294HN 41	072940841		
7294HN 42	072940842		
7294HN 43	072940843		
7294HN 44	072940844		
7294HN 45	072940845		
7294HN 46	072940846		
7294HN 47	072940847		

ELIMINATED ITEMS – SUBSTITUTE/RECOMMENDED ITEMS

ELIMINATED ITEM
SUBSTITUTE ITEM
RECOMMENDED ITEM

7310CRK 35	073100335		
7310CRK 36	073100336		
7310CRK 37	073100337		
7310CRK 38	073100338		
7310CRK 39	073100339		
7310CRK 40	073100340		
7310CRK 41	073100341		
7310CRK 42	073100342		
7310CRK 43	073100343		
7310CRK 44	073100344		
7310CRK 45	073100345		
7310CRK 46	073100346		
7310CRK 47	073100347		
7310CRK 48	073100348		
7340B 36	073400236		
7340B 37	073400237		
7340B 38	073400238		
7340B 39	073400239		
7340B 40	073400240		
7340B 41	073400241		
7340B 42	073400242		
7340B 43	073400243		
7340B 44	073400244		
7340B 45	073400245		
7340B 46	073400246		
7340B 47	073400247		
7341N 36	073410236		
7341N 37	073410237		
7341N 38	073410238		
7341N 39	073410239		
7341N 40	073410240		
7341N 41	073410241		
7341N 42	073410242		
7341N 43	073410243		
7341N 44	073410244		
7341N 45	073410245		
7341N 46	073410246		
7341N 47	073410247		
7349RP 38	073490138		
7349RP 39	073490139		
7349RP 40	073490140		
7349RP 41	073490141		
7349RP 42	073490142		
7349RP 43	073490143		
7349RP 44	073490144		
7349RP 45	073490145		
7349RP 46	073490146		
7349RP 47	073490147		
7350RP 38	073500138		
7350RP 39	073500139		
7350RP 40	073500140		
7350RP 41	073500141		
7350RP 42	073500142		
7350RP 43	073500143		
7350RP 44	073500144		
7350RP 45	073500145		
7350RP 46	073500146		
7350RP 47	073500147		
7423 39/42	074230002		
7423 43/46	074230004		
7429 39/42	074290002		
7429 43/46	074290004		
7635N XS	076350500	7636N XS	076360500
7635N S	076350501	7636N S	076360501
7635N M	076350502	7636N M	076360502
7635N L	076350503	7636N L	076360503
7635N XL	076350504	7636N XL	076360504
7635N XXL	076350505	7636N XXL	076360505
7635N XXXL	076350506	7636N XXXL	076360506
7658N S	076580001		
7658N M	076580002		
7658N L	076580003		
7658N XL	076580004		
7658N XXL	076580005		
7658N XXXL	076580006		
7904N XS	079040800	7750N XS	077500000
7904N S	079040801	7750N S	077500001
7904N M	079040802	7750N M	077500002
7904N L	079040803	7750N L	077500003
7904N XL	079040804	7750N XL	077500004
7904N XXL	079040805	7750N XXL	077500005
7904N XXXL	079040806	7750N XXXL	077500006
7904N XXXXL	079040807	7750N XXXXL	077500007
7907P XS	079070600		
7907P S	079070601		
7907P M	079070602		
7907P L	079070603		
7907P XL	079070604		
7907P XXL	079070605		
7907P XXXL	079070606		
7907P XXXXL	079070607		
7930G XS	079300300	7930MG XS	079300400
7930G S	079300301	7930MG S	079300401
7930G M	079300302	7930MG M	079300402
7930G L	079300303	7930MG L	079300403
7930G XL	079300304	7930MG XL	079300404
7930G XXL	079300305	7930MG XXL	079300405
7930G XXXL	079300306	7930MG XXXL	079300406
7931G XS	079310300	7931MG XS	079310400
7931G S	079310301	7931MG S	079310401
7931G M	079310302	7931MG M	079310402
7931G L	079310303	7931MG L	079310403
7931G XL	079310304	7931MG XL	079310404
7931G XXL	079310305	7931MG XXL	079310405
7931G XXXL	079310306	7931MG XXXL	079310406
7933G XS	079330300	7935MG XS	079350400
7933G S	079330301	7935MG S	079350401
7933G M	079330302	7935MG M	079350402
7933G L	079330303	7935MG L	079350403
7933G XL	079330304	7935MG XL	079350404
7933G XXL	079330305	7935MG XXL	079350405
7933G XXXL	079330306	7935MG XXXL	079350406
7935G XS	079350300		
7935G S	079350301		
7935G M	079350302		
7935G L	079350303		
7935G XL	079350304		
7935G XXL	079350305		
7935G XXXL	079350306		
7939G XS	079390300		
7939G S	079390301		
7939G M	079390302		
7939G L	079390303		
7939G XL	079390304		
7939G XXL	079390305		
7939G XXXL	079390306		
7980N 58	079800058	7981N 58	079810158
7980N 60	079800060	7981N 60	079810160
7980R	079800111	7980RN	079800120
7985	079850111	7985N	079850000
8016FR-6K 3	080169753		
8016FR-4K 5	080169755		
8016FR-4K 6	080169756		
8016FR-4K 8	080169758		
8062 22-25	080620025		
8130A 10X900	081300209		
8131Z-8 6X800	081310060		
8131DL 10X900	081310209		
8135/KCA 0,75	081350630		
8135/KCA 1,0	081350635		
8135/KCA 2,0	081350640		
8135/KCA 3,0	081350645		
8135/KCA 5,0	081350650		
8135/KGF 0,75	081350705		
8135/KGF 1,0	081350710		
8135/KGF 2,0	081350720		
8135/KGF 3,0	081350730		
8135/KGF 5,0	081350750		
8135/KGM 0,75	081350805		
8135/KGM 1,0	081350810		
8135/KGM 2,0	081350820		
8135/KGM 3,0	081350830		
8135/KGM 5,0	081350850		
8139Z 8	081390008		
8139DL 14	081390214		
8139ZCH	081390909		
8149S/A	081490510		
8149S/B	081490512		
8149S/C	081490515		
9508TL S	095080051		
9508TL M	095080052		
9508TL L	095080053		
9508TL XL	095080054		
9508TL XXL	095080055		
9515M S	095150051		
9515M M	095150052		
9515M L	095150053		
9515M XL	095150054		
9515M XXL	095150055		
9515M XXXL	095150056		
9516B S	095160051		
9516B M	095160052		
9516B L	095160053		
9516B XL	095160054		
9516B XXL	095160055		
9516B XXXL	095160056		
9525TL	095250010	9525TR	095250011
9525F	095250099	9525CM	095250098
9525B	095251031	9525WB	095251032
9527MUG	095270020	9599CB-WN	095990024
9557N	095570001		
9565BBQ	095650100		
9565ICE	095650400		
9595 C25	095950031		
9599CB-W	095990023		
9599 GARAGE-S	095999011		
9599 GARAGE-M	095999012		
9599 GARAGE-L	095999013		
9599 GARAGE-XL	095999014		
9599 GARAGE-XXL	095999015		
C99T	099000492		
C99M	099000494		
C99T-V3	099000497		
C99P-V3	099000498		
11204C 40	112040204		
11204C 60	112040206		
11210C 40	112100204		
11210C 60	112100206		
11216C 40	112160204		
11216C 60	112160206		
11220C 40	112200204		
11220C 60	112200206		
11234B 40	112340104		
11234B 60	112340106		
11435 M-80	114350008		
11435 M-120	114350012		
11435 F-150	114350015		
11435 F-180	114350018		

Abrasive discs	570÷572, 583
Abrasive shaft-mounted wheels	573÷576
Adjustable wrenches	24, 286, 293, 301, 307
Amperometric clamps	234
Anti-waste rolls	584
Assortments of tools in thermoformed trays	533÷558
Auto-darkening LCD mask	254
Automatic cable reels with inspection lamps	314÷318
Automatic hose reel for compressed air or cold water	347
Barrel pumps	256
Battery tools	**313÷321**
Beta Abrasives	**568÷584**
Beta BM	588÷594
Beta Chemicals	**562÷567**
Beta Collection	**715÷726**
BetaEVOX screwdrivers	145÷148
BetaGrip screwdrivers	152÷156
BetamaX screwdrivers	157÷159
Bevel gearbox	85
Bevel protractor	213
Bicycle tools	**280÷284**
Bike lifts	281÷282
Bit reamers	220
Bits and bit holders	78÷85, 155, 287
Bits for drilling, threading and countersinking	47
Blister pack range	**595÷609**
Blocks and hoists	692÷693
Bolt cutters	134, 310
Bonding guns	227
Bottle holders	377÷378, 477
Bristle brush	225
Brushes	224÷225, 312
Cable cutters	138, 289
Cable stripping tools and wire stripping pliers	138÷139
Callipers	214
Cape chisels	10
Carpenter's pencil	215
Centre punches	9
Chalk line reels and powder	218
Circlip pliers	128÷129, 173, 294÷295, 309
Closed end terminals	590
Combination pliers	139÷140, 289, 296, 310
Combination wrenches	11÷13, 25÷26, 294, 300, 305
Combo tool cases and accessories	**364÷367**
Corded tools	**322÷325**
Covers for tool chests	393
Crimping pliers for terminals and terminals	585÷587
Crowfoot wrenches, 3/8" square drive	96
Cutting nippers for electronic purposes	143÷144
De-icer spray	567
Desoldering pumps	252
Detergents	566÷567
Diagonal and end cutting nippers	133÷134, 289, 295, 301
Dial indicators	212
Dies and assortments	47÷51
Digital litre counter for oil	256
Digital tachometer	235
Display units for sales points	**610÷623; 669÷670**

Double ended hexagon / bi-hex offset socket wrenches	112÷113, 294, 309
Double swivel end socket wrenches	15
Double-ended offset ring wrench for scaffolding bolts	17, 306
Drift punches	9, 304
Electric platform cart	398
Electrical products	585÷594
Electrician's scissors	136÷137, 289, 295
Electronic torque meter with Dynatester transducer	69
Electronic videoscope	122
Engineer's scribers	215
Environmental meters	236
EVOX-E electric screwdriver	148
Extractors for damaged screws and studs	171÷172
Extra-flat chisels with straight cutters	161
Eyebolts	682÷685
Files	161, 220÷224, 312
Fitting tool for ties and ties	594
Flap discs	576÷580
Flap/non-woven wheels	581÷583
Flare nut open ring wrenches	17
Flat chisels	10, 125, 218, 292, 300, 304, 312
Flexible magnetic pickup tools	219
Flexible pickup tools	219
Fluid extractor	256
Folding tool trolley	367, 398
Footboard	238
Friction tape	594
Graduated rules	214, 297
Hacksaw frames and blades	224
Hammers	162, 166÷169, 296÷297, 302, 310÷311
Hand crimper steel matrix	132
Hand punch steel punch and matrix	132
Hand sockets, accessories and assortments, 1"	110÷111
Hand sockets, accessories and assortments, 1/2"	99÷109, 288, 308
Hand sockets, accessories and assortments, 1/4"	86÷93
Hand sockets, accessories and assortments, 3/4"	109÷110, 308÷309
Hand sockets, accessories and assortments, 3/8"	93÷99, 287÷288, 307
Hand taps and assortments	44÷47
Heat guns	325
Heating plates for manual straight and slanted welding of plastic pipes	28
Heavy-duty cable cutters	135
Hi-torque hexagon nut spinners with handles	113÷114, 288
Holesaws and hole cutters and accessories	51÷53
Hook wrenches	23÷24, 307
Hot glue guns	325
Hub and wheel drum pullers	202÷203
Hydraulic press	208
Hydraulic pullers	208
Impact screwdrivers	158÷159
Impact sockets, accessories and assortments	70÷78
Industrial tool chests	384÷385
Inserts 4mm	150
Inspection mirrors	219
Instant glue	565
Insulated tools, 1000V	**285÷291**
Insulating gloves	291
Insulating mat	291
Insulating sheaths	594

Kneeling pad	263
Knives	239÷240, 312
Lamps	242÷247
Laser meters	215÷216
Lever clamps	209
Lever operated grease guns	227
Lever-operated grease gun	228
Lifting airbag	241
Lifting chain slings	685÷689
Lifting shackles	680÷682
Liquid gasket	564
Locker	564
Locking wire pliers	236
Long and extra-long nose pliers	127÷128, 140÷143, 289÷290, 296, 310
Lump hammers	169, 311
Magnetic squares for welders	253
Magnetic tool holders	238, 264
Magnetic welding discs for lifting metal sheets	253
Magnetic welding vices	253
Magnetizer/demagnetizer	144
Mains testing screwdrivers	150
Manual rope winches and accessories	694, 699
Masonry chisels	217
Measuring tapes	215÷216
Metric feeler gauges	219
Micrometers	211
Microscrewdrivers	150÷151
Mobile roller cabs	371÷380, 386÷394, 421÷422, 443÷444, 462÷465
Mobile workstation	383
Morse taper extractors	44
Motorcycle tools	**274÷279**
Multilayer pipe gauge	31
Multimeters	232÷233, 297
Nut splitters	219
Nylon clamps	590÷593
Nylon wire puller	587
Offset key wrenches for hexagon and Torx® head screws, with high torque handles	21÷23, 293, 301
Offset key wrenches for hexagon and Torx® head screws	18÷23
Offset key wrenches with XZN® profile	23
Offset screwdrivers	149
Oil cans	228÷229
Oil gun	256
Oil pressure pump	163
Panel toolholders	405, 430, 451, 470
Paper roll holders	377÷378
Parallel bench vices	209
Pen oiler	229
Pin punches	9, 278, 304
Pincers	134
Pipe benders	34÷35
Pipe cutters	28÷32, 307
Pipe reamers	31
Pipe wrenches	33÷34, 294, 301, 307
Pivoting clamp vices, for plumbing purposes	35
Plastic barrier chains and posts	668
Plastic repair kit	166
Pliers for electronic purposes	142÷143

Plumbing tools	27÷35
Pneumatic tools and accessories	**327÷350**
Polywelders and forms	27÷28
Portable tool chests	368÷370, 392
Powertools	**313÷324**
Pre-insulated terminals	589
Protractors	213
Pry bars	123, 218, 309
Pullers	198÷204
Punches	135÷136
Radius gauges	218
Ratcheting wrenches	25÷27, 294
Ratchet-type shears for PVC pipes	30
Reversible screwdrivers	155÷156
Revolving punch pliers	236
Ring wrenches	15÷17, 286, 293, 305÷306
Riveting pliers and rivets	225÷227
Robur wire rope accessories	**671÷714**
Safety footwear	**624÷649**
Safety goggles	669
Scissors	136÷137, 241, 295, 312
Scrapers	173, 184, 220, 239
Screw clamps	209
Screw pitch gauge	218
Screwdrivers with steel heads	149
Screwholding screwdrivers	149
Seat with castors	262÷264
Self-locking pliers	130÷132, 193, 295
Shears	135÷136
Silicone sealant	565
Single and double open end wrenches	13÷15, 282, 286, 293, 305
Sledge hammers	169, 311
Slip joint pliers, boxed joints	129÷132, 289, 295, 310
Slogging wrenches	14÷15, 305÷306
Soft face hammers	169÷170, 297, 311
Soldering irons	250÷252
Sparkproof axe	312
Sparkproof pick	312
Sparkproof safety valve wrenches	309
Sparkproof shovel	312
Sparkproof tools	**304÷312**
Spatulas	224, 312
Special end mills for welding	41
Spirit levels and levelling staffs	216÷217
Spotlights	244
Spray cleaner	566÷567
Spray grease	565÷566
Spray guns	347
Spray silicone	566
Spray unlocking lubricant	565
Spray zinc	567
Spring puller	224
Spring tweezers	126÷127, 289
Squares	212÷213
Stainless steel helicoids	46÷47
Stainless steel tools	**299÷303**
Stainless steel wire rope accessories	700÷706
Steel plate lifting clamps	692

Stepped drills	41
Suction lifters	237
Support for impact wrenches	333
Tap wrenches and die stocks	46, 49
Tethered tools	**292÷298**
T-handle socket wrenches for hexagon and Torx® head screws	114, 116÷117
T-handle wrenches with three male ends for hexagon and Torx® head screws	115÷117, 287, 309
Thermal camera	236
Thermoformed tool trays	533÷558
Thermometers	235
Thimbles	680, 702
Thread sealant	563
Threadlocker	563
Three-leg pullers	200÷202, 208
Tie downs	706, 710÷713
Tool accessories for cabinets, drawers and panels	559÷561
Tool assortments	479÷532
Tool bags	354÷361
Tool boxes	360÷363
Tool cabinets	402
Tool cabinets, sheet metal	433÷435; 452; 473÷474
Tool cases	351÷357, 364÷366
Tool chest trolleys	369
Tool pouches with belts	354÷355
Tool rucksack	358
Tool trolleys, 2 wheels	355÷356, 359÷361, 395÷396
Tool trolleys, 4 wheels	380÷382, 397÷400, 448, 469
Tool trunks	361, 363
Torches	242÷243
Torque angle indicators	61
Torque bars	62, 66÷68
Torque multipliers	54÷56
Torque screwdrivers	60
Torque wrenches and bars	57÷69
Tube flaring tools	32
Tubular socket wrenches	112÷113, 118
Twist drills with cylindrical shanks	36÷40
Two-leg pullers	198÷204, 208
Ultrasonic cleaning tank	260÷261
Utility knives	238÷239
Vacuum cleanesr for solid and fluid	325÷326
Vehicle repair	**118÷125, 160÷166, 170÷208, 229÷238**
Velcro cable ties	593
Voltage tester	193
Warning and prohibition signs	668
Waterproofing spray	567
Webslings and lifting ropes	706÷709
Welding machines	252÷253
Welding pliers	253
Wire rope clips	678÷679
Wire rope turnbuckles	672÷677
Wood rip saw	224
Work mat	263, 276, 291, 409, 726
Workbenches	401, 403÷409, 415÷420, 462÷464
Workshop Equipment	**410÷478**
Workshop verniers	210÷211
Workwear	**650÷670**
Wrenches for control panel operators	210

Automotive

Acid densimeter, glass body	231
Adjustable body blade holders with flexible flat blades	161
Air conditioner charging station	259÷260
Air hydraulic jack	273
Antifreeze densimeter, glass body	231
Automatic gearbox station	257÷259
Ball joint pullers	207
Battery chargers	195÷197
Battery fillers	229
Battery lug and post cleaner steel brush	225
Bench sander	261
Brake fluid extractor	177
Brake spring pliers	178
Car interior/exterior cleaning tools	255, 262, 346, 609
Car protectors	263
Chain opening tool	278
Claw hammers	162
Clip pliers	236
Clutch aligners	172
Compressors for shock absorber springs	205
Cooling system seal testers	231
Creepers	263÷265
Curved angled spoons	161
Dent puller	162÷164
Dent reflector	163
Diesel injector test and calibrating hand pump	122
Digital pressure and compression tester	175
Dollies	160÷161
DSG lever	172
Engine brackets	267
Engine oil-filter wrenches	187÷191
Engine parts cleaning stations	262
Exhaust pipe expanders	182
Exhausted oil drain units	255÷256
External butt-ended circlip pliers	173
Feeler gauges for car body repair shops	162
Fluid collection tank	255÷256
Folding hydraulic crane	267
Four-way hexagon wheel nut wrenches	124
Gas oil filter wrenches	190
Gauge for tyre threads	218

INDEX OF CAR VEHICLE TOOLS

Gearbox/transmission trolley	400
Homokinetic joint pullers	207
Hose clamp pliers	179÷180
Hose pliers	184
Hydraulic bottle jacks	266
Hydraulic car jack with wheels	271÷272
Hydraulic pit and under bridge jack	267÷268
Hydraulic press	269÷270
Impact sockets for wheel nuts	72÷73
Instrument for controlling compression on petrol and Diesel engines	122
Jack and positioner for truck wheels	266
Jack stands	266
Kit for filling diesel oil filters	184
Leaf spring pin sockets	206
Lever for removing wishbone heads from pillar	207
Male guide pins for wheel installation	124÷125
Manual pallet truck	273
Mobile workstation for diagnostic tools	397
Motorcycle stands	274÷275
Oil seal wrenches	191÷192
Packing removal tool	203
Parking sensor punches	165÷166
Part cleaning tank	261÷262
Piston ring compressors	173
Plastic funnel	229÷230, 312
Pneumatic dent puller	164
Pneumatic valve grinder	173
Quick coupler pliers for fuel pipes	185
Reamers for cleaning injector seats	121
Relay pliers	192÷193
Rubber-covered aluminium foil, formable	230
Signal detector	234
Sliding gauges for brake discs and drums	210
Sockets for Diesel engine injectors	119
Sockets for Lambda probes	119
Sonoscobe probe	198
Spark plug pliers	181
Spark plug wrenches and sockets	118÷119
Spring pulling hook wrenches	171
Square impact sockets for Isuzu wheel nuts	76
Starters	194÷195
Stopping knives made of stainless steel	161
Striking tools for installing conical bearings and oil seals	208
Telescopic rod	238
Temperature sensor wrenches	120÷121

Tester for batteries and recharging systems	197÷198
Tool for disc brake pistons	178
Tool for removing and inserting silentblocks	208
Tools for airbag	172
Tools for air-conditioning systems	186
Tools for common rail diesel injector	121
Tools for pulling out car radios	237
Tools for releasing electrical connectors	193
Tools for removing broken glow plugs	121
Tools for removing glass windows	237
Tools for spark plug coils	181
Tools for tyre valves	124÷125
Torsion bars for wheel nuts	77
Trim pin removers	182
Tyre bead seaters	346
Tyre inflator	345÷346
Tyre levers	122÷123, 283
Underbody trolley for vehicles	265
Valve seat removing tool	174
Valve spring compressors	173
Valve timing system pulley locking tools	175
Voltage stabilizer	198
Voltage tester	193
Wheel balancing weight tool	125
Wheel covers	124
Wheel hub nut locking sockets	123
Wheel lifter	266
Wheel nut plastic cap pliers	124
Wheeled bodywork spotter	164
Window trim tool remover	237
Wrench for removing steering arms	207
Wrench for turbines	182
Wrenches for fuel connectors	174
Wrenches for fuel tank floating ring nuts	185



1

100 24
100/KIT 24
110BA 307
110MQ 286
111CM 24
111E 24
111EN 24
111ER 24
120 25
120/B6N 25
123/K4 25
123/K4 597
123E1/4 25
123Q1/2 25
123Q1/4 25
123Q3/8 25
141 25
141/B 25
141/S 25
142 25
142/B 26
142/S 26
142/SC9I-E 26
142AS 26
142AS/S 26
142C 26
142C/A 26
142K 597
142MC 26
142MC/SC9I-E 26
142SN 26
142SN/S 26
142SN/SC9 26
186 27
187 27
187/B5 27
188 27
192 27
192/S2 27
192/S2 597
194 27
195 27
195/B5 27
195AS 27
195AS/B 27
195K 597
195P 27
195P/B5 27
1002 127
1008 127
1008BM 127
1009 127
1009L/A 127
1009L/B 127
1009L/C 127
1009L/D 128
1009L/DP 128
1009L/DP-S2 128
1010 128
1010BM 128
1010MQ 289
1031/S4 128
1032 128
1032BA 309
1032K 600
1033 128
1033K 600
1034 128
1034K 600
1034L 129
1036 129
1036BA 309
1036K 600
1037 129
1037K 600
1038 129
1038K 600
1039 129
1044N 129
1044NK 600
1046BA 310
1047 129
1047BM 129
1048BM 130
1048MQ 289
1048N 130
1048N/D3 130
1048NK 600
1048VN 130
1048VNK 600
1050 130
1051 130
1051GM 130
1051L 130
1051XL 130
1052 130
1052BA 310
1052K 600
1053 131
1054 131
1055 131
1055D 131
1056 131
1057A 131
1058 131
1059 131
1060 131
1061 131
1062 131
1062AL 132
1062GM 132
1063 132
1064 132
1065F 132
1065P 132
1066 132
1067 132
1077 132
1078 132
1080D 132
1081 133
1082 133
1082BA 310
1082BM 133
1082BMK 600
1082G 133
1082GBM 133
1082GBMK 600
1082GK 600
1082K 600
1082MQ 289
1084 133
1084BM 133
1084BMK 601
1084G 133
1084GBM 133
1084GBMK 601
1084GK 601
1084K 600
1084MQ 289
1088 133
1088BM 133
1088BMK 601
1088K 601
1088MQ 289
1092V 134
1094V 134
1095N 134
1096 134
1096K 601
1098 134
1098K 601
1098PL 134
1098PLK 601
1100BA 600 310
1101 134
1101R 134
1102 134
1103 134
1103R 134
1104 135
1104R 135
1105 135
1105/C10T 135
1105/C16T 135
1105/C32T 135
1105AD-50 135
1105T20 135
1105T30 135
1105T50 135
1112 135
1112K 601
1114 136
1118 136
1120A 136
1120ARL - ARG 136
1122 136
1122 - 1125MOL 136
1122K 601
1123 136
1123K 601
1124 136
1124K 601
1125 136
1126 136
1127 136
1128BAX 136
1128BM 137
1128BMX 136
1128BMX/F 136
1128BMX 601
1128BSX 137
1128BSX 601
1128FX 137
1128FXS 137
1128MQ 289
1129BM 137
1129BMK 601
1130BMX 137
1130BMX 602
1131CK 137
1132 138
1132BM 138
1132BMK 602
1132K 602
1132MQ 289
1133 138
1133RL 138
1134 138
1134A 138
1134RL 138
1137BA 310
1137BA/RC 310
1142BM 138
1142BMK 602
1142MQ 289
1143 138
1143R 138
1144D 138
1144D/RG 138
1144D/RL 135
1144G 135
1144G/RL 135
1144L 135
1144T 135
1148A 135
1148A/R 135
1148B 135
1148B/R 135
1148P 135
1149F 135
1149F 601
1150 136
1150BA 136
1150BM 136
1150BMK 136
1150G 136
1150GBM 136
1150GBMK 601
1150GK 136
1150HPC 601
1150K 136
1150MQ 136
1153 136
1162 136
1162BA 136
1162BM 137
1162BMK 136
1162G 136
1162GBM 136
1162GBMK 601
1162GK 137
1162K 137
1162MQ 137
1164 137
1164BM 137
1164BMK 601
1164K 137
1164MQ 137
1166 602
1166BA 137
1166BM 138
1166BMK 602
1166G 602
1166GBM 602
1166GBMK 138
1166GK 138
1166K 138
1166MQ 138
1168 138
1168BM 138
1168BMK 310
1168G 138
1168GBM 138
1168GBMK 602
1168GK 138
1168K 138
1168MQ 138
1169/D3 138
1169BM/D3 138
1169G/D3 138
1169GBM/D3 139
1169MQ/D2 139
1169N/D4 139
1171BM 139
1172BM 139
1172BM/P 139
1173BM 139
1175BM 139
1177BM 139
1177BM/Z 602
1178BM 139
1178BM/P 310
1182BM 140
1183BM 140
1184BM 139
1185BM 140

1186BM	144	1253A	150	1267TX/D7	155	1293BX/DA	614	1360G	162
1188BM	144	1254	150	1267TX/S13	155	1293BX/DD	614	1361/C12	162
1190BM	144	1254	604	1267TXK	604	1293BX/DE	614	1361/K9	162
1191BM	144	1256/20	150	1268RTX	155	1293BX/DF	614	1362B	163
1191BM/L	144	1256/30	150	1268RTX/S8	155	1293ES	158	1364SCP	163
1191R/5-M	144	1256/C36-2	150	1268RTXK	604	1293ES/S7	158	1364SE	163
1200MS	144	1256LP	150	1269N/PZ	155	1294	158	1364SP	163
1201E	145	1256PE	150	1269N/PZK	604	1294/S7	158	1364SR	163
1201E/DZ	146	1256PH	150	1269PZ	155	1294K	605	1364SV	163
1201E/K	603	1256PZ	150	1269PZ/S4	155	1294L	158	1365/K13	163
1201E/S6	145	1256RTX	150	1269PZK	604	1295	158	1365P10	163
1201EN	145	1256TX	150	1270BA	310	1295/C14	159	1366/K5	164
1201EN/K	603	1257BE	151	1272BA	310	1297TX	159	1366A	163
1202E	146	1257ES	151	1272MQ	290	1297TX/D6	159	1366B	164
1202E/K	603	1257ESB/S8	151	1272MQ/S	290	1297TX/L	159	1366KF	164
1202E/S4	146	1257LP	150	1272MQF	290	1297TX/L-S5	159	1366S/R1	164
1202EL	146	1257LP/S	151	1273MQ/D6	290	1297TX/S12	159	1366S/R10	165
1202EN	146	1257LPH/S8	151	1273MQ/E1	614	1298RTX	159	1366S/R11	165
1202EN/K	603	1257PH	151	1273MQ/E4	614	1298RTX/S8	159	1366S/R12	165
1203/E10P	612	1257TX	151	1273MQF/D6	290	1298RTXK	605	1366S/R13	165
1203/E1P	612	1257TX/S	151	1274MQ	290	1299N/PZ	159	1366S/R14	165
1203/E4P	612	1260	152	1274MQ/S	290	1299N/PZK	605	1366S/R2	164
1203/E5P	612	1260/S6	152	1274MQF	290	1299PZ	159	1366S/R21	165
1203E/D	146	1260E	153	1275MQ/C	290	1299PZ/S6	159	1366S/R22	165
1203E/S	146	1260EK	604	1276MQ/C	291	1299PZK	605	1366S/R24	165
1204E	146	1260K	604	1277BA	310	1302	160	1366S/R25	165
1204E/K	603	1260MC	153	1279MQ	291	1303	160	1366S/R26	165
1204E/S5	146	1260N	152	1279MQ/F	291	1304	160	1366S/R3	164
1204EL	147	1260NK	604	1279MQ/S	291	1305	160	1366S/R4	165
1205E/ES	147	1262	153	1281/B28A	156	1305Z	160	1366S/R5	165
1205E/ES-S8	147	1262/S4	153	1281BG	155	1306	160	1366S/R6	165
1206E/BP	147	1262E	153	1281BG/A9	156	1307	160	1366S/R7	165
1206E/BP-S7	147	1262EK	604	1281BG/B28NA	156	1308	160	1366S/R8	165
1207E TX/K	603	1262K	604	1281BG-TX/A8	156	1310	160	1366S/R9	165
1207E/TX	147	1262L	153	1281LP	155	1312	160	1366SH	164
1207E/TX-D	147	1262MC	153	1281LPH	156	1314	161	1366SH/C	164
1208E RTX/K	603	1262N	153	1281PB	155	1326	161	1366SL	164
1208E/RTX	147	1262NK	604	1281PE	156	1327	161	1366ST	164
1208E/RTX-D	147	1263/D...	153	1281PH	156	1328	161	1367/K10	166
1209E PZ/K	603	1263/E39	613	1281PM	155	1329	161	1367/K4	166
1209E/PZ	147	1263/E40	613	1281PZ	156	1330	161	1367/S4	165
1209E/PZ-S4	147	1263/E50	613	1281RTX	156	1331	161	1368	166
1209EN/PZ	147	1263/E62	613	1281TX	156	1335BM	161	1368G/C2U	166
1209EN-PZ/K	604	1263/E70	613	1290	157	1337/S5	161	1368G/CV	166
1210E/GE	148	1263/E74	612	1290/S	157	1338	161	1368G/K400	166
1211E/GE	148	1263/E78	612	1290K	605	1338A - 1338B	161	1368G/OD	166
1229LP/S	148	1263/E85	613	1290K/INOX	605	1338R9 - 1338R12	161	1368G/SD	166
1229LPH/A6	148	1263/S12	154	1290N	157	1342	161	1369/C11	167
1236B	149	1263MC/D8	154	1290NK	605	1342PM	161	1370	167
1238B	149	1264	154	1292	157	1342PMR	161	1370/MR...	167
1241	149	1264/S5	154	1292/S4	157	1343	161	1370BA	310
1242	149	1264K	604	1292K	605	1344	162	1370BA/MR	311
1243/D7	149	1264L	154	1292K/INOX	605	1344A/VW	162	1370BA/PL	311
1243/S11	149	1265ES	154	1292L	157	1345	162	1370F	167
1243LP/D6	149	1265ES/S8	154	1292N	157	1351	162	1370F/MR...	167
1250	149	1266BP	154	1292NK	605	1353	162	1370FT	167
1251	149	1266BP/S8	154	1293/D...	158	1357Z/45	162	1370T	167
1252/S5	149	1267MC/TX	155	1293/S...	158	1359T	162	1374F	167
1253	150	1267MC/TX-D7	155	1293BP	158	1360/K6	162	1374F/MR...	167
1253	604	1267TX	154	1293BP/S	158	1360/KP3	162	1375	168

1375/MR 168
1375A 168
1375B 168
1375BA/PL 311
1376X 168
1376X/MR 168
1376XT 168
1376XT/MR 168
1377 168
1377/MR... 168
1377BA 311
1377BA/PL 311
1377T 168
1378 168
1378/MR... 168
1379BA 311
1379F 168
1379F/MR... 169
1380 169
1380/MR... 169
1380BA 311
1380BA/MR 311
1380BA/PL 311
1380S 169
1380S/MR... 169
1380T 169
1381 169
1381/MR... 169
1381BA 311
1381BA/MR 311
1381BA/PL 311
1381T 169
1385 169
1385/MR 169
1390 169
1390/MR... 169
1390BA 311
1390BA/R 311
1390N 170
1390NR 170
1390R 170
1391 170
1391A 170
1392 170
1392R 170
1393 170
1410/M 171
1428 171
1428/SB11 171
1428L 171
1428L/B3 171
1429 171
1429/SB7 171
1430/... 171
1430/S 171
1431/... 171
1431/C5 171
1433 171
1433/C11 172
1435 172
1435/1 172
1435/1R 172
1435R 172
1437/C12 172
1438 172
1438DCT/S 173
1438DSG 172
1438EVO 172
1438K/DSG-2 172
1438K/PWR 172
1438R 172
1439/K7 173
1440/... 173
1445/1 - 1445/2 173
1452K 173
1452PN/K 173
1454P 173
1455SVP 173
1455SVP/R... 173
1457/B4 173
1458 173
1460F 174
1462/EI 174
1462/KI 174
1462/KU 174
1462/MB 174
1462AD/BSC 174
1462AD/SMN 174
1462CF 174
1462CF/C6 174
1462CF-SN 174
1462CF-SN/C6 174
1463/KIT 175
1464ADB 176
1464AP 175
1464AP T 175
1464AP T16X12 175
1464APB 176
1464CBD 175
1464FAP 176
1464FG 176
1464FG/CP4 176
1464IC 175
1464IC/RK 175
1464PB 176
1464PF 177
1464PT 176
1464T 175
1464T/SP80 175
1464TDI 176
1464VD 176
1465 177
1466/C5 177
1466L 11 177
1466TLF 177
1467 177
1467/RK1 177
1467/RK2 177
1467LF/2 177
1467LF/RC 177
1467T/C6 178
1467TU 178
1470 178
1470FT 178
1470PF 178
1471 178
1471A 178
1471CF 179
1471CM 179
1471CM/E11 179
1471D2 179
1471GF 178
1471M/50 178
1471M/C22 178
1471M/P 178
1471M/W50 179
1471PN/B1 179
1471PN/B2 179
1471PN/B3 179
1471PN/B4 179
1471PN/B5 179
1471PT/C5 179
1471T/C5 179
1472 179
1472AU 179
1472AU/P 180
1472AU/RP 180
1472B/RNLT 180
1472FC 180
1472FC/GE 180
1472FC/L 180
1472FCA 180
1472FCL/RP 180
1472H 180
1472MT/VW 180
1472R/AU 180
1472TM 180
1472VW 180
1473 181
1473A 181
1473FN 181
1473P 181
1473T 181
1474/C4 181
1474DL 181
1474E/VW 181
1474E/VW2 181
1474G 181
1474L 181
1475U 181
1476 182
1476/RC 182
1476A 182
1476A/RC 182
1476C/1 182
1476GT 182
1476PSA 182
1476T 182
1477/C10 182
1477D 182
1477D/S5 182
1477K/7 182
1478 182
1478/K3 183
1478NSS 183
1478SP 183
1478T 183
1479 183
1479/B27 183
1479L/K4 183
1479L/S2 183
1479LB/C5 183
1479LV/S3 183
1479ML/B17 183
1479ML/S3 183
1479N/S5 184
1479RB/1 184
1479RB/2 184
1479RB/3 184
1479U/13 184
1479U/32 184
1480 184
1481/C12 184
1481K/S4 184
1481PL 184
1481PL/S3 184
1481T/C12 185
1482 185
1482/8 - 1482/10 185
1482A/1 185
1482A/3 185
1482A/5 185
1482B 185
1482C 185
1482D 185
1482SN 185
1483K/12 185
1483K/22 186
1483KV-PT/S7 81
1484 186
1484PSA 186
1485/KIT 186
1485BP 186
1485BPM 186
1485FCA/K2 186
1485FCA/T 186
1485FCA/TS 186
1485FRD/T 186
1485MJ 187
1485MRC/T 186
1485PMTJ 187
1485R 187
1485R/P10 187
1485R/P17 187
1485TC 186
1485VAG 187
1485VAG/K2 187
1485VLV/T 186
1487/K2 187
1488 - 1488L 187
1488/1 187
1488R... 187
1489/31T 187
1489/33 187
1489/33P 188
1489/C14 188
1489/E 188
1489/Y 188
1489R 188
1490 188
1490/R1 - 1490/R2 188
1490F 188
1491 188
1491A 188
1491R 188
1491T 188
1492/1 - 1492/2 189
1492T 189
1493 189
1493/C19 190
1493/C30 189
1493/C7 190
1493/PF 189
1493/S-U 191
1493AL 189
1493AL 4S 189
1493AL CF 190
1493B 189
1493B/S5 189
1493C/ADB 191
1493DSG 190
1493FF 190
1493FT 190
1493H 190
1493HK 190
1493J 190
1493U/ADB 191
1493VW 190
1493X 191
1493Y 191
1494 191
1494/C14A 192
1494BMW 191
1494E 191
1494FPC 191
1494M 192
1494MAN 191
1494MRC 191
1494Q 192
1494T 192
1494T/C5 191
1494VW 191
1494VW/K 192
1494VW/KT 192
1494XZN 192
1495/C6 192
1495M 192
1495T 192
1496/C 192
1497/C23 193

1497/C94	193	1516/1 - 2 - 3	200	1565/1 - 2 - 3	207	1670	213	1703BA/A	312
1497/S3	193	1517	200	1566/GO1	207	1670A	213	1703BA/P	312
1497BS	193	1517C/...	201	1566N	207	1672	213	1703BA/PL	312
1497D	192	1518/...	201	1566P	207	1672A	213	1704	218
1497KB/S3	193	1518U/...	201	1566R	207	1674A	213	1704A	218
1497P	193	1519/...	201	1567	207	1674C	213	1704C	218
1497RC	193	1520/1 - 1520/2	202	1568	208	1676	213	1705	218
1497SS	193	1521/1 - 1521/2	202	1569/F	208	1678/C3	213	1705PT	218
1497TE	193	1528	202	1569/SB	208	1679	213	1706DGT	218
1498	193	1529	202	1569CP	208	1679/PR	213	1707	218
1498/12	195	1529/C7	202	1570/3	208	1680	214	1707A/1 - 2 - 3	218
1498/120A	197	1529/PG	202	1580/8I	208	1680A	214	1708/8 - 13 - 20	219
1498/12-24 R20	195	1529PI	202	1580GL	208	1680B	214	1709/10 - 1709/18	219
1498/16A	196	1530/C16	202	1585/5I - 6I - 7I	208	1680C	214	1710	219
1498/24	195	1530/C5	202	1585GI/5 - 6 - 7	208	1682	214	1712E/1 - 2 - 3	219
1498/25A	196	1531/C7	203	1589PI/50 - 100 - 150	208	1683	214	1712TF	219
1498/2A	195	1532	203	1589VI	208	1685/C7	214	1713M	219
1498/2A-8A-PR	196	1533/...	203	1590	209	1687/S4	214	1713M/K7	219
1498/40A	197	1533PR/1 - 2 - 3	203	1591	209	1687A	214	1714	219
1498/4A	195	1534/...	203	1593	209	1687AC	214	1715	219
1498/4A-8A CO	196	1535/C...	203	1594	209	1687D	214	1715B/R5L	219
1498/4A-8A CP	196	1539	203	1595	209	1687U	214	1715FL/A	219
1498/8A	196	1540	203	1599B	209	1688	215	1715FL/B	219
1498B12/R02	195	1542/1 - 1542/2	204	1599F	209	1688A	215	1715I	219
1498BC/12	194	1544/...	204	1599G	210	1688M	215	1715L	219
1498LT/12	194	1545/C5M	204	1599GI	209	1688PC	215	1715R/FL	219
1498LT/12-24	195	1547/C6	204	1599GR	209	1688PC/R	215	1716A	219
1498LT/12-R7	194	1547KP	204	1599P	209	1690F	215	1716P	220
1498LT/12-SF	194	1547P	204	1599T	209	1690L	215	1716R	220
1498MN/12-C	194	1547PC/2	204	1600Q 10	210	1691BM	215	1716U	220
1498MN/12-P	194	1547PL/2	204	1600Q 10	606	1691MG	215	1717A	220
1498MN/12-R	194	1549	204	1600Q 8	210	1692	215	1717B	220
1498MN/12-U	194	1550U	205	1600Q 8	606	1693	215	1717BA	312
1498PC	198	1550U/CGS-R	205	1602BA	312	1693	606	1717BA/1	312
1498SA/2A-4A	195	1550U/M	205	1603BK	606	1693L	215	1717C	220
1498SM	197	1550U/MRC-ABE	205	1603K	606	1693M	216	1717D	220
1498SM-A	197	1550U/MRC-C	205	1650	210	1694/L	216	1717T	220
1498SM-C	197	1550U/S...	205	1650FD	210	1694A/L	216	1717T RS	220
1498SM-CP	197	1550U/SS187	205	1650FT	210	1694B/L	216	1717T RT	220
1498ST/TB	198	1551/C20	205	1651DGTB	210	1695XS	216	1717V	220
1498ST/TB ROT	198	1552/C9	205	1651DGTB/IP	211	1696	216	1717V R	220
1498TB/12-24	198	1555/Q	206	1652	211	1696A	216	1718A...M	221
1498TB/6-12	197	1555/QS	206	1654	211	1696B	216	1718A...P	221
1499	198	1555C	206	1654DGT	211	1696D	217	1718A...Q	220
1500/...	198	1555S/BMW-RNT	206	1656	211	1696S	217	1718A...R	221
1500/SP	198	1556/1A	206	1657DGT/2	211	1697	217	1718A...S5	221
1500G/...	198	1556/2A	206	1658/...	211	1699L	217	1718A...T	221
1500N/...	198	1557	206	1658/C4	211	1699L/1	217	1718D...M	221
1500N/G...	199	1557/S3	206	1658DGTB	211	1699Q	217	1718D...P	221
1500N/SP	199	1557V	206	1658SP/1	212	1700N	217	1718D...Q	220
1501/1 - 2 - 3	199	1558/C13	206	1659	212	1700N/PM	217	1718D...R	221
1501G/1 - 2 - 3	199	1558/C4	129	1662/1 - 1662/2	212	1701_WARN	218	1718D...S5	221
1501Z/S - P - R	199	1558P	206	1662AN	212	1701BA	312	1718D...T	221
1502/...	199	1559	207	1662DGT/A	212	1701N	217	1719BA12	312
1505/C5	200	1559V/8T	207	1662SP0	212	1701N/PM	217	1719BA8	312
1505V	199	1560/2	207	1662SP2	212	1701NE/...	218	1719BM/RG	223
1506	200	1560A	207	1666	212	1701PMR	218	1719BM/RL	223
1508/1 - 1508/2	200	1561/...	207	1666A	212	1702N	218	1719BM/RP	223
1511/1 - 2 - 3	200	1562D	207	1668	212	1702N/PM	218	1719BM/RR	223
1515/1 - 2 - 3	200	1563/C4	207	1668A	213	1702PMR	218	1719BMA...B5	222

ALPHANUMERIC INDEX

1719BMA...M 222
1719BMA...P 222
1719BMA...Q 221
1719BMA...R 222
1719BMA...S5 222
1719BMA...T 221
1719BMB/P 223
1719BMC 223
1719BMD...B5 222
1719BMD...M 222
1719BMD...P 222
1719BMD...Q 221
1719BMD...R 222
1719BMD...S5 222
1719BMD...T 221
1719BMR 223
1719BMR/B3 223
1719BMX...M 222
1719BMX...P 222
1719BMX...Q 221
1719BMX...R 222
1719BMX...S5 222
1719BMX...T 221
1719R/... 223
1720/... 223
1720/B 223
1720/S 223
1720D/... 223
1720D/B 224
1721/B6 224
1723 224
1725 224
1725CR 224
1725MQ 291
1726 224
1726BM 224
1727 224
1727BA 312
1727BM 224
1728... 224
1728BA 312
1729CG 224
1729DM 450 224
1730 224
1730M 224
1730V 38 224
1736A 224
1737 225
1737AC 225
1737B 225
1737BA 312
1737NX 225
1738 225
1739C 225
1740AN 225
1740B 225
1741B 225
1741B/C5 225
1741BP 226
1741RV...K 226
1741U 226
1742AN 226
1742AN/C 227
1742AN/KR 227
1742N 226
1742N/C4 226
1742N/KR 226
1742R-A/M... 226
1742R-AL/M... 226
1749 227
1749A 227
1749A/RB 227
1749A/RT 227
1749AC 227
1750 227
1750CG 227
1750KG10 228
1750M 228
1750M3 228
1750R/1 - 1750R/2 227
1750RC 227
1750RP/1 - 1750RP/2 227
1750RT 227
1750TA 228
1750TLA 228
1751CR 228
1751N 228
1752 228
1754 228
1755C 229
1756 229
1756B 229
1756C 229
1756C-2OR 229
1756D 229
1756D-2OR 229
1756E 229
1756G 229
1757 229
1757A 229
1758 229
1758A 230
1758ADB-45° 230
1758ADB-D 229
1758B 230
1758B/K5 230
1758B-1,6 230
1758BA 312
1758B-RNT 230
1758LG 230
1758M 230
1758R 231
1758RD 230
1758S 230
1758VT 231
1758VT/L 231
1759 231
1759A 231
1759B 231
1759HD/3 231
1759HD/RR 231
1759HD/TRUCK 232
1759LR 232
1759TT 232
1760/IR1000 235
1760/IR1600 235
1760/IR500 235
1760/OHM 233
1760/RMS 233
1760/RSE 234
1760/TC2 235
1760B 233
1760DGT 232
1760DGT/2 233
1760DGT-R3 234
1760K 235
1760LX 236
1760PA/80 234
1760PA/AC 234
1760PA/AC-DC 234
1760PA/AC-DC2000 234
1760PT 235
1760R/TC2 235
1760S 233
1760TMC 236
1760WM 236
1761 236
1761RS/1 236
1762 236
1762K 607
1763 236
1763G/S500 236
1764/K5 236
1764/K5-R 236
1765/C24 237
1766 237
1766/8 237
1766A 237
1766ER 237
1766ER/VW 237
1766G 237
1766I 237
1766L 237
1766LI 237
1766T 237
1767A 238
1767B 238
1767PMC 238
1767PMR 238
1768 238
1770 238
1770A 238
1770BM 238
1770BM 607
1770RL 238
1771 238
1771BM 238
1771HD 238
1771RL 238
1772H 239
1772M 238
1772R 239
1772R 607
1772RL/2 239
1773A 239
1773RL 239
1773S 239
1773S/RL 239
1774 239
1774A 239
1774A/RL 239
1774S 239
1776BA 312
1777BM 239
1777BMT 239
1777BMT 607
1777MQ/C 291
1777MQ/U 291
1777RL/U 291
1777T 239
1777T 607
1778AN 239
1778AX 240
1778BS 240
1778CM 240
1778M7 240
1778MT 241
1778P 240
1778SCL 240
1778SOS 240
1778V18 240
1778X 240
1781 241
1783 241
1783 607
1784 241
1784BA 312
1800/100 241
1808 251
1812 150 251
1814M 251
1820 251
1820 60 251
1820 80 251
1822 251
1822 180 251
1822 320 251
1823 60 251
1823R/60 251
1824R 251
1825B 251
1827 251
1827/K 252
1827F 252
1827PC 251
1827PCL 251
1827PFL 252
1830T 252
1833L 243
1833L/USB 242
1833M 243
1833MW 243
1833RB-L/USB 242
1833S 243
1833XL 243
1833XS/1 242
1833XS/2 242
1833XSW 243
1834RR 608
1836AW 243
1836B 243
1837C 244
1837F 243
1837F/USB 244
1837M 244
1837RB-F/USB 244
1837S 244
1838/11LED 245
1838AM 245
1838COB 245
1838E 246
1838E-BT 246
1838FLASH 244
1838P 245
1838POCKET 244
1838RA/10-11LED 245
1838RB/10LED 245
1838RB/FLASH 244
1838RR/11LED 245
1838RV/11LED 245
1838SLIM 245
1838SW 246
1838UV 246
1839/R1 246
1839/R2 246
1839/R4 246
1839/R5 246
1839/R6 246
1839BRW 246
1842 248
1842LED/ABM 247
1842LED/BM 247
1843 248
1844 248
1844SCK 248
1845 248
1846 248
1846R-LED/BM 248
1847 249
1848 249
1850D 325
1850E 325
1851VK 325
1851VK-12C 325
1851VK-12V 325
1852 S-PIATTE 249
1852R1750 249
1852S-CC 249
1852S-CNT 249
1852S-F 249

1852S-FLESS 249
1852S-KR/CNT 249
1852S-L 249
1860BH R/CM 252
1860BH R/CS 252
1860BH/120A 252
1860BH/160A 252
1860BH/200A 252
1860BHT R/CM 253
1860BHT R/CS 253
1860BHT/160A 253
1860BHT/T 253
1860DM 253
1860EI 253
1860M 253
1860PMIG 253
1860RG 253
1860SQ 253
1870 325
1870-20/5S 326
1870-72 /FC 326
1870-72/FL 326
1870I 325
1872L 326
1872L 35/5S 326
1872L 35/FC 326
1873 326
1873-30/5S 326
1874 326
1874-50/5S 326
1874-50/FC 326
1875LT 255
1875SP/K3 255
1877 255
1877A 255
1877F 255
1877P 255
1878 11 256
1878 2 255
1878 3 255
1878 30 256
1878 4 255
1878 8 256
1879 256
1879 6 256
1879/FUEL 256
1879R/K4 256
1880 256
1880ADB 256
1881 256
1882N 256
1883N 256
1883NC 257
1884 257
1884/C12 257
1884N/C8 257
1885 257
1885/C1 258
1885/C1-R1 258
1885/C1-R2 258
1885/C1-R3 258
1885/C1-R4 258
1885/C1-R5 258
1885/C1-R6 258
1885/C1-R7 258
1885/C1-R8 258
1885/C2 258
1885/C2-R1 258
1885/C2-R2 258
1885/C2-R3 258
1885/C2-R4 258
1885/C2-R5 258
1885/C2-R6 258
1885/C2-R7 259
1885/C3 259
1885/C3-R1 259
1885/C3-R10 259
1885/C3-R2 259
1885/C3-R3 259
1885/C3-R4 259
1885/C3-R5 259
1885/C3-R6 259
1885/C3-R7 259
1885/C3-R8 259
1885/C3-R9 259
1885/XC60 259
1889CF 257
1889N 257
1893/1234YF 260
1893/134A 259
1893TR/1234YF 260
1893TR/134A 260
1893TR/CI 260
1895 13 260
1895 27 261
1895 6 260
1895/RC 261
1895/S 260
1895G 260
1897 261
1897/CRB 261
1897/G 261
1897/MV 261
1898/B 261
1898/D 262
1898/K40 261
1898/M 262
1898/S 262
1899A 262
1899SI 262
1900M 8X15 - 1900M 10X15 347
1900S 8x10 347
1914 347
1915B 347
1915C 347
1915C/L 347
1915D 347
1915E 347
1915E/XL 348
1916G 348
1916GF 348
1916GFE 348
1916I 348
1916JF 348
1916JM 348
1916P 348
1916S 348
1917F 348
1917JF 348
1917JM 348
1917M 348
1917RG 348
1917SP 349
1917ST 349
1918 349
1918N 349
1918R 349
1919F1/2 350
1919F1/4 349
1919F3/8 350
1919FE1/4 349
1919L 350
1919ML 350
1919RB-F 350
1919RB-FE1/4 349
1919RF-F 350
1919RF-FE1/4 349
1919RM-F 350
1919RM-FE1/4 349
1919SC 350
1921B1 330
1921M1 330
1921M2 330
1921N3 330
1922P1 330
1922P2 330
1922P3 330
1924B 331
1924CD 331
1924F 330
1924XM 331
1927AN 333
1927B 331
1927B/K5 331
1927CD 332
1927CD/K3 332
1927G 333
1927P 332
1927P/K3 332
1927SP-AM 333
1927XM 332
1927XM/K5 332
1928CD 334
1928DA 333
1928DAL 333
1928K4 333
1928P 334
1928XM 333
1930A 335
1930CD 334
1930HLA 335
1930LA 335
1930LH 334
1930PA 334
1930ZL 335
1931AN10 336
1931CD10 335
1931CD13 336
1931CD6 335
1932B10 336
1932B13 336
1932RS13 336
1933 337
1933AN90 337
1933AN90-H 337
1933I 337
1933IH 336
1933IL 337
1933ILH 337
1933L 337
1934BV 337
1934MAV 338
1934MAV70 338
1935F 338
1936/4A 338
1936/5A 338
1936/7A 338
1937 339
1937C... 339
1937K... 339
1937KC 339
1937KL 339
1937KL-D 339
1937M 339
1937M-01÷11 339
1937N10 340
1937N10-GR 340
1937N20 340
1937N20-GR 340
1937R/P 339
1938 340
1938R/L 340
1938R/S5 340
1940 340
1940/C6 340
1940/S5 341
1940E10 341
1940E10/MT 341
1940E10/S... 341
1940E10/S5 341
1940MT 341
1940S... 341
1942A 341
1942LR 341
1944A 341
1944AR 2 341
1944N 341
1944PA 342
1945C 342
1945C/G... 342
1945C/GP... 342
1945P 342
1945P/S... 342
1945S 342
1945S/G... 342
1946 343
1946C/T... 343
1946C4,8 343
1946C7,8 343
1946KF 343
1946KF/M... 343
1947 343
1947G 344
1947G2 344
1947H 343
1948 344
1948PR 344
1949BC 345
1949BC/RUL 345
1949DGT/2 346
1949F2 345
1949GPA 345
1949GPN 346
1949M 346
1949P 345
1949R 346
1949T 345
1949U5 344
1949U5/A 344
1949U5/B 344
1949U5/C 344
1949U5/D 344
1949U5/E 345
1949U5/F 345
1949U5/G 345
1949XS 344
1950BZK 346
1951 346
1951A 346
1952 347
1956 115-750W 322
1956 125-1400W 323
1956 230-2400W 323
1966/910W 324
1967/800W 324
1972/12V-10 315
1972/20V-13BMC 316
1972/K12V-10 314
1972/K12V-COMBO 314
1972/K20V-13BMC 316
1982/12V 315
1982/K12V 314
1984 20V/1200BMC 318
1984 20V/600BMC 317
1984/K1200 318
1984/K600 317
1986/20V-125BMC 319
1986/K20V-125 319
1989RCB 321

ALPHANUMERIC INDEX

1994B 20V-2AH 320
1994B 20V-4AH 320
1994B 20V-6AH 320
1994BL 12V-2AH 315
1994C 20V 320
1994CB 12V 315
1995MQ/G1 - G2 291
1995MQ/T 291
1996MQ/GM 291
1996MQ/T 291
1996SVG 291
11001 570
11001H 570
11003 570
11011 570
11011H 570
11018 570
11019 571
11021 571
11023 571
11024 571
11031÷11038 571
11032 571
11034 571
11035 571
11037 571
11038 571
11040 572
11045 572
11046 572
11048 572
11049 572
11050 572
11069 572
11100 573
11101 573
11102 573
11105 573
11106 573
11107 574
11110 574
11111 574
11115 574
11116 574
11120 574
11121 575
11125 575
11130 575
11131 575
11132 575
11135 575
11140 576
11141 576
11145 576
11200A 576
11200B 576
11202A 576
11202B 576
11202C 576
11204A 577
11204B 577
11208A 577
11208B 577
11210A 577
11210B 577
11212A 577
11212B 577
11214A 578
11214B 578
11214C 578
11216A 578
11216B 578
11218A 578
11218B 578
11220A 578
11220B 578
11222 579
11230A 579
11230B 579
11232A 579
11234A 579
11240A 580
11240B 580
11242A 580
11242B 580
11246A 580
11248A 580
11248B 580
11259 580
11260 581
11263 581
11264 581
11265 581
11266 581
11268 581
11271A 581
11271B 581
11271C 581
11276A 581
11276B 581
11276C 581
11300A 582
11300B 582
11300C 582
11300D 582
11300E 582
11300F 582
11300G 582
11320 582
11411 582
11415B 582
11420B 583
11431 583
11440A 583
11440B 583
11440C 583
11450A 583
11450B 583
11450C 583
11488PF 584
11491 584
11493 584
11495 584
11498 584

2

2001/B26 352
2001/BV 352
2001/BZ24 MQ 353
2001/BZ27 VU 353
2001/BZV 352
2002/BV12 353
2002/BV13 354
2002/BV42 354
2002/BV6 9
2002/BV7-ZIP 353
2002/BV8 353
2002/BV9 353
2002/BVL6 353
2005MPU 354
2005MPU/E 354
2005PA/D 354
2005PA/E 354
2005PA/ET 354
2005PA/S 354
2005PA/U 355
2009N/BV 354
2028/VV 355
2028E 355
2029/VV 355
2029E 355
2029EM 355
2032/TE 356
2032/TV 355
2033L 356
2033L/VV 356
2036/TV 356
2036E 356
2037/TV 356
2038/TV 356
2041UC 357
2051N 357
2055HB 357
2080/D10 357
2080/V12 357
2080/V12-... 357
2080/V6 357
2080/V6-U 357
2080/VG 262
2109MT ID/1 360
2115P L-MQ32 362
2115PI/BIKE-HOME 361
2250-O 262
2252 262
2252KR4 262
2254A 263
2254C 263
2254F 263
2254K 263
2254SM 263
2254T 263
2258N-O 263
2258RR 263
2300ST/KIT 370
2400 RSC24/MP 378
2400 RSC24/PC 377
2400 RSC24/PD 377
2400 RSC24/PF 377
2400 RSC24/PF- 377
2400 RSC24/PL 377
2400 RSC24/SPC 378
2400 RSC24AXLP/CPR 376
2400 RSC24AXLP/PF 376
2400 RSC24AXLP/VL 377
2400-COVER RSC24 393
2400-COVER RSC24AXL 393
2499PC 378
2499PF 378
2499PF/M 378

3

30 9
30BA 304
31 9
31/B6N 9
31/B6N-LSE 9
31_serie 9
31BA 304
31BA/C 304
31BM 9
31BM/D6 9
31L 9
31SE 9
32 9
32AU 9
32AUR 10
32BA 304
33LT 10
33NR 10
34 10
34BA 304
35 10
35PM 10
35PMR 10
36 10
37 10
37PM 10
37PMR 10
38/DS1 611
38/DS2 611
38_serie 10
39BA 305
310 27
310/C8 28
310B 27
311 28
330 28
330BA 307
330BA/2R 307
330R/A 28
330R/I 28
331C 28
332 29
334 29
334R 29
334R/I 29
336 29
338 29
338R 29
338R/I 29
338RP 29
339A 29
339A/R 29
340 29
340C 30
340C/KRL 30
340RL 29
341 30
341B 30
341B/RL 30
341B/RM 30
341RL 30
342 30
342A 30
342A/MOL 30
342A/RL 30
342MOL 30
342P 30
342P/RL 30
342RL 30
345 31
345C 31
345SB 31
345SB/R 31
345SB2 31
345SC 31
345SI 31
345SI/R 31
345U 31
345U/A 31
349 31
349/SMAS 31
349/SMM 31
350 32
351C 32
351P 32
352C/U 32
352U 32
355 32
357F3 32
357R/F3 32
358 32
358RL 32
359 32
359CH 33
360 33
360R/... 33
361N 33
362 33

362R/... 33
363 33
363BA 307
363R/... 33
365 33
365R/... 33
366 33
374 33
374K 597
374R/... 34
375 33
376 33
378 34
378BA 307
383 34
383R 34
384 34
384RC 34
386A 34
386A/RC 34
386BA 307
387 34
387R 34
388 34
388A 34
388C/C8 35
389/K4 35
392C 35
392RG/C 35
393 35
395 35
395T 35
398 35
399 35
399R/... 35
3000L 263
3000L/RLS 263
3000M/PLM 383
3002 264
3002/RLS 264
3003 264
3003/RLS 264
3003C 264
3003C/RLS 264
3003PRO 264
3003PRO/PM 264
3003PRO/RCR 264
3003PRO/RRG 265
3003PRO/RT 265
3003PRO/SP 264
3004 265
3006 265
3006 R/RG 265
3006 R/RGF 265
3007 265
3007 R/RG 266
3007 R/RGF 266
3008N 266
3009 266
3009R/GR4 266
3010/T... 266
3010H 266
3010V 266
3011/T 266
3012 267
3012C 267
3012I 267
3014 267
3014 SAR 267
3014R/GR5 267
3014SAR/1 267
3014SAR/2 267
3014SAR/RR 267
3023 267
3025N 267
3025N/PF 268
3026 0,3 268
3026 0,5 268
3026 1,0 268
3026/R 1,0 268
3026/R0,3 268
3026/R0,5 268
3026/S 268
3026/SA 268
3026/SAM 268
3026/SP 268
3027/PR 270
3027N 10 269
3027N 100 269
3027N 20 269
3027N 30 269
3027N 50 269
3027N/KP 269
3027N/KPP 269
3028 15 270
3028 20 270
3028 30 270
3028 50 270
3028/KP 270
3028SP/15 270
3028SP/20 270
3028SP/30 270
3028SP/50 270
3029/2T 271
3029/2T-L/R5 271
3029/2T-L/R6 271
3029/2T-L/RP 271
3029L/2T 271
3030/2T 271
3030/2T-R5 271
3030/2T-R6 271
3030/2TRP 271
3030H/2T 271
3033/3T 271
3033E/3T 272
3033S 3T/R2 272
3035 272
3036 272
3040C 274
3040C/S1 274
3040C/S2 274
3041C 274
3041C/12 274
3041C/16 275
3042C 275
3043C 275
3043C/ 41÷47 275
3047C 275
3048C 275
3050/600 275
3050/CC 275
3050/KA 275
3050/LA 276
3050/MS 275
3050/MV 276
3054 276
3055M 276
3057 276
3061/2T 272
3061/2T-P100 272
3061/2T-P50 272
3065/20-10T 273
3065/40-20T 273
3067/60-15T 273
3067/70-13T 273
3068 273
3069 273
3070B 276
3070B/10 276
3070BE/B 277
3070BE/F 277
3070BE/K 276
3070BE/S 276
3071A 277
3071B 277
3071RS 277
3072N 277
3073 277
3074O 277
3074O/2 278
3074O/M 278
3074O/S 278
3075/CM 278
3075/K10 278
3075A 278
3075B 55 278
3075MV 278
3079/21 278
3080/C15 278
3080R/CS3 278
3081 278
3085 278
3091 279
3092 279
3093/E 279
3093/U 279
3094PA 279
3095 279
3099E 279
3099T 279
3500/P-M 385
3700/PC 388
3700/PF 388
3700/PFL 388
3700/PLA 388
3700/PLL 388
3700-COVER C37 393
3910 281
3912PP 281
3912TP 281
3912TP/A 281
3912TP/C 281
3912TP/FOX 281
3912TP/QRE 281
3912TP/ROAD 281
3912TP/RS 281
3912TP/ST 281
3916MMP 282
3918MML 282
3921 282
3923 282
3927 282
3932U 282
3935 282
3937 282
3948 282
3952 282
3952/S 282
3953 282
3955 282
3961 3,2 282
3961 3,3 283
3961 3,5 283
3961U 283
3962MV 283
3962SH 283
3963P 283
3964 283
3965 283
3965C 283
3967 283
3969 283
3969K3 283
3971 283
3972 283
3973/1 283
3973/2 284
3973/3 284
3973/4 284
3973PF 283
3975 284
3984/1 284
3984/2 284
3984/3 284
3984/4 284
3984/5 284
3984/6 284
3991 284
3992 284

4

42 11
42/B 10
42/B9N 11
42/S 12
42/SC9I-E 12
42/SP_plastica 12
42/SP25 12
42AS 12
42AS/B9N 12
42AS/S 12
42BA 305
42BA-AS 305
42LMP 13
42LMP/S 13
42MP 12
42MP/B9N 12
42MP/S 12
42NEWK 596
42SLIM 13
42SLIM/B8NI-E 13
42SLIM/S11 13
45 13
410 36
410/SEL 37
410/SP 36
410A 37
410AS 37
410AS/SEL 37
410AS/SP 37
410MIX/SEL19 37
412 37
412/C150 38
412/SP 37
412/SP91 38
412A 38
412L 38
412XL 38
414 38
414/C116 39
414/SP 38
415 39
415/C116 39
415/SP 39
415/SP91 39
415CO 39
415CO/SP 39
415CO-A 39
415L 40
416 40
416/SP19 40
416P/SP19 40
417 40
417/SP 40
419 40
419/SP 40
419T 41
421 41

ALPHANUMERIC INDEX

421/SP6 41
422 41
423 41
423A 41
424 41
424/SP 41
425 41
425/SP 41
426 42
426/SP 42
426A/SP6 42
426MD/CP 43
426MD/CT 43
426MD/F 43
426MD/FA 43
426MD/OG 43
426MD/OV 43
426MD/S 43
426MD/SP10 43
426MD/T 43
426MD/TA 43
426MD-3/A9 43
426MD-3/CP3 42
426MD-3/CT3 42
426MD-3/F3 42
426MD-3/FA3 42
426MD-3/OG3 42
426MD-3/OV3 43
426MD-3/S3 43
426MD-3/T3 43
426MD-3/TA3 43
426SB 42
426SB/SP 42
426T 42
426T/SP 42
427 44
428/C14 44
428FC 44
428FP 44
429/C14 44
429FC 44
429FP 44
430 44
430/SP 44
430ASC 45
430ASW 45
431 45
431/SP 45
433 45
433ASF 45
433ASG 45
434 45
435 46
435G 46
436 46
436L 46
436R 46
437C 46
437C/... 46
437C/RM14 46
437K/12 47
437K/16 47
437K/33 47
437K/8 46
437K/9 46
437P 46
437U/09 47
437U/E-M... 47
437U/PM 47
438... 47
438A 47
440 47
440A 47
440ASC 48
440ASF 48
440ASG 48
440ASW 48
440B 48
441 48
441A 48
441B 48
442 49
443 49
444 49
444G 49
446/C110 50
446/C30 49
446/C48 49
446ASC/C37 50
446ASF/C29 50
446ASG/C23 50
446ASW/C36 50
447/C37 51
447/C53 51
447/C70 51
450 51
450/C13 52
450/C15 52
450/C21 52
450/C9 52
450AD 51
450AL 51
450PA/1 52
450PA/2 52
450PR 52
451 52
451/C 53
451GA 53
451PA 53
451PR 53
452 53
452GA 53
460 53
460G 53
460PP 53
4900-COVER C49 397

5

52 13
52MQ 286
53 13
55 13
55/B12N 14
55/B8N 14
55/S 14
55/SP 14
55AS 14
55AS/S 14
55BA 305
55BA-AS 305
55K 596
55MP 14
55MP/S 14
58 14
58BA 305
58BA-AS 305
560/C12 55
560/C2 55
560/C3 55
560/C3PLUS 55
560/C4+ 55
560/C6 55
561/1 55
562-1/VA - 562-2/VA 56
562VV-A 56
564-3R/V - 564-4R/V 56
565-1R/VA - 565-2R/VA - 565-3R/VA 56
565-4R/VB 56
565-5R/VB 56
565VV-B 56
567-4R/VB 56
567-5R/VB 56
581 60
583 60
583/C31 60
590 - 592 60
594 60
596 - 598 60
599DGT 61
599DGT-AN 61
5000 RSC50/ASL 475
5000 RSC50/CAL 453
5000 RSC50/CLL 453
5000 RSC50/CTR 476
5000 RSC50/KFC 453
5000 RSC50/MP 453
5000 RSC50/MPA140 453
5000 RSC50/PLED 475
5000 RSC50/PLED-ST 475
5700LAMP 405
5902MT 518
5902MT/AS 519
5902VI 481
5904VG/2M 520
5904VG/2T 521
5904VG/3 522
5904VG/3T 523
5904VG/5T 524
5904VI/1T 481
5904VI/2T 482
5904VI/3T 483
5904VU/1M 490
5904VU/2M 491
5904VU/2T 492
5904VU/3T 493
5904VU/4T 494
5905VG/1 525
5905VG/2 526
5908VG/2T 527
5908VI/2T 484
5908VU/2T 495
5910VI/3 485
5910VI/3T 486
5914VU/M 496
5915VU/0 498
5915VU/1 498
5915VU/2 499
5915VU/3 499
5915VU/4 500
5915VU/5 500
5915VU/AS 501
5927VU/M 501
5935ET/1MB 511
5935VG/1MB 528
5935VI/2MB 487
5938U/2T 502
5940SBK 528
5941VU/M 529
5945VUM_2024 530
5954VG 531
5954VI 489
5957U-P 503
5957VG 532
5957VI 488
5958U 504
5980/MQ 513
5980EL/A 514
5980EL/B 515
5980ET/A 512
5980ET/B 513
5980ID/1 516
5980U/BIKE 506
5980U/BIKE-M 507
5988 VHB-MQ 514
5988H/7M 508
5988L/4M 509
5988U/7M 497
5988U6/M 510
5989 VEM 517
5990V1 505
5990V3 505

6

600 61
601C 61
601CA 61
603 62
604B 62
605DGT/2 62
605E 62
606_RIC 63
606MQ/50 287
610/5 62
610L/5 62
610L/5L 62
611 62
612 ÷ 614 62
614/50 63
615 63
616 - 617 - 619 63
621 63
622 63
641 63
642 63
643 63
644 63
650A 64
650H 64
652 64
653 64
654 64
659/15 64
659/16 64
665 64
665LB 65
665SW 65
666 66
666 LBF.FT 66
667 66
668N 66
668RG 67
668RGC 67
669N 67
671B/C10 67
671B/C5 67
671N/C10 67
671N/C20 68
671N/C30 68
674/C 68
677 68
677/C 68
677/CP2000 68
677/CV - 678/CV 69
678/C 69
680 69
682 69
6200AP/S10 670
6600 M/112 618
6600 M/116 618
6600 M/120 618
6600 M/125 618
6600 M/126 618
6600 M/131 618
6600 M/14 616
6600 M/174 618
6600 M/175 618
6600 M/217 618
6600 M/218 618
6600 M/22 616

6600 M/222 618
6600 M/223 618
6600 M/230 619
6600 M/236 619
6600 M/241 619
6600 M/242 619
6600 M/253 619
6600 M/27 616
6600 M/29 616
6600 M/311 619
6600 M/315 619
6600 M/320 619
6600 M/326 619
6600 M/327 619
6600 M/33 616
6600 M/330 619
6600 M/371 619
6600 M/380 620
6600 M/40 617
6600 M/406 620
6600 M/417 620
6600 M/42 617
6600 M/423 620
6600 M/424 620
6600 M/427 620
6600 M/430 620
6600 M/44 617
6600 M/440 620
6600 M/456 620
6600 M/465 620
6600 M/47 617
6600 M/480 620
6600 M/485 620
6600 M/51 617
6600 M/510 621
6600 M/52 617
6600 M/532 621
6600 M/534 621
6600 M/542 621
6600 M/548 621
6600 M/561 621
6600 M/58 617
6600 M/583 621
6600 M/59 617
6600 M/61 617
6600 M/62 617
6600 M/63 617
6600 M/643 621
6600 M/650 621
6600 M/657 621
6600 M/658 621
6600 M/716 622
6600 M/73 617
6600 M/813 622
6600 M/842 622
6600 M/852 622
6600 M/856 622
6600 M/857 622
6600 M/871 622
6600 M/878 622
6600 M/881 622
6800 VE 616
6800BA 670
6800RS 670
6888 616
6888B1/2 609
6888B1/4 609
6888B3/8 609
6888GS 670
6888GW 670

7

73 15
73/B13N 15
73/S 15
78 15
78AS 15
78BA 305
78BA-AS 306
710 70
710/16 70
710/20 70
710/21 70
710/22 70
710/25 70
710/C10 70
710/OR... - 710/SP... 70
720 70
720/15 73
720/16 73
720/20 74
720/21 74
720/22 74
720/25 74
720/C12 70
720/C24 71
720/C6 70
720/OR... - 720/SP... 74
720/SN 73
720AS 71
720B 71
720B/C12 71
720FRD 72
720FTX 73
720FTX/SB 73
720IC 72
720L 71
720L/S3 71
720LC 72
720LC/C3 72
720LC/PM5 72
720LC/S5 72
720LCL 72
720LCL/C3 72
720LS 72
720MC 71
720MC/C13 71
720ME 73
720ME/C8 73
720MRC 72
720RNG 72
720S 71
720S/SB6 71
720TC 72
720TC/S5 73
720TX 73
720TX/C6 73
720XZN 73
720XZN/C6 73
727/C16 75
727/ES16 74
727/ES16TX 74
727/ES16XZN 74
727/ES22 75
727/ES22TX 75
727/ES32 75
727PI/16 74
727PI/16 1/2 74
727PI/22 75
727PI/32 75
728 75
728/15 76
728/16 76
728/21 76
728/22 76
728/22L 76
728/25 77
728/C10 75
728/OR - 728/SP 77
728AS 76
728B 75
728B/C10 75
728FTX 76
728L 76
728L/S 76
728LQ 76
728LS 76
728ME 76
728ME/C6 76
729 77
729/15 64
729/16 77
729/21 77
729/21L 77
729/22 77
729/25 77
729/OR... - 729/SP... 77
729L 77
729LS 77
729T 77
730 78
730/15 78
730/21 78
730/25 78
730L 78
733/15 78
7041LCD/4S 254
7041LCD/4S-VE 254
7041LCD/4S-VI 254
7042LCD 254
7042LCD/RV 254
7042LCD/RV-INT 254
7043 254
7061TC 669
7076BC 669
7076BD 669
7076BP 669
7076BU 669
7093BC 669
7093BD 669
7104 90 668
7105 6 668
7109A 668
7109D 668
7201BKK 637
7210BKK 637
7212B 634
7212G 635
7213G 635
7214FN 635
7214G 636
7215FN 636
7216BKK 637
7218FN 636
7218G 636
7220PEK 633
7221PEK 633
7222PEK 633
7223PEK 634
7236BK 638
7238WR 638
7241BK 630
7241CK 630
7241EN 629
7243BK 630
7243CK 631
7243CR 631
7243EN 629
7243FT 631
7245BK 631
7246BK 632
7246E 629
7247BK 632
7249GK 638
7293HM 647
7294HM 647
7294HMC 647
7314AF 639
7315AN 639
7316NB 639
7316NG 640
7317NA 640
7318AN 640
7320NA 640
7321NA 641
7322SA 641
7323SA 641
7328A 632
7328N 632
7352A 642
7352B 642
7352G 642
7352LG 643
7353Y 643
7354N 643
7355V 643
7356G 644
7356LN 644
7356V 644
7357G 644
7357V 645
7362B 645
7363N 645
7371V 645
7372B 646
7376A 646
7381N 646
7382N 646
7398 0/G 648
7398EF 649
7398ESD 648
7398GEL 648
7398T 648
7398U 648
7398UP 648
7399 A/N... 649
7421 649
7422P 649
7425 649
7426P 649
7427 649
7430T 649
7431P 649
7527 652
7528 652
7529 657
7530 652
7545F 664
7547AZ 664
7547BL 665
7547G 665
7547N 665
7547R 665
7548C 665
7548M 665
7549AZ 665
7549BL 665
7549G 665
7549N 666
7549NE 666
7549R 666
7550G 666
7550N 666
7557BL 666
7575N 661
7579QN 661
7600G 652
7600N 652
7610G 653
7610N 653

7611G 657
7636N 663
7637G 663
7642G 663
7650 653
7650B 653
7653G 660
7654B 663
7654N 664
7657B 664
7657N 664
7658CM 662
7659N 662
7660B 653
7660G 653
7661B 657
7661G 657
7664G 664
7664N 664
7665G 664
7665N 664
7669N 662
7670G 662
7673NG 661
7674NG 663
7750N 663
7780QN 663
7800G 668
7815CM 657
7818BL 654
7818CM 654
7818G 654
7818LN 654
7819G 654
7830SN 654
7830ST 655
7831SN 657
7831ST 657
7840BL 655
7849BL 660
7850G 655
7860B 655
7860G 655
7861B 658
7861G 658
7863G 658
7865B 659
7865G 659
7867B 661
7867G 661
7869G 660
7880SC 655
7900B 656
7900G 656
7900P 656
7900V 656
7901G 658
7903G 659
7903P 659
7905G 659
7907G 662
7909B 660
7909G 660
7909P 660
7909V 660
7930MG 656
7931MG 658
7935MG 659
7937MG 662
7940 656
7949 661
7970 666
7971L 667
7978L 667
7979 667
7980L 668
7980NC 668
7980RN 668
7981N 668
7982N 668
7984EG 668
7984G 668
7985N 668
7996N 667

8

80 15
80/S 15
83 15
83/S 15
83AS 16
83AS/S 16
88 16
88/S7 16
89BA 306
89MQ 286
850MQ 287
851 78
851SR 78
852 79
855P 79
855P 598
860/55 79
860/58 79
860/58K 598
860/C27 79
860/C38P 80
860LP 79
860MIX/A10 80
860MIX/A31 80
860PE 79
860PE/A10 80
860PH 79
860PHZ/A10 79
860PZ 79
860RTX 79
860TX 79
860TX/A10 80
861/C61P 82
861LP 80
861PE 81
861PH 80
861PH/C 80
861PZ 80
861PZ/C 81
861RIBE 81
861RTX 81
861SP 81
861TQS 81
861TRW 81
861TX 81
861TX/C 81
861XZN 81
862F 83
862F/A7 83
862LP 82
862PE 82
862PH 82
862PH/L 82
862PH-XL 82
862PZ 82
862TX 82
862TX/L 82
862TX-XL 82
862XP/A16 83
866LP 83
866PE 83
866PH 83
866PZ 83
866RTX 83
866TX 83
867/... 84
867/C20 84
867/C38 84
867/C52 85
867PE 83
867PE/L 83
867RIBE 84
867RIBE/L 84
867RTX 84
867RTX/L 84
867TX 84
867TX/L 84
867XZN 84
867XZN/L 84
882 85
882AN 85
882M 85
882M1 85
882MSR 85
882P 85
892 85
895 85
897 85
897L 85
8001TZ 675
8001TZ-K 675
8001Z 675
8001Z-K 675
8002ZD 676
8002ZS 676
8003ZD 676
8003ZS 676
8004ND 676
8004NS 676
8005TZ 673
8005TZ-K 673
8005Z 673
8005Z 673
8005Z-K 673
8006Z 673
8006Z 673
8006Z-K 673
8007Z 674
8007Z-K 674
8008N 674
8008N-K 674
8008TZN 674
8009FD 677
8009FS 677
8009TZ 674
8009TZ-K 674
8009Z 674
8009Z 674
8009Z-K 674
8010TZ 675
8010Z 675
8010Z-K 675
8011TZ 675
8011Z 675
8015 678
8016 678
8016 678
8016FR 679
8016-K 678
8016U2 679
8016UGK 679
8016U-K 679
8018E 679
8018T 679
8020 680
8020A 680
8021A 680
8025 681
8025 681
8025-K 681
8026A 682
8026A-K 682
8026R 680
8026R-K 680
8028 682
8028-K 682
8029R 680
8029R 681
8029R-K 681
8031R 681
8031R-K 681
8032 681
8032-K 681
8040EN 684
8040EN-K 684
8040EZ 684
8040EZ 684
8040EZ-K 684
8041 683
8041-K 683
8042EN 685
8042EN-K 685
8042EZ 685
8042EZ 685
8042EZ-K 685
8043 684
8043-K 684
8044 685
8048 677
8049 682
8049A 683
8049V 683
8050 D 697
8051S 692
8051S-K 692
8052 - 8055S 691
8057R - 8057 691
8058R - 8058 690
8058R/PS 698
8060R - 8060 690
8060R/PS 698
8061R - 8061F 691
8062 692
8063 691
8063SL 691
8064S 691
8065SC 692
8068S 683
8074 695
8074 695
8074A 695
8074G 695
8080 695
8080FM 695
8082 695
8083 696
8085R 690
8086 690
8090F 710
8090R - 8090 690
8091 686
8091SL 686
8092 686
8092SL 687
8094 687
8094SL 687
8096 688
8096SL 688
8097 688
8097SL 689
8098 689
8098SL 689
8100 690
8105 672

8105-K 672
8109 672
8109-K 672
8110 672
8114 696
8116 696
8120 694
8120B 694
8120D 694
8120DZC 694
8121MZC 694
8129 695
8130 695
8134 692
8135 692
8135/KLA1 698
8135/KMO 698
8143 692
8143/RKCI 698
8143/RKL 698
8143/RPC 698
8143/RPF 698
8146 693
8146/RK 698
8146/RKCI 699
8146/RKFC 698
8146/RKL 698
8146/RPC 698
8146C 693
8147C 693
8147P 693
8147S 693
8148 694
8148/RA 699
8148/RKCL 699
8148/RKCM 699
8148/RKG 699
8148/RKS 699
8148/RP 699
8148F 694
8149 699
8149CM 699
8149CM/RA 699
8150 706
8153 707
8156 707
8157 707
8158 707
8159 707
8160 707
8161 708
8166 710
8170 708
8173 708
8176 708
8177 708
8178 708
8179A 709
8179B 709
8179M 709
8180 710
8181 710
8181 6/S4 710
8181S 710
8182 711
8182 8,5/S2 711
8182A 711
8182E 710
8182GD 711
8182H 711
8182H/2 711
8182S 711
8182T 710
8182TS 710
8183 711
8184 711
8185 712
8186 712
8187 712
8188/K8 713
8188C 712
8188CG/25 712
8188CU/25 713
8188F 713
8188F35 713
8188VFG2 713
8189 713
8189A 713
8189PA 713
8190 712
8190B 712
8201T 701
8205 700
8205 700
8206 700
8207 700
8209 700
8210 700
8210F 701
8210FTP 701
8216 701
8216 701
8216-K 701
8220 702
8225 702
8225 702
8227 702
8228 702
8240 702
8240F 702
8242 703
8242F 703
8248 701
8249 701
8249G 701
8250 704
8264 704
8267 704
8272 705
8273 705
8274 703
8274 703
8274A 703
8274G 703
8276 703
8276G 704
8278 704
8279 706
8280 704
8282S 705
8284 705
8285 705
8286 705
8287 705
8290 705
8293 706
8297C 706
8297F 706
8302Z 677
8302Z 677
8303Z 677
8303Z 677
8317DZ 696
8317SZ 696
8381SL 696
8381SP 696
8381SX 706
8383C 697
8383P 697
8515CH 697
8515V 697
8515Z 697
8531 697
8532 697
8535 697
8600 R/11 622
8600 R/113 623
8600 R/114 623
8600 R/12 622
8600 R/13 623
8600 R/225 623
8600 R/412 623
8600 R/511 623
8600 R/601 623
8600 R/611 623
8702N 677
8702Z 677
8702ZC 677
8709N 678
8709Z 678
8709ZC 678
8889C1 559
8889C2 559
8889C3 559
8889C6 560
8889CD 560
8889CS 560
8889I4 559
8889P1 559
8889P2 559
8889P3 559
8889P4 559
8889PD 560
8889PS 560

9

90 16
90/B8N 16
90/S 16
90/SP 16
90AS 16
90AS/S 16
90BA 306
90K 596
91 17
91BA 306
92 17
92BA 306
93 17
93BA 306
93C 17
93K 596
94 17
94/S 17
94K 596
95 17
95/S 17
95BA 306
95FTX 17
95FTX/S 17
96 18
96/B 18
96/BG7 18
96/BGS7 18
96/SC12 18
96/SC9 18
96/ST 18
96/ST6K 596
96AS 19
96AS/B 19
96AS/BG7 19
96AS/SC9 19
96AS/T 19
96BA 306
96BA/BP 306
96BAF-AS 307
96BP 20
96BP/AS 21
96BP/ASB 21
96BP/AS-SC9 21
96BP/SC9 20
96BPA 21
96BPA/SC9 21
96BPA/SC9 596
96BPC 20
96BPC/SC9 20
96BPC/SC9 596
96BP-CL 20
96BP-CL/SC9 20
96BP-CL/SC9 596
96C/AS 19
96C/AS 596
96C-AS/SC9 19
96L 20
96L/SC12 20
96L/SP8 20
96LBP 20
96LBP/SC9 20
96LBP/SC9 597
96LC 19
96LC/SC12 20
96LC/SC8 20
96N 18
96N/B 19
96N/G 19
96N/SC12 19
96N/SC9 19
96N/ST 19
96N/ST6K 596
96T 21
96T/AS 21
96T/S11 21
96T/S6 21
96T/SP 21
96T/SPV 561
96TAS/S 21
96TBP 22
96TBP/S6 22
96TK 597
97BRTXL/SC8 23
97BTX 22
97BTX/B 22
97BTX/SC8 22
97BTX-C 22
97BTX-C/SC8 22
97BTXL 23
97BTXL/SC8 23
97RTX 23
97RTX/B 23
97RTX/SC8 23
97TTX 23
97TTX/S 23
97TTX/SP 23
97TX 22
97TX/B 22
97TX/BG8 22
97TX/G 22
97TX/SC8 22
97TX/ST 22
98XZN 23
98XZN/B 23
99 23
99 VN/... 24
99BA 307
99SQ 24
99ST 24
900 86
900/... 89
900/16 88
900/20LK 598

ALPHANUMERIC INDEX

900/25 89
900/25K 599
900/32 89
900/35A 89
900/40 89
900/42 89
900/55 89
900/55K 599
900/55Z 90
900/55ZK 599
900/58 90
900/58K 599
900/C11 90
900/C11HR 93
900/C11Z 91
900/C12MR 91
900/C12MZ 91
900/C13-5 91
900/C13-8 91
900/C24 92
900/C39N 90
900/C39U 90
900/R55 111
900/R55-Z 111
900/SB 86
900AN 89
900AS 87
900AS/C10 93
900AS/C17-MBM 93
900AS/L 87
900AS/MB 87
900AS/MB-C17 93
900AS/MBL 87
900AS/SB11 87
900BG/30 89
900BG/30C 89
900BG/30K 599
900FL 89
900FTX 87
900FTX/SB9 87
900K 598
900L 86
900L/SB 86
900LP 87
900M/35 89
900M/55 90
900M/R55 111
900MB 86
900MB/C19 91
900MB/C28 92
900MB/L 87
900MB/SB 86
900MC 86
900MC/C24 92
900MC/C32 92
900MC/LP 87
900MC/PH 88
900MC/TX 88
900ME 88
900ME/SB8 88
900PE/AS 88
900PH 88
900PH/SB4 88
900PT 88
900PZ 88
900T/44 89
900TX 88
900TX/SB 88
900U 87
900U/C12M 92
900U/SB 87
902A/C22 93
902R/C6 93
910/15 96
910/16 97
910/20 - 910/21 - 910/22 97
910/21K 599
910/25 97
910/25K 599
910/36A 97
910/40 97
910/42 97
910/46 97
910/55 97
910/55K 599
910/55Q 97
910/58 98
910/58K 599
910/R55 111
910/R55Q 111
910/R55X 111
910A 93
910A/AS 94
910A/C10 98
910A/C16 98
910A/C16HR 99
910A/C16Q 98
910A/C17 98
910A/C29 99
910A/SB 93
910A-AS/SB13 94
910AK 599
910AL 94
910AL/SB14 94
910AN 97
910AS 94
910AS/C13 99
910AS/L 95
910AS/MBM-C18 99
910AS/SB13 94
910AS/SN 95
910ASL/SB12 95
910B 94
910B/C10 98
910B/C16 98
910B/C16Q 98
910B/C29 99
910B/SB 94
910B/SN 94
910BL 94
910BL/SB 94
910BP 96
910BP/SB6L 96
910CF 96
910CF/SB 96
910FTX 95
910FTX/L 95
910FTX/LSB 95
910FTX/SB 95
910FTX/XL 95
910FTX-XL/C10 95
910LP 95
910M/35 97
910M/35L_WARN 104
910M/55 97
910M/56 98
910M/R55 111
910ME 96
910ME/SB 96
910MQ/21 287
910MQ/22 287
910MQ/55 287
910MQ/B 287
910MQ/C16 287
910MQ/PE 287
910MQ/PT 287
910MQ/T 287
910MQ/TX 287
910MQ/XZN 287
910PE 96
910PE/AS 96
910PE/SB 96
910PH 95
910PH/SB4 95
910PT 96
910PT/SB 96
910TX 96
910TX/SB 96
910XZN 96
911BA 307
911BA/16 307
911BA/20 307
911BA/55 307
914MQ/A 288
914MQ-A/S4 288
920/15 103
920/16 103
920/20÷920/23 103
920/21K 599
920/25 104
920/25K 599
920/35A 104
920/36A 104
920/38 104
920/40 104
920/42 104
920/44 104
920/46 104
920/50 104
920/50F 104
920/55 104
920/55K 599
920/55LC 105
920/55Q 104
920/55X 105
920/56A 105
920/58 105
920/58K 599
920/C37 107
920/R50 111
920/R55 111
920/R55LC 112
920/R55Q 111
920/R55X 112
920A 99
920A/AS 100
920A/C11 105
920A/C12 105
920A/C12X 105
920A/C17HR 108
920A/C17M 107
920A/C17MR 107
920A/C20 106
920A/C20Q 106
920A/C20X 106
920A/C21 106
920A/C21X 106
920A/C33 107
920A/SB13 99
920A/SB8 99
920A-AS/SB11 100
920AK 599
920AL 100
920AL/SB11 100
920AN 103
920AS 100
920AS/C10 108
920AS/C15 108
920AS/C17X 108
920AS/L 101
920AS/MBM-C21 108
920AS/SB11 100
920ASL/SB11 101
920B 100
920B/C11 105
920B/C12 106
920B/C12X 106
920B/C20 106
920B/C20X 106
920B/C21 106
920B/C21X 107
920B/C30Q 107
920B/C33 107
920B/SB13 100
920B/SB8 100
920BL 100
920BL/SB11 100
920BP 102
920BP/SB 102
920ES 103
920ES/SB 103
920ES/XL-SB 103
920FTX 101
920FTX/C 101
920FTX/L 101
920FTX/LSB 101
920FTX/SB 101
920LH/SB7 101
920LP 101
920M/35 104
920M/35L 104
920M/55 105
920M/56 105
920M/R55 111
920MC 100
920MC/C14 106
920ME 102
920ME/C 102
920ME/SB 102
920MQ/21 288
920MQ/22 288
920MQ/55A 288
920MQ/A 288
920MQ/C16 288
920MQ/PE 288
920MQ/T 288
920PE 102
920PE/AS 102
920PE/C 102
920PE/SB 102
920PE-AS/SB6 102
920PH 101
920PH/SB4 101
920RTX 103
920RTX/SB 103
920TX 102
920TX/C 102
920TX/C17 108
920TX/L-SB4 102
920TX/SB 102
920U 101
920U/C17M 109
920U/SB13 101
920U/SB4 101
920XZN 103
920XZN/LS 103
920XZN/SB12 103
920XZN/SB7 103
921BA 308
921BA/15 308
921BA/16 308
921BA/21 - 921BA/22 308
921BA/25 308
921BA/42 308
921BA/50 308
921BA/R50 308
921BA-AS 308
926BA 308
926BA/15 308
926BA/22 308

926BA/42 308
926BA/50 309
926BA/R50 309
928.../C12 110
928/15 109
928/16 109
928/20 - 928/21 - 928/22 109
928/25 109
928/36A 110
928/42 110
928/55 110
928/R55 112
928/R55X 112
928A 109
928AS 109
928AS/C12 110
928B 109
928B/C12 110
928ME 109
929 110
929/15 110
929/21 - 929/22 110
929/42 110
929/55 110
929/55PR 111
929/C8 111
929/R55 112
930 112
930/C 112
930/S 112
932 112
932/S 112
933 112
933/S 112
935 113
935/S 113
935K 599
937 113
937/S 113
937BA 309
937K 599
940 113
941 113
941/S 113
942BX 113
942BX/DG 611
942BX/S 113
943BX 114
943BX/D 114
943BX/DG 611
943BX/S 114
943BXK 600
943FL 114
943FL/S 114
943MQ 288
943MQ/BG 611
943MQ/S 288
944BX 114
944BX/D 114
944BX/DG 611
944BX/S 114
949 114
949/S6 114
950 114
950/S 114
951 115
951/S 115
951/SP 115
951AS 115
951AS/S 115
951BA 309
951GP 115
951GP/S6 115
951K 600
951MQ 288
951TX 116
951TX/S 116
952 116
952/D7 116
952/S 116
952AS 117
952FTX 117
952FTX/S 117
952L 117
953 117
953/S 117
953TX 117
953TX/S 117
955 118
956C 118
956E 118
956F 118
956L 118
957 118
959 119
959R 119
960 119
960/22EP 120
960/C6 120
960/D 120
960A 119
960AD/TP2 175
960AVE 121
960BC/C5 119
960EPC/L 121
960E-PI/P 121
960ER 119
960F 119
960G 119
960H/C4 119
960KC-M8/M9/M10 121
960KPC 121
960L 119
960M 119
960P 121
960PI 121
960PI/C19 122
960PI/K36 122
960PI/S 122
960PMC 122
960RPI 122
960SL 119
960SN 119
960T/A 120
960T/B 120
960T/C 120
960T/C11 120
960T/F 120
960T/G 120
960T/H 120
960UC 121
960VTC 122
960YP 121
961BA 309
961P6 122
961P6/S 122
962 122
962C 122
962M 123
962P 123
963 123
963BA 309
964 123
964BA 309
964BA/L 309
965 123
965/S 123
965BA 309
966/C3 123
966BA 309
966BA/V 309
969/C5 123
969B 123
970B 123
970IVECO 123
971/C8 124
972/C10 124
972/C4BMW 124
973 124
978 - 979 124
982 124
983 PM/R-DA 124
983PM 124
984 124
985/B7 124
985F 125
985M 125
986 48 125
986 78 125
986PT 125
987 125
987AR 125
987P 125
988/K4 125
989 125
989A 125
989B 125
990 126
991 126
992 126
993 126
993G 126
993MQ 289
993PL 126
994 126
994MQ 289
994PL 126
994TF 126
996 126
998 126
999 126
999/B6N 127
999A 126
999B 126
999C 126
999D 127
999E 127
999G 127
9500TL 715
9501TL 715
9501TLD 715
9502TL 716
9503TL 716
9504TL 716
9505TL 716
9510W 716
9520P 718
9521 718
9521OB 719
9522A 724
9523A 724
9523T 721
9524SC 721
9525CM 718
9525TR 718
9525WB 718
9526F 719
9526P 724
9526RMN 724
9527 6T 724
9528B 721
9534BO 716
9534WO 716
9537TL 716
9539CB 720
9541BIKE 718
9541F 718
9541PC 718
9541S 718
9542AL 721
9542AT 720
9542C 720
9542G 720
9542GW 720
9542M 720
9542S 720
9543C 721
9544C 717
9547 724
9547T 721
9547WSK 721
9548G 722
9548KB 721
9548KB 20 721
9548KB 24 721
9549ABW 723
9549BP 723
9549BRW 724
9549C 724
9549CR 723
9549MPC 723
9549SBW 723
9557J 2.0 717
9557N 717
9559 722
9559/30MT 722
9561V 722
9561V 2,5 722
9561VV 722
9561VV 2,5 722
9562P12 726
9562P2 726
9562T1 276
9562T2 409
9562T3 276
9562TB 670
9563G 723
9563U 723
9565K 723
9565S 670
9565T 723
9569MS 725
9569MS-2 725
9569P 725
9569S 725
9572LB 716
9574B 718
9574O 718
9577R 722
9579C 722
9580S 717
9586K 724
9587 13x21 725
9587 9x14 725
9588/10PI 725
9588M 725
9588S/10... 725
9589A/36 726
9589B/36 726
9590B 722
9592B/C50 724
9592B/P 724
9592M/50 724
9592MB 724
9593A 717
9593M 717
9593S 717
9593SB 717
9593W 717
9594 724
9595C 725
9595T 725

9596 725
9597P 721
9597TRIOWAY 719
9598WHP-N 719
9598W-N 719
9599CB-N2 719
9599CB-WN 719
9881U 261
9882R 261
9899 CV/A 111
9899 CV/B 111
9899 CV/C 111

C

C04TSS-7 380
C3 358
C4 - 2104 358
C5 - 2105 358
C5S 358
C6T - 2106 358
C7 - 2107 358
C7AT 359
C8 - 2108 359
C8B 359
C9 - 2109 359
C9/RT 359
C9DA 359
C9MT 360
C9PT 321
C10 - 2110 360
C10S - 2110S 360
C11 - 2111 360
C12 - 2112 361
C13 361
C14 361
C16 - 2116 362
C18 - 2118 362
C19 - 2119 - C19L - 2119L 362
C20 - C20L - 2120 362
C20TSS 363
C22B 363
C22P 363
C22W 363
C25 380
C27S 381
C30M 383
C35/6GM 384
C35/7GM 385
C35/8GM 385
C35/9GM 385
C37/6 387
C37/7 386
C37/8 387
C37A/7 387
C38 389
C38C 390
C38L 389
C38L A 389
C38T 390
C39/6 392
C39/7 391
C39/8 392
C39MD 394
C39SM 394
C39T 392
C41H 395
C41H/CE 395
C41S 395
C42H 396
C45PRO A1/R600 473
C45PRO A1/RB600 474
C45PRO A2/R915 474
C45PRO ACT 469
C45PRO AS1 473
C45PRO AS2 474
C45PRO AW 458
C45PRO AX 458
C45PRO BPW-1,3 461
C45PRO BPW-2,0 461
C45PRO BPX-1,3 461
C45PRO BPX-2,0 460
C45PRO BW 459
C45PRO BX 458
C45PRO C5 464
C45PRO C7 465
C45PRO CAI/W 472
C45PRO CAI/X 472
C45PRO CORNER/W 472
C45PRO CORNER/X 471
C45PRO CPF 463
C45PRO CW 460
C45PRO CX 460
C45PRO DW 455
C45PRO DX 454
C45PRO EW 459
C45PRO EX 459
C45PRO FW 455
C45PRO FX 455
C45PRO GW 456
C45PRO GX 456
C45PRO HW 457
C45PRO HX 457
C45PRO M3A 468
C45PRO M4 465
C45PRO M5 465
C45PRO M7 466
C45PRO M7A/W 462
C45PRO M7A/X 462
C45PRO M8 466
C45PRO MA 467
C45PRO MAL 467
C45PRO MAT 468
C45PRO ML 468
C45PRO MP 471
C45PRO MS 466
C45PRO MWS/W 463
C45PRO MWS/X 462
C45PRO PAS 470
C45PRO PF 470
C45PRO PFE 471
C45PRO PM 472
C45PRO PML 473
C45PRO RD/X 467
C45PRO SL 470
C45PRO SS 470
C45PRO T3 469
C45PRO TC 469
C45PRO W 457
C45PRO X 456
C45PW/1-0,7MT 463
C45PW/2-1,3MT 464
C45PW/3-2,0MT 464
C45PX/1-0,7MT 463
C45PX/2-1,3MT 464
C45PX/3-2,0MT 464
C45STR 474
C48M 398
C48P 398
C51 399
C54S 402
C55 412
C55 A1/RB42 433
C55/1PF 429
C55/2PM 428
C55/PF 427
C55/PL-1,024 420
C55A1 433
C55A1/R42 433
C55A2 434
C55A2/R70 434
C55AB 413
C55AC 431
C55AE 430
C55AT1 435
C55AT2 435
C55B PT/2 420
C55B PT/2,8 420
C55B/1 432
C55B/2 415
C55B/2,8 416
C55B/G 418
C55B/GAA 418
C55B/GAE 419
C55B/GDP 418
C55B/GDS 418
C55B/GE 419
C55B/VS 420
C55B-D4 417
C55C7 421
C55C8 422
C55CS 424
C55KAI 431
C55KAS 431
C55M2 422
C55M4 423
C55M7 423
C55M8 424
C55MA 425
C55MDO 425
C55MP 431
C55MS 426
C55P/2MDX-SX 427
C55P/MCD 427
C55PB/3 413
C55PB-PRO/7 414
C55PB-PRO/8 414
C55PFA-0,8 429
C55PFA-1,0 427
C55PM 427
C55PM/M0,8 429
C55PRO B/2 415
C55PRO B/2,8 416
C55PRO B-D4 417
C55PS 430
C55PSE 430
C55PT0,8x0,6 429
C55PT1,0x0,6 428
C55PTE-0,8 429
C55PTE-1,0 428
C55RB 420
C55STR 435
C55T3 426
C56 406
C56B 406
C56M 407
C56P O 401
C56PL O 401
C56W 406
C57SA 403
C57SB 404
C57SC 404
C57SD 403
C57SP 405
C58B 407
C58M 407
C58P 405
C59A 408
C59B 408
C59C 409
C62M/WW 669
C64/1 669
C64CW 670
C64G/1 670
C68 615
C68 G 615
C68N 615
C88 R/1 615
C88NR/1 615
C88SE 615
C88VE 615
C99 364
C99C-V3 367
C99P 367
C99P12-V0 365
C99PC 367
C99PP 367
C99V0 364
C99V0-P12 365
C99V1 365
C99V2 366
C99V3/2C 366
CA49-G 397
CB/2 561
CB52 400
CD23S 369
CP 477
CP15 - 2115 361
CP15L - 2115 361
CP17 - CP17L - 2117 362
CP51 400
CPMB/3C 476
CPMB/5C 477
CX49-G 397

G,K

GM 560
KIT 6VC/3C 476
KIT 10VC/5C 477
KIT/GPS 560

M

M01 533
M02 533
M05 533
M06 533
M13 533
M25 533
M30 533
M31 534
M33 534
M38 534
M39 534
M40 534
M44 534
M45 534
M46 534
M49 534
M50 534
M52 535
M53 535
M55 535
M60 535
M62 535
M63 535
M65 535
M67 535
M69 535
M75 535
M78 536
M79 536
M82 536
M83 536
M85 536
M86 536
M91 536
M92 536
M94 536
M96 536
M100 537
M105 537
M108 537
M110 537
M112 537

M115 537
M120 538
M121 538
M125 538
M126 538
M127 538
M128 538
M129 538
M133 538
M134 538
M135 539
M136 539
M137 539
M145 539
M153 539
M161 539
M162 539
M166 539
M170 539
M172 539
M174 540
M180 540
M195 540
M201 540
M204 540
M208 540
M209 540
M213 540
M214 540
M216 540
M217 540
M218 541
M219 541
M222 541
M226 541
M227 541
M230 541
M231 541
M234 541
M236 541
M237 542
M240 542
M264 542
M284 542
M292 542
M294 542
M295 542
M305 542
M310 542
M400 543
M401 543
MB 560
MB12 544
MB37 544
MB38 544
MB39 544
MB44 544
MB45 545
MB46 545
MB47 545
MB56 545
MB58 545
MB59 545
MB63 546
MB64 546
MB65 545
MC10 543
MC12 543
MC20 543
MC21 543
MM11 546
MM26 546
MM30 546
MM60 546
MM63 546
MM100 547
MM105 547
MM129 547
MM210 547
MM230 548
MM400 548
MM401 548

P

PM 1/2-Q5 72
PM/5C 477
PM/6C 477
PV 405

R

RSC22 368
RSC23 369
RSC23C 369
RSC23T 370
RSC24/5 372
RSC24/6 372
RSC24/7 371
RSC24/8 372
RSC24A/6 373
RSC24A/7 373
RSC24A/8 373
RSC24AXL/7 374
RSC24AXL/8 375
RSC24AXL/9 375
RSC24AXLP/7 376
RSC24L/7 379
RSC24L-CAB 379
RSC28 382
RSC50 439
RSC50 A 441
RSC50 A1 452
RSC50 A1/R59 452
RSC50 A1/RB59 452
RSC50 A2 452
RSC50 A2/R91 453
RSC50 AC 451
RSC50 B 441
RSC50 C 441
RSC50 C5 443
RSC50 C7 443
RSC50 C8 444
RSC50 CS 447
RSC50 D 440
RSC50 E 440
RSC50 F 440
RSC50 G 439
RSC50 H 439
RSC50 I 438
RSC50 KAI 451
RSC50 KPF 449
RSC50 L 438
RSC50 M10 445
RSC50 M4 444
RSC50 M5 444
RSC50 M7 445
RSC50 M8 445
RSC50 MA 447
RSC50 MDO 448
RSC50 ML 447
RSC50 MS-2AVV 446
RSC50 MS-2C 446
RSC50 MS-AVV 446
RSC50 MTP 450
RSC50 P/1-0,7MT 442
RSC50 P/2-1,5MT 442
RSC50 P/2MDX-SX 450
RSC50 P/3-2,2MT 442
RSC50 PFI 449
RSC50 PFS 449
RSC50 PM 450
RSC50 PS 451
RSC50 RB 443
RSC50 T3 448
RSC51 399

S

S42/17 561
S55/12 560
S55/8 560
S951/6 561
S952/10 560
S96T/8 561
S1719BM 561
SB 560
SGN 561
SP5S 478
SPC 478
SPG11 - S1203/8 561
SSPE 473
ST2P 560

T

T01 549
T05 549
T06 549
T18 549
T19 549
T22 549
T23 549
T31 549
T33 550
T34 550
T40 550
T41 550
T45 550
T46 550
T48 550
T50 550
T52 550
T55 550
T59 550
T63 550
T64 551
T65 551
T68 551
T73 551
T75 551
T76 551
T77 551
T80 551
T81 551
T82 551
T83 551
T85 552
T91 552
T92 552
T99 552
T100 552
T101 552
T102 552
T103 552
T105 552
T106 552
T111 552
T112 553
T113 553
T122 553
T123 553
T124 553
T135 553
T136 553
T137 553
T138 553
T140 553
T144 553
T145 553
T146 554
T151 554
T153 554
T156 554
T157 554
T160 554
T161 554
T164 554
T167 554
T168 554
T170 554
T171 554
T172 555
T173 555
T175 555
T176 555
T177 555
T180 555
T183 555
T198 555
T199 555
T201 555
T202 555
T204 555
T205 556
T206 556
T207 556
T208 556
T209 556
T211 556
T213 556
T216 556
T221 556
T226 556
T227 556
T228 556
T231 557
T233 557
T234 557
T236 557
T239 557
T241 557
T259 557
T264 557
T270 557
T273 557
T279 558
T281 557
T284 558
T291 558
T294 558
T297 558
TSPP 560

V

VE1 560
VP-3SC 559
VP-LD 559
VP-LS 559
VP1 - VP2 559
VP3 - VP4 559
VP5 559
VP6 559
VPM0 548
VPM3 548
VPM7 548
VPM7-C 548
VPM8 548
VPM9 548

BETA GROUP
KEY FIGURES

10 production units **IN ITALY**

1.000 staff

11 branches worldwide

Active in over **100 countries** worldwide with over **250 importers**

BETA UTENSILI S.p.A. - 20845 Sovico (MB)
Via A.Volta, 18 - Tel. 039.2077.1 - Fax 039.2010742
www.beta-tools.com

Robur Wire rope accessories:
67039 Sulmona (AQ) Zona industriale - C.da S. Nicola
Tel. 0864.2504.1 - Fax 0864.253132
www.roburitaly.com - info@roburitaly.com

THE HISTORY OF ITALIAN TOOLS

1923 Alessandro Ciceri founded “Alessandro Ciceri & Figli”, in Erba (in the province of Como), to manufacture iron and steel casts.

1939 The trademark Beta was registered, and the Company became involved mainly in **manufacturing professional tools** at the factory in Sovico (in the province of Monza e Brianza). The Company is still based in Sovico.

1960 Beta Utensili employed no less than two hundred people, established themselves as an up-and-coming manufacturer of professional hand tools and exported their products.

1969 The revolutionary orange sheet metal **“Tank” trolley** was launched; from that moment orange would result in a unique style for the trademark Beta.

1971 Beta Utensili entered the **motor racing world** – first in Formula 1 and then in rally racing and motor sports in general.

1973 The **factory** in **Castiglione d’Adda** (in the province of Lodi) was opened, thus joining the established factory in Sovico (in the province of Monza e Brianza).

1975 The Company scored their first Formula 1 victory, with the orange **March-Beta Utensili** driven by Vittorio Brambilla, who won the Austrian Grand Prix in Zeltweg, in the pouring rain.

1980 Beta Utensili further penetrated the main European markets, **establishing branches** in France, Britain, Holland, Spain, Poland and Hungary.

1984 The Company opened their **third factory in Sulmona** (in the province of L’Aquila). In the forge shop, they started manufacturing the iconic combination wrenches, item 42. The production and testing of lifting accessories kicked off under the brand name Robur.

2000 The launch of the new Beta Utensili catalogue testified to ongoing growth. The range of available products was doubled, and the over 10,000 coded items were divided into 22 product families.

2002 Beta Utensili’s range was further expanded, being supplemented with safety footwear as well as with the work and free-time wear collection, “**Beta Work**”.

2009 Beta started expanding overseas, establishing **Beta China** and, three years later, **Beta do Brasil.**

2016 Beta introduced the new modular workshop equipment combination system, **RSC55**.

2018 The **Beta Group** further established themselves, by taking over **BM S.p.A.**, a leading manufacturer of terminal lugs and electrical connection systems, **3D Beta S.r.l.**, a company specializing in the design and production of customized workshop equipment combination systems, and **VGF S.r.l.**, a company specialising in powder coating of metal furniture.

2019 The Beta Group’s growth strategy was accelerated with the acquisition of the leading manufacturers of abrasives, **Abra Beta S.p.A.** and **Elpa Abrasivi S.r.l.**

2020 **Beta Tools USA** was established, as a major step towards expansion in the North American market.

2023 The Company took over **Helvi S.p.A.**, a major player in the metal welding industry. Hence the **Beta Group** can now exceed **1,000** employees worldwide, 40 product families and over **30,000** coded items, developed to satisfy professionals’ requirements and provide long-term quality and performance, according to the principle ‘Beta Well Done’, because we at Beta can only do things well.

1923 Alessandro Ciceri & Figli

1939 Forging department

1955 Shearing department



1960 Design department

1969 Tank trolley

1974 Advertisement for tool assortments

1975 Vittorio Brambilla

2002 “BetaWork”



2016 Workshop equipment combination system RSC55

2023 Fabio Quartararo, Beta Ambassador

CERTIFIED QUALITY

Beta had its Quality System certified in accordance with the **ISO 9001 standards** as early as 1995; in 2018, the Company obtained **TÜV** certification, by passing strict tests under the EK5/TA5 test protocol.

Protocol EK5/TA5 deals with 31 well-defined building characteristics, stringent static tests and dynamic behaviour tests. Other tests determine resistance to high and low temperatures, the service life of markings over time and corrosion resistance.

Credit for this achievement is due to the expert design, accurate manufacture and stringent tests Beta relies on for its roller cabs, which has allowed their quality to be acknowledged by end users.

CONTROL AND QUALITY







At Beta, quality has a simple, concrete meaning: “that which fully satisfies the needs and expectations of the professional users who rely on our products as an irreplaceable working instrument”. Tools are not only designed and manufactured correctly to fulfil a need, but they must guarantee repeat performances consistently over time.

At Beta, quality goes beyond a merely attentive industrial and sales policy, to permeate every company division, driving us all to achieve increasingly ambitious goals in terms of customer satisfaction. Beta has built its history on this very concept.

Beta quality, our most concrete proof

The quality of Beta tools is a synergy of age-old techniques and new technologies.

Since 1995 our production processes have complied with the ISO 9001 Quality System standards

LOGISTICS

30.000 m²
surface area

Quick, prompt and complete deliveries

40.000
coded items
and over **27.000**
loading units

WORK ORGANIZATION

5S is a workplace organization method of Japanese origin.
The name is derived from the western transcription of 5 Japanese words: **seiri, seiton, seiso, seiketsu and shitsuke.**

Following the 5 steps identified by the words allows a systematic, repeatable method to be implemented with a view to optimized working standards and enhanced operating performance.

SEIRI

SORT
Remove all unnecessary items from the workplace; only keep the items you need.



SEITON

SET IN ORDER
Put everything into its proper place: a place for everything and everything in its place.

SEISO

SHINE
Keep the workplace clean and tidy.

SEIKETSU

STANDARDIZE
Establish consistent work practices to keep rationalizing resources and spaces, determining a standard to implement.



SHITSUKE

SUSTAIN
Support and spread this mindset and behaviour across the organization.

BENEFITS

Reduced time loss and improved cost-effectiveness

Enhanced quality and productivity

Fewer work accidents

Greater efficiency

BEFORE

AFTER



EFFECTIVE PRESENCE



Demonstration unit

BETA TOOLS
CONDITIONS OF SALE

1 GENERAL
BETA TOOLS (UK) LIMITED (the Sellers) only do business upon and subject to the conditions printed below which shall be deemed to be incorporated to the exclusion of any condition inconsistent therewith in any order.

2 PRICES
2.1 Orders are accepted for execution at the price shown in the BETA TOOLS (UK) LIMITED price list current at the date of dispatch of the Goods. This ALSO applies to any back order
2.2 Prices of Goods include delivery cost subject to Minimum Order Value/Carriage as per Condition 3 below
2.3 The cost of any special packaging required by the Buyer shall, unless otherwise stated, be charged extra.
2.4 In the event of any alteration in design or specification being required by the Buyer, the Sellers shall be entitled to make an adjustment to the contract price corresponding to such alteration.

3 MINIMUM ORDER VALUE/CARRIAGE
3.1 Orders for hand tools where net value is £125 or more will be delivered carriage paid by the Sellers appointed carriers, as defined in condition 10:1.
3.2 In any other case the seller may make a charge for carriage, handling, and packing. Orders where the net value falls below £125 will be charged £20.
3.3 Part Order deliveries to Third Parties will be charged respectively at the above rates irrespective of the total order value.
1 NOTE: The above charges apply to Mainland UK deliveries only – for other destinations additional charges may apply and should be established at the time of placing the order.
2 NOTE: Requests for next day and timed deliveries will be charged extra at cost.

4 DELIVERY TIMES AND PROMISES
Unless specifically agreed, no quoted delivery dates are binding and all delivery promises are conditional upon out supplier's delivery to us within the required period. If there are difficulties in delivery of any particular order we reserve the right to make part deliveries. The Buyer shall not be entitled to claim from the Sellers any Compensation for any damage or consequences arising from late delivery.

5 CANCELLATION OF ORDERS
The Sellers will not accept the cancellation of the Buyers' order or any part thereof after the order or part order has been despatched from the Sellers' premises.

6 RETURN OF GOODS
If no cancellation has been received by the Sellers and the Goods have been despatched to the Buyer in accordance with the Buyer's order, the Sellers will not accept the return of such Goods unless a written request has been received and previously agreed by the Sellers. In this case the Goods must be returned at the Buyer's risk and cost.
NOTE: a handling charge of 20% of invoiced value will be deducted from any resultant credit. No credit under £20 will be processed. In no circumstances will goods be accepted back 1) Without notification from the buyer of the original invoice number. 2) If the invoice date is in excess of 3 months. 3) If they are not in re-saleable condition and in the current range

7 RIGHT TO WITHDRAW/AMEND PRICE LISTS
The Sellers reserve the right to amend or withdraw their price lists without notice.

8 UNIT OF ORDER
The Sellers reserve the right to vary orders to the extent necessary to conform the standard unit of pack as detailed in the BETA TOOLS (UK) LIMITED price lists.

9 RISK AND PROPERTY
9.1 Risk of damage to or loss of the Goods shall pass to the Buyer:
9.1.1 in the case of the Goods to be collected at the Sellers' premises, at the time of collection by the Buyer, its Agent or by the Carrier, or
9.1.2 in the case of Goods to be delivered by the Sellers otherwise than at the Sellers' premises, at the time of delivery of the Goods.
9.2 Notwithstanding delivery and the passing of the risk in the Goods, or any other provision of these Conditions, the property in the Goods shall not pass to the Buyer until the Sellers have received, in cash or cleared funds, payment in full of the price of the Goods and charges and all other Goods agreed to be sold by the Sellers to the Buyer for which payment is then due.
9.3 Until such time as the property in the Goods passes to the Buyer, the Buyer shall hold the Goods as the Seller's fiduciary agent or bailee and shall keep the Goods separate from those of the Buyer and third parties and properly stored, protected, insured and identified as the Sellers' property. Until that time the Buyer shall be entitled to resell or use the Goods in the ordinary course of his business but shall account to the Sellers for the proceeds of sale or otherwise of the Goods, whether tangible or intangible, including insurance proceeds and shall keep all such proceeds separate from any monies or properly of the Buyer and third parties and, in the case of tangible proceeds, properly stored, protected and insured.
9.4 Until such time as the property in the Goods passes to the Buyer (and provided the Goods are still in existence and have not been resold), the Seller shall be entitled at any time to require the Buyer to deliver up the Goods to the Seller and, if the Buyer fails to do so forthwith, to enter upon the premises of the Buyer or any third party where the Goods are stored and repossess the Goods.
9.5 The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Goods which remain the property of the Seller, but if the Buyer does so all monies owing by the Buyer to the Seller shall (without prejudice to any other right or remedy of the Seller) forth with become due and payable.

10 METHOD OF DESPATCH
10.1 The Goods will be forwarded by postal service, road or rail at the risk of the Buyer. The Sellers reserve the right to use whichever form of transport is most convenient to them.
10.2 CLAIM AGAINST CARRIERS
The Sellers will not be responsible for any damage to or loss of the Buyer's Goods after despatch from the Sellers' premises although in the case of damage, pilferage or on delivery the Sellers will, on behalf of the Buyer, make a claim against the Carrier if so requested by the Buyer within such period as will enable the Sellers to make a claim within the period allowed by the Carrier's conditions or regulations.

11 TERMS OF PAYMENT
11.1 Unless otherwise agreed by the Sellers in writing, the terms of payment shall be NETT CASH MONTHLY ACCOUNT due and payable on the last day of the month following the month in which the Goods were despatched (or would have been despatched save for postponement otherwise than due to default on the part of the Sellers).
11.2 No disputes arising under the contract nor delays beyond the control of the Sellers shall interfere with prompt payment by the Buyer.
11.3 In the event of default in payment by the Buyer in accordance with the agreed terms, the Sellers shall be entitled, without prejudice to any other right or remedy, to suspend all further deliveries and to charge interest on any amount outstanding at the rate of 2% per annum above the Bank of England Minimum Lending Rate in force at relevant time.

12 GUARANTEES
All Beta Tools are guaranteed against faulty material or workmanship and, if returned at the buyer's risk, will be repaired or replaced provided the item has been used correctly for the purpose for which it was designed.
The warranty does not cover items which have been modified, tampered with or abused or are worn through normal wear.
Please note Consumables items are excluded from Beta Tool's warranty (please see Conditions of application for further details). Any returned tools must be delivered to the sellers together with documentation giving full details of the claimed defect. All the products featuring electronic components are manufactured and tested in accordance with current EU regulations and are covered by a 12-month warranty. Safety footwear and workwear are covered by a limited warranty which covers defective workmanship and material.

13 FORCE MAJEURE
If any of the Sellers' obligations shall be prevented, hindered or interfered with by war, strikes, accidents or force majeure, or by any other causes whatsoever beyond the Sellers control, the Sellers shall have the option to suspend or cancel any obligation then unperformed.

14 INSOLVENCY
If the Buyer shall become bankrupt or insolvent or compound with creditors or proceedings are commenced for the liquidation of the Buyer (other than for a voluntary winding up for the purpose of reconstruction or amalgamation) or if a Receiver or Manager is appointed over all or part of its asset or undertaking, the Sellers shall be entitled to cancel the contract in whole or in part by notice in writing without prejudice to any right or remedy or accruing to the Sellers

15. CONDITIONS OF APPLICATION
15.1 Unlimited warranty. Beta Tool's warranty will apply – unless otherwise provided, to all hand tools used in normal conditions, with no time limit.

The following categories of products are excluded from Beta Tool's warranty:

15.2 **Consumables**. Consumables mean the products that wear out or get damaged during normal use. This category includes but is not limited to bits, files, blades for hacksaw frames, knives, drill bits, taps and dies, hole saws, batteries and storage batteries, workwear, and safety footwear.
15.3 **Pneumatically, electrically, hydraulically, or mechanically driven tools** are covered by 12-month warranties for professional use or 24-month warranties for nonprofessional use. The warranty period will start from the date of the sales document. Should assistance be required once or several times during the warranty period, the expiry date of the warranty will remain unchanged. All repairs will be warranted for three months. Such warranty will only apply to any parts replaced during the repair job, other than consumable parts.

The warranty will not cover defects due to wear, misuse or breakdowns caused by blows and/or falls or overloads. In addition, the warranty will no longer be valid if any changes are made, or if the tool is damaged or sent to the customer service partially or totally disassembled. The warranty explicitly excludes any damage to people and/or things, whether direct or consequential.

16. LOSS OF VALIDITY
The warranty will not be valid in case of misuse, overloads, negligence or omission of maintenance, normal wear or circumstances beyond one's control.

Furthermore, the warranty will not apply to damage caused by blows, falls, negligence, poor care or maintenance, or in case of transformation of the product. Finally, the warranty will not apply if the products have been used improperly, or in any conditions other than the ones they have been manufactured for, particularly in case of failure to meet the conditions stated in the operator's guide.

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes


2023 Moto2
World Championship
TEAM
speedUP
FERMÍN
ALDEGUER
54
Beta
50 Years in Motorsports

PARTNERSHIP 2023

Beta AMBASSADOR

FABIO QUARTARARO
2023 MotoGP
World Championship

OFFICIAL SPONSOR
MotoGP Team 2023

DUCATI CORSE — Technical Partner

prima PRAMAC RACING

mooney VR46 RACING TEAM

Official Sponsor of aprilia RACING

LCR TEAM Honda

Red Bull KTM FACTORY RACING

CryptoDATA RNF

GASGAS FACTORY RACING TECH3

TEAM speedup

elf marc VDS

aspar TEAM GASGAS FACTORY RACING

idemitsu Honda Team Asia

Correos Prepago rêv YAMAHA RACING

ITALTRANS

SAG RACING TEAM

LEOPARD RACING

TEAM LIQUI MOLY Intact GP

MTA Italia ANGELUSS

Red Bull KTM TECH3

SNACK PATA YAMAHA RACING PROMETEON

Beta Kawasaki Racing Team

GYTR GRT YAMAHA RACING

PUCCETTI RACING TEAM Kawasaki

MOTOCORSA RACING

9980692028 054809 548319

Beta GROUP | BMC GROUP | Abra Beta | HELVI | 3D Beta Made in Italy