

0

202



Beta

7/.

0

-

1/2

D

ETTA ZERO -RESET

ub

41

# Beta



## We at Beta keep investing in Italian-made production and are proud to **THE NEW WORKSHOP** EQUIPMENT RANGE, RSC50

Based on the expertise acquired with the two existing workshop equipment ranges, RSC55 and C45PRO, which allowed us to listen to and fully understand professional users' requirements, the project for the new range, RSC50, relies on the following pivotal concepts:





## QUALITY

Our acclaimed care in choosing the materials, painstaking attention for detail and, last but not least, the captivating design make the RSC50 a one-of-a-kind workshop equipment range.



# FUNCTIONALITY AND STURDINESS

The 63-cm-deep worktop means having a large, convenient, functional work surface available. It can be fitted with a vice, thereby allowing heavy-duty jobs to be carried out.

## EFFICIENCY

Simple, quick installation, based on the optimized production of the various parts of the range.

## • FLEXIBILIT

Each workshop equipment combination can be extended or modified at any time as required.

## COMPATIBILITY

*The drawers in Beta's standard dimensions* (588x367 mm) can accommodate the numerous tool modules, which are available in both soft and hard versions, made from EVA and ABS respectively.



The new workshop equipment range, RSC50, comprises preassembled combinations, developed by Beta for professionals; alternatively, you can design your workplace on your own, choosing from many under-bench modules, wall-mounted cabinets and furnishing accessories. The customized colours of the drawer handles and lights under the worktops and wall-mounted cabinets result in unique workshop equipment, thus making the RSC50 an ideal choice for those who prioritize working in a functional, efficient environment.





### Workshop equipment combination RSC50

Combination comprising:

- 1 2.240 mm worktop (RSC50 PG/3-2,2MT)
- 1 1.495 mm worktop (RSC50 PG/2-1,5MT)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 self-supporting complete corner (RSC50 AC-G)



- 1 fixed module with 5 drawers (RSC50 M5)
- 1 fixed two-door module (RSC50 MA)
- 5 wall-mounted cabinets (RSC50 PM)
- 5 upper perforated tool panels (RSC50 PFS)
- 5 lower perforated tool panels (RSC50 PFI)
- 5 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 2 single-door cabinets (RSC50 A1)







#### Workshop equipment combination RSC50

Combination comprising:

- 1 2.240 mm worktop (RSC50 PG/3-2,2MT)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed module with built-in sink (RSC50 ML)
- 4 wall-mounted cabinets (RSC50 PM)
- 4 upper perforated tool panels (RSC50 PFS)
- 4 lower perforated tool panels (RSC50 PFI)
- 4 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 single-door cabinet (RSC50 A1)









#### Workshop equipment combination RSC50

Combination comprising:

- 1 2.240 mm worktop (RSC50 PG/3-2,2MT)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 3 wall-mounted cabinets (RSC50 PM)
- 3 upper perforated tool panels (RSC50 PFS)
- 3 lower perforated tool panels (RSC50 PFI)
- 3 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 two-door cabinet (RSC50 A2)





#### Workshop equipment combination RSC50

Combination comprising:

- 1 1.495mm worktop (RSC50 PG/2-1,5MT)
- 1 fixed module with 5 drawers (RSC50 M5)
- 1 fixed two-door module (RSC50 MA)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 single-door cabinet (RSC50 A1)









5

180 mm /





## **//666ZER@-RESET** THE NEW TORQUE WRENCH THAT DOES NOT REQUIRE **RELEASING TENSION.** Based on the new parts, the wrench no longer has to be reset

Even if tension is not released, the number of cycles, durability and tightening accuracy as required by reference standards are guaranteed. In order to confirm these parameters. Beta Utensili's Research & Development Department performed numerous durability tests at the in-house laboratories as at hundreds of end users'. This result has been obtained through:

• the use of the best-performing currently available materials:

special heat treatments on interior parts.

to the minimum value at the end of the operation cycle.

(2)

6

Zero Reset

## **100% MADE IN ITALY**

The Zero-Reset torque wrench was entirely designed and developed in-house and is manufactured at Beta Utensili's factories in Italy, using 100% Italian-made parts.



Click-type torgue wrench for right-hand tightening



The wrench that does not require releasing tension after use. 100% Italian-made, it is ideal for controlled tightening of screws/bolts. The innovative Zero-Reset torque wrench is fitted with a reversible ratchet for right-hand tightening; torque accuracy:  $\pm$  3%. Reaching the set torque is indicated by a mechanical click that can be heard and touched.

(5) 🖁



**UNI EN ISO 6789** 

|                | Nm     | lbf.ft |     |      | L (mm) | 🕯 g  |           |          |          |            |
|----------------|--------|--------|-----|------|--------|------|-----------|----------|----------|------------|
| 666/2          | 5÷25   |        | 1/4 | 0,05 | 273    | 395  | 006660702 | £286.00  | £ 140.00 |            |
| 666/2X         | 5÷25   |        | 3/8 | 0,05 | 273    | 405  | 006660703 | £286.00  | £ 140.00 | - <b>(</b> |
| 666/5          | 10÷50  |        | 3/8 | 0,25 | 342    | 680  | 006660705 | £256.00  | £ 130.00 |            |
| 666/10         | 20÷100 |        | 3/8 | 0,25 | 385    | 760  | 006660710 | £258.00  | £ 130.00 | 1          |
| 666/10X        | 20÷100 |        | 1/2 | 0,25 | 385    | 770  | 006660711 | £260.00  | £ 130.00 |            |
| 666/20         | 40÷200 |        | 1/2 | 0,5  | 471    | 1020 | 006660720 | £-286.00 | £ 140.00 | _ {        |
| 666/30         | 60÷300 |        | 1/2 | 1    | 600    | 1270 | 006660730 | £331.00  | £ 170.00 |            |
| 666-LBF.FT/2   |        | 4÷18   | 1/4 | 0,05 | 273    | 395  | 006660762 | £286.00  | £ 140.00 |            |
| 666-LBF.FT/2X  |        | 4÷18   | 3/8 | 0,05 | 273    | 405  | 006660763 | £286.00  | £ 140.00 |            |
| 666-LBF.FT/5   |        | 7÷37   | 3/8 | 0,25 | 342    | 680  | 006660765 | £256.00  | £ 130.00 | t          |
| 666-LBF.FT/10  |        | 15÷75  | 3/8 | 0,25 | 385    | 760  | 006660780 | £-258.00 | £ 130.00 |            |
| 666-LBF.FT/10X |        | 15÷75  | 1/2 | 0,25 | 385    | 770  | 006660781 | £260.00  | £ 130.00 |            |
| 666-LBF.FT/20  |        | 30÷150 | 1/2 | 0,5  | 471    | 1020 | 006660782 | £286.00  | £ 140.00 |            |
| 666-LBF.FT/30  |        | 50÷230 | 1/2 | 1    | 600    | 1270 | 006660783 | £331.00  | £ 170.00 | 9          |

#### ZERO-RESET TECHNOLOGY:

Based on higher-performance materials and improved heat treatment of both the spring and the component parts of the adjustment system, the wrench no longer requires releasing tension after use. EASY SETTINGS: The graduated scale allows minimum interval fractions to be set up (in tenths of Nm/lbf.ft).

**IMPROVED VISIBILITY:** Double graduation for clearer, simpler torque visibility.



316x254x96 mm

## Beta



- Ergonomic nonslip handle
- Gearcase made entirely of metal
- · 2Ah batteries with charge indicator on impact wrench body • Supplied in a hard case with 2 lithium ion batteries (2 Ah)
- and quick charger (50 min)







ROBUR's permanent magnetic lifters stand out as compact, sturdy, reliable machines; they are widely used in factories, warehouses, harbour quays and transportation facilities. Designed in compliance with EN13155, this equipment is suitable for lifting and handling magnetic iron materials, including dies, sheet metal, pipes, fittings, beams and bars. The permanent magnet is made from a Neodymium-Iron-Boron alloy, which has an extremely high attractive force and is defined as "super magnetic". Since magnetic lifters require no voltage, they can also be used in places where no power connection is available. One operator can easily lift, transport and release the load through the operating lever: when the lever is moved into the ON position, a spring mechanism will lock it, keeping the magnet active and preventing accidental release.



• Declaration of Conformity with Machinery Directive 2006/42/EC • Test Report UNI EN10204 type 2.2

Identification tag with serial number

• Operation and maintenance manual

Permanent magnetic lifters

8134

Technical data: · Safety factor: 3

Available certificates: • Manufacturer's Certificate

|             |           |          | £ |
|-------------|-----------|----------|---|
| 8134 100 KG | 081340010 | £ 540.00 |   |

| 8134 100 KG  | 081340010 | £.540.00   | £ 270.00   |
|--------------|-----------|------------|------------|
| 8134 300 KG  | 081340030 | £950.00    | £ 480.00   |
| 8134 600 KG  | 081340060 | £1,770.00  | £ 890.00   |
| 8134 1000 KG | 081340100 | £ 2,920.00 | £ 1,460.00 |



DC-output welding machine kit, for MMA and TIG electrode welding, TIG welding torch included

Arc force, hot start, anti-sticking and thermostatic protection features.





| Adjustment current     | 10÷160A   |
|------------------------|---|
| Power supply           | 1x230V  |
| Use factor (40 °C)     | 35% - 160 A<br>60% - 130 A<br>100% - 95 A       |
| Protection             | IP23S   |
| Usable electrodes      | Ø 1,6 - 4 mm<br>rutilic, basic, stainless steel |
| Dimensions             | 360x140x230 mm                                  |
| Welding machine weight | 6,2 kg  |
| Torch length           | 4 m   |












#### Hydraulic bench press with moving piston

- Maximum capacity: 10 t
- Manual 2-speed pump
  Moving piston
- Automatic piston return
- Set of V-shaped prisms included
- Chrome-plated stand



1030

500

830

125

310

150


330

530



#### Hydraulic press with moving piston

- Maximum capacity: 20 t
- Manual 2-speed pump
- Moving pistonChrome-plated stand
- Automatic piston return
- Hydraulic overloading safety device
- Gauge
- · Set of V-shaped prisms included



| 3027N 20 |      |  |  |  |
|----------|------|--|--|--|
| Α        | 1870 |  |  |  |
| В        | 600  |  |  |  |
| C        | 920  |  |  |  |
| D        | 125  |  |  |  |
| E        | 310  |  |  |  |
| F        | 150  |  |  |  |
| G        | 1000 |  |  |  |
| H        | 580  |  |  |  |






## Beta

#### 🖳 030270103 **3027N 30** £ 5,490.00 £ 2,750.00

#### Hydraulic press with moving piston and hoist

- Maximum capacity: 30 t
- Manual 2-speed pump
- Moving piston
- Chrome-plated stand
- Automatic piston return
  Hydraulic overloading safety device
- Gauge
- · Steel rope hoist for lifting worktop





0


Beta

Œ



#### Hydraulic press with moving piston and hoist

- Maximum capacity: 50 t
- Manual 2-speed pump
- Moving piston
- Chrome-plated stand
- Automatic piston return
- Hydraulic overloading safety device
- Gauge
- Set of V-shaped prisms
- Steel rope hoist for lifting worktop







· Front pivoting wheels

| 3008N |         |  |  |  |
|-------|---------|--|--|--|
| Α     | 1200    |  |  |  |
| В     | 940     |  |  |  |
| C     | 120     |  |  |  |
| D     | 500     |  |  |  |
| E     | 1030    |  |  |  |
| F     | 429-670 |  |  |  |
| -     | 120 010 |  |  |  |

11

. 30 ko



#### **7819G** £\_86:00

£ 40.00

## Work trousers, multipocket style, with detachable flying pockets,

T/C canvas, 260 g/m<sup>2</sup>, grey


Knee pad pockets and leg bottoms reinforced in polyester 300D, tearproof crotch and stretch fabric inserts in inside legs and lumbar region for easier movements

**CONVENIENCE** Trousers designed to provide unique convenience, based on the 14 pockets. The accurate details, detachable pockets at waist and ruler pockets ensure unique convenience, even for the most demanding workers.

**STRENGTH** The polyester and cotton fabric is synonymous with hard-wearing trousers. The addition of anti-abrasion inserts on the knees and leg bottoms translates into further increased strength.

**COMFORT** The addition of stretch inserts in inside legs and on the back results in remarkably comfortable trousers.

|      | TS<br>2 |           |
|------|---------|-----------|
| XS   | 46      | 078190000 |
| S    | 48      | 078190001 |
| Μ    | 50      | 078190002 |
| L    | 52      | 078190003 |
| XL   | 54      | 078190004 |
| XXL  | 56      | 078190005 |
| XXXI | _ 58    | 078190006 |



#### Cargo work trousers,

100% cotton, 240 g/m<sup>2</sup>, stretch waistband on sides and large side pockets with reflex inserts, grey with fluorescent green detail slim fit

Beta's "cargo" work trousers are the name for a modern, simple solution, for those who prioritize comfort, without compromising style. **CLASSIC, THOUGH FASHIONABLE LOOK** Simple, essential lines and attention to detail make these trousers ideal for both work and free time. **COMFORT** The fabric made of 100% cotton and the stretch waistband have been specially designed to provide unparalleled convenience and comfort in all working situations.

**CONVENIENCE** Special attention to the choice and positions of the pockets results in slim yet extremely practical trousers.

|       | 1    |           |
|-------|------|-----------|
| XS    | 46   | 078500100 |
| S     | 48   | 078500101 |
| М     | 50   | 078500102 |
| L     | 52   | 078500103 |
| XL    | 54   | 078500104 |
| XXL   | 56   | 078500105 |
| XXXL  | 58   | 078500106 |
| XXXXL | . 60 | 078500107 |













*Crew-neck sweatshirt, 240 g/m², 60% cotton, 40% polyester, melange grey, black inserts* 

Beta's crew-neck sweatshirt is the perfect combination between comfort and a modern look.

**COMFORT** The soft, warm fabric ensures unique comfort during work. The stretch ribbed neck, cuffs and bottom result in an even more practical and functional garment.

**MODERN LOOK** The fluorescent details as well as the coloured seams and the reflex inserts provide a touch of uniqueness and style.



£ 50.00



7750N

*Work bomber jacket, multipocket style, 100% polyester, 100% polyester padding, 120 g/m², black* 

Work bomber jacket synonymous with strength and convenience in all working situations. **PROTECTION** The 100% polyester fabric and padding are the name for remarkable strength and cold protection in a simple, yet functional garment.

**CONVENIENCE** The two chest pockets and the waist pockets with zip closure mean an optimal solution translating into a practical, functional garment.

**CUSTOMIZATION** The interior pocket allows for a fully customized garment.





 39/42
 074300202

 43/46
 074300204

19

Melange grey with black inserts

· Black with grey inserts

# **PBet**a

Fabio Quartararo 2023 MotoGP World Championship



Partnership 2023



Beta Tools (UK) Limited | Unit D - Horton Enterprise Park Hortonwood 50, Telford | Shropshire, TF1 7GZ Sales: Tel. (01952) 677977 www.beta-tools.co.uk | sales@beta-tools.com

2

MUNTE

Beta

YAMAHA

( PIL-

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.