

CE

**TECHNICAL DATA**


- safety factor: 5
- heat treatment, body: normalizing
- heat treatment, jaws: hardening and tempering


**LABORATORY TESTS**

- chemical analysis
- tensile test

**AVAILABLE CERTIFICATES**

- Technical product specifications
- Test report UNI EN10204 type 2.2



		art.	ØxE "	≈ mm	WFL kg	L min mm
	<b>081090010</b>	8109 3/8X6	3/8x6	M10x150	540	258
	<b>081090011</b>	8109 1/2x6	1/2x6	M12X150	1000	306
	<b>081090012</b>	8109 1/2X9	1/2x9	M12x230	1000	368
	<b>081090013</b>	8109 1/2x12	1/2x12	M12x300	1000	456
	<b>081090015</b>	8109 5/8x6	5/8x6	M16x150	1590	346
	<b>081090016</b>	8109 5/8X9	5/8x9	M16x230	1590	401
	<b>081090018</b>	8109 3/4x6	3/4x6	M20x150	2360	369
	<b>081090019</b>	8109 3/4x12	3/4x12	M20x300	2360	519
	<b>081090020</b>	8109 3/4X9	3/4x9	M20x230	2360	432
	<b>081090021</b>	8109 3/4x18	3/4x18	M20x460	2360	671
	<b>081090022</b>	8109 7/8X12	7/8x12	M22x300	3270	542
	<b>081090023</b>	8109 7/8x18	7/8x18	M22x460	3270	713
	<b>081090024</b>	8109 1X6	1x6	M24x150	4540	425
	<b>081090025</b>	8109 1X12	1x12	M24x300	4540	577
	<b>081090026</b>	8109 1x18	1x18	M24x460	4540	751
*	<b>081090031</b>	8109 1.1/4X12	1.1/4x12	M33x300	6900	644
*	<b>081090032</b>	8109 1.1/4X18	1.1/4x18	M33x460	6900	796
*	<b>081090033</b>	8109 1.1/4X24	1.1/4x24	M33x610	6900	948
*	<b>081090034</b>	8109 1.1/2X12	1.1/2x12	M39x300	9710	675
*	<b>081090036</b>	8109 1.3/4X18	1.3/4x18	M45x460	12700	938
*	<b>081090038</b>	8109 1.1/2x18	1.1/2x18	M39x460	9710	825
*	<b>081090039</b>	8109 1.1/2x24	1.1/2x24	M39x610	9710	979
	<b>081090017</b>	8109 5/8X12	5/8X12	M16X300	1590	500